

NORTH DAKOTA

2004 Core Variables Report

Behavioral Risk Factor Surveillance System

April 26, 2005



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004

SECTION 1: HEALTH STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3040	486221	558	19.1	17.5-20.8	1094	36.3	34.3-38.2	984	32.4	30.5-34.4	292	9.0	7.9-10.2	112	3.1	2.5-3.8
SEX																	
Male	1306	240477	247	19.6	17.1-22.2	437	33.5	30.6-36.5	458	35.3	32.2-38.4	120	9.1	7.2-10.9	44	2.5	1.7-3.3
Female	1734	245744	311	18.6	16.5-20.7	657	38.9	36.3-41.6	526	29.7	27.3-32.1	172	9.0	7.6-10.5	68	3.8	2.8-4.8
RACE																	
Native	80	17507	7	7.8	0.6-14.9	22	29.4	16.5-42.2	30	37.6	23.0-52.3	13	18.0	7.4-28.6	8	7.2	1.7-12.7
Non-Native	2932	465161	550	19.7	18.0-21.4	1064	36.6	34.6-38.6	941	32.1	30.1-34.1	276	8.7	7.5-9.8	101	2.9	2.3-3.5
AGE																	
18-24	200	75791	48	22.8	16.4-29.1	79	37.3	29.9-44.7	62	34.5	26.9-42.1	8	4.5	1.1-7.8	3	1.0	0.0-2.1
25-34	421	76059	103	23.9	19.6-28.2	196	45.6	40.5-50.7	104	25.9	21.4-30.5	16	4.1	1.7-6.4	2	0.5	0.0-1.2
35-44	576	88461	141	24.6	20.8-28.4	221	40.1	35.8-44.5	169	27.8	23.9-31.6	38	6.7	4.4-9.0	7	0.8	0.2-1.3
45-54	662	90054	127	18.9	15.7-22.1	269	39.7	35.7-43.7	192	30.7	26.8-34.6	55	7.9	5.5-10.2	19	2.8	1.5-4.2
55-64	461	59834	78	17.7	13.9-21.4	156	33.7	29.1-38.3	162	35.1	30.4-39.7	40	8.8	6.0-11.6	25	4.7	2.8-6.7
65+	703	93830	58	8.2	6.1-10.4	168	22.7	19.4-25.9	289	40.4	36.5-44.3	134	20.3	17.0-23.6	54	8.4	6.0-10.8
EDUCATION																	
Less Than H.S.	258	40330	14	4.4	2.0-6.7	37	15.3	10.1-20.5	104	41.0	33.4-48.5	63	25.9	19.5-32.3	40	13.5	8.8-18.1
H.S. or G.E.D.	898	144198	138	15.1	12.5-17.8	296	34.7	31.0-38.4	322	35.9	32.2-39.6	114	11.6	9.2-13.9	28	2.7	1.6-3.8
Some Post-H.S.	996	163604	171	18.2	15.2-21.2	385	38.5	35.0-42.1	345	34.6	31.1-38.1	70	6.6	4.8-8.4	25	2.1	1.2-3.0
College Graduate	882	137357	235	28.8	25.4-32.2	375	41.5	37.9-45.1	209	23.6	20.3-26.8	45	4.4	3.0-5.7	18	1.8	0.9-2.6
HOUSEHOLD INCOME																	
Less than \$15,000	264	40396	27	14.3	8.3-20.3	62	29.4	21.5-37.4	89	30.8	23.7-37.8	50	16.3	11.1-21.4	36	9.3	6.0-12.6
\$15,000- 24,999	493	75301	68	14.0	10.4-17.6	143	28.8	24.2-33.4	170	35.8	30.6-41.0	85	16.0	12.4-19.7	27	5.4	3.3-7.6
\$25,000- 34,999	449	71476	62	14.1	10.1-18.2	178	40.6	35.3-46.0	150	32.4	27.5-37.3	49	10.8	7.2-14.4	10	2.0	0.7-3.4
\$35,000- 49,999	571	89692	107	17.4	14.1-20.7	228	40.1	35.7-44.5	189	33.6	29.3-37.9	36	7.1	4.4-9.8	11	1.9	0.7-3.0
\$50,000- 74,999	503	83916	117	25.3	21.1-29.5	223	42.7	38.0-47.3	136	27.6	23.2-31.9	20	3.3	1.8-4.8	7	1.1	0.1-2.1
\$75,000+	392	64737	120	32.6	27.1-38.0	150	37.8	32.5-43.1	101	24.3	19.6-29.0	17	4.4	2.3-6.6	4	0.8	0.0-1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	1306	240477	247	19.6	17.1-22.2	437	33.5	30.6-36.5	458	35.3	32.2-38.4	120	9.1	7.2-10.9	44	2.5	1.7-3.3
RACE																	
Native	36	10102	4	9.3	0.0-20.3	11	31.0	11.7-50.2	14	39.8	17.8-61.9	6	17.8	2.5-33.2	1	2.0	0.0-6.0
Non-Native	1258	228996	243	20.2	17.6-22.8	421	33.6	30.7-36.6	440	35.0	31.9-38.1	113	8.7	6.9-10.5	41	2.4	1.6-3.2
AGE																	
18-24	88	40034	22	23.7	14.0-33.3	32	31.0	20.8-41.2	29	38.5	26.8-50.2	5	6.9	0.9-12.8	0		0.0-0.0
25-34	187	39734	52	26.4	19.9-33.0	79	41.5	34.1-48.9	50	27.8	20.9-34.6	6	4.3	0.4-8.1	0		0.0-0.0
35-44	257	44465	65	25.8	20.0-31.6	99	39.3	32.9-45.7	74	27.7	21.9-33.5	18	7.0	3.6-10.5	1	0.2	0.0-0.6
45-54	296	46463	50	15.5	11.2-19.9	114	38.6	32.6-44.6	103	35.6	29.7-41.5	21	7.4	4.0-10.8	8	2.8	0.8-4.9
55-64	220	29663	39	18.7	13.2-24.2	64	29.4	23.0-35.9	90	39.7	32.9-46.5	12	6.2	2.8-9.7	15	5.9	2.7-9.1
65+	253	39342	18	7.3	3.9-10.6	47	18.4	13.4-23.4	110	44.5	38.0-51.0	58	22.6	17.1-28.2	20	7.2	4.0-10.4
EDUCATION																	
Less Than H.S.	109	20223	6	4.2	0.7-7.7	14	13.2	6.3-20.2	47	44.7	32.8-56.5	28	27.7	17.7-37.7	14	10.2	4.6-15.8
H.S. or G.E.D.	408	76630	68	15.6	11.6-19.5	126	33.4	28.0-38.9	155	38.6	32.9-44.2	46	10.3	7.0-13.7	13	2.1	0.9-3.3
Some Post-H.S.	413	77803	71	19.6	14.7-24.6	149	34.5	29.3-39.8	155	37.2	31.7-42.7	29	7.2	4.1-10.3	9	1.5	0.4-2.6
College Graduate	374	65509	102	29.3	24.1-34.5	148	38.9	33.5-44.3	99	25.9	20.7-31.1	17	4.1	2.0-6.1	8	1.8	0.5-3.1
HOUSEHOLD INCOME																	
Less than \$15,000	69	12091	10	15.7	4.5-26.9	12	24.8	9.7-40.0	22	29.1	15.2-43.1	13	19.2	7.0-31.3	12	11.2	4.2-18.2
\$15,000- 24,999	202	36011	27	14.4	8.6-20.2	52	26.1	19.2-33.0	72	37.4	29.1-45.8	38	16.7	11.3-22.2	13	5.3	2.2-8.5
\$25,000- 34,999	194	36790	28	14.7	8.3-21.0	68	36.4	28.5-44.2	76	37.0	29.3-44.6	20	11.1	5.3-17.0	2	0.8	0.0-2.0
\$35,000- 49,999	288	49811	53	16.4	12.0-20.8	103	35.4	29.4-41.4	106	37.7	31.5-43.9	19	8.2	4.1-12.4	7	2.2	0.5-4.0
\$50,000- 74,999	252	45033	61	27.1	21.0-33.2	103	39.4	33.0-45.8	74	29.5	23.3-35.7	12	3.6	1.5-5.7	2	0.4	0.0-1.0
\$75,000+	188	35379	53	32.5	24.3-40.8	66	35.0	27.4-42.6	57	26.4	19.5-33.3	9	4.9	1.7-8.1	3	1.2	0.0-2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	1734	245744	311	18.6	16.5-20.7	657	38.9	36.3-41.6	526	29.7	27.3-32.2	172	9.0	7.6-10.5	68	3.8	2.8-4.8
RACE																	
Native	44	7405	3	5.7	0.0-13.6	11	27.2	11.9-42.5	16	34.6	17.8-51.4	7	18.3	4.6-32.0	7	14.2	3.0-25.3
Non-Native	1674	236165	307	19.1	17.0-21.3	643	39.5	36.8-42.2	501	29.3	26.8-31.8	163	8.7	7.2-10.1	60	3.4	2.4-4.4
AGE																	
18-24	112	35757	26	21.7	13.8-29.7	47	44.4	34.2-54.5	33	30.0	20.7-39.3	3	1.8	0.0-4.0	3	2.0	0.0-4.3
25-34	234	36325	51	21.1	15.7-26.5	117	50.0	43.3-56.8	54	23.9	18.1-29.8	10	3.9	1.3-6.5	2	1.1	0.0-2.6
35-44	319	43996	76	23.5	18.5-28.4	122	41.0	35.2-46.8	95	27.9	22.8-33.0	20	6.3	3.4-9.3	6	1.3	0.2-2.4
45-54	366	43591	77	22.4	17.8-27.1	155	40.9	35.5-46.3	89	25.5	20.6-30.4	34	8.3	5.2-11.5	11	2.8	1.0-4.7
55-64	241	30171	39	16.6	11.5-21.7	92	37.9	31.4-44.5	72	30.5	24.3-36.7	28	11.4	7.1-15.7	10	3.6	1.2-5.9
65+	450	54488	40	8.9	6.1-11.7	121	25.8	21.5-30.1	179	37.4	32.6-42.2	76	18.6	14.5-22.7	34	9.3	5.8-12.7
EDUCATION																	
Less Than H.S.	149	20107	8	4.6	1.3-7.8	23	17.3	9.6-25.0	57	37.3	28.3-46.3	35	24.1	16.2-32.0	26	16.7	9.4-24.1
H.S. or G.E.D.	490	67568	70	14.6	11.1-18.1	170	36.1	31.2-41.0	167	32.8	28.2-37.5	68	13.0	9.7-16.2	15	3.4	1.5-5.3
Some Post-H.S.	583	85800	100	16.9	13.4-20.3	236	42.1	37.4-46.8	190	32.3	27.9-36.7	41	6.0	4.0-8.0	16	2.6	1.2-4.0
College Graduate	508	71848	133	28.4	24.0-32.8	227	43.8	39.1-48.5	110	21.4	17.5-25.3	28	4.6	2.8-6.5	10	1.7	0.6-2.9
HOUSEHOLD INCOME																	
Less than \$15,000	195	28305	17	13.7	6.6-20.8	50	31.4	22.1-40.7	67	31.4	23.3-39.6	37	15.0	9.8-20.2	24	8.4	4.8-12.1
\$15,000- 24,999	291	39289	41	13.6	9.2-18.0	91	31.2	25.1-37.3	98	34.2	27.9-40.6	47	15.4	10.6-20.2	14	5.6	2.5-8.7
\$25,000- 34,999	255	34686	34	13.5	8.7-18.4	110	45.2	38.1-52.3	74	27.5	21.5-33.5	29	10.5	6.4-14.5	8	3.3	0.8-5.8
\$35,000- 49,999	283	39881	54	18.6	13.6-23.6	125	45.9	39.6-52.3	83	28.3	22.7-34.0	17	5.7	2.8-8.6	4	1.4	0.0-2.8
\$50,000- 74,999	251	38883	56	23.3	17.6-28.9	120	46.4	39.7-53.2	62	25.4	19.5-31.3	8	3.0	0.7-5.2	5	1.9	0.0-3.9
\$75,000+	204	29358	67	32.6	25.9-39.4	84	41.2	34.1-48.4	44	21.8	15.6-28.0	8	3.9	1.2-6.6	1	0.4	0.0-1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9
	NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4	MALES AND FEMALES	10
5	MALES ONLY	11
6	FEMALES ONLY	12
	DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7	MALES AND FEMALES	13
8	MALES ONLY	14
9	FEMALES ONLY	15

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2986	478063	2016	67.4	65.4-69.4	353	12.3	10.9-13.8	291	10.5	9.2-11.9	187	5.8	4.8-6.7	139	4.0	3.3-4.7
SEX																	
Male	1289	237623	929	70.6	67.6-73.6	134	11.8	9.5-14.0	104	9.0	7.1-11.0	67	5.2	3.7-6.6	55	3.4	2.5-4.4
Female	1697	240440	1087	64.3	61.7-66.8	219	12.9	11.1-14.6	187	12.0	10.2-13.8	120	6.3	5.1-7.6	84	4.6	3.5-5.7
RACE																	
Native	78	17336	40	57.8	44.0-71.5	13	12.9	5.2-20.6	14	18.9	8.0-29.7	7	6.3	1.1-11.5	4	4.1	0.0-8.3
Non-Native	2882	457569	1957	67.7	65.7-69.7	340	12.4	10.9-13.8	276	10.3	8.9-11.6	178	5.7	4.8-6.7	131	3.9	3.1-4.6
AGE																	
18-24	197	74601	129	65.2	57.8-72.7	32	16.4	10.5-22.3	22	11.9	6.8-16.9	12	5.5	2.0-9.0	2	1.1	0.0-2.6
25-34	419	75800	284	66.5	61.6-71.4	65	15.5	11.8-19.2	44	12.3	8.6-16.0	21	4.7	2.6-6.8	5	1.0	0.0-2.0
35-44	572	87939	385	67.0	62.8-71.1	87	15.8	12.6-19.0	60	10.8	8.0-13.5	27	4.4	2.6-6.2	13	2.1	0.9-3.2
45-54	656	89226	449	70.6	66.9-74.4	85	11.6	9.1-14.2	59	9.4	6.9-11.8	42	5.5	3.7-7.3	21	2.9	1.6-4.2
55-64	453	58762	323	71.4	66.9-75.8	47	10.8	7.8-13.9	33	8.0	5.3-10.8	21	4.2	2.3-6.1	29	5.5	3.4-7.6
65+	674	89739	435	64.2	60.2-68.1	37	4.8	3.2-6.4	71	10.4	8.0-12.9	64	9.6	7.2-12.1	67	11.0	8.3-13.7
EDUCATION																	
Less Than H.S.	242	37821	145	65.5	58.7-72.4	14	4.9	2.2-7.5	21	7.0	3.7-10.3	29	10.8	6.5-15.1	33	11.8	7.4-16.1
H.S. or G.E.D.	880	141240	602	68.2	64.5-71.9	96	11.4	8.8-14.0	84	9.9	7.6-12.3	55	6.2	4.2-8.2	43	4.3	2.9-5.6
Some Post-H.S.	980	161256	655	65.7	62.2-69.3	124	14.0	11.2-16.8	116	13.2	10.5-15.8	51	4.2	3.0-5.4	34	2.9	1.8-4.0
College Graduate	878	137013	610	69.0	65.5-72.4	119	13.5	11.0-15.9	70	9.0	6.7-11.2	51	5.7	4.0-7.5	28	2.8	1.8-3.9
HOUSEHOLD INCOME																	
Less than \$15,000	247	38367	122	55.4	47.3-63.5	22	7.8	3.9-11.7	26	14.0	7.6-20.3	36	11.6	7.0-16.3	41	11.2	7.3-15.1
\$15,000- 24,999	488	74695	313	63.1	58.0-68.3	54	11.2	7.9-14.6	50	10.7	7.4-13.9	42	9.3	5.9-12.6	29	5.7	3.5-7.8
\$25,000- 34,999	444	70871	289	63.8	58.4-69.1	60	14.4	10.3-18.6	49	11.4	8.0-14.9	28	6.4	3.7-9.0	18	4.0	2.1-5.9
\$35,000- 49,999	566	88937	397	68.5	64.1-72.8	71	13.3	10.1-16.5	56	11.1	7.9-14.3	24	4.0	2.3-5.8	18	3.1	1.6-4.6
\$50,000- 74,999	499	83408	361	72.4	68.2-76.7	71	14.2	11.0-17.5	39	8.4	5.6-11.3	19	3.2	1.6-4.8	9	1.7	0.5-2.9
\$75,000+	390	64153	287	73.1	68.2-78.0	47	11.5	8.2-14.8	36	10.2	6.7-13.7	14	3.4	1.5-5.2	6	1.8	0.0-3.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	1289	237623	929	70.6	67.6-73.6	134	11.8	9.5-14.0	104	9.0	7.1-11.0	67	5.2	3.7-6.6	55	3.4	2.5-4.4
RACE																	
Native	36	10102	22	67.1	48.5-85.8	2	4.5	0.0-11.2	9	23.8	6.9-40.8	2	3.0	0.0-7.4	1	1.5	0.0-4.6
Non-Native	1241	226141	898	70.7	67.7-73.7	132	12.2	9.8-14.5	95	8.4	6.5-10.3	64	5.3	3.8-6.8	52	3.4	2.4-4.4
AGE																	
18-24	87	39503	59	63.7	52.4-75.0	13	18.6	9.2-28.1	11	12.6	5.2-19.9	4	5.2	0.0-10.4	0		0.0-0.0
25-34	188	39946	128	66.7	59.3-74.0	34	17.3	11.6-22.9	16	11.0	5.5-16.5	9	4.5	1.5-7.5	1	0.5	0.0-1.6
35-44	256	44279	179	69.5	63.5-75.5	38	15.2	10.5-19.8	26	9.8	6.0-13.6	7	3.5	0.7-6.2	6	2.1	0.4-3.9
45-54	292	45842	220	76.6	71.5-81.8	28	9.0	5.5-12.5	22	7.6	4.3-10.9	13	4.1	1.7-6.4	9	2.7	0.8-4.6
55-64	216	29115	171	78.9	73.1-84.8	13	6.6	2.9-10.3	11	5.6	2.2-9.1	11	4.9	1.9-8.0	10	3.9	1.4-6.4
65+	246	38240	169	69.3	63.1-75.4	8	2.6	0.7-4.5	17	6.5	3.3-9.7	23	9.5	5.6-13.5	29	12.2	7.7-16.6
EDUCATION																	
Less Than H.S.	107	19713	63	64.0	53.5-74.6	3	2.2	0.0-4.8	9	7.4	2.2-12.6	14	12.6	5.7-19.6	18	13.8	6.9-20.6
H.S. or G.E.D.	404	75997	296	71.6	66.3-77.0	46	12.7	8.5-16.8	28	7.7	4.5-10.9	18	4.8	2.0-7.6	16	3.1	1.5-4.7
Some Post-H.S.	403	76170	279	65.8	60.1-71.5	49	15.6	10.8-20.4	43	12.4	8.3-16.6	21	4.3	2.3-6.2	11	1.9	0.7-3.1
College Graduate	373	65431	289	76.6	71.8-81.5	36	9.3	6.2-12.3	24	7.1	4.1-10.2	14	4.4	1.9-7.0	10	2.5	0.9-4.1
HOUSEHOLD INCOME																	
Less than \$15,000	65	11544	37	59.0	43.2-74.8	4	8.1	0.0-17.7	4	9.9	0.0-22.1	8	10.0	2.0-18.1	12	12.9	4.4-21.5
\$15,000- 24,999	199	35659	124	62.5	54.5-70.5	21	9.5	4.8-14.2	22	11.4	6.3-16.5	17	10.4	4.7-16.2	15	6.2	2.9-9.5
\$25,000- 34,999	194	36822	138	66.9	58.8-75.0	18	13.0	6.3-19.8	18	9.6	4.7-14.5	14	7.4	3.1-11.8	6	3.1	0.6-5.6
\$35,000- 49,999	283	49056	207	70.8	64.6-76.9	34	11.8	7.6-16.0	19	9.3	4.6-14.0	12	4.6	1.9-7.3	11	3.4	1.3-5.5
\$50,000- 74,999	250	44741	198	78.5	73.1-84.0	26	12.1	7.6-16.6	18	7.0	3.8-10.3	5	1.3	0.1-2.5	3	1.0	0.0-2.3
\$75,000+	186	34795	143	76.5	69.6-83.4	23	11.6	6.8-16.5	15	9.9	4.7-15.2	4	1.5	0.0-3.1	1	0.4	0.0-1.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	1697	240440	1087	64.3	61.7-66.8	219	12.9	11.1-14.6	187	12.0	10.2-13.8	120	6.3	5.1-7.6	84	4.6	3.5-5.7
RACE																	
Native	42	7234	18	44.8	26.8-62.7	11	24.7	10.3-39.1	5	11.9	1.2-22.6	5	11.0	0.7-21.2	3	7.7	0.0-16.5
Non-Native	1641	231427	1059	64.8	62.2-67.5	208	12.6	10.8-14.4	181	12.0	10.2-13.9	114	6.2	4.9-7.5	79	4.4	3.3-5.4
AGE																	
18-24	110	35099	70	67.0	57.5-76.4	19	13.9	7.5-20.2	11	11.1	4.3-17.8	8	5.8	1.3-10.3	2	2.3	0.0-5.5
25-34	231	35854	156	66.3	59.8-72.8	31	13.6	8.9-18.2	28	13.7	8.8-18.6	12	4.9	1.9-7.8	4	1.5	0.0-3.2
35-44	316	43660	206	64.4	58.8-70.1	49	16.4	12.0-20.8	34	11.7	7.7-15.8	20	5.3	2.9-7.8	7	2.0	0.4-3.6
45-54	364	43384	229	64.3	59.1-69.6	57	14.4	10.7-18.1	37	11.2	7.6-14.8	29	7.0	4.3-9.7	12	3.1	1.3-4.9
55-64	237	29647	152	64.0	57.4-70.5	34	15.0	10.1-19.9	22	10.4	6.0-14.8	10	3.5	1.3-5.8	19	7.1	3.7-10.4
65+	428	51499	266	60.4	55.3-65.4	29	6.4	4.0-8.9	54	13.4	9.8-17.0	41	9.7	6.6-12.9	38	10.1	6.7-13.4
EDUCATION																	
Less Than H.S.	135	18109	82	67.2	58.6-75.7	11	7.8	3.1-12.4	12	6.6	2.7-10.5	15	8.9	4.1-13.6	15	9.6	4.2-15.0
H.S. or G.E.D.	476	65243	306	64.3	59.3-69.2	50	9.8	7.0-12.6	56	12.6	9.1-16.0	37	7.8	4.8-10.7	27	5.6	3.3-7.9
Some Post-H.S.	577	85086	376	65.6	61.2-70.1	75	12.5	9.6-15.5	73	13.9	10.5-17.2	30	4.1	2.5-5.7	23	3.8	2.0-5.7
College Graduate	505	71582	321	61.9	57.2-66.6	83	17.4	13.7-21.0	46	10.7	7.4-13.9	37	6.9	4.5-9.2	18	3.2	1.6-4.7
HOUSEHOLD INCOME																	
Less than \$15,000	182	26823	85	53.9	44.5-63.2	18	7.7	3.9-11.5	22	15.7	8.3-23.2	28	12.3	6.6-18.0	29	10.4	6.2-14.7
\$15,000- 24,999	289	39036	189	63.8	57.3-70.3	33	12.8	8.0-17.6	28	10.0	5.9-14.1	25	8.2	4.6-11.8	14	5.2	2.4-8.1
\$25,000- 34,999	250	34048	151	60.4	53.6-67.3	42	16.0	11.1-20.9	31	13.4	8.5-18.3	14	5.2	2.3-8.2	12	4.9	2.0-7.9
\$35,000- 49,999	283	39881	190	65.6	59.5-71.7	37	15.0	10.1-20.0	37	13.3	9.1-17.6	12	3.3	1.4-5.3	7	2.7	0.6-4.8
\$50,000- 74,999	249	38667	163	65.4	58.9-71.9	45	16.7	12.1-21.4	21	10.1	5.4-14.8	14	5.4	2.3-8.4	6	2.4	0.3-4.6
\$75,000+	204	29358	144	69.1	62.1-76.0	24	11.3	6.8-15.8	21	10.5	6.1-14.9	10	5.6	2.2-9.1	5	3.5	0.0-7.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2996	480929	2079	66.9	64.9-69.0	298	11.0	9.6-12.5	331	12.1	10.6-13.5	207	7.4	6.3-8.6	81	2.5	1.9-3.2
SEX																	
Male	1285	238017	963	71.8	68.8-74.9	100	9.2	7.1-11.3	117	10.4	8.2-12.5	78	6.8	5.1-8.5	27	1.9	1.1-2.6
Female	1711	242912	1116	62.2	59.5-64.9	198	12.8	10.9-14.8	214	13.7	11.8-15.7	129	8.1	6.6-9.6	54	3.2	2.2-4.2
RACE																	
Native	80	17507	47	64.3	50.8-77.8	7	11.2	0.8-21.5	16	15.8	6.3-25.4	6	5.7	0.6-10.8	4	3.0	0.0-6.1
Non-Native	2892	460280	2012	66.9	64.9-69.0	290	11.1	9.6-12.5	314	12.0	10.5-13.5	200	7.5	6.4-8.7	76	2.5	1.8-3.2
AGE																	
18-24	200	75791	99	49.0	41.2-56.8	35	18.7	12.3-25.1	36	18.9	12.8-25.1	23	10.2	5.8-14.6	7	3.2	0.7-5.6
25-34	422	76271	242	58.2	53.1-63.2	58	13.2	9.9-16.6	70	16.5	12.6-20.4	46	11.3	8.0-14.7	6	0.8	0.1-1.4
35-44	571	87781	366	65.2	61.0-69.4	67	11.8	9.0-14.6	83	13.4	10.5-16.4	40	6.9	4.6-9.2	15	2.7	1.1-4.4
45-54	652	88811	462	71.9	68.2-75.7	64	9.6	7.1-12.0	60	8.6	6.3-11.0	45	6.8	4.7-8.9	21	3.1	1.7-4.5
55-64	457	59429	337	73.2	68.8-77.5	42	9.3	6.4-12.2	35	8.0	5.4-10.7	28	6.3	3.9-8.8	15	3.2	1.4-5.0
65+	678	90772	561	81.6	78.3-84.9	31	4.7	2.9-6.5	45	7.4	5.1-9.6	25	3.9	2.3-5.6	16	2.3	1.1-3.6
EDUCATION																	
Less Than H.S.	247	38778	182	71.0	64.1-77.9	12	6.7	2.6-10.9	22	10.4	5.5-15.2	18	7.2	3.7-10.8	13	4.7	1.9-7.4
H.S. or G.E.D.	886	142896	627	68.4	64.7-72.2	78	10.4	7.6-13.1	87	10.6	8.1-13.1	71	8.4	6.2-10.6	23	2.2	1.2-3.2
Some Post-H.S.	981	162014	678	65.3	61.6-69.0	96	10.9	8.4-13.4	117	14.1	11.2-17.0	67	7.7	5.6-9.7	23	2.0	1.1-2.9
College Graduate	876	136508	587	66.0	62.4-69.6	112	13.1	10.4-15.7	105	11.8	9.5-14.1	51	6.2	4.4-8.1	21	2.9	1.4-4.4
HOUSEHOLD INCOME																	
Less than \$15,000	252	39138	149	49.7	41.6-57.8	24	16.9	9.5-24.3	35	19.4	12.1-26.7	28	9.3	5.4-13.3	16	4.6	1.5-7.7
\$15,000- 24,999	486	74517	328	64.2	59.0-69.4	38	8.0	4.6-11.5	54	12.5	8.9-16.1	46	10.4	7.0-13.7	20	4.8	2.5-7.2
\$25,000- 34,999	445	70997	306	66.9	61.7-72.2	31	7.2	4.1-10.3	61	12.9	9.4-16.3	35	10.5	6.8-14.3	12	2.4	0.8-4.1
\$35,000- 49,999	566	89093	399	69.1	64.8-73.4	61	10.8	8.0-13.7	65	12.4	9.2-15.7	33	6.3	4.0-8.6	8	1.3	0.3-2.3
\$50,000- 74,999	501	83683	352	69.0	64.5-73.5	63	12.1	9.0-15.2	48	10.8	7.5-14.0	32	6.5	4.2-8.9	6	1.6	0.2-2.9
\$75,000+	390	64601	276	68.9	63.5-74.3	51	13.8	9.9-17.7	37	11.3	6.9-15.7	19	4.5	2.4-6.6	7	1.5	0.3-2.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	1285	238017	963	71.8	68.8-74.8	100	9.2	7.1-11.3	117	10.4	8.2-12.5	78	6.8	5.1-8.5	27	1.9	1.1-2.6
RACE																	
Native	36	10102	25	68.4	48.4-88.5	3	12.2	0.0-28.5	4	12.1	0.0-25.8	1	3.1	0.0-9.3	3	4.2	0.0-9.1
Non-Native	1239	226733	929	71.9	68.8-74.9	97	9.1	7.0-11.1	113	10.4	8.2-12.5	77	7.0	5.3-8.7	23	1.7	0.9-2.5
AGE																	
18-24	88	40034	51	55.3	43.7-66.9	14	17.5	8.3-26.7	13	16.6	7.7-25.4	9	9.7	3.4-16.1	1	0.9	0.0-2.6
25-34	188	39946	124	65.5	58.1-72.8	19	9.8	5.4-14.3	25	13.7	8.1-19.3	19	10.8	6.0-15.5	1	0.3	0.0-0.8
35-44	254	44139	180	70.6	64.6-76.7	24	9.6	5.7-13.5	28	10.2	6.3-14.2	17	7.6	3.9-11.3	5	1.9	0.1-3.7
45-54	290	45648	223	77.2	72.0-82.5	21	7.6	4.3-11.0	22	7.4	4.1-10.7	16	5.2	2.4-8.0	8	2.5	0.6-4.5
55-64	217	29389	175	80.4	74.8-86.1	13	6.5	2.9-10.2	11	4.9	2.0-7.8	11	4.4	1.8-7.1	7	3.7	0.7-6.8
65+	243	38085	206	83.6	78.5-88.8	8	3.0	0.8-5.1	18	8.6	4.6-12.6	6	2.5	0.2-4.8	5	2.3	0.2-4.4
EDUCATION																	
Less Than H.S.	106	19869	76	69.5	59.0-80.1	4	4.0	0.1-7.9	13	15.5	6.9-24.2	8	6.1	1.3-10.8	5	4.8	0.4-9.3
H.S. or G.E.D.	403	76228	307	72.7	67.2-78.1	29	9.3	5.3-13.4	32	9.2	5.7-12.8	26	6.9	4.0-9.9	9	1.8	0.4-3.2
Some Post-H.S.	404	76786	306	71.7	66.1-77.3	34	9.1	5.7-12.5	35	10.9	6.5-15.3	25	7.6	4.3-10.9	4	0.7	0.0-1.4
College Graduate	370	64822	272	71.5	66.0-76.9	33	10.6	6.3-14.9	37	9.6	6.4-12.9	19	5.9	3.0-8.9	9	2.4	0.7-4.1
HOUSEHOLD INCOME																	
Less than \$15,000	66	11856	42	50.5	34.6-66.4	5	14.2	1.1-27.2	11	25.1	9.8-40.4	7	9.6	1.1-18.2	1	0.6	0.0-1.7
\$15,000- 24,999	197	35393	141	69.0	61.0-77.1	15	9.0	2.7-15.3	19	10.5	5.5-15.6	11	5.9	2.2-9.5	11	5.6	2.0-9.1
\$25,000- 34,999	191	36378	141	71.8	64.2-79.5	11	5.1	1.9-8.3	20	10.3	5.3-15.3	15	11.4	5.3-17.4	4	1.4	0.0-3.0
\$35,000- 49,999	284	49256	226	75.9	69.9-82.0	20	7.9	4.2-11.7	20	9.3	4.8-13.8	16	6.2	2.8-9.6	2	0.7	0.0-1.7
\$50,000- 74,999	250	44800	196	75.9	69.8-82.1	20	7.8	4.2-11.3	18	9.2	4.6-13.8	15	6.5	3.1-9.9	1	0.6	0.0-1.8
\$75,000+	187	35361	138	72.2	64.3-80.2	21	12.2	6.7-17.7	15	9.5	3.1-15.9	9	4.2	1.3-7.2	4	1.8	0.0-3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	1711	242912	1116	62.2	59.5-64.9	198	12.8	10.9-14.8	214	13.7	11.8-15.7	129	8.1	6.6-9.6	54	3.2	2.2-4.2
RACE																	
Native	44	7405	22	58.6	42.2-75.1	4	9.8	0.0-19.7	12	21.0	8.4-33.6	5	9.1	0.7-17.5	1	1.4	0.0-4.3
Non-Native	1653	233547	1083	62.2	59.4-64.9	193	13.0	11.0-15.0	201	13.6	11.6-15.6	123	8.0	6.5-9.6	53	3.3	2.2-4.3
AGE																	
18-24	112	35757	48	42.0	32.1-51.9	21	20.1	11.4-28.7	23	21.5	13.1-30.0	14	10.7	4.7-16.6	6	5.7	1.0-10.4
25-34	234	36325	118	50.1	43.4-56.9	39	17.0	11.9-22.0	45	19.7	14.3-25.1	27	11.9	7.3-16.5	5	1.3	0.1-2.5
35-44	317	43642	186	59.6	53.8-65.4	43	13.9	9.9-18.0	55	16.7	12.4-21.0	23	6.2	3.5-8.9	10	3.6	0.9-6.3
45-54	362	43163	239	66.3	61.1-71.6	43	11.6	8.1-15.2	38	10.0	6.7-13.3	29	8.5	5.3-11.6	13	3.6	1.6-5.7
55-64	240	30040	162	66.1	59.6-72.5	29	12.0	7.6-16.4	24	11.1	6.8-15.4	17	8.2	4.2-12.2	8	2.6	0.7-4.5
65+	435	52687	355	80.2	76.0-84.4	23	6.0	3.3-8.6	27	6.5	3.8-9.1	19	5.0	2.7-7.3	11	2.4	0.9-3.9
EDUCATION																	
Less Than H.S.	141	18908	106	72.5	63.6-81.5	8	9.6	2.3-16.9	9	4.9	1.5-8.3	10	8.5	3.1-13.8	8	4.5	1.3-7.6
H.S. or G.E.D.	483	66668	320	63.6	58.5-68.7	49	11.6	7.9-15.2	55	12.1	8.7-15.5	45	10.1	6.7-13.4	14	2.6	1.1-4.2
Some Post-H.S.	577	85229	372	59.5	54.7-64.3	62	12.5	9.0-16.1	82	17.0	13.1-20.9	42	7.8	5.2-10.3	19	3.2	1.5-4.8
College Graduate	506	71686	315	61.1	56.4-65.8	79	15.3	12.0-18.6	68	13.8	10.4-17.1	32	6.5	4.2-8.9	12	3.3	1.0-5.7
HOUSEHOLD INCOME																	
Less than \$15,000	186	27282	107	49.3	39.9-58.8	19	18.1	9.2-27.1	24	16.9	9.0-24.9	21	9.2	5.0-13.5	15	6.3	1.9-10.8
\$15,000- 24,999	289	39124	187	59.8	53.1-66.6	23	7.2	3.9-10.5	35	14.3	9.3-19.4	35	14.5	9.2-19.7	9	4.2	1.1-7.2
\$25,000- 34,999	254	34619	165	61.8	54.8-68.8	20	9.5	4.2-14.8	41	15.6	10.8-20.4	20	9.7	5.4-13.9	8	3.5	0.6-6.4
\$35,000- 49,999	282	39837	173	60.7	54.4-66.9	41	14.4	10.0-18.8	45	16.3	11.5-21.2	17	6.5	3.4-9.6	6	2.1	0.2-4.0
\$50,000- 74,999	251	38883	156	61.1	54.5-67.6	43	17.1	12.0-22.1	30	12.6	8.1-17.1	17	6.6	3.4-9.8	5	2.6	0.1-5.2
\$75,000+	203	29240	138	64.9	57.7-72.1	30	15.7	10.4-21.1	22	13.5	7.7-19.4	10	4.8	1.8-7.8	3	1.0	0.0-2.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1496	246853	994	66.5	63.7-69.4	171	12.3	10.2-14.3	154	10.5	8.6-12.3	105	6.6	5.2-8.1	72	4.1	3.0-5.2
SEX																	
Male	542	106435	355	66.4	61.7-71.2	56	11.5	8.1-14.8	57	10.6	7.6-13.7	37	6.1	3.8-8.3	37	5.4	3.5-7.3
Female	954	140418	639	66.6	63.1-70.1	115	12.9	10.3-15.4	97	10.3	8.0-12.7	68	7.1	5.3-8.9	35	3.1	2.0-4.3
RACE																	
Native	52	9963	27	60.3	44.7-75.9	5	9.1	1.0-17.2	10	13.9	4.9-22.9	7	13.2	2.9-23.4	3	3.5	0.0-7.7
Non-Native	1433	235426	960	66.8	63.9-69.7	166	12.5	10.4-14.6	143	10.3	8.4-12.3	96	6.3	4.9-7.7	68	4.1	3.0-5.2
AGE																	
18-24	125	49207	80	66.1	57.0-75.2	23	17.3	10.2-24.5	14	11.3	5.1-17.5	6	3.8	0.5-7.0	2	1.5	0.0-3.7
25-34	240	43052	174	72.0	65.9-78.1	28	12.8	8.0-17.5	24	9.7	5.8-13.6	13	5.3	2.3-8.4	1	0.2	0.0-0.5
35-44	297	45526	207	68.6	62.8-74.3	43	14.8	10.5-19.2	27	9.5	5.8-13.3	14	5.3	2.3-8.4	6	1.8	0.3-3.2
45-54	314	40385	196	62.1	56.2-68.0	40	11.5	7.9-15.1	35	12.4	8.2-16.6	30	10.0	6.2-13.9	13	4.0	1.7-6.3
55-64	201	26326	130	65.2	58.1-72.2	23	11.8	7.1-16.6	20	9.9	5.6-14.3	12	6.2	2.5-9.9	16	6.9	3.3-10.4
65+	312	41712	203	64.4	58.6-70.3	13	3.8	1.5-6.0	34	10.0	6.5-13.4	30	9.9	6.2-13.6	32	11.9	7.8-16.0
EDUCATION																	
Less Than H.S.	141	21120	90	67.9	59.4-76.4	7	4.0	1.0-7.0	10	5.4	1.8-9.0	15	9.6	4.2-15.0	19	13.1	7.0-19.2
H.S. or G.E.D.	423	70941	302	71.5	66.3-76.7	27	7.6	4.2-11.1	45	10.6	7.1-14.1	29	6.4	3.8-9.0	20	3.8	2.0-5.6
Some Post-H.S.	496	86673	321	63.2	58.0-68.4	67	15.5	11.5-19.6	56	12.1	8.4-15.7	35	6.7	4.2-9.2	17	2.5	1.2-3.8
College Graduate	434	67942	281	65.3	60.2-70.3	70	15.5	11.8-19.2	43	9.8	6.8-12.9	25	5.7	3.3-8.2	15	3.6	1.4-5.8
HOUSEHOLD INCOME																	
Less than \$15,000	180	28247	100	56.3	46.6-66.0	13	12.4	4.9-19.9	23	15.2	7.5-22.9	21	8.1	4.3-12.0	23	7.9	4.3-11.6
\$15,000- 24,999	252	40565	154	60.9	53.7-68.1	29	11.7	7.0-16.4	29	10.7	6.6-14.9	22	10.3	5.7-14.9	18	6.4	3.3-9.5
\$25,000- 34,999	224	36367	166	70.6	62.9-78.2	22	10.4	5.0-15.9	16	7.9	3.4-12.4	11	6.6	2.2-10.9	9	4.5	1.0-8.0
\$35,000- 49,999	258	41315	173	67.5	61.2-73.9	37	13.9	9.2-18.5	25	10.1	5.8-14.4	16	5.9	2.9-8.9	7	2.6	0.6-4.6
\$50,000- 74,999	233	39759	167	72.1	65.9-78.4	33	14.5	9.6-19.5	20	7.3	4.0-10.6	10	4.7	1.5-7.9	3	1.3	0.0-2.8
\$75,000+	174	29655	111	65.0	57.0-73.1	26	13.4	8.0-18.9	23	14.5	8.4-20.7	13	6.5	2.9-10.2	1	0.4	0.0-1.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	542	106435	355	66.4	61.7-71.2	56	11.5	8.1-14.8	57	10.6	7.5-13.7	37	6.1	3.8-8.3	37	5.4	3.5-7.3
RACE																	
Native	19	4931	13	80.6	63.8-97.4	2	6.1	0.0-15.2	3	10.2	0.0-22.1	0		0.0-0.0	1	3.2	0.0-9.5
Non-Native	520	101192	341	65.9	61.0-70.8	54	11.8	8.3-15.2	54	10.7	7.5-13.9	36	6.3	4.0-8.6	35	5.4	3.4-7.4
AGE																	
18-24	49	24710	33	68.8	55.2-82.5	8	15.0	4.8-25.3	6	11.8	2.5-21.2	1	2.1	0.0-6.3	1	2.1	0.0-6.3
25-34	91	19522	67	71.7	61.7-81.8	12	14.9	6.8-23.1	7	7.3	1.9-12.8	5	6.0	0.8-11.2	0		0.0-0.0
35-44	114	19948	81	70.3	61.3-79.4	14	12.4	5.9-18.9	10	7.9	2.9-13.0	7	7.5	1.7-13.3	2	1.9	0.0-4.4
45-54	112	16924	64	58.9	49.0-68.9	13	9.9	4.4-15.3	17	15.6	8.1-23.1	9	8.3	2.2-14.3	9	7.3	2.4-12.3
55-64	74	10036	48	63.8	52.1-75.6	5	7.5	1.1-13.9	9	14.7	5.6-23.7	4	4.8	0.0-9.5	8	9.2	2.4-16.0
65+	100	15061	61	61.3	51.1-71.5	3	3.4	0.0-7.3	8	8.4	2.5-14.2	11	9.2	3.5-14.9	17	17.8	9.7-25.8
EDUCATION																	
Less Than H.S.	60	10539	36	65.5	52.7-78.3	2	2.4	0.0-5.8	3	4.8	0.0-10.4	8	10.8	2.7-18.8	11	16.4	6.8-26.1
H.S. or G.E.D.	160	32855	114	73.2	65.1-81.4	9	8.3	2.0-14.5	14	7.7	3.5-11.9	10	5.3	1.6-9.0	13	5.6	2.3-8.8
Some Post-H.S.	184	37794	112	61.7	53.0-70.3	25	14.3	8.3-20.4	26	15.6	8.9-22.3	14	6.0	2.2-9.8	7	2.4	0.5-4.3
College Graduate	138	25246	93	65.2	56.0-74.4	20	15.1	8.4-21.8	14	9.5	4.3-14.6	5	5.2	0.6-9.7	6	5.1	0.3-9.9
HOUSEHOLD INCOME																	
Less than \$15,000	43	8176	18	46.8	27.3-66.4	4	12.9	0.0-27.3	3	16.1	0.0-34.8	10	13.9	4.3-23.6	8	10.2	2.0-18.4
\$15,000- 24,999	96	17872	57	61.9	50.5-73.4	9	9.0	2.6-15.3	12	12.0	5.1-18.8	5	6.0	0.4-11.6	13	11.1	4.8-17.4
\$25,000- 34,999	81	16423	61	67.8	54.5-81.2	7	12.0	1.5-22.6	3	4.4	0.0-10.8	6	9.7	1.5-18.0	4	6.0	0.0-12.8
\$35,000- 49,999	105	19312	69	67.4	57.4-77.4	12	10.7	4.5-17.0	13	13.6	5.9-21.3	6	4.8	0.7-9.0	5	3.4	0.3-6.6
\$50,000- 74,999	91	17222	65	72.0	62.1-82.0	14	15.5	7.6-23.4	9	7.5	2.4-12.6	2	3.9	0.0-9.2	1	1.1	0.0-3.2
\$75,000+	73	14369	51	70.7	58.8-82.5	7	10.9	2.6-19.2	9	12.5	4.2-20.9	6	5.9	0.9-10.9	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE**

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	954	140418	639	66.6	63.1-70.0	115	12.9	10.3-15.4	97	10.3	8.0-12.7	68	7.1	5.3-8.9	35	3.1	2.0-4.3
RACE																	
Native	33	5031	14	40.4	21.9-58.9	3	12.0	0.0-24.9	7	17.6	4.7-30.4	7	26.1	8.4-43.8	2	3.9	0.0-9.3
Non-Native	913	134234	619	67.4	63.9-71.0	112	13.0	10.4-15.6	89	10.1	7.7-12.5	60	6.3	4.6-8.1	33	3.1	2.0-4.3
AGE																	
18-24	76	24497	47	63.4	51.5-75.4	15	19.6	9.8-29.4	8	10.8	2.6-18.9	5	5.4	0.5-10.2	1	0.8	0.0-2.4
25-34	149	23530	107	72.2	64.6-79.8	16	11.0	5.7-16.4	17	11.6	6.1-17.1	8	4.8	1.3-8.4	1	0.3	0.0-1.0
35-44	183	25577	126	67.2	59.7-74.6	29	16.7	10.9-22.6	17	10.8	5.4-16.2	7	3.7	0.7-6.7	4	1.7	0.0-3.4
45-54	202	23462	132	64.3	57.1-71.5	27	12.7	7.9-17.5	18	10.1	5.3-14.8	21	11.3	6.4-16.3	4	1.6	0.0-3.3
55-64	127	16290	82	66.0	57.2-74.8	18	14.5	8.0-21.0	11	7.0	2.8-11.3	8	7.0	1.8-12.2	8	5.4	1.5-9.4
65+	212	26650	142	66.2	59.1-73.3	10	4.0	1.3-6.7	26	10.9	6.6-15.1	19	10.3	5.4-15.2	15	8.6	4.1-13.1
EDUCATION																	
Less Than H.S.	81	10580	54	70.3	59.0-81.5	5	5.5	0.6-10.4	7	6.0	1.4-10.5	7	8.5	1.3-15.8	8	9.7	2.2-17.2
H.S. or G.E.D.	263	38086	188	70.0	63.4-76.7	18	7.1	3.7-10.5	31	13.2	7.8-18.6	19	7.3	3.8-10.9	7	2.3	0.5-4.1
Some Post-H.S.	312	48879	209	64.4	58.1-70.8	42	16.4	11.1-21.8	30	9.3	5.7-13.0	21	7.2	3.9-10.6	10	2.6	0.8-4.3
College Graduate	296	42696	188	65.3	59.5-71.2	50	15.8	11.4-20.2	29	10.1	6.2-14.0	20	6.1	3.2-8.9	9	2.7	0.8-4.6
HOUSEHOLD INCOME																	
Less than \$15,000	137	20070	82	60.1	49.4-70.9	9	12.2	3.5-20.9	20	14.8	7.2-22.5	11	5.8	2.1-9.5	15	7.0	3.1-10.9
\$15,000- 24,999	156	22692	97	60.0	50.9-69.2	20	13.9	7.2-20.5	17	9.7	4.6-14.9	17	13.7	6.8-20.6	5	2.6	0.2-5.1
\$25,000- 34,999	143	19945	105	72.8	64.5-81.2	15	9.1	4.3-14.0	13	10.8	4.5-17.0	5	4.0	0.1-7.9	5	3.3	0.3-6.3
\$35,000- 49,999	153	22003	104	67.6	59.5-75.7	25	16.6	9.9-23.3	12	7.1	2.9-11.2	10	6.8	2.6-11.0	2	1.9	0.0-4.4
\$50,000- 74,999	142	22538	102	72.2	64.2-80.2	19	13.8	7.5-20.1	11	7.2	2.9-11.4	8	5.3	1.3-9.4	2	1.5	0.0-3.6
\$75,000+	101	15286	60	59.7	49.4-70.1	19	15.8	8.8-22.9	14	16.4	7.6-25.3	7	7.1	1.8-12.4	1	0.9	0.0-2.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1	MALES AND FEMALES	17
2	MALES ONLY	18
3	FEMALES ONLY	19
	DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4	MALES AND FEMALES	20
5	MALES ONLY	21
6	FEMALES ONLY	22
	WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7	MALES AND FEMALES	23
8	MALES ONLY	24
9	FEMALES ONLY	25

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3030	483013	2688	86.5	84.9-88.2	342	13.5	11.9-15.1
SEX								
Male	1304	239103	1121	83.2	80.4-85.9	183	16.8	14.2-19.5
Female	1726	243911	1567	89.9	88.0-91.7	159	10.1	8.4-11.9
RACE								
Native	78	16226	46	54.3	39.8-68.8	32	45.7	31.1-60.4
Non-Native	2924	463235	2618	87.7	86.1-89.3	306	12.3	10.8-13.8
AGE								
18-24	195	73011	149	74.3	67.0-81.7	46	25.7	18.7-32.7
25-34	421	76114	352	82.1	77.9-86.2	69	17.9	13.8-22.0
35-44	575	88320	502	87.5	84.6-90.4	73	12.5	9.6-15.4
45-54	660	89703	581	87.9	85.1-90.7	79	12.1	9.3-14.9
55-64	460	59768	402	87.0	83.7-90.4	58	13.0	9.6-16.3
65+	703	93964	687	97.1	95.4-98.8	16	2.9	1.2-4.6
EDUCATION								
Less Than H.S.	257	40266	217	76.7	68.8-84.6	40	23.3	15.4-31.2
H.S. or G.E.D.	894	142143	741	79.2	75.6-82.9	153	20.8	17.3-24.2
Some Post-H.S.	993	162662	898	89.5	87.0-92.0	95	10.5	8.1-13.0
College Graduate	881	137268	827	93.5	91.6-95.3	54	6.5	4.7-8.4
HOUSEHOLD INCOME								
Less than \$15,000	261	40141	209	78.1	71.2-85.0	52	21.9	15.1-28.8
\$15,000- 24,999	492	75235	382	74.0	69.2-78.8	110	26.0	21.2-30.8
\$25,000- 34,999	449	70923	380	80.7	75.6-85.8	69	19.3	14.4-24.1
\$35,000- 49,999	569	89064	529	90.9	87.8-94.1	40	9.1	6.0-12.1
\$50,000- 74,999	503	83916	479	95.4	93.6-97.3	24	4.6	2.7-6.4
\$75,000+	391	64240	378	95.7	92.4-98.9	13	4.3	1.5-7.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1304	239103	1121	83.2	80.4-85.9	183	16.8	14.2-19.5
RACE								
Native	35	9216	18	44.5	24.7-64.4	17	55.5	33.9-77.0
Non-Native	1257	228507	1094	84.8	82.2-87.4	163	15.2	12.7-17.8
AGE								
18-24	85	38440	56	64.0	52.5-75.6	29	35.9	24.7-47.2
25-34	188	39946	149	78.0	71.4-84.5	39	22.0	15.5-28.6
35-44	257	44465	215	84.5	79.8-89.1	42	15.5	10.9-20.2
45-54	295	46230	256	86.6	82.4-90.9	39	13.3	9.2-17.5
55-64	220	29663	192	87.1	82.3-91.9	28	12.9	8.1-17.7
65+	254	39583	248	98.1	96.4-99.9	6	1.9	0.4-3.4
EDUCATION								
Less Than H.S.	110	20423	87	70.8	58.3-83.3	23	29.2	16.7-41.7
H.S. or G.E.D.	408	75997	324	75.5	69.9-81.1	84	24.5	19.1-29.9
Some Post-H.S.	410	76862	363	86.5	82.1-90.9	47	13.5	9.3-17.8
College Graduate	374	65509	345	91.9	88.8-94.9	29	8.1	5.1-11.2
HOUSEHOLD INCOME								
Less than \$15,000	68	12013	44	58.1	42.3-73.9	24	41.9	26.0-57.7
\$15,000- 24,999	202	36011	141	67.0	59.1-74.8	61	33.0	25.2-40.9
\$25,000- 34,999	195	37028	160	76.7	68.9-84.6	35	23.3	15.4-31.1
\$35,000- 49,999	287	49578	261	88.3	83.5-93.2	26	11.7	6.9-16.5
\$50,000- 74,999	252	45033	238	94.6	91.8-97.4	14	5.4	2.6-8.2
\$75,000+	187	34882	180	94.4	88.9-99.9	7	5.6	0.9-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1726	243911	1567	89.9	88.0-91.7	159	10.1	8.4-11.9
RACE								
Native	43	7010	28	67.1	50.5-83.7	15	32.9	17.6-48.2
Non-Native	1667	234727	1524	90.5	88.7-92.3	143	9.5	7.8-11.2
AGE								
18-24	110	34572	93	85.7	77.9-93.5	17	14.3	7.6-21.0
25-34	233	36168	203	86.6	81.8-91.5	30	13.3	8.6-18.1
35-44	318	43855	287	90.5	87.0-94.1	31	9.5	6.0-13.0
45-54	365	43473	325	89.2	85.6-92.8	40	10.8	7.2-14.3
55-64	240	30105	210	87.0	82.3-91.7	30	13.0	8.3-17.7
65+	449	54381	439	96.4	93.7-99.1	10	3.6	0.9-6.3
EDUCATION								
Less Than H.S.	147	19843	130	82.8	74.1-91.5	17	17.2	8.5-25.9
H.S. or G.E.D.	486	66146	417	83.5	79.0-88.0	69	16.5	12.6-20.5
Some Post-H.S.	583	85800	535	92.1	89.6-94.6	48	7.9	5.4-10.4
College Graduate	507	71760	482	94.9	92.8-97.1	25	5.1	2.9-7.2
HOUSEHOLD INCOME								
Less than \$15,000	193	28128	165	86.6	80.7-92.4	28	13.4	7.6-19.2
\$15,000- 24,999	290	39224	241	80.5	74.9-86.1	49	19.5	13.9-25.1
\$25,000- 34,999	254	33896	220	85.1	78.9-91.3	34	14.9	9.8-20.0
\$35,000- 49,999	282	39486	268	94.2	90.6-97.8	14	5.8	2.7-8.9
\$50,000- 74,999	251	38883	241	96.4	94.1-98.7	10	3.6	1.3-5.9
\$75,000+	204	29358	198	97.2	94.9-99.5	6	2.8	0.5-5.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3034	485687	2088	65.3	63.2-67.3	329	11.4	10.0-12.7	617	23.3	21.4-25.2
SEX											
Male	1304	240260	760	55.5	52.4-58.7	147	11.8	9.7-13.8	397	32.7	29.6-35.8
Female	1730	245427	1328	74.8	72.4-77.3	182	11.0	9.3-12.8	220	14.2	12.1-16.2
RACE											
Native	79	17227	44	51.9	37.4-66.3	14	16.0	6.8-25.3	21	32.1	17.5-46.7
Non-Native	2927	464907	2022	65.6	63.6-67.7	314	11.3	9.9-12.7	591	23.1	21.2-25.0
AGE											
18-24	199	75614	96	46.6	38.9-54.3	25	12.7	7.4-18.0	78	40.7	33.0-48.4
25-34	421	76165	253	56.7	51.6-61.9	43	11.3	8.0-14.7	125	31.9	27.1-36.8
35-44	574	87995	358	62.8	58.5-67.0	76	12.9	10.0-15.8	140	24.3	20.5-28.1
45-54	661	90005	464	69.9	66.0-73.7	62	9.4	7.0-11.8	135	20.7	17.3-24.1
55-64	460	59768	343	74.8	70.6-79.0	43	9.2	6.4-12.0	74	16.0	12.5-19.6
65+	702	93947	561	78.8	75.4-82.2	79	12.3	9.6-15.1	62	8.8	6.5-11.1
EDUCATION											
Less Than H.S.	258	40502	178	64.1	56.4-71.8	35	13.7	8.9-18.5	45	22.2	14.6-29.8
H.S. or G.E.D.	896	144022	588	62.2	58.4-66.1	102	11.2	8.8-13.6	206	26.6	22.9-30.2
Some Post-H.S.	992	163074	711	67.1	63.5-70.7	90	10.6	8.1-13.2	191	22.3	19.0-25.5
College Graduate	882	137357	606	66.6	63.1-70.2	101	11.7	9.4-14.1	175	21.6	18.5-24.8
HOUSEHOLD INCOME											
Less than \$15,000	263	40319	170	59.7	51.7-67.8	30	11.1	6.4-15.8	63	29.2	21.3-37.0
\$15,000- 24,999	491	74956	310	59.2	54.0-64.4	58	11.5	8.4-14.6	123	29.3	24.3-34.3
\$25,000- 34,999	449	71607	312	62.7	57.2-68.3	41	9.3	6.3-12.3	96	28.0	22.5-33.5
\$35,000- 49,999	570	89505	385	64.9	60.5-69.3	70	12.7	9.7-15.7	115	22.4	18.5-26.3
\$50,000- 74,999	503	83916	360	69.8	65.3-74.3	50	10.6	7.5-13.7	93	19.6	15.8-23.4
\$75,000+	391	64713	274	69.2	64.0-74.4	44	10.9	7.4-14.4	73	19.9	15.3-24.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 3: HEALTH CARE ACCESS**

**TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY											
SEX											
Male	1304	240260	760	55.5	52.4-58.7	147	11.8	9.7-13.8	397	32.7	29.6-35.8
RACE											
Native	35	9822	21	59.4	37.5-81.2	5	8.9	0.6-17.2	9	31.7	9.4-54.0
Non-Native	1257	229058	731	55.3	52.1-58.5	141	11.9	9.7-14.0	385	32.8	29.7-35.9
AGE											
18-24	87	39857	31	37.6	26.3-48.8	8	10.2	2.7-17.7	48	52.2	40.6-63.8
25-34	187	39840	90	47.1	39.6-54.7	20	11.0	6.2-16.0	77	41.8	34.3-49.3
35-44	255	43999	134	53.0	46.4-59.5	30	12.0	7.8-16.1	91	35.1	28.8-41.3
45-54	295	46385	171	59.5	53.5-65.5	25	9.0	5.4-12.7	99	31.5	25.8-37.1
55-64	220	29663	152	69.2	62.7-75.6	19	9.0	5.0-13.0	49	21.8	16.1-27.6
65+	255	39740	179	69.8	63.8-75.9	45	19.2	13.8-24.5	31	11.0	7.0-15.0
EDUCATION											
Less Than H.S.	110	20502	61	49.3	37.8-60.7	19	17.6	9.7-25.5	30	33.1	20.7-45.5
H.S. or G.E.D.	407	76498	213	50.9	45.2-56.6	50	11.6	8.2-15.1	144	37.5	31.8-43.1
Some Post-H.S.	411	77440	244	55.4	49.7-61.1	46	12.9	8.6-17.3	121	31.7	26.3-37.1
College Graduate	374	65509	240	62.9	57.4-68.4	32	8.7	5.6-11.9	102	28.4	23.2-33.5
HOUSEHOLD INCOME											
Less than \$15,000	68	12014	29	29.2	16.8-41.6	10	14.4	4.8-24.0	29	56.4	41.5-71.2
\$15,000- 24,999	201	35732	95	47.1	38.9-55.3	29	11.8	7.5-16.2	77	41.1	32.9-49.2
\$25,000- 34,999	194	36922	112	52.1	43.9-60.3	18	8.6	4.4-12.7	64	39.3	30.9-47.7
\$35,000- 49,999	287	49624	171	58.4	52.1-64.7	34	12.0	7.9-16.0	82	29.6	23.8-35.5
\$50,000- 74,999	252	45033	161	62.9	56.4-69.5	23	10.6	6.0-15.3	68	26.4	20.6-32.2
\$75,000+	188	35414	119	62.9	54.9-70.8	17	9.8	4.8-14.7	52	27.4	20.1-34.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 3: HEALTH CARE ACCESS**

**TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY											
SEX											
Female	1730	245427	1328	74.8	72.4-77.3	182	11.0	9.3-12.8	220	14.2	12.1-16.2
RACE											
Native	44	7405	23	41.9	25.4-58.4	9	25.5	8.8-42.2	12	32.6	16.0-49.1
Non-Native	1670	235849	1291	75.7	73.3-78.2	173	10.7	9.0-12.4	206	13.6	11.6-15.7
AGE											
18-24	112	35757	65	56.7	46.6-66.8	17	15.5	8.2-22.8	30	27.8	18.5-37.1
25-34	234	36325	163	67.3	60.8-73.7	23	11.7	7.1-16.3	48	21.1	15.5-26.7
35-44	319	43996	224	72.6	67.5-77.7	46	13.8	9.8-17.8	49	13.6	9.8-17.4
45-54	366	43620	293	80.9	76.5-85.3	37	9.8	6.6-13.0	36	9.3	6.0-12.6
55-64	240	30105	191	80.3	75.0-85.6	24	9.4	5.6-13.1	25	10.3	6.2-14.5
65+	447	54208	382	85.4	81.8-89.0	34	7.3	4.8-9.8	31	7.3	4.6-10.0
EDUCATION											
Less Than H.S.	148	20000	117	79.3	71.5-87.0	16	9.7	4.3-15.1	15	11.1	4.9-17.3
H.S. or G.E.D.	489	67524	375	75.0	70.4-79.7	52	10.8	7.5-14.0	62	14.2	10.3-18.2
Some Post-H.S.	581	85635	467	77.7	73.5-81.9	44	8.5	5.7-11.3	70	13.8	10.2-17.3
College Graduate	508	71848	366	70.0	65.5-74.6	69	14.5	11.0-18.0	73	15.5	11.8-19.2
HOUSEHOLD INCOME											
Less than \$15,000	195	28305	141	72.7	64.3-81.1	20	9.7	4.3-15.0	34	17.7	10.3-25.1
\$15,000- 24,999	290	39224	215	70.2	63.8-76.7	29	11.3	6.8-15.7	46	18.5	12.9-24.2
\$25,000- 34,999	255	34686	200	74.0	67.1-80.9	23	10.0	5.8-14.3	32	16.0	9.6-22.3
\$35,000- 49,999	283	39881	214	73.0	67.1-78.8	36	13.6	9.1-18.1	33	13.4	8.8-18.1
\$50,000- 74,999	251	38883	199	77.7	71.9-83.5	27	10.5	6.4-14.6	25	11.8	7.1-16.4
\$75,000+	203	29299	155	76.9	70.8-83.1	27	12.3	7.5-17.0	21	10.8	6.3-15.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 3: HEALTH CARE ACCESS**

**TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3038	485785	210	6.8	5.8-7.7	2828	93.3	92.2-94.3
SEX								
Male	1307	240283	76	5.8	4.4-7.1	1231	94.2	92.8-95.7
Female	1731	245502	134	7.7	6.3-9.2	1597	92.3	90.8-93.7
RACE								
Native	79	17389	11	9.0	3.3-14.8	68	90.9	85.1-96.8
Non-Native	2931	464843	196	6.6	5.7-7.6	2735	93.3	92.3-94.4
AGE								
18-24	199	75260	16	5.9	2.9-8.9	183	94.1	90.9-97.4
25-34	422	76271	40	9.3	6.3-12.2	382	90.8	87.8-93.7
35-44	575	88390	45	7.0	4.9-9.1	530	93.0	90.9-95.2
45-54	662	89909	45	7.3	5.0-9.5	617	92.7	90.4-95.1
55-64	461	59834	37	8.4	5.6-11.2	424	91.6	88.8-94.4
65+	703	93988	27	3.8	2.3-5.4	676	96.2	94.6-97.8
EDUCATION								
Less Than H.S.	260	40687	20	7.2	3.7-10.7	240	92.8	89.3-96.3
H.S. or G.E.D.	897	143649	77	8.6	6.5-10.7	820	91.4	89.2-93.6
Some Post-H.S.	995	163537	72	7.2	5.4-8.9	923	92.8	91.1-94.6
College Graduate	881	137239	41	4.2	2.8-5.6	840	95.8	94.3-97.2
HOUSEHOLD INCOME								
Less than \$15,000	262	40204	45	13.2	8.9-17.6	217	86.8	82.4-91.2
\$15,000- 24,999	491	74997	65	14.0	10.5-17.5	426	86.0	82.4-89.5
\$25,000- 34,999	450	71713	33	7.5	4.8-10.2	417	92.5	89.8-95.2
\$35,000- 49,999	571	89692	34	6.6	4.4-8.9	537	93.4	91.1-95.6
\$50,000- 74,999	503	83916	12	2.4	1.0-3.9	491	97.6	96.1-99.0
\$75,000+	393	64949	4	1.3	0.0-2.7	389	98.7	97.3-100.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1307	240283	76	5.8	4.4-7.1	1231	94.2	92.8-95.7
RACE								
Native	35	9984	2	3.7	0.0-9.0	33	96.3	90.5-100.0
Non-Native	1260	228920	72	5.8	4.4-7.2	1188	94.2	92.8-95.7
AGE								
18-24	87	39503	4	2.7	0.0-5.4	83	97.3	93.6-100.0
25-34	188	39946	17	9.2	4.8-13.5	171	90.8	86.5-95.2
35-44	257	44465	15	5.0	2.4-7.6	242	95.0	92.4-97.6
45-54	295	46230	17	7.2	3.8-10.7	278	92.8	89.2-96.3
55-64	220	29663	14	7.2	3.4-10.9	206	92.8	89.1-96.6
65+	255	39701	9	3.6	0.9-6.2	246	96.4	93.7-99.1
EDUCATION								
Less Than H.S.	111	20580	7	6.5	1.2-11.8	104	93.5	88.2-98.8
H.S. or G.E.D.	408	76197	30	6.8	4.3-9.3	378	93.2	90.4-96.1
Some Post-H.S.	413	77803	23	5.6	3.2-7.9	390	94.4	92.1-96.8
College Graduate	373	65391	16	4.6	2.3-6.9	357	95.4	93.0-97.8
HOUSEHOLD INCOME								
Less than \$15,000	69	12091	11	16.0	5.7-26.4	58	83.9	73.6-94.3
\$15,000- 24,999	201	35779	28	13.6	8.6-18.6	173	86.4	81.3-91.5
\$25,000- 34,999	195	37028	10	5.3	1.9-8.7	185	94.7	91.3-98.1
\$35,000- 49,999	288	49811	14	5.7	2.7-8.7	274	94.3	91.3-97.3
\$50,000- 74,999	252	45033	4	1.8	0.0-3.7	248	98.2	96.3-100.0
\$75,000+	189	35591	3	1.9	0.0-4.1	186	98.1	95.9-100.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	1731	245502	134	7.7	6.3-9.2	1597	92.3	90.8-93.7	
RACE									
Native	44	7405	9	16.3	5.5-27.1	35	83.7	72.9-94.5	
Non-Native	1671	235924	124	7.5	6.0-8.9	1547	92.5	91.1-94.0	
AGE									
18-24	112	35757	12	9.4	3.9-14.9	100	90.6	85.1-96.1	
25-34	234	36325	23	9.3	5.4-13.3	211	90.6	86.7-94.6	
35-44	318	43925	30	9.0	5.6-12.4	288	91.0	87.6-94.4	
45-54	367	43679	28	7.3	4.4-10.2	339	92.7	89.8-95.6	
55-64	241	30171	23	9.7	5.5-13.8	218	90.3	86.2-94.5	
65+	448	54288	18	4.0	2.1-5.9	430	96.0	94.1-98.0	
EDUCATION									
Less Than H.S.	149	20107	13	7.9	3.3-12.5	136	92.1	87.5-96.7	
H.S. or G.E.D.	489	67452	47	10.7	7.4-14.0	442	89.3	85.9-92.6	
Some Post-H.S.	582	85734	49	8.6	6.0-11.2	533	91.4	88.8-94.0	
College Graduate	508	71848	25	3.9	2.2-5.5	483	96.1	94.5-97.8	
HOUSEHOLD INCOME									
Less than \$15,000	193	28113	34	12.0	7.7-16.4	159	88.0	83.5-92.4	
\$15,000- 24,999	290	39219	37	14.4	9.5-19.3	253	85.6	80.7-90.5	
\$25,000- 34,999	255	34686	23	9.8	5.7-13.9	232	90.2	86.1-94.3	
\$35,000- 49,999	283	39881	20	7.8	4.4-11.3	263	92.2	88.7-95.6	
\$50,000- 74,999	251	38883	8	3.1	0.8-5.3	243	96.9	94.7-99.2	
\$75,000+	204	29358	1	0.7	0.0-2.0	203	99.3	98.0-100.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004

SECTION 4: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1	MALES AND FEMALES	27
2	MALES ONLY	28
3	FEMALES ONLY	29

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 4: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3042	486678	2335	78.7	77.0-80.3	707	21.3	19.7-23.0
SEX								
Male	1309	241046	973	76.5	73.9-79.2	336	23.5	20.8-26.1
Female	1733	245632	1362	80.8	78.8-82.8	371	19.2	17.2-21.2
RACE								
Native	80	17507	63	77.6	63.4-91.8	17	22.4	8.2-36.6
Non-Native	2934	465618	2262	79.0	77.4-80.7	672	21.0	19.3-22.6
AGE								
18-24	200	75791	169	84.5	78.5-90.4	31	15.5	9.6-21.5
25-34	422	76271	356	85.5	82.1-89.0	66	14.5	11.0-17.9
35-44	576	88461	474	83.6	80.5-86.8	102	16.4	13.2-19.5
45-54	663	90142	528	80.5	77.3-83.8	135	19.5	16.2-22.7
55-64	461	59834	353	77.4	73.3-81.4	108	22.6	18.6-26.7
65+	703	93987	443	62.8	58.9-66.7	260	37.2	33.3-41.1
EDUCATION								
Less Than H.S.	259	40620	153	61.4	53.9-68.9	106	38.6	31.1-46.1
H.S. or G.E.D.	900	144498	637	72.8	69.4-76.1	263	27.2	23.9-30.6
Some Post-H.S.	995	163470	789	81.7	79.0-84.3	206	18.3	15.7-21.0
College Graduate	882	137357	752	86.4	84.0-88.8	130	13.6	11.2-16.0
HOUSEHOLD INCOME								
Less than \$15,000	263	40277	154	66.5	59.5-73.5	109	33.5	26.5-40.4
\$15,000- 24,999	491	75101	328	67.6	62.8-72.5	163	32.4	27.6-37.2
\$25,000- 34,999	450	71713	342	77.2	72.8-81.6	108	22.8	18.4-27.2
\$35,000- 49,999	571	89692	460	81.8	78.3-85.2	111	18.2	14.8-21.7
\$50,000- 74,999	503	83916	428	85.7	82.5-89.0	75	14.3	11.0-17.5
\$75,000+	393	64949	344	89.5	86.6-92.5	49	10.5	7.5-13.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 4: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1309	241046	973	76.5	73.9-79.2	336	23.5	20.8-26.1
RACE								
Native	36	10102	31	79.3	56.8-100.0	5	20.7	0.0-43.2
Non-Native	1261	229565	939	76.7	74.1-79.3	322	23.3	20.7-25.9
AGE								
18-24	88	40034	72	80.3	70.5-90.1	16	19.7	9.9-29.5
25-34	188	39946	152	82.7	77.3-88.2	36	17.3	11.8-22.7
35-44	257	44465	203	80.8	75.7-85.9	54	19.2	14.1-24.3
45-54	296	46463	223	76.7	71.6-81.8	73	23.3	18.2-28.4
55-64	220	29663	165	76.8	71.0-82.6	55	23.2	17.4-29.0
65+	255	39699	153	60.8	54.4-67.2	102	39.2	32.8-45.6
EDUCATION								
Less Than H.S.	111	20580	63	58.1	46.3-70.0	48	41.9	30.0-53.7
H.S. or G.E.D.	409	76842	273	69.5	64.4-74.7	136	30.4	25.3-35.6
Some Post-H.S.	413	77803	318	80.1	75.8-84.4	95	19.9	15.6-24.2
College Graduate	374	65509	317	86.1	82.3-89.9	57	13.9	10.1-17.7
HOUSEHOLD INCOME								
Less than \$15,000	68	11972	39	63.6	48.7-78.5	29	36.4	21.5-51.3
\$15,000- 24,999	202	36011	118	60.9	53.0-68.8	84	39.1	31.2-47.0
\$25,000- 34,999	195	37028	137	72.3	65.1-79.5	58	27.7	20.5-34.9
\$35,000- 49,999	288	49811	223	78.2	73.0-83.5	65	21.8	16.5-27.0
\$50,000- 74,999	252	45033	209	84.2	79.4-88.9	43	15.8	11.1-20.6
\$75,000+	189	35591	163	89.7	85.7-93.8	26	10.3	6.2-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 4: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1733	245632	1362	80.8	78.8-82.8	371	19.2	17.2-21.2
RACE								
Native	44	7405	32	75.3	61.1-89.5	12	24.7	10.5-38.9
Non-Native	1673	236053	1323	81.2	79.2-83.2	350	18.8	16.8-20.8
AGE								
18-24	112	35757	97	89.1	83.3-94.9	15	10.9	5.1-16.7
25-34	234	36325	204	88.6	84.5-92.7	30	11.4	7.3-15.5
35-44	319	43996	271	86.5	82.7-90.3	48	13.5	9.7-17.3
45-54	367	43679	305	84.6	80.7-88.4	62	15.4	11.6-19.3
55-64	241	30171	188	77.9	72.3-83.6	53	22.0	16.4-27.7
65+	448	54288	290	64.2	59.3-69.1	158	35.8	30.9-40.7
EDUCATION								
Less Than H.S.	148	20040	90	64.7	55.8-73.6	58	35.3	26.4-44.2
H.S. or G.E.D.	491	67656	364	76.4	72.3-80.5	127	23.6	19.5-27.7
Some Post-H.S.	582	85667	471	83.1	79.9-86.3	111	16.9	13.7-20.1
College Graduate	508	71848	435	86.7	83.6-89.8	73	13.3	10.2-16.4
HOUSEHOLD INCOME								
Less than \$15,000	195	28305	115	67.8	60.2-75.3	80	32.3	24.7-39.8
\$15,000- 24,999	289	39089	210	73.9	68.3-79.5	79	26.1	20.6-31.7
\$25,000- 34,999	255	34686	205	82.4	77.6-87.2	50	17.6	12.8-22.4
\$35,000- 49,999	283	39881	237	86.2	82.1-90.3	46	13.8	9.7-17.9
\$50,000- 74,999	251	38883	219	87.5	83.2-91.8	32	12.5	8.2-16.8
\$75,000+	204	29358	181	89.3	85.0-93.6	23	10.7	6.4-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 5: ENVIRONMENTAL FACTORS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	IF YOU ARE EXPERIENCING AN ILLNESS OR SYMPTOM WITHIN THE PAST 12 MONTHS THAT WAS CAUSED BY SOMETHING IN THE AIR YOU ENCOUNTERED OVER 12 MONTHS AGO, THE ANSWER IS 'YES'. THINGS LIKE DUST, MOLD, AND CHEMICALS INSIDE THE HOME OR OFFICE CAN CAUSE POOR INDOOR AIR QUALITY. IN THE PAST 12 MONTHS HAVE YOU HAD AN ILLNESS OR SYMPTOMS THAT YOU THINK WAS CAUSED BY SOMETHING IN THE AIR INSIDE A HOME, OFFICE, OR OTHER BUILDING? (EFILLAIR)	
1	MALES AND FEMALES	31
2	MALES ONLY	32
3	FEMALES ONLY	33
	THIS QUESTION DOES NOT REFER TO NATURAL AGENTS LIKE POLLEN OR DUST IN OUTDOOR AIR. IF RESPONDENT IS EXPERIENCING AN ILLNESS OR SYMPTOM WITHIN THE PAST 12 MONTHS THAT WAS CAUSED BY SOMETHING IN THE AIR THEY ENCOUNTERED OVER 12 MONTHS AGO, THE ANSWER IS 'YES'. THINGS LIKE SMOG, AUTOMOBILE EXHAUST, AND CHEMICALS CAN CAUSE OUTDOOR AIR POLLUTION. IN THE PAST 12 MONTHS HAVE YOU HAD AN ILLNESS OR SYMPTOM THAT YOU THINK WAS CAUSED BY POLLUTION IN THE AIR OUTDOORS? (EFILLPOL)	
4	MALES AND FEMALES	34
5	MALES ONLY	35
6	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 5: ENVIRONMENTAL FACTORS**

TABLE 1: IF YOU ARE EXPERIENCING AN ILLNESS OR SYMPTOM WITHIN THE PAST 12 MONTHS THAT WAS CAUSED BY SOMETHING IN THE AIR YOU ENCOUNTERED OVER 12 MONTHS AGO, THE ANSWER IS 'YES'. THINGS LIKE DUST, MOLD, AND CHEMICALS INSIDE THE HOME OR OFFICE CAN CAUSE POOR INDOOR AIR QUALITY. IN THE PAST 12 MONTHS HAVE YOU HAD AN ILLNESS OR SYMPTOMS THAT YOU THINK WAS CAUSED BY SOMETHING IN THE AIR INSIDE A HOME, OFFICE, OR OTHER BUILDING? (EFILLAIR)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3020	483809	573	19.3	17.7-21.0	2447	80.7	79.0-82.4
SEX								
Male	1299	239695	187	14.9	12.7-17.2	1112	85.1	82.8-87.4
Female	1721	244114	386	23.6	21.3-26.0	1335	76.4	74.0-78.8
RACE								
Native	80	17507	28	34.5	21.5-47.6	52	65.4	52.4-78.5
Non-Native	2912	462750	540	18.7	17.1-20.4	2372	81.3	79.6-82.9
AGE								
18-24	200	75791	51	24.7	18.2-31.2	149	75.3	68.8-81.8
25-34	422	76271	99	23.8	19.3-28.2	323	76.3	71.8-80.7
35-44	573	87995	128	22.1	18.5-25.7	445	77.9	74.3-81.6
45-54	658	89495	146	20.4	17.2-23.7	512	79.6	76.3-82.9
55-64	452	58671	65	13.4	10.3-16.6	387	86.5	83.1-90.0
65+	698	93395	81	11.4	8.8-14.0	617	88.6	85.9-91.2
EDUCATION								
Less Than H.S.	256	40286	36	15.6	10.2-21.0	220	84.4	78.9-89.9
H.S. or G.E.D.	897	144103	149	16.9	14.0-19.8	748	83.1	80.2-86.0
Some Post-H.S.	985	162	214	22.8	19.6-26.0	771	77.2	74.0-80.4
College Graduate	876	136500	174	19.0	16.2-21.7	702	81.0	78.2-83.9
HOUSEHOLD INCOME								
Less than \$15,000	259	39839	59	25.4	18.1-32.7	200	74.6	67.2-82.0
\$15,000- 24,999	489	74810	91	18.0	14.1-21.9	398	82.0	78.1-85.9
\$25,000- 34,999	446	71065	97	22.9	18.2-27.7	349	77.1	72.3-81.9
\$35,000- 49,999	566	89096	115	20.3	16.6-24.1	451	79.7	75.9-83.4
\$50,000- 74,999	502	83720	88	17.1	13.6-20.5	414	82.9	79.5-86.4
\$75,000+	390	64591	68	17.6	13.5-21.8	322	82.3	78.1-86.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 5: ENVIRONMENTAL FACTORS**

TABLE 2: IF YOU ARE EXPERIENCING AN ILLNESS OR SYMPTOM WITHIN THE PAST 12 MONTHS THAT WAS CAUSED BY SOMETHING IN THE AIR YOU ENCOUNTERED OVER 12 MONTHS AGO, THE ANSWER IS 'YES'. THINGS LIKE DUST, MOLD, AND CHEMICALS INSIDE THE HOME OR OFFICE CAN CAUSE POOR INDOOR AIR QUALITY. IN THE PAST 12 MONTHS HAVE YOU HAD AN ILLNESS OR SYMPTOMS THAT YOU THINK WAS CAUSED BY SOMETHING IN THE AIR INSIDE A HOME, OFFICE, OR OTHER BUILDING? (EFILLAIR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1299	239695	187	14.9	12.7-17.2	1112	85.1	82.8-87.4
RACE								
Native	36	10102	11	27.8	10.4-45.2	25	72.2	54.8-89.6
Non-Native	1251	228214	174	14.3	12.1-16.6	1077	85.7	83.4-87.9
AGE								
18-24	88	40034	18	18.1	9.9-26.4	70	81.9	73.6-90.1
25-34	188	39946	38	20.6	14.2-26.9	150	79.4	73.1-85.8
35-44	254	43999	41	16.4	11.6-21.2	213	83.6	78.7-88.5
45-54	295	46346	47	14.7	10.5-19.0	248	85.3	81.0-89.5
55-64	217	29286	18	7.3	3.9-10.6	199	92.8	89.0-96.5
65+	252	39308	25	10.4	6.2-14.6	227	89.6	85.3-93.9
EDUCATION								
Less Than H.S.	108	20246	14	15.4	7.3-23.6	94	84.6	76.3-92.9
H.S. or G.E.D.	409	76804	65	16.3	12.1-20.6	344	83.7	79.4-88.0
Some Post-H.S.	410	77367	58	15.2	11.0-19.4	352	84.8	80.6-89.1
College Graduate	370	64966	50	12.9	9.3-16.4	320	87.1	83.5-90.8
HOUSEHOLD INCOME								
Less than \$15,000	67	11826	13	22.4	9.7-35.2	54	77.5	64.5-90.6
\$15,000- 24,999	201	35825	26	10.8	6.5-15.2	175	89.1	84.7-93.6
\$25,000- 34,999	194	36871	34	20.5	13.3-27.8	160	79.5	72.2-86.8
\$35,000- 49,999	285	49464	38	15.1	10.1-20.1	247	84.9	79.9-89.9
\$50,000- 74,999	252	45033	35	13.5	9.1-17.9	217	86.5	82.1-90.9
\$75,000+	187	35351	26	13.6	8.4-18.9	161	86.4	81.0-91.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 5: ENVIRONMENTAL FACTORS**

TABLE 3: IF YOU ARE EXPERIENCING AN ILLNESS OR SYMPTOM WITHIN THE PAST 12 MONTHS THAT WAS CAUSED BY SOMETHING IN THE AIR YOU ENCOUNTERED OVER 12 MONTHS AGO, THE ANSWER IS 'YES'. THINGS LIKE DUST, MOLD, AND CHEMICALS INSIDE THE HOME OR OFFICE CAN CAUSE POOR INDOOR AIR QUALITY. IN THE PAST 12 MONTHS HAVE YOU HAD AN ILLNESS OR SYMPTOMS THAT YOU THINK WAS CAUSED BY SOMETHING IN THE AIR INSIDE A HOME, OFFICE, OR OTHER BUILDING? (EFILLAIR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1721	244114	386	23.6	21.3-26.0	1335	76.4	74.0-78.8
RACE								
Native	44	7405	17	43.8	26.2-61.4	27	56.2	38.6-73.8
Non-Native	1661	234536	366	23.0	20.6-25.4	1295	77.0	74.6-79.4
AGE								
18-24	112	35757	33	32.0	22.4-41.7	79	68.0	58.3-77.6
25-34	234	36325	61	27.2	21.1-33.4	173	72.8	66.6-78.9
35-44	319	43996	87	27.8	22.5-33.1	232	72.2	66.9-77.5
45-54	363	43148	99	26.5	21.7-31.4	264	73.5	68.6-78.4
55-64	235	29384	47	19.6	14.4-24.9	188	80.4	74.8-85.9
65+	446	54088	56	12.1	8.9-15.4	390	87.8	84.5-91.2
EDUCATION								
Less Than H.S.	148	20040	22	15.7	8.6-22.9	126	84.3	77.1-91.4
H.S. or G.E.D.	488	67298	84	17.5	13.7-21.3	404	82.5	78.7-86.3
Some Post-H.S.	575	84822	156	29.7	25.1-34.3	419	70.3	65.7-74.9
College Graduate	506	71533	124	24.5	20.4-28.6	382	75.5	71.4-79.6
HOUSEHOLD INCOME								
Less than \$15,000	192	28013	46	26.6	17.8-35.5	146	73.4	64.5-82.3
\$15,000- 24,999	288	38985	65	24.6	18.7-30.5	223	75.4	69.5-81.3
\$25,000- 34,999	252	34194	63	25.5	19.5-31.6	189	74.4	68.3-80.6
\$35,000- 49,999	281	39632	77	26.9	21.2-32.5	204	73.1	67.4-78.8
\$50,000- 74,999	250	38686	53	21.3	15.9-26.6	197	78.7	73.4-84.1
\$75,000+	203	29240	42	22.5	16.0-29.0	161	77.5	71.0-84.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 5: ENVIRONMENTAL FACTORS**

TABLE 4: THIS QUESTION DOES NOT REFER TO NATURAL AGENTS LIKE POLLEN OR DUST IN OUTDOOR AIR. IF RESPONDENT IS EXPERIENCING AN ILLNESS OR SYMPTOM WITHIN THE PAST 12 MONTHS THAT WAS CAUSED BY SOMETHING IN THE AIR THEY ENCOUNTERED OVER 12 MONTHS AGO, THE ANSWER IS 'YES'. THINGS LIKE SMOG, AUTOMOBILE EXHAUST, AND CHEMICALS CAN CAUSE OUTDOOR AIR POLLUTION. IN THE PAST 12 MONTHS HAVE YOU HAD AN ILLNESS OR SYMPTOM THAT YOU THINK WAS CAUSED BY POLLUTION IN THE AIR OUTDOORS? (EFILLPOL)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3026	482934	196	6.4	5.4-7.4	2830	93.6	92.5-94.7
SEX								
Male	1297	237911	73	5.7	4.2-7.1	1224	94.3	92.6-96.0
Female	1729	245024	123	7.1	5.7-8.5	1606	92.9	91.5-94.3
RACE								
Native	80	17507	8	9.0	1.6-16.3	72	91.0	83.7-98.4
Non-Native	2918	461875	186	6.3	5.3-7.3	2732	93.7	92.6-94.8
AGE								
18-24	198	74551	13	7.1	3.2-11.1	185	92.9	88.4-97.3
25-34	422	76271	22	5.5	3.1-7.9	400	94.5	92.1-96.9
35-44	575	88321	38	6.3	4.2-8.4	537	93.7	91.5-95.9
45-54	659	89538	55	7.9	5.7-10.1	604	92.1	89.9-94.4
55-64	455	58967	31	6.3	4.1-8.6	424	93.7	91.2-96.2
65+	700	93094	35	5.1	3.4-6.9	665	94.9	92.8-96.9
EDUCATION								
Less Than H.S.	257	39988	24	9.4	5.3-13.5	233	90.6	86.1-95.1
H.S. or G.E.D.	893	142801	55	6.2	4.2-8.2	838	93.8	91.5-96.0
Some Post-H.S.	991	162515	75	7.4	5.6-9.3	916	92.6	90.6-94.5
College Graduate	879	136898	42	4.5	3.0-5.9	837	95.5	94.0-97.0
HOUSEHOLD INCOME								
Less than \$15,000	262	39331	23	5.8	3.3-8.4	239	94.1	89.8-98.5
\$15,000- 24,999	490	74758	38	8.5	5.4-11.6	452	91.5	88.3-94.6
\$25,000- 34,999	445	70517	25	5.8	2.9-8.6	420	94.2	91.0-97.5
\$35,000- 49,999	570	89575	39	6.8	4.5-9.0	531	93.3	91.0-95.5
\$50,000- 74,999	501	83564	26	4.5	2.8-6.2	475	95.5	93.7-97.3
\$75,000+	390	64451	21	4.9	2.7-7.1	369	95.1	92.7-97.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 5: ENVIRONMENTAL FACTORS**

TABLE 5: THIS QUESTION DOES NOT REFER TO NATURAL AGENTS LIKE POLLEN OR DUST IN OUTDOOR AIR. IF RESPONDENT IS EXPERIENCING AN ILLNESS OR SYMPTOM WITHIN THE PAST 12 MONTHS THAT WAS CAUSED BY SOMETHING IN THE AIR THEY ENCOUNTERED OVER 12 MONTHS AGO, THE ANSWER IS 'YES'. THINGS LIKE SMOG, AUTOMOBILE EXHAUST, AND CHEMICALS CAN CAUSE OUTDOOR AIR POLLUTION. IN THE PAST 12 MONTHS HAVE YOU HAD AN ILLNESS OR SYMPTOM THAT YOU THINK WAS CAUSED BY POLLUTION IN THE AIR OUTDOORS? (EFILLPOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1297	237911	73	5.7	4.2-7.1	1224	94.3	92.6-96.0
RACE								
Native	36	10102	4	9.5	0.0-20.5	32	90.5	79.5-100.0
Non-Native	1249	226429	68	5.4	4.0-6.9	1181	94.5	92.8-96.3
AGE								
18-24	86	38794	5	7.1	1.1-13.1	81	92.9	85.7-100.0
25-34	188	39946	10	4.9	1.7-8.1	178	95.1	91.9-98.3
35-44	256	44325	13	4.7	2.0-7.4	243	95.3	92.5-98.0
45-54	293	46036	23	8.2	4.8-11.6	270	91.8	88.3-95.3
55-64	218	29321	12	5.1	2.2-8.1	206	94.9	91.5-98.2
65+	251	38713	10	3.5	1.3-5.8	241	96.4	93.1-99.8
EDUCATION								
Less Than H.S.	109	19988	9	7.9	2.5-13.3	100	92.1	85.5-98.7
H.S. or G.E.D.	405	75584	25	6.8	3.6-10.0	380	93.2	89.5-96.9
Some Post-H.S.	410	76977	25	5.8	3.3-8.4	385	94.1	91.3-97.0
College Graduate	371	65050	14	3.4	1.5-5.3	357	96.6	94.5-98.6
HOUSEHOLD INCOME								
Less than \$15,000	67	11026	7	6.6	1.9-11.3	60	93.4	81.0-100.0
\$15,000- 24,999	201	35777	14	6.8	2.7-10.8	187	93.2	89.0-97.4
\$25,000- 34,999	191	35962	9	6.0	1.2-10.7	182	94.0	88.4-99.6
\$35,000- 49,999	287	49694	14	5.1	2.3-7.9	273	94.9	92.1-97.7
\$50,000- 74,999	251	44878	10	3.1	1.1-5.1	241	96.9	94.8-99.0
\$75,000+	186	35093	8	3.7	1.0-6.5	178	96.3	93.1-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 5: ENVIRONMENTAL FACTORS**

TABLE 6: THIS QUESTION DOES NOT REFER TO NATURAL AGENTS LIKE POLLEN OR DUST IN OUTDOOR AIR. IF RESPONDENT IS EXPERIENCING AN ILLNESS OR SYMPTOM WITHIN THE PAST 12 MONTHS THAT WAS CAUSED BY SOMETHING IN THE AIR THEY ENCOUNTERED OVER 12 MONTHS AGO, THE ANSWER IS 'YES'. THINGS LIKE SMOG, AUTOMOBILE EXHAUST, AND CHEMICALS CAN CAUSE OUTDOOR AIR POLLUTION. IN THE PAST 12 MONTHS HAVE YOU HAD AN ILLNESS OR SYMPTOM THAT YOU THINK WAS CAUSED BY POLLUTION IN THE AIR OUTDOORS? (EFILLPOL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1729	245024	123	7.1	5.7-8.5	1606	92.9	91.5-94.3
RACE								
Native	44	7405	4	8.2	0.0-16.9	40	91.8	83.1-100.0
Non-Native	1669	235445	118	7.1	5.7-8.5	1551	92.9	91.5-94.3
AGE								
18-24	112	35757	8	7.2	2.2-12.1	104	92.8	87.9-97.8
25-34	234	36325	12	6.0	2.4-9.7	222	93.9	90.3-97.6
35-44	319	43996	25	7.9	4.6-11.2	294	92.1	88.8-95.4
45-54	366	43502	32	7.6	4.9-10.3	334	92.4	89.6-95.2
55-64	237	29647	19	7.5	4.2-10.9	218	92.5	88.8-96.2
65+	449	54381	25	6.2	3.7-8.8	424	93.8	91.2-96.4
EDUCATION								
Less Than H.S.	148	20000	15	10.9	4.8-17.0	133	89.1	82.9-95.3
H.S. or G.E.D.	488	67217	30	5.6	3.5-7.7	458	94.4	92.2-96.7
Some Post-H.S.	581	85538	50	8.9	6.2-11.6	531	91.1	88.4-93.9
College Graduate	508	71848	28	5.5	3.3-7.7	480	94.5	92.3-96.7
HOUSEHOLD INCOME								
Less than \$15,000	195	28305	16	5.6	2.6-8.6	179	94.4	91.4-97.4
\$15,000- 24,999	289	38981	24	10.1	5.6-14.6	265	89.9	85.3-94.5
\$25,000- 34,999	254	34554	16	5.6	2.6-8.6	238	94.4	91.3-97.5
\$35,000- 49,999	283	39881	25	8.8	5.1-12.5	258	91.2	87.5-94.9
\$50,000- 74,999	250	38686	16	6.0	3.1-9.0	234	94.0	90.9-97.0
\$75,000+	204	29358	13	6.3	2.7-9.9	191	93.7	90.1-97.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 6: EXCESS SUN EXPOSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE NEXT QUESTION IS ABOUT SUNBURNS INCLUDING ANYTIME THAT EVEN A SMALL PART OF YOUR SKIN WAS RED FOR MORE THAN 12 HOURS. HAVE YOU HAD A SUNBURN WITHIN THE PAST 12 MONTHS? (SUNBURN)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40
	INCLUDING TIMES WHEN EVEN A SMALL PART OF YOUR SKIN WAS RED FOR MORE THAN 12 HOURS, HOW MANY SUNBURNS HAVE YOU HAD WITHIN THE PAST 12 MONTHS? (NUMBURN)	
4	MALES AND FEMALES	41
5	MALES ONLY	42
6	FEMALES ONLY	43

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 6: EXCESS SUN EXPOSURE**

TABLE 1: THE NEXT QUESTION IS ABOUT SUNBURNS INCLUDING ANYTIME THAT EVEN A SMALL PART OF YOUR SKIN WAS RED FOR MORE THAN 12 HOURS. HAVE YOU HAD A SUNBURN WITHIN THE PAST 12 MONTHS? (SUNBURN)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3040	486176	1170	43.5	41.5-45.6	1870	56.4	54.4-58.5
SEX								
Male	1309	240930	577	48.9	45.7-52.0	732	51.1	48.0-54.3
Female	1731	245245	593	38.3	35.7-41.0	1138	61.7	59.0-64.4
RACE								
Native	80	17507	22	27.7	15.5-39.9	58	72.3	60.1-84.5
Non-Native	2932	465116	1140	44.3	42.2-46.4	1792	55.7	53.6-57.8
AGE								
18-24	200	75791	123	63.6	56.1-71.1	77	36.4	28.9-43.9
25-34	420	75957	256	62.3	57.4-67.2	164	37.7	32.8-42.6
35-44	575	88320	341	60.3	56.1-64.6	234	39.7	35.4-43.9
45-54	663	90142	272	43.1	39.0-47.3	391	56.9	52.7-61.0
55-64	460	59703	119	27.2	22.8-31.6	341	72.8	68.4-77.2
65+	705	94071	54	7.5	5.4-9.5	651	92.5	90.4-94.6
EDUCATION								
Less Than H.S.	260	40687	36	15.3	10.1-20.5	224	84.7	79.5-89.9
H.S. or G.E.D.	899	144345	301	39.9	36.0-43.8	598	60.1	56.2-64.0
Some Post-H.S.	996	163604	411	47.8	44.1-51.4	585	52.2	48.6-55.9
College Graduate	879	136808	421	50.9	47.2-54.6	458	49.1	45.4-52.8
HOUSEHOLD INCOME								
Less than \$15,000	264	40396	58	32.9	24.6-41.2	206	67.1	58.8-75.4
\$15,000- 24,999	493	75301	143	35.1	29.8-40.4	350	64.9	59.6-70.2
\$25,000- 34,999	448	71399	172	46.6	41.1-52.1	276	53.4	47.9-58.8
\$35,000- 49,999	571	89692	248	45.4	40.9-50.0	323	54.6	50.0-59.1
\$50,000- 74,999	501	83550	265	55.0	50.3-59.7	236	45.0	40.3-49.7
\$75,000+	392	64807	182	50.4	44.9-56.0	210	49.6	44.0-55.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 6: EXCESS SUN EXPOSURE**

TABLE 2: THE NEXT QUESTION IS ABOUT SUNBURNS INCLUDING ANYTIME THAT EVEN A SMALL PART OF YOUR SKIN WAS RED FOR MORE THAN 12 HOURS. HAVE YOU HAD A SUNBURN WITHIN THE PAST 12 MONTHS? (SUNBURN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1309	240930	577	48.9	45.7-52.0	732	51.1	48.0-54.3
RACE								
Native	36	10102	9	25.5	8.0-43.0	27	74.5	57.0-92.0
Non-Native	1261	229449	564	50.0	46.8-53.2	697	50.0	46.8-53.2
AGE								
18-24	88	40034	55	63.5	52.3-74.7	33	36.5	25.3-47.7
25-34	188	39946	123	66.9	59.9-74.0	65	33.1	26.0-40.1
35-44	257	44465	162	64.9	58.7-71.1	95	35.1	28.9-41.3
45-54	296	46463	141	49.3	43.1-55.4	155	50.7	44.6-56.9
55-64	220	29663	66	31.2	24.6-37.7	154	68.8	62.3-75.4
65+	255	39583	28	10.6	6.7-14.5	227	89.4	85.3-93.4
EDUCATION								
Less Than H.S.	111	20580	16		7.3-22.0	95	85.3	78.0-92.7
H.S. or G.E.D.	410	76961	171	47.9	42.1-53.6	239	52.1	46.4-57.9
Some Post-H.S.	413	77803	197	53.9	48.3-59.5	216	46.1	40.5-51.7
College Graduate	373	65274	193	55.1	49.5-60.7	180	44.9	39.3-50.5
HOUSEHOLD INCOME								
Less than \$15,000	69	12091	16	34.4	18.4-50.4	53	65.6	49.6-81.6
\$15,000- 24,999	202	36011	60	36.9	28.5-45.3	142	63.1	54.7-71.5
\$25,000- 34,999	195	37028	90	52.2	44.1-60.3	105	47.8	39.7-55.9
\$35,000- 49,999	288	49811	129	47.4	41.0-53.8	159	52.6	46.2-59.0
\$50,000- 74,999	251	44798	137	57.9	51.4-64.5	114	42.1	35.6-48.6
\$75,000+	189	35591	101	57.8	49.9-65.8	88	42.1	34.2-50.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 6: EXCESS SUN EXPOSURE**

TABLE 3: THE NEXT QUESTION IS ABOUT SUNBURNS INCLUDING ANYTIME THAT EVEN A SMALL PART OF YOUR SKIN WAS RED FOR MORE THAN 12 HOURS. HAVE YOU HAD A SUNBURN WITHIN THE PAST 12 MONTHS? (SUNBURN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1731	245245	593	38.3	35.7-41.0	1138	61.7	59.0-64.3
RACE								
Native	44	7405	13	30.6	14.7-46.6	31	69.3	53.4-85.3
Non-Native	1671	235667	576	38.8	36.0-41.5	1095	61.2	58.5-64.0
AGE								
18-24	112	35757	68	63.7	54.1-73.3	44	36.3	26.7-45.9
25-34	232	36011	133	57.1	50.4-63.8	99	42.9	36.2-49.6
35-44	318	43855	179	55.7	49.9-61.5	139	44.3	38.5-50.1
45-54	367	43679	131	36.6	31.2-42.0	236	63.4	58.0-68.8
55-64	240	30040	53	23.2	17.5-29.0	187	76.8	71.0-82.5
65+	450	54488	26	5.2	3.1-7.3	424	94.8	92.7-96.9
EDUCATION								
Less Than H.S.	149	20107	20	15.9	8.5-23.3	129	84.1	76.7-91.5
H.S. or G.E.D.	489	67384	130	30.8	25.9-35.8	359	69.2	64.2-74.2
Some Post-H.S.	583	85800	214	42.2	37.5-47.0	369	57.8	53.0-62.5
College Graduate	506	71534	228	47.1	42.3-51.9	278	52.9	48.1-57.7
HOUSEHOLD INCOME								
Less than \$15,000	195	28305	42	32.3	22.7-41.9	153	67.7	58.1-77.3
\$15,000- 24,999	291	39289	83	33.4	26.9-40.0	208	66.6	60.0-73.1
\$25,000- 34,999	253	34372	82	40.6	33.4-47.8	171	59.4	52.2-66.6
\$35,000- 49,999	283	39881	119	42.9	36.6-49.3	164	57.1	50.7-63.4
\$50,000- 74,999	250	38752	128	51.6	44.9-58.4	122	48.4	41.6-55.1
\$75,000+	203	29216	81	41.4	34.1-48.6	122	58.6	51.4-65.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 6: EXCESS SUN EXPOSURE**

**TABLE 4: INCLUDING TIMES WHEN EVEN A SMALL PART OF YOUR SKIN WAS RED FOR MORE THAN 12 HOURS, HOW MANY SUNBURNS HAVE YOU HAD WITHIN THE PAST 12 MONTHS?
(NUMBURN)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a sunburn in the past 12 months
Denominator excludes: Respondents not knowing or refusing to answer if they had a sunburn in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Burn			Two Burns			Three Burns			Four Burns			Five Burns			Six or More Burns		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1156	209214	380	30.5	27.6-33.5	395	32.3	29.3-35.4	180	16.8	14.2-19.4	57	4.9	3.5-6.3	55	6.4	4.3-8.5	89	9.0	6.9-11.1
SEX																				
Male	567	115756	183	29.4	25.3-33.6	176	28.9	24.7-33.0	87	16.5	12.9-20.1	34	6.2	4.0-8.4	27	7.4	4.1-10.7	60	11.5	8.3-14.8
Female	589	93458	197	31.9	27.7-36.1	219	36.6	32.2-41.1	93	17.1	13.4-20.8	23	3.3	1.9-4.8	28	5.1	3.1-7.2	29	5.8	3.4-8.3
RACE																				
Native	22	4845	8	35.9	13.0-58.9	6	27.2	3.3-51.1	5	25.3	2.5-48.2	1	4.9	0.0-14.2	0		0.0-0.0	2	6.7	0.0-16.2
Non-Native	1127	203671	370	30.4	27.4-33.4	385	32.4	29.3-35.5	174	16.6	14.0-19.2	56	5.0	3.5-6.4	55	6.6	4.4-8.7	87	9.1	6.9-11.3
AGE																				
18-24	122	47672	31	23.4	15.5-31.3	32	23.6	15.6-31.6	26	22.3	14.4-30.2	5	3.9	0.3-7.5	13	13.3	5.7-20.8	15	13.6	6.5-20.6
25-34	256	47303	56	22.9	17.3-28.5	99	38.8	32.4-45.2	36	13.3	8.9-17.8	17	6.6	3.4-9.7	18	6.9	3.5-10.3	30	11.5	7.4-15.6
35-44	335	52180	112	32.5	27.2-37.7	120	35.5	30.1-41.0	49	14.6	10.7-18.6	18	5.4	2.9-7.9	16	4.8	2.4-7.3	20	7.1	4.0-10.2
45-54	271	38828	105	38.0	31.7-44.2	89	31.4	25.5-37.2	49	20.1	14.7-25.5	11	4.7	1.7-7.8	4	1.5	0.0-3.0	13	4.3	1.8-6.8
55-64	116	15750	51	43.5	34.2-52.9	39	32.9	24.2-41.7	14	13.1	6.2-19.9	2	1.7	0.0-4.1	2	2.1	0.0-5.0	8	6.6	2.0-11.2
65+	52	6797	22	43.2	29.1-57.4	15	28.0	15.5-40.6	6	9.9	2.2-17.6	4	6.2	0.1-12.4	2	5.3	0.0-12.1	3	7.4	0.0-15.5
EDUCATION																				
Less Than H.S.	33	5861	10	32.3	14.8-49.7	11	29.3	13.2-45.3	6	19.8	5.0-34.5	1	3.2	0.0-9.0	1	3.4	0.0-9.7	4	12.1	0.0-24.4
H.S. or G.E.D.	297	56764	101	31.9	25.8-38.0	98	30.9	24.8-37.1	39	15.5	10.4-20.7	17	4.9	2.5-7.4	12	4.9	1.6-8.1	30	11.9	7.4-16.4
Some Post-H.S.	406	77065	136	29.0	24.2-33.9	131	30.8	25.7-35.9	65	18.2	13.6-22.8	19	4.8	2.4-7.2	26	9.7	5.1-14.3	29	7.5	4.4-10.5
College Graduate	419	69406	133	31.1	26.2-36.0	155	35.5	30.5-40.6	69	15.8	12.0-19.6	20	5.3	2.7-7.8	16	4.2	2.0-6.4	26	8.1	4.2-11.9
HOUSEHOLD INCOME																				
Less than \$15,000	57	13234	18	31.4	16.0-46.8	22	34.8	19.2-50.3	9	19.4	5.3-33.6	0		0.0-0.0	3	6.1	0.0-14.3	5	8.3	0.0-17.5
\$15,000- 24,999	141	26214	49	29.6	21.5-37.8	50	30.4	21.9-38.8	21	16.3	8.7-23.8	7	5.2	0.5-9.8	5	5.8	0.2-11.4	9	12.7	3.4-22.0
\$25,000- 34,999	171	33197	53	29.1	21.3-36.9	53	30.8	22.4-39.3	27	19.6	11.8-27.4	9	5.5	1.7-9.4	8	5.3	1.1-9.4	21	9.7	5.4-14.0
\$35,000- 49,999	243	39725	74	29.1	23.0-35.2	94	37.9	31.2-44.6	36	16.6	11.2-22.0	15	6.4	3.1-9.7	10	4.6	1.5-7.8	14	5.3	2.5-8.2
\$50,000- 74,999	263	45685	88	30.5	24.7-36.4	96	37.6	31.2-44.0	36	13.8	9.3-18.4	13	5.3	2.4-8.2	13	5.7	2.4-9.0	17	7.0	3.8-10.3
\$75,000+	181	32144	53	27.9	20.6-35.3	61	30.4	23.3-37.5	32	16.9	11.2-22.7	11	4.6	1.9-7.4	10	9.1	2.0-16.3	14	10.9	5.1-16.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 6: EXCESS SUN EXPOSURE**

**TABLE 5: INCLUDING TIMES WHEN EVEN A SMALL PART OF YOUR SKIN WAS RED FOR MORE THAN 12 HOURS, HOW MANY SUNBURNS HAVE YOU HAD WITHIN THE PAST 12 MONTHS?
(NUMBURN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a sunburn in the past 12 months

Denominator excludes: Respondents not knowing or refusing to answer if they had a sunburn in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Burn			Two Burns			Three Burns			Four Burns			Five Burns			Six or More Burns		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	567	115756	183	29.4	25.3-33.6	176	28.9	24.7-33.0	87	16.5	12.9-20.1	34	6.2	4.0-8.5	27	7.4	4.1-10.7	60	11.5	8.3-14.8
RACE																				
Native	9	2576	5	43.0	7.1-79.0	1	24.7	0.0-64.0	2	24.3	0.0-59.0	0		0.0-0.0	0		0.0-0.0	1	8.0	0.0-23.6
Non-Native	555	112854	177	29.1	24.9-33.3	173	28.9	24.7-33.1	85	16.4	12.8-20.0	34	6.4	4.1-8.7	27	7.6	4.2-11.0	59	11.7	8.3-15.0
AGE																				
18-24	54	24889	12	21.0	9.7-32.3	12	18.5	8.0-29.1	11	19.9	9.1-30.8	4	6.4	0.0-12.8	7	18.5	5.8-31.2	8	15.7	4.8-26.6
25-34	123	26737	36	29.4	20.9-37.9	40	33.7	24.7-42.8	11	9.9	4.0-15.9	9	6.9	2.4-11.5	6	5.2	0.7-9.6	21	14.9	8.6-21.2
35-44	158	28105	48	29.2	21.9-36.5	48	30.0	22.6-37.4	24	15.6	9.6-21.5	12	7.3	3.3-11.3	10	6.5	2.4-10.5	16	11.4	6.0-16.8
45-54	141	22901	48	32.2	24.0-40.4	46	31.0	23.0-39.1	30	23.6	15.8-31.3	6	5.6	0.9-10.2	2	1.7	0.0-4.1	9	5.9	1.9-9.9
55-64	63	8769	30	44.9	32.4-57.4	18	28.5	17.5-39.6	8	15.2	5.1-25.4	2	3.1	0.0-7.2	1	2.3	0.0-6.6	4	5.9	0.2-11.6
65+	26	3968	8	33.7	14.8-52.6	11	38.6	20.1-57.1	3	9.9	0.0-20.4	1	3.9	0.0-11.1	1	3.9	0.0-11.1	2	9.9	0.0-22.5
EDUCATION																				
Less Than H.S.	14	2781	4	35.1	9.3-60.8	4	21.8	2.6-41.0	3	21.2	0.4-42.1	1	6.7	0.0-18.5	0		0.0-0.0	2	15.2	0.0-36.4
H.S. or G.E.D.	168	36208	53	28.0	20.3-35.7	44	23.1	15.9-30.3	27	19.4	12.1-26.7	13	6.7	3.0-10.3	7	6.3	1.5-11.1	24	16.5	9.8-23.2
Some Post-H.S.	194	41040	65	29.2	22.2-36.2	60	30.0	22.7-37.3	26	14.5	8.8-20.3	12	6.4	2.5-10.4	15	13.4	5.7-21.2	16	6.3	3.2-9.5
College Graduate	191	35728	61	30.7	23.5-38.0	68	33.9	26.6-41.3	31	15.5	10.0-21.0	8	5.5	1.4-9.6	5	2.1	0.2-4.0	18	12.2	5.4-19.0
HOUSEHOLD INCOME																				
Less than \$15,000	16	4160	8	54.9	24.4-85.4	3	21.7	0.0-47.0	3	6.3	0.0-14.2	0		0.0-0.0	1	12.8	0.0-35.8	1	4.3	0.0-12.7
\$15,000- 24,999	58	13076	21	29.1	16.8-41.4	18	25.4	13.6-37.3	8	13.7	3.2-24.2	4	8.1	0.0-16.8	1	4.1	0.0-11.7	6	19.6	3.3-35.9
\$25,000- 34,999	89	19239	32	33.9	22.5-45.2	22	23.0	12.6-33.4	12	19.1	8.1-30.0	5	6.4	0.7-12.1	5	7.1	0.4-13.9	13	10.5	4.6-16.5
\$35,000- 49,999	125	22811	36	25.4	17.8-33.0	43	35.3	26.1-44.5	22	20.2	12.2-28.3	8	6.9	2.2-11.6	6	5.1	0.9-9.3	10	7.0	2.7-11.3
\$50,000- 74,999	136	25814	45	28.2	20.4-35.9	47	36.4	27.5-45.3	17	13.7	7.5-20.0	9	6.9	2.4-11.5	5	5.0	0.4-9.7	13	9.7	4.6-14.9
\$75,000+	100	20056	22	22.9	13.3-32.6	33	28.9	19.6-38.3	20	18.9	11.0-26.8	6	4.3	0.9-7.8	7	12.0	1.2-22.7	12	13.0	5.8-20.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 6: EXCESS SUN EXPOSURE**

**TABLE 6: INCLUDING TIMES WHEN EVEN A SMALL PART OF YOUR SKIN WAS RED FOR MORE THAN 12 HOURS, HOW MANY SUNBURNS HAVE YOU HAD WITHIN THE PAST 12 MONTHS?
(NUMBURN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having a sunburn in the past 12 months

Denominator excludes: Respondents not knowing or refusing to answer if they had a sunburn in the past 12 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Burn			Two Burns			Three Burns			Four Burns			Five Burns			Six or More Burns		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	589	93458	197	31.9	27.7-36.1	219	36.6	32.2-41.1	93	17.1	13.4-20.8	23	3.3	1.9-4.8	28	5.1	3.1-7.2	29	5.8	3.4-8.3
RACE																				
Native	13	2270	3	27.8	0.0-58.0	5	30.0	4.1-56.0	3	26.6	0.0-55.3	1	10.4	0.0-29.6	0		0.0-0.0	1	5.2	0.0-15.4
Non-Native	572	90816	193	32.0	27.8-36.3	212	36.8	32.2-41.3	89	16.8	13.1-20.6	22	3.2	1.8-4.6	28	5.3	3.2-7.4	28	5.9	3.3-8.4
AGE																				
18-24	68	22784	19	26.0	15.1-36.9	20	29.2	17.3-41.1	15	24.9	13.5-36.2	1	1.2	0.0-3.4	6	7.5	1.3-13.8	7	11.3	2.8-19.7
25-34	133	20567	20	14.5	8.4-20.6	59	45.4	36.6-54.3	25	17.8	11.0-24.5	8	6.1	1.9-10.3	12	9.2	3.9-14.4	9	7.1	2.4-11.7
35-44	177	24075	64	36.3	28.8-43.7	72	42.0	34.3-49.7	25	13.5	8.4-18.6	6	3.2	0.7-5.8	6	2.9	0.6-5.3	4	2.1	0.0-4.1
45-54	130	15926	57	46.3	37.1-55.5	43	31.8	23.3-40.4	19	15.2	8.3-22.1	5	3.5	0.3-6.7	2	1.1	0.0-2.7	4	2.0	0.0-4.1
55-64	53	6981	21	41.8	27.7-55.9	21	38.5	24.7-52.3	6	10.3	1.9-18.7	0		0.0-0.0	1	1.9	0.0-5.5	4	7.5	0.0-15.0
65+	26	2830	14	56.6	36.5-76.7	4	13.2	0.4-26.0	3	9.9	0.0-20.9	3	9.4	0.0-20.4	1	7.1	0.0-20.2	1	3.8	0.0-11.0
EDUCATION																				
Less Than H.S.	19	3080	6	29.7	6.2-53.3	7	36.0	11.4-60.5	3	18.4	0.0-39.5	0		0.0-0.0	1	6.5	0.0-18.4	2	9.4	0.0-21.6
H.S. or G.E.D.	129	20556	48	38.6	28.7-48.6	54	44.6	34.3-55.0	12	8.7	3.2-14.3	4	1.8	0.0-3.9	5	2.3	0.2-4.4	6	3.8	0.7-7.0
Some Post-H.S.	212	36025	71	28.8	22.3-35.4	71	31.6	24.6-38.7	39	22.4	15.2-29.6	7	2.9	0.7-5.2	11	5.5	1.8-9.1	13	8.7	3.3-14.1
College Graduate	228	33679	72	31.4	24.8-38.1	87	37.3	30.4-44.1	38	16.1	10.8-21.4	12	5.0	2.1-7.9	11	6.4	2.5-10.3	8	3.7	0.9-6.6
HOUSEHOLD INCOME																				
Less than \$15,000	41	9074	10	20.6	5.8-35.3	19	40.8	21.6-60.0	6	25.4	6.3-44.6	0		0.0-0.0	2	3.0	0.0-7.6	4	10.1	0.0-22.8
\$15,000- 24,999	83	13137	28	30.2	19.5-40.9	32	35.3	23.5-47.0	13	18.8	8.1-29.5	3	2.3	0.0-5.1	4	7.6	0.0-15.8	3	5.8	0.0-12.8
\$25,000- 34,999	82	13958	21	22.4	12.9-32.0	31	41.7	28.7-54.7	15	20.3	9.7-31.0	4	4.4	0.0-9.0	3	2.7	0.0-5.9	8	8.5	2.4-14.7
\$35,000- 49,999	118	16915	38	34.1	24.4-43.8	51	41.4	31.8-51.0	14	11.8	5.7-17.8	7	5.6	1.3-10.0	4	3.9	0.0-8.7	4	3.1	0.0-6.3
\$50,000- 74,999	127	19871	43	33.5	24.7-42.4	49	39.1	30.0-48.2	19	14.0	7.7-20.4	4	3.2	0.1-6.3	8	6.6	2.1-11.0	4	3.6	0.0-7.1
\$75,000+	81	12088	31	36.2	25.2-47.2	28	32.9	22.2-43.5	12	13.6	6.0-21.3	5	5.2	0.6-9.8	3	4.5	0.0-9.8	2	7.6	0.0-17.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 7: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1	MALES AND FEMALES	45
2	MALES ONLY	46
3	FEMALES ONLY	47
	DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKEDAY)	
4	MALES AND FEMALES	48
5	MALES ONLY	49
6	FEMALES ONLY	50
	DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7	MALES AND FEMALES	51
8	MALES ONLY	52
9	FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 7: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3038	484755	1362	43.5	41.5-45.6	1676	56.5	54.4-58.5
SEX								
Male	1307	239498	721	52.3	49.1-55.5	586	47.7	44.5-50.9
Female	1731	245257	641	35.0	32.5-37.5	1090	65.0	62.5-67.6
RACE								
Native	79	16178	57	71.0	55.7-86.2	22	29.0	16.5-41.5
Non-Native	2931	465023	1290	42.5	40.4-44.5	1641	57.5	55.5-59.6
AGE								
18-24	198	74199	71	34.7	27.5-42.0	127	65.3	57.8-72.7
25-34	421	76165	172	41.6	36.6-46.7	249	58.4	53.3-63.4
35-44	576	88461	227	37.1	32.9-41.3	349	62.9	58.7-67.1
45-54	662	89909	311	47.0	42.9-51.1	351	53.0	48.8-57.2
55-64	460	59736	264	58.4	53.6-63.2	196	41.6	36.8-46.4
65+	704	94093	310	45.2	41.2-49.2	394	54.8	50.8-58.8
EDUCATION								
Less Than H.S.	257	39153	120	49.4	42.0-56.8	137	50.6	43.2-58.0
H.S. or G.E.D.	900	144354	457	48.8	45.0-52.7	443	51.2	47.3-55.0
Some Post-H.S.	994	163391	470	46.0	42.4-49.6	524	54.0	50.4-57.6
College Graduate	881	137124	311	33.1	29.7-36.5	570	66.9	63.5-70.3
HOUSEHOLD INCOME								
Less than \$15,000	264	40396	142	50.5	42.5-58.4	122	49.5	41.6-57.5
\$15,000- 24,999	491	74931	243	47.9	42.7-53.2	248	52.1	46.8-57.3
\$25,000- 34,999	448	71509	206	46.2	40.8-51.6	242	53.8	48.4-59.2
\$35,000- 49,999	571	89692	267	46.6	42.1-51.1	304	53.4	48.9-57.9
\$50,000- 74,999	502	83683	212	40.7	36.1-45.3	290	59.3	54.7-63.9
\$75,000+	393	64949	148	36.4	31.1-41.7	245	63.6	58.3-68.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 7: TOBACCO USE**

**TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1307	239498	721	52.3	49.1-55.5	586	47.7	44.5-50.9
RACE								
Native	35	8773	25	68.4	45.6-91.2	10	31.6	12.9-50.3
Non-Native	1260	229345	687	51.5	48.3-54.7	573	48.5	45.3-51.7
AGE								
18-24	87	38706	38	41.4	30.3-52.5	49	58.6	47.1-70.1
25-34	187	39840	90	48.9	41.3-56.5	97	51.1	43.5-58.7
35-44	257	44465	102	37.6	31.3-43.9	155	62.4	56.1-68.7
45-54	295	46230	153	51.0	44.9-57.2	142	48.9	42.8-55.1
55-64	220	29663	158	73.4	67.3-79.6	62	26.6	20.4-32.7
65+	256	39818	178	68.4	62.3-74.6	78	31.6	25.4-37.7
EDUCATION								
Less Than H.S.	110	19252	73	65.8	53.7-77.9	37	34.2	24.2-44.3
H.S. or G.E.D.	410	76961	241	55.0	49.2-60.7	169	45.0	39.3-50.8
Some Post-H.S.	412	77697	244	56.2	50.5-62.0	168	43.8	38.0-49.5
College Graduate	373	65276	161	40.3	34.8-45.7	212	59.7	54.2-65.2
HOUSEHOLD INCOME								
Less than \$15,000	69	12091	46	71.3	58.3-84.2	23	28.8	15.8-41.7
\$15,000- 24,999	202	36011	130	61.5	53.2-69.8	72	38.5	30.2-46.8
\$25,000- 34,999	194	36922	107	54.3	46.1-62.5	87	45.7	37.5-53.9
\$35,000- 49,999	288	49811	169	56.6	50.3-63.0	119	43.4	37.0-49.7
\$50,000- 74,999	251	44801	124	45.2	38.7-51.8	127	54.8	48.2-61.4
\$75,000+	189	35591	85	43.0	34.9-51.0	104	57.0	49.0-65.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 7: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1731	245257	641	35.0	32.5-37.5	1090	65.0	62.5-67.5
RACE								
Native	44	7405	32	74.0	59.1-88.9	12	26.0	11.1-40.9
Non-Native	1671	235678	603	33.7	31.2-36.2	1068	66.3	63.8-68.8
AGE								
18-24	111	35494	33	27.5	18.5-36.4	78	72.5	63.6-81.5
25-34	234	36325	82	33.7	27.4-40.0	152	66.3	60.0-72.6
35-44	319	43996	125	36.5	31.0-42.1	194	63.5	57.9-69.0
45-54	367	43679	158	42.7	37.2-48.2	209	57.3	51.8-62.8
55-64	240	30073	106	43.5	36.9-50.2	134	56.5	49.8-63.1
65+	448	54275	132	28.2	23.7-32.7	316	71.8	67.3-76.3
EDUCATION								
Less Than H.S.	147	19902	47	33.5	24.4-42.7	100	66.4	57.3-75.6
H.S. or G.E.D.	490	67393	216	41.8	36.9-46.7	274	58.2	53.3-63.1
Some Post-H.S.	582	85694	226	36.7	32.3-41.2	356	63.3	58.8-67.7
College Graduate	508	71848	150	26.6	22.5-30.7	358	73.4	69.3-77.5
HOUSEHOLD INCOME								
Less than \$15,000	195	28305	96	41.6	32.8-50.4	99	58.4	49.6-67.2
\$15,000- 24,999	289	38919	113	35.4	29.3-41.6	176	64.6	58.4-70.8
\$25,000- 34,999	254	34587	99	37.4	30.7-44.1	155	62.6	55.9-69.3
\$35,000- 49,999	283	39881	98	34.1	28.1-40.1	185	65.9	59.9-71.9
\$50,000- 74,999	251	38883	88	35.5	29.0-41.9	163	64.5	58.1-71.0
\$75,000+	204	29358	63	28.5	22.1-34.9	141	71.5	65.1-77.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 7: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKEDAY)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1362	210999	429	34.0	31.0-37.0	151	11.7	9.6-13.7	782	54.3	51.2-57.4
SEX											
Male	721	125256	226	34.4	30.3-38.5	75	11.5	8.7-14.4	420	54.1	49.9-58.3
Female	641	85743	203	33.5	29.2-37.9	76	11.9	9.1-14.7	362	54.6	50.2-59.0
RACE											
Native	57	11481	25	48.1	32.7-63.5	10	19.1	6.2-32.1	22	32.8	19.5-46.0
Non-Native	1290	197522	403	33.5	30.4-36.6	140	11.3	9.3-13.4	747	55.2	52.0-58.3
AGE											
18-24	71	25778	38	58.7	46.4-71.1	18	24.6	13.8-35.4	15	16.7	8.0-25.4
25-34	172	31714	72	41.4	33.5-49.4	36	20.4	14.1-26.8	64	38.2	30.3-46.0
35-44	227	32800	105	45.4	38.4-52.4	32	12.8	8.3-17.3	90	41.8	34.8-48.8
45-54	311	42254	103	32.8	27.0-38.6	38	10.6	7.2-14.0	170	56.6	50.6-62.7
55-64	264	34879	65	24.5	19.0-30.1	13	4.8	2.1-7.5	186	70.7	64.8-76.5
65+	310	42537	42	13.3	9.2-17.5	14	3.5	1.6-5.4	254	83.2	78.7-87.6
EDUCATION											
Less Than H.S.	120	19338	37	31.7	22.1-41.3	7	4.3	1.0-7.6	76	64.0	54.2-73.8
H.S. or G.E.D.	457	70472	169	39.8	34.5-45.2	44	9.9	6.6-13.2	244	50.3	44.9-55.6
Some Post-H.S.	470	75153	151	36.6	31.3-41.8	72	15.9	12.0-19.8	247	47.5	42.4-52.7
College Graduate	311	45429	71	21.8	16.8-26.8	28	10.8	6.3-15.2	212	67.4	61.5-73.4
HOUSEHOLD INCOME											
Less than \$15,000	142	20395	47	39.0	27.7-50.3	25	17.3	9.0-25.5	70	43.7	33.0-54.4
\$15,000- 24,999	243	35923	97	40.7	33.5-47.9	18	8.3	3.4-13.2	128	50.9	43.7-58.2
\$25,000- 34,999	206	33008	66	33.2	25.6-40.8	26	15.0	8.6-21.3	114	51.8	43.9-59.7
\$35,000- 49,999	267	41795	82	32.6	26.3-39.0	34	13.5	9.0-18.0	151	53.9	47.3-60.4
\$50,000- 74,999	212	34051	65	33.0	25.9-40.0	23	11.6	7.0-16.3	124	55.4	48.2-62.6
\$75,000+	148	23643	39	30.5	21.5-39.6	9	4.9	1.6-8.3	100	64.5	55.4-73.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 7: TOBACCO USE**

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKEDAY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY											
SEX											
Male	721	125256	226	34.4	30.2-38.5	75	11.5	8.7-14.4	420	54.1	49.9-58.3
RACE											
Native	25	6001	11	52.0	29.5-74.6	4	21.8	0.5-43.2	10	26.1	9.5-42.7
Non-Native	687	118150	214	33.7	29.5-37.9	70	11.1	8.3-13.9	403	55.2	51.0-59.5
AGE											
18-24	38	16032	22	59.1	42.6-75.7	10	27.6	12.5-42.8	6	13.3	2.5-24.0
25-34	90	19469	39	43.9	32.9-54.8	20	20.2	11.7-28.6	31	36.0	25.4-46.6
35-44	102	16733	44	43.7	33.4-54.1	17	14.8	7.6-21.9	41	41.5	31.1-51.9
45-54	153	23600	58	37.2	28.9-45.5	17	9.7	5.1-14.3	78	53.1	44.6-61.6
55-64	158	21785	39	24.4	17.3-31.5	6	3.5	0.5-6.4	113	72.2	64.8-79.5
65+	178	27250	24	13.3	7.9-18.7	5	2.2	0.2-4.1	149	84.6	79.0-90.2
EDUCATION											
Less Than H.S.	73	12661	23	32.2	20.2-44.2	3	2.7	0.0-5.9	47	65.1	52.9-77.3
H.S. or G.E.D.	241	42312	91	41.6	34.2-49.0	22	10.1	5.3-14.8	128	48.3	41.1-55.6
Some Post-H.S.	244	43679	77	36.7	29.4-44.0	37	15.9	10.4-21.3	130	47.4	40.3-54.4
College Graduate	161	26293	35	20.2	13.7-26.7	13	11.1	4.5-17.7	113	68.7	60.5-76.9
HOUSEHOLD INCOME											
Less than \$15,000	46	8615	15	41.4	21.5-61.3	8	18.8	2.9-34.8	23	39.8	21.7-57.9
\$15,000- 24,999	130	22138	47	40.2	30.5-50.0	7	7.6	0.8-14.3	76	52.2	42.4-62.0
\$25,000- 34,999	107	20061	31	30.3	19.9-40.6	19	20.6	11.1-30.2	57	49.1	38.3-59.9
\$35,000- 49,999	169	28208	54	34.3	26.2-42.4	18	9.9	5.2-14.7	97	55.8	47.5-64.0
\$50,000- 74,999	124	20259	36	30.2	21.4-39.0	14	12.8	6.4-19.2	74	57.0	47.6-66.3
\$75,000+	85	15288	28	36.4	24.2-48.5	3	2.9	0.0-6.4	54	60.7	48.6-72.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 7: TOBACCO USE**

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKEDAY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY											
SEX											
Female	641	85743	203	33.5	29.2-37.9	76	11.9	9.1-14.7	362	54.6	50.2-59.0
RACE											
Native	32	5480	14	43.8	23.0-64.5	6	16.2	3.2-29.2	12	40.0	20.3-59.8
Non-Native	603	79371	189	-72.8	71	70	11.7	8.9-14.6	344	55.1	50.6-59.6
AGE											
18-24	33	9746	16	58.1	40.0-76.2	8	19.6	6.2-33.0	9	22.3	7.7-36.9
25-34	82	12245	33	37.5	26.7-48.3	16	20.8	11.3-30.4	33	41.7	30.4-52.9
35-44	125	16067	61	47.2	37.8-56.6	15	10.8	5.4-16.2	49	42.0	32.7-51.4
45-54	158	18654	45	27.2	19.4-35.0	21	11.7	6.6-16.8	92	61.1	52.8-69.5
55-64	□ÿ * 3094	13094	26	24.8	15.8-33.8	7	7.0	1.8-12.2	73	68.2	58.6-77.8
65+	132	15287	18	13.4	7.0-19.9	9	5.9	1.9-9.9	105	80.7	73.3-88.0
EDUCATION											
Less Than H.S.	47	6677	14	30.7	14.8-46.6	4	7.4	0.0-14.8	29	61.9	45.4-78.4
H.S. or G.E.D.	216	28161	78	37.2	29.7-44.8	22	9.6	5.4-13.9	116	53.1	45.6-60.7
Some Post-H.S.	226	31475	74	36.3	28.8-43.9	35	15.9	10.5-21.3	117	47.7	40.4-55.1
College Graduate	150	19136	36	24.0	16.2-31.8	15	10.3	4.9-15.7	99	65.7	57.1-74.3
HOUSEHOLD INCOME											
Less than \$15,000	96	11780	32	37.3	24.3-50.3	17	16.2	8.0-24.3	47	46.5	33.9-59.2
\$15,000- 24,999	113	13785	50	41.6	31.3-51.9	11	9.6	2.8-16.4	52	48.8	38.3-59.4
\$25,000- 34,999	99	12947	35	37.9	27.0-48.7	7	6.2	1.3-11.0	57	56.0	45.0-66.9
\$35,000- 49,999	98	13587	28	29.2	19.4-39.0	16	20.9	11.5-30.2	54	49.9	39.2-60.7
\$50,000- 74,999	88	13791	29	37.0	25.6-48.4	9	9.9	3.4-16.4	50	53.1	41.7-64.5
\$75,000+	63	8355	11	19.9	8.7-31.1	6	8.7	1.8-15.6	46	71.4	59.2-83.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 7: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime
Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	580	96430	286	51.5	46.6-56.3	294	48.5	43.7-53.4
SEX								
Male	301	57494	141	49.8	43.1-56.5	160	50.2	43.5-56.9
Female	279	38936	145	54.0	47.2-60.8	134	46.0	39.2-52.8
RACE								
Native	35	7720	18	54.4	34.8-74.1	17	45.6	25.9-65.2
Non-Native	543	88548	267	51.2	46.2-56.2	276	48.8	43.8-53.8
AGE								
18-24	56	21479	36	64.4	50.6-78.2	20	35.6	21.8-49.4
25-34	108	19610	58	53.6	43.4-63.8	50	46.4	36.2-56.6
35-44	137	19103	69	50.3	41.2-59.5	68	49.7	40.5-58.8
45-54	141	18317	67	44.4	35.3-53.5	74	55.6	46.5-64.7
55-64	78	10225	33	45.8	33.8-57.8	45	54.2	42.2-66.2
65+	56	7164	21	36.5	22.8-50.3	35	63.4	49.7-77.2
EDUCATION								
Less Than H.S.	44	6965	18	39.1	22.9-55.4	26	60.9	44.6-77.1
H.S. or G.E.D.	213	35060	94	47.7	39.5-55.9	119	52.3	44.1-60.5
Some Post-H.S.	223	39438	122	56.0	48.3-63.8	101	44.0	36.2-51.7
College Graduate	99	14790	52	54.7	43.4-65.9	47	45.3	34.1-56.6
HOUSEHOLD INCOME								
Less than \$15,000	72	11483	42	62.0	46.6-77.4	30	38.0	22.6-53.4
\$15,000- 24,999	115	17633	62	57.0	46.2-67.8	53	43.0	32.2-53.8
\$25,000- 34,999	92	15909	40	48.3	36.0-60.5	52	51.8	39.5-64.0
\$35,000- 49,999	116	19286	48	41.8	31.6-51.9	68	58.2	48.1-68.4
\$50,000- 74,999	88	15188	44	50.9	39.5-62.3	44	49.1	37.7-60.5
\$75,000+	48	8393	25	48.9	32.1-65.7	23	51.1	34.3-67.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 7: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	301	57494	141	49.8	43.1-56.5	160	50.2	43.5-56.9
RACE								
Native	15	4435	7	55.1	27.2-82.9	8	44.9	17.1-72.8
Non-Native	284	52897	133	49.3	42.5-56.2	151	50.6	43.8-57.5
AGE								
18-24	32	13906	20	59.2	40.7-77.7	12	40.8	22.3-59.3
25-34	59	12466	31	54.5	40.9-68.1	28	45.5	31.9-59.1
35-44	61	9788	28	50.0	36.5-63.5	33	50.0	36.5-63.5
45-54	75	11062	31	38.6	26.7-50.5	44	61.4	49.5-73.3
55-64	45	6063	21	50.3	34.6-66.0	24	49.7	34.0-65.4
65+	29	4208	10	32.7	14.5-51.0	19	67.3	49.0-85.5
EDUCATION								
Less Than H.S.	26	4421	10	36.0	15.5-56.6	16	63.9	43.4-84.5
H.S. or G.E.D.	113	21865	50	48.3	37.3-59.4	63	51.7	40.6-62.7
Some Post-H.S.	114	22983	56	51.8	40.9-62.8	58	48.1	37.2-59.1
College Graduate	48	8225	25	55.2	39.2-71.2	23	44.8	28.8-60.8
HOUSEHOLD INCOME								
Less than \$15,000	23	5188	12	48.1	20.5-75.7	11	51.9	24.3-79.5
\$15,000- 24,999	54	10579	26	54.5	39.1-69.8	28	45.5	30.2-60.9
\$25,000- 34,999	50	10210	24	54.5	38.2-70.9	26	45.5	29.1-61.8
\$35,000- 49,999	72	12483	29	42.6	29.4-55.9	43	57.4	44.1-70.6
\$50,000- 74,999	50	8719	28	58.0	43.4-72.6	22	42.0	27.4-56.6
\$75,000+	31	6005	13	41.7	21.0-62.4	18	58.3	37.6-79.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 7: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	279	38936	145	54.0	47.2-60.8	134	46.0	39.2-52.8
RACE								
Native	20	3285	11	53.6	26.9-80.2	9	46.4	19.8-73.1
Non-Native	259	35651	134	54.0	47.0-61.1	125	46.0	38.9-53.0
AGE								
18-24	24	7573	16	73.9	56.5-91.3	8	26.1	8.7-43.5
25-34	49	7143	27	52.2	37.4-67.0	22	47.8	33.0-62.6
35-44	76	9315	41	50.7	38.4-63.0	35	49.3	37.0-61.6
45-54	66	7255	36	53.3	39.4-67.1	30	46.8	32.9-60.6
55-64	33	4163	12	39.4	21.0-57.8	21	60.6	42.2-79.0
65+	27	2956	11	42.0	21.5-62.5	16	58.0	37.5-78.5
EDUCATION								
Less Than H.S.	18	2544	8	44.4	17.8-71.1	10	55.6	28.9-82.2
H.S. or G.E.D.	100	13194	44	46.7	34.8-58.6	56	53.3	41.4-65.2
Some Post-H.S.	109	16455	66	61.9	51.5-72.3	43	38.1	27.7-48.5
College Graduate	51	6566	27	54.0	38.3-69.7	24	46.0	30.3-61.7
HOUSEHOLD INCOME								
Less than \$15,000	49	6296	30	73.4	60.6-86.2	19	26.6	13.8-39.4
\$15,000- 24,999	61	7054	36	60.7	46.3-75.1	25	39.3	24.9-53.7
\$25,000- 34,999	42	5700	16	37.0	20.0-54.1	26	63.0	45.9-80.0
\$35,000- 49,999	44	6803	19	40.2	24.7-55.7	25	59.8	44.3-75.3
\$50,000- 74,999	38	6469	16	41.3	23.7-59.0	22	58.7	41.0-76.3
\$75,000+	17	2388	12	67.1	41.2-93.0	5	32.9	7.0-58.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 8: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A DRINK OF ALCOHOL IS 1 CAN OR BOTTLE OF BEER, 1 GLASS OF WINE, 1 CAN OR BOTTLE OF WINE COOLER, 1 COCKTAIL, OR 1 SHOT OF LIQUOR. DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY3)	
1	MALES AND FEMALES	55
2	MALES ONLY	56
3	FEMALES ONLY	57
	ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK)	
4	MALES AND FEMALES	58
5	MALES ONLY	59
6	FEMALES ONLY	60
	CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION? (DRNK2GE5)	
7	MALES AND FEMALES	61
8	MALES ONLY	62
9	FEMALES ONLY	63
	DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRINKDRI)	
10	MALES AND FEMALES	64
11	MALES ONLY	65
12	FEMALES ONLY	66

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 1: A DRINK OF ALCOHOL IS 1 CAN OR BOTTLE OF BEER, 1 GLASS OF WINE, 1 CAN OR BOTTLE OF WINE COOLER, 1 COCKTAIL, OR 1 SHOT OF LIQUOR. DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3031	484626	356	12.2	10.8-13.6	20	0.7	0.3-1.0	1226	42.3	40.2-44.4	224	7.4	6.3-8.4	1205	37.5	35.5-39.5
SEX																	
Male	1304	239770	188	14.4	12.2-16.6	17	1.2	0.5-1.9	549	44.4	41.2-47.6	156	10.8	9.0-12.6	394	29.2	26.3-32.1
Female	1727	244856	168	10.1	8.4-11.7	3	0.1	0.0-0.3	677	40.2	37.5-42.9	68	4.0	2.9-5.1	811	45.6	42.9-48.3
RACE																	
Native	80	17507	4	4.1	0.0-8.3	0		0.0-0.0	30	38.3	24.7-52.0	3	2.7	0.0-5.9	43	54.8	40.7-68.9
Non-Native	2923	463566	350	12.6	11.2-14.0	20	0.7	0.3-1.0	1188	42.5	40.4-44.6	218	7.5	6.5-8.6	1147	36.7	34.7-38.7
AGE																	
18-24	199	75082	27	12.0	7.2-16.8	1	0.7	0.0-2.1	101	51.6	43.8-59.4	12	5.4	2.1-8.6	58	30.3	23.0-37.6
25-34	422	76271	58	14.6	10.9-18.3	2	0.5	0.0-1.2	213	49.5	44.4-54.6	32	8.7	5.7-11.7	117	26.7	22.2-31.1
35-44	576	88461	90	15.8	12.6-19.0	2	0.3	0.0-0.8	255	43.5	39.2-47.8	33	6.4	4.1-8.6	196	34.0	29.8-38.2
45-54	658	89456	79	12.0	9.3-14.8	2	0.2	0.0-0.6	305	46.7	42.5-50.8	59	8.5	6.3-10.8	213	32.5	28.6-36.4
55-64	459	59566	56	12.2	9.0-15.4	5	1.0	0.1-1.8	169	38.3	33.6-43.1	41	9.3	6.5-12.2	188	39.1	34.4-43.9
65+	700	93598	46	7.4	5.2-9.6	8	1.3	0.3-2.3	179	26.4	22.8-30.0	47	6.6	4.6-8.6	420	58.3	54.3-62.3
EDUCATION																	
Less Than H.S.	257	40274	19	9.0	4.9-13.1	1	0.6	0.0-1.7	63	24.8	18.5-31.0	12	4.7	1.4-8.1	162	60.9	53.7-68.1
H.S. or G.E.D.	899	144379	91	10.1	7.8-12.4	7	0.6	0.1-1.1	345	41.9	38.0-45.7	58	6.1	4.4-7.8	398	41.4	37.6-45.1
Some Post-H.S.	989	162138	123	12.4	10.1-14.8	7	0.9	0.1-1.8	417	44.1	40.4-47.8	76	7.8	5.9-9.7	366	34.8	31.3-38.2
College Graduate	880	137101	122	15.1	12.3-17.8	5	0.4	0.0-0.8	401	46.0	42.3-49.7	78	9.0	6.9-11.1	274	29.5	26.3-32.8
HOUSEHOLD INCOME																	
Less than \$15,000	264	40396	15	6.2	2.3-10.1	0		0.0-0.0	76	38.0	29.8-46.3	14	7.7	2.9-12.5	159	48.1	40.2-55.9
\$15,000- 24,999	492	75144	51	10.6	7.4-13.8	2	0.4	0.0-1.1	178	37.8	32.6-43.0	24	4.7	2.7-6.7	237	46.5	41.3-51.7
\$25,000- 34,999	448	70887	43	10.2	6.9-13.6	2	0.4	0.0-1.1	180	43.6	38.2-49.1	35	7.2	4.6-9.7	188	38.5	33.4-43.6
\$35,000- 49,999	570	89574	92	16.6	13.2-20.0	8	1.2	0.3-2.2	238	43.5	39.0-48.0	54	9.4	6.8-11.9	178	29.3	25.3-33.3
\$50,000- 74,999	501	83584	62	12.8	9.6-16.0	2	0.2	0.0-0.6	241	48.6	43.8-53.4	40	7.9	5.5-10.4	156	30.4	26.1-34.8
\$75,000+	393	64949	57	15.4	11.1-19.7	4	1.6	0.0-3.3	201	48.3	42.8-53.9	35	9.6	6.2-12.9	96	25.1	20.0-30.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 2: A DRINK OF ALCOHOL IS 1 CAN OR BOTTLE OF BEER, 1 GLASS OF WINE, 1 CAN OR BOTTLE OF WINE COOLER, 1 COCKTAIL, OR 1 SHOT OF LIQUOR. DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	1304	239770	188	14.4	12.2-16.6	17	1.2	0.5-1.9	549	44.4	41.2-47.6	156	10.8	9.0-12.6	394	29.2	26.3-32.1
RACE																	
Native	36	10102	2	3.6	0.0-8.8	0		0.0-0.0	15	44.2	23.3-65.1	2	3.6	0.0-8.7	17	48.6	26.8-70.3
Non-Native	1256	228288	185	14.9	12.6-17.2	17	1.3	0.6-2.0	531	44.5	41.4-47.7	151	11.1	9.2-12.9	372	28.2	25.4-31.1
AGE																	
18-24	87	39325	13	12.4	5.4-19.4	1	1.3	0.0-4.0	47	54.5	42.8-66.2	6	5.4	1.0-9.8	20	26.3	15.3-37.4
25-34	188	39946	35	19.1	13.0-25.2	1	0.5	0.0-1.6	99	51.4	43.8-59.0	25	13.9	8.7-19.1	28	15.0	9.6-20.4
35-44	257	44465	48	18.3	13.2-23.4	2	0.6	0.0-1.6	115	43.9	37.5-50.4	27	10.6	6.6-14.6	65	26.5	20.7-32.4
45-54	295	46307	33	11.6	7.6-15.6	1	0.3	0.0-1.0	145	50.5	44.3-56.6	40	11.6	8.0-15.3	76	26.0	20.6-31.4
55-64	219	29526	33	15.3	10.3-20.4	4	1.6	0.0-3.2	72	35.0	28.2-41.9	32	14.5	9.6-19.4	78	33.5	27.0-40.1
65+	253	39424	26	10.0	6.2-13.8	8	3.1	0.8-5.4	69	27.6	21.7-33.6	26	9.6	5.8-13.4	124	49.7	43.1-56.3
EDUCATION																	
Less Than H.S.	108	20167	12	11.0	4.7-17.3	1	1.2	0.0-3.5	31	26.5	17.0-36.0	11	9.1	2.6-15.6	53	52.3	40.6-63.9
H.S. or G.E.D.	410	76961	50	12.4	8.6-16.2	6	1.0	0.2-1.9	171	45.5	39.8-51.3	43	9.0	6.2-11.8	140	32.0	26.7-37.3
Some Post-H.S.	411	76976	61	13.9	10.2-17.5	7	1.9	0.2-3.7	189	49.0	43.3-54.7	51	11.3	8.1-14.5	103	23.9	19.0-28.8
College Graduate	373	65353	64	18.2	13.7-22.7	3	0.5	0.0-1.1	158	43.4	37.8-49.1	51	12.8	9.2-16.4	97	25.0	20.3-29.7
HOUSEHOLD INCOME																	
Less than \$15,000	69	12091	4	5.5	0.0-11.8	0		0.0-0.0	28	49.0	33.3-64.7	6	11.2	0.7-21.7	31	34.3	20.6-47.9
\$15,000- 24,999	201	35855	25	11.5	6.6-16.5	1	0.7	0.0-2.0	77	42.4	34.0-50.7	17	7.4	3.7-11.1	81	38.0	30.2-45.9
\$25,000- 34,999	194	36319	25	12.1	6.9-17.2	2	0.8	0.0-2.2	81	46.5	38.2-54.7	23	10.5	5.9-15.1	63	30.1	23.0-37.2
\$35,000- 49,999	288	49811	58	20.7	15.6-25.9	6	1.8	0.3-3.3	121	44.6	38.3-51.0	42	13.4	9.3-17.5	61	19.4	14.6-24.3
\$50,000- 74,999	251	44878	36	15.3	10.4-20.3	2	0.4	0.0-1.1	105	44.0	37.3-50.7	32	11.9	7.8-16.0	76	28.3	22.5-34.2
\$75,000+	189	35591	27	15.9	9.4-22.4	4	2.8	0.0-6.1	94	45.9	37.9-54.0	24	12.5	7.5-17.5	40	22.8	15.2-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 3: A DRINK OF ALCOHOL IS 1 CAN OR BOTTLE OF BEER, 1 GLASS OF WINE, 1 CAN OR BOTTLE OF WINE COOLER, 1 COCKTAIL, OR 1 SHOT OF LIQUOR. DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	1727	244856	168	10.1	8.4-11.7	3	0.1	0.0-0.3	677	40.2	37.5-42.9	68	4.0	2.9-5.1	811	45.6	42.9-48.3
RACE																	
Native	44	7405	2	4.8	0.0-11.6	0		0.0-0.0	15	30.4	15.0-45.7	1	1.6	0.0-4.7	26	63.3	47.1-79.5
Non-Native	1667	235278	165	10.3	8.6-12.0	3	0.1	0.0-0.3	657	40.5	37.8-43.2	67	4.1	3.0-5.3	775	44.9	42.2-47.6
AGE																	
18-24	112	35757	14	11.6	5.3-17.9	0		0.0-0.0	54	48.4	38.3-58.6	6	5.3	0.6-10.1	38	34.6	25.2-44.1
25-34	234	36325	23	9.6	5.6-13.6	1	0.4	0.0-1.3	114	47.4	40.7-54.2	7	3.0	0.7-5.4	89	39.5	32.8-46.1
35-44	319	43996	42	13.3	9.3-17.2	0		0.0-0.0	140	43.1	37.3-48.8	6	2.1	0.4-3.8	131	41.6	35.8-47.4
45-54	363	43148	46	12.6	9.0-16.2	1	0.1	0.0-0.4	160	42.6	37.2-48.1	19	5.2	2.7-7.6	137	39.5	33.9-45.0
55-64	240	30040	23	9.2	5.4-13.0	1	0.3	0.0-1.0	97	41.6	34.9-48.2	9	4.3	1.4-7.1	110	44.7	37.9-51.4
65+	447	54174	20	5.5	3.0-8.0	0		0.0-0.0	110	25.5	21.0-30.0	21	4.4	2.5-6.3	296	64.6	59.7-69.5
EDUCATION																	
Less Than H.S.	149	20107	7	7.0	1.6-12.5	0		0.0-0.0	32	23.0	14.9-31.2	1	0.3	0.0-1.0	109	69.6	60.6-78.6
H.S. or G.E.D.	489	67418	41	7.4	5.1-9.7	1	0.1	0.0-0.4	174	37.7	32.6-42.7	15	2.8	1.3-4.3	258	52.0	46.9-57.1
Some Post-H.S.	578	85163	62	11.2	8.1-14.2	0		0.0-0.0	228	39.6	35.0-44.3	25	4.6	2.4-6.9	263	44.6	39.9-49.3
College Graduate	507	71748	58	12.2	9.0-15.5	2	0.3	0.0-0.8	243	48.3	43.5-53.1	27	5.5	3.4-7.7	177	33.7	29.2-38.2
HOUSEHOLD INCOME																	
Less than \$15,000	195	28305	11	6.5	1.6-11.4	0		0.0-0.0	48	33.3	23.7-42.9	8	6.2	1.1-11.3	128	54.0	44.6-63.4
\$15,000- 24,999	291	39289	26	9.8	5.6-13.9	1	0.3	0.0-0.7	101	33.7	27.4-39.9	7	2.2	0.3-4.0	156	54.1	47.5-60.7
\$25,000- 34,999	254	34568	18	8.3	4.0-12.6	0		0.0-0.0	99	40.6	33.6-47.7	12	3.7	1.5-5.8	125	47.4	40.4-54.4
\$35,000- 49,999	282	39763	34	11.4	7.4-15.5	2	0.5	0.0-1.4	117	42.0	35.7-48.3	12	4.3	1.8-6.8	117	41.7	35.4-48.0
\$50,000- 74,999	250	38706	26	9.8	6.1-13.6	0		0.0-0.0	136	54.0	47.3-60.7	8	3.3	1.0-5.6	80	32.9	26.5-39.3
\$75,000+	204	29358	30	14.9	9.7-20.0	0		0.0-0.0	107	51.2	43.9-58.5	11	6.0	1.8-10.2	56	27.9	21.3-34.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 4: ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1835	304678	738	36.7	34.3-39.2	545	29.0	26.7-31.4	237	13.2	11.4-15.1	138	8.2	6.7-9.8	177	12.8	10.7-14.9
SEX																	
Male	913	170702	275	27.1	23.9-30.2	291	30.9	27.5-34.3	140	15.2	12.5-17.8	85	9.8	7.5-12.1	122	17.1	13.8-20.4
Female	922	133975	463	49.0	45.3-52.7	254	26.7	23.5-29.9	97	10.8	8.4-13.2	53	6.2	4.3-8.2	55	7.3	5.0-9.6
RACE																	
Native	37	7914	8	15.8	3.6-28.0	7	20.3	5.5-35.1	6	17.9	2.7-33.1	1	6.7	0.0-19.2	15	39.3	20.8-57.8
Non-Native	1785	295254	724	37.3	34.8-39.8	532	29.1	26.7-31.5	231	13.2	11.4-15.0	136	8.3	6.7-9.8	162	12.1	10.0-14.3
AGE																	
18-24	142	53049	29	18.2	11.4-25.1	38	24.6	17.0-32.3	22	14.9	8.5-21.4	16	12.2	6.2-18.2	37	30.0	21.3-38.8
25-34	305	55931	78	24.7	19.6-29.7	104	34.8	29.0-40.5	39	12.5	8.5-16.4	29	9.5	6.0-13.1	55	18.6	13.7-23.5
35-44	380	58375	107	28.7	23.9-33.6	111	27.7	22.9-32.4	68	18.9	14.6-23.2	47	11.7	8.3-15.1	47	13.0	9.3-16.8
45-54	449	60922	188	41.1	36.2-46.0	147	32.7	28.0-37.4	58	13.1	9.7-16.4	35	8.1	5.2-10.9	21	5.0	2.7-7.3
55-64	272	36376	143	51.8	45.5-58.1	74	28.9	23.1-34.8	35	12.0	8.0-15.9	9	3.5	1.0-5.9	11	3.8	1.5-6.2
65+	283	39401	190	69.4	63.7-75.2	70	23.1	17.9-28.3	15	5.4	2.5-8.3	2	0.6	0.0-1.5	6	1.4	0.2-2.6
EDUCATION																	
Less Than H.S.	96	15899	49	51.9	40.5-63.3	25	20.9	12.4-29.4	6	7.6	1.1-14.2	7	8.5	1.9-15.1	9	11.0	2.9-19.2
H.S. or G.E.D.	502	84797	177	31.2	26.6-35.7	143	27.3	22.8-31.8	74	15.6	11.8-19.5	42	9.1	5.9-12.3	66	16.8	12.5-21.1
Some Post-H.S.	629	107142	233	33.9	29.8-38.1	190	29.4	25.3-33.6	91	14.2	11.0-17.3	53	9.2	6.4-12.0	62	13.3	9.4-17.1
College Graduate	607	96684	278	42.1	37.8-46.4	187	31.5	27.4-35.6	66	11.0	8.2-13.9	36	6.3	4.0-8.5	40	9.1	5.7-12.4
HOUSEHOLD INCOME																	
Less than \$15,000	105	20975	33	25.8	15.4-36.2	29	27.3	16.5-38.2	11	11.2	2.7-19.7	12	16.9	6.1-27.7	20	18.8	8.8-28.7
\$15,000- 24,999	256	40390	107	39.7	32.7-46.6	71	24.2	18.2-30.3	29	10.6	6.4-14.8	15	7.5	3.2-11.8	34	18.0	11.1-24.9
\$25,000- 34,999	262	44400	98	33.9	27.2-40.6	74	24.7	18.8-30.6	37	15.7	10.0-21.5	26	9.7	5.8-13.5	27	16.0	9.8-22.3
\$35,000- 49,999	393	63433	136	33.1	28.0-38.1	128	31.7	26.7-36.7	60	16.7	12.4-20.9	34	7.6	4.9-10.4	35	10.9	7.0-14.8
\$50,000- 74,999	346	58311	129	34.7	29.4-40.1	105	31.6	26.2-37.0	54	15.2	11.2-19.2	23	6.4	3.7-9.0	35	12.1	8.1-16.1
\$75,000+	297	48618	128	39.4	33.5-45.4	98	33.5	27.6-39.4	32	10.2	6.7-13.8	21	8.2	4.5-11.9	18	8.7	4.2-13.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 5: ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY																		
SEX																		
Male	913	170702	275	27.1	23.9-30.2	291	30.9	27.5-34.3	140	15.2	12.5-17.8	85	9.8	7.5-12.1	122	17.1	13.8-20.4	
RACE																		
Native	19	5194	3	8.3	0.0-17.9	4	22.7	2.2-43.1	4	20.3	0.0-40.9	1	10.2	0.0-28.9	7	38.5	13.4-63.5	
Non-Native	887	164879	269	27.6	24.4-30.8	284	31.1	27.6-34.5	136	15.1	12.4-17.7	83	9.8	7.5-12.0	115	16.5	13.2-19.8	
AGE																		
18-24	68	29672	6	7.8	0.9-14.7	19	27.2	16.0-38.4	11	14.9	6.0-23.8	8	12.2	3.9-20.6	24	37.9	25.1-50.7	
25-34	160	33952	30	18.4	12.1-24.8	57	34.8	27.1-42.6	21	12.7	7.3-18.1	18	11.6	6.3-16.8	34	22.5	15.3-29.7	
35-44	192	32673	35	19.0	13.0-24.9	57	27.3	20.6-33.9	41	23.1	16.6-29.6	25	12.1	7.3-16.9	34	18.5	12.6-24.5	
45-54	219	34275	74	33.5	26.7-40.3	73	33.2	26.5-39.9	32	14.8	9.8-19.9	24	11.1	6.5-15.7	16	7.4	3.5-11.2	
55-64	141	19627	53	37.0	28.7-45.3	47	36.1	27.6-44.7	23	14.5	8.6-20.4	8	5.8	1.5-10.0	10	6.6	2.5-10.8	
65+	131	20117	76	62.3	53.6-71.0	37	26.2	18.3-34.0	12	8.4	3.5-13.3	2	1.2	0.0-2.9	4	1.9	0.0-4.0	
EDUCATION																		
Less Than H.S.	56	9786	27	46.8	32.1-61.4	13	19.5	8.6-30.4	5	8.4	0.8-16.0	5	11.0	1.1-20.9	6	14.3	2.0-26.6	
H.S. or G.E.D.	270	52320	59	19.1	13.9-24.3	91	31.6	25.2-38.0	45	17.1	12.0-22.2	26	10.9	6.1-15.7	49	21.3	15.3-27.2	
Some Post-H.S.	310	59436	87	24.8	19.6-29.9	97	30.9	25.0-36.8	55	17.3	12.4-22.2	31	10.1	6.3-13.8	40	17.0	11.2-22.9	
College Graduate	276	49004	101	34.2	28.1-40.3	90	32.5	26.4-38.6	35	12.0	7.8-16.2	23	8.0	4.4-11.5	27	13.3	7.5-19.1	
HOUSEHOLD INCOME																		
Less than \$15,000	38	7946	14	21.2	8.4-33.9	9	17.7	5.0-30.3	6	22.2	2.7-41.7	4	21.0	1.0-41.0	5	17.9	1.5-34.4	
\$15,000- 24,999	121	22372	38	26.6	18.3-34.8	33	25.6	16.4-34.7	16	11.1	5.4-16.7	11	10.8	3.9-17.7	23	26.0	15.0-36.9	
\$25,000- 34,999	132	26098	38	28.1	18.9-37.2	37	24.3	16.0-32.6	21	15.1	8.1-22.1	17	11.6	5.9-17.2	19	20.9	11.6-30.2	
\$35,000- 49,999	227	40139	62	26.3	20.1-32.4	77	33.1	26.5-39.8	42	20.0	14.0-25.9	21	7.3	4.1-10.5	25	13.3	7.7-19.0	
\$50,000- 74,999	175	32163	45	24.3	17.6-31.0	61	35.9	28.0-43.8	29	15.5	9.9-21.0	13	6.7	3.0-10.5	27	17.6	11.3-24.0	
\$75,000+	149	27460	48	29.0	21.3-36.7	52	34.8	26.2-43.3	18	11.5	6.2-16.9	14	11.3	5.3-17.2	17	13.4	6.6-20.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 6: ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	922	133975	463	49.0	45.3-52.7	254	26.7	23.5-29.9	97	10.8	8.4-13.2	53	6.2	4.3-8.2	55	7.3	5.0-9.6
RACE																	
Native	18	2720	5	30.1	4.2-56.1	3	15.7	0.0-33.9	2	13.2	0.0-33.4	0		0.0-0.0	8	40.9	15.9-66.0
Non-Native	898	130374	455	49.5	45.7-53.2	248	26.6	23.4-29.9	95	10.8	8.4-13.2	53	6.4	4.4-8.4	47	6.6	4.3-9.0
AGE																	
18-24	74	23377	23	31.5	19.7-43.4	19	21.4	11.5-31.3	11	14.9	5.6-24.2	8	12.1	3.5-20.7	13	20.0	9.3-30.7
25-34	145	21980	48	34.3	26.2-42.4	47	34.6	26.4-42.9	18	12.1	6.7-17.6	11	6.4	2.4-10.5	21	12.5	7.1-17.9
35-44	188	25702	72	41.1	33.6-48.6	54	28.2	21.5-34.9	27	13.5	8.5-18.5	22	11.1	6.5-15.8	13	6.0	2.7-9.4
45-54	230	26647	114	50.9	44.1-57.8	74	32.1	25.7-38.5	26	10.8	6.6-15.0	11	4.2	1.6-6.8	5	2.0	0.1-3.9
55-64	131	16749	90	69.1	60.8-77.4	27	20.5	13.3-27.8	12	9.0	3.9-14.1	1	0.8	0.0-2.3	1	0.6	0.0-1.7
65+	152	19285	114	76.9	69.7-84.2	33	20.0	13.2-26.7	3	2.3	0.0-5.4	0		0.0-0.0	2	0.9	0.0-2.1
EDUCATION																	
Less Than H.S.	40	6112	22	60.1	42.8-77.5	12	23.2	9.5-36.9	1	6.5	0.0-18.5	2	4.5	0.0-10.6	3	5.7	0.0-12.2
H.S. or G.E.D.	232	32477	118	50.7	43.1-58.2	52	20.3	14.8-25.8	29	13.3	7.5-19.1	16	6.2	3.0-9.4	17	9.5	3.9-15.1
Some Post-H.S.	319	47706	146	45.4	39.0-51.7	93	27.6	22.0-33.3	36	10.3	6.8-13.9	22	8.2	4.0-12.4	22	8.5	4.2-12.8
College Graduate	331	47679	177	50.2	44.3-56.1	97	30.5	25.0-36.0	31	10.1	6.3-13.9	13	4.5	1.8-7.3	13	4.7	1.9-7.6
HOUSEHOLD INCOME																	
Less than \$15,000	67	13029	19	28.6	14.0-43.1	20	33.2	18.2-48.3	5	4.4	0.2-8.7	8	14.5	2.2-26.7	15	19.3	6.7-31.8
\$15,000- 24,999	135	18018	69	56.0	46.3-65.6	38	22.6	15.2-30.0	13	10.0	3.7-16.3	4	3.3	0.0-7.8	11	8.1	2.6-13.6
\$25,000- 34,999	130	18301	60	42.2	32.6-51.9	37	25.2	17.2-33.2	16	16.6	6.9-26.4	9	6.9	2.1-11.8	8	9.0	2.5-15.6
\$35,000- 49,999	166	23294	74	44.8	36.5-53.2	51	29.3	21.8-36.7	18	10.9	5.9-16.0	13	8.2	3.2-13.3	10	6.7	2.4-11.0
\$50,000- 74,999	171	26147	84	47.6	39.5-55.7	44	26.4	19.4-33.4	25	14.9	9.0-20.7	10	5.9	2.2-9.6	8	5.3	1.3-9.3
\$75,000+	148	21158	80	53.0	44.4-61.6	46	31.8	23.9-39.7	14	8.5	4.0-13.0	7	4.2	1.1-7.3	1	2.5	0.0-7.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 7: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION? (DRNK2GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			No Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1815	301998	209	12.3	10.5-14.1	107	7.7	6.0-9.3	48	3.1	2.1-4.0	45	3.0	2.0-4.1	91	6.9	5.1-8.6	1315	67.1	64.4-69.7
SEX																				
Male	900	168940	129	14.2	11.7-16.8	75	10.2	7.6-12.8	38	4.7	3.1-6.2	34	4.4	2.7-6.2	67	9.4	6.7-12.1	557	57.0	53.2-60.9
Female	915	133058	80	9.8	7.4-12.3	32	4.4	2.7-6.2	10	1.0	0.4-1.7	11	1.3	0.5-2.1	24	3.6	1.8-5.5	758	79.8	76.5-83.0
RACE																				
Native	36	7796	9	31.2	12.2-50.3	3	13.2	0.0-29.1	3	5.9	0.0-12.9	2	6.6	0.0-15.5	3	6.7	0.0-14.2	16	36.5	18.9-54.1
Non-Native	1767	292771	200	11.9	10.1-13.6	104	7.6	5.9-9.2	45	3.0	2.0-4.0	42	2.9	1.9-4.0	88	6.9	5.1-8.7	1288	67.7	65.0-70.4
AGE																				
18-24	142	53049	24	16.4	10.0-22.8	19	15.4	8.6-22.2	8	3.8	0.9-6.8	6	4.8	0.8-8.7	20	17.9	10.1-25.6	65	41.7	32.8-50.7
25-34	305	55931	56	17.3	12.8-21.8	28	9.1	5.3-12.8	12	4.8	2.0-7.6	12	5.0	2.1-7.9	23	7.7	4.5-10.9	174	56.1	50.1-62.1
35-44	374	57648	59	15.8	11.9-19.8	23	7.0	4.1-10.0	15	4.3	2.0-6.6	11	3.0	1.1-4.9	19	5.7	3.1-8.2	247	64.2	58.9-69.4
45-54	446	60453	43	9.6	6.7-12.6	22	5.9	3.4-8.5	7	2.3	0.5-4.1	13	3.0	1.3-4.8	16	3.8	1.8-5.9	345	75.3	70.8-79.8
55-64	267	35637	19	7.3	4.0-10.6	10	4.2	1.5-6.9	6	1.9	0.3-3.5	3	0.8	0.0-1.8	9	2.8	0.8-4.7	220	82.9	78.2-87.7
65+	277	38656	8	3.1	0.9-5.2	5	2.0	0.1-3.9	0		0.0-0.0	0		0.0-0.0	4	1.0	0.0-2.0	260	93.9	90.9-97.0
EDUCATION																				
Less Than H.S.	95	15664	11	13.3	5.0-21.6	5	6.9	0.8-12.9	0		0.0-0.0	2	4.2	0.0-10.9	3	2.5	0.0-5.4	74	73.2	62.3-84.1
H.S. or G.E.D.	493	83654	61	12.6	9.2-16.1	36	9.9	6.2-13.7	13	3.7	1.6-5.7	8	1.5	0.4-2.7	35	8.8	5.5-12.1	340	63.4	58.2-68.7
Some Post-H.S.	622	106179	78	13.4	10.2-16.6	37	8.0	5.1-11.0	21	3.4	1.8-5.0	18	3.1	1.4-4.9	31	7.7	4.4-10.9	437	64.4	59.6-69.1
College Graduate	604	96345	59	10.7	7.9-13.5	29	5.4	3.3-7.6	14	2.7	1.2-4.2	17	4.0	1.9-6.2	22	5.0	2.3-7.7	463	72.1	67.8-76.5
HOUSEHOLD INCOME																				
Less than \$15,000	103	20669	13	14.5	5.3-23.7	10	18.0	6.3-29.8	3	1.5	0.0-3.2	3	3.7	0.0-8.8	11	10.3	2.7-17.9	63	52.0	39.1-64.9
\$15,000- 24,999	255	40297	34	16.9	10.9-22.8	14	6.7	2.9-10.5	9	3.3	1.1-5.6	8	4.2	0.8-7.7	12	7.5	1.7-13.4	178	61.3	53.6-69.0
\$25,000- 34,999	259	43989	28	11.1	6.6-15.6	18	9.3	4.6-14.0	3	1.4	0.0-3.0	7	3.9	0.7-7.1	20	10.4	5.4-15.5	183	63.9	56.6-71.1
\$35,000- 49,999	387	62625	45	11.0	7.5-14.6	31	10.1	6.3-13.8	12	3.5	1.4-5.5	8	1.8	0.4-3.3	17	5.2	2.4-8.0	274	68.4	63.0-73.7
\$50,000- 74,999	342	57894	52	15.6	11.5-19.7	17	5.3	2.7-8.0	12	4.1	1.7-6.6	9	3.2	0.9-5.5	15	5.1	2.5-7.7	237	66.7	61.2-72.2
\$75,000+	297	48618	27	9.1	5.6-12.6	10	4.6	1.1-8.1	7	3.4	0.7-6.0	8	3.5	0.7-6.3	12	6.1	2.3-9.9	233	73.4	67.2-79.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 8: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION? (DRNK2GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			No Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	900	168940	129	14.2	11.7-16.8	75	10.2	7.6-12.8	38	4.7	3.1-6.2	34	4.4	2.7-6.2	67	9.4	6.7-12.1	557	57.0	53.2-60.9
RACE																				
Native	19	5194	4	30.2	5.0-55.3	2	15.2	0.0-37.3	2	6.3	0.0-15.7	2	9.9	0.0-23.2	2	7.0	0.0-16.7	7	31.4	9.3-53.6
Non-Native	875	163195	125	13.8	11.3-16.3	73	10.1	7.5-12.7	36	4.6	3.0-6.2	31	4.2	2.5-5.9	65	9.5	6.8-12.3	545	57.8	53.9-61.7
AGE																				
18-24	68	29672	12	14.9	6.6-23.2	11	19.1	8.7-29.6	5	5.1	0.3-9.9	4	7.2	0.4-13.9	13	22.4	10.6-34.2	23	31.3	19.6-43.1
25-34	160	33952	32	19.1	12.6-25.5	16	10.3	4.8-15.8	10	7.2	2.8-11.6	9	6.4	2.1-10.7	19	11.1	6.1-16.0	74	45.9	37.7-54.2
35-44	189	32300	35	18.6	12.7-24.5	19	10.7	5.8-15.5	11	6.1	2.3-9.8	7	4.0	0.9-7.2	15	7.9	3.9-11.9	102	52.7	45.0-60.3
45-54	218	34042	31	12.9	8.3-17.5	16	7.8	3.8-11.7	6	3.8	0.6-6.9	12	5.0	2.0-8.1	10	5.2	1.8-8.7	143	65.3	58.5-72.2
55-64	138	19216	14	10.2	4.9-15.4	9	6.8	2.1-11.4	6	3.6	0.6-6.5	2	0.9	0.0-2.1	7	4.3	0.9-7.7	100	74.3	66.8-81.9
65+	125	19371	5	4.0	0.6-7.5	4	3.7	0.0-7.4	0		0.0-0.0	0		0.0-0.0	3	1.6	0.0-3.6	113	90.7	85.3-96.0
EDUCATION																				
Less Than H.S.	55	9552	6	12.8	2.3-23.3	5	11.3	1.6-20.9	0		0.0-0.0	1	5.6	0.0-16.0	2	2.7	0.0-6.7	41	67.7	52.8-82.6
H.S. or G.E.D.	264	51575	42	15.1	10.2-20.1	31	15.0	9.3-20.8	10	5.0	1.9-8.1	6	2.1	0.3-3.9	26	10.4	6.1-14.8	149	52.3	45.2-59.4
Some Post-H.S.	306	58850	46	14.3	10.1-18.6	23	10.2	5.6-14.8	17	5.4	2.5-8.2	14	4.8	1.9-7.8	23	10.7	5.5-15.8	183	54.6	47.9-61.3
College Graduate	274	48807	35	13.4	8.9-18.0	16	5.0	2.4-7.6	11	4.4	1.6-7.2	13	6.2	2.4-10.0	16	8.1	3.1-13.2	183	62.8	56.0-69.6
HOUSEHOLD INCOME																				
Less than \$15,000	37	7711	3	8.3	0.0-18.0	6	34.4	11.3-57.5	1	1.2	0.0-3.6	2	8.1	0.0-21.1	3	10.2	0.0-22.5	22	37.8	19.5-56.2
\$15,000- 24,999	120	22279	16	17.0	8.4-25.7	10	9.2	3.3-15.0	7	5.0	1.1-8.9	7	7.3	1.2-13.5	8	11.9	1.8-22.0	72	49.6	38.8-60.3
\$25,000- 34,999	130	25819	20	13.7	7.2-20.2	12	11.7	4.6-18.8	2	1.3	0.0-3.3	5	5.1	0.1-10.2	17	15.4	7.6-23.2	74	52.7	42.4-63.0
\$35,000- 49,999	224	39709	31	12.4	7.6-17.2	24	12.4	7.1-17.6	9	4.5	1.5-7.5	5	1.8	0.1-3.4	14	7.0	2.9-11.1	141	62.0	54.8-69.2
\$50,000- 74,999	172	31888	34	19.8	13.5-26.0	11	6.4	2.5-10.4	11	7.0	2.7-11.3	6	4.5	0.6-8.3	12	6.9	3.1-10.7	98	55.5	47.4-63.5
\$75,000+	149	27460	18	11.8	6.4-17.3	8	7.3	1.3-13.2	6	5.4	0.9-10.0	7	5.4	0.8-10.0	10	8.4	2.9-14.0	100	61.7	52.6-70.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 9: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS ON AN OCCASION? (DRNK2GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			No Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	915	133058	80	9.8	7.4-12.3	32	4.4	2.7-6.2	10	1.0	0.4-1.7	11	1.3	0.5-2.1	24	3.6	1.8-5.5	758	79.8	76.5-83.0
RACE																				
Native	17	2602	5	33.3	6.3-60.3	1	9.0	0.0-25.9	1	5.1	0.0-14.9	0		0.0-0.0	1	6.0	0.0-17.6	9	46.6	19.6-73.5
Non-Native	892	129575	75	9.4	7.1-11.8	31	4.4	2.6-6.1	9	1.0	0.3-1.6	11	1.3	0.5-2.1	23	3.6	1.8-5.5	743	80.3	77.0-83.6
AGE																				
18-24	74	23377	12	18.3	8.3-28.3	8	10.7	3.0-18.4	3	2.3	0.0-5.0	2	1.7	0.0-4.2	7	12.1	3.1-21.1	42	54.9	42.2-67.7
25-34	145	21980	24	14.6	8.9-20.4	12	7.1	3.0-11.3	2	1.1	0.0-2.6	3	2.9	0.0-6.1	4	2.5	0.0-5.2	100	71.8	64.2-79.3
35-44	185	25348	24	12.3	7.4-17.1	4	2.4	0.0-4.9	4	2.1	0.1-4.1	4	1.7	0.0-3.4	4	2.8	0.0-5.5	145	78.8	72.6-85.0
45-54	228	26411	12	5.5	2.3-8.6	6	3.6	0.6-6.5	1	0.3	0.0-1.0	1	0.4	0.0-1.3	6	2.0	0.2-3.8	202	88.2	83.6-92.8
55-64	129	16421	5	4.0	0.4-7.6	1	1.2	0.0-3.5	0		0.0-0.0	1	0.8	0.0-2.4	2	1.0	0.0-2.4	120	93.0	88.3-97.7
65+	152	19285	3	2.1	0.0-4.6	1	0.3	0.0-1.0	0		0.0-0.0	0		0.0-0.0	1	0.3	0.0-1.0	147	97.2	94.5-99.9
EDUCATION																				
Less Than H.S.	40	6112	5	14.0	0.5-27.5	0		0.0-0.0	0		0.0-0.0	1	2.2	0.0-6.4	1	2.2	0.0-6.4	33	81.7	67.4-96.0
H.S. or G.E.D.	229	32079	19	8.6	4.4-12.8	5	1.7	0.1-3.3	3	1.6	0.0-3.5	2	0.6	0.0-1.4	9	6.2	1.0-11.4	191	81.4	74.8-88.0
Some Post-H.S.	316	47329	32	12.1	7.3-17.0	14	5.4	2.1-8.7	4	0.9	0.0-1.9	4	1.1	0.0-2.1	8	4.0	0.7-7.3	254	76.5	70.4-82.6
College Graduate	330	47538	24	7.9	4.6-11.2	13	5.9	2.5-9.2	3	0.9	0.0-2.0	4	1.8	0.0-3.7	6	1.8	0.2-3.4	280	81.7	76.7-86.6
HOUSEHOLD INCOME																				
Less than \$15,000	66	12958	10	18.2	5.0-31.3	4	8.3	0.0-17.9	2	1.6	0.0-4.0	1	1.0	0.0-3.0	8	10.4	0.7-20.0	41	60.5	44.7-76.3
\$15,000- 24,999	135	18018	18	16.6	8.6-24.7	4	3.6	0.0-8.2	2	1.3	0.0-3.2	1	0.4	0.0-1.2	4	2.2	0.0-4.6	106	75.8	66.9-84.7
\$25,000- 34,999	129	18170	8	7.4	1.8-13.0	6	5.9	1.0-10.8	1	1.4	0.0-4.3	2	2.2	0.0-5.2	3	3.4	0.0-8.0	109	79.7	71.0-88.4
\$35,000- 49,999	163	22916	14	8.6	3.6-13.7	7	6.1	1.3-10.9	3	1.6	0.0-3.5	3	2.0	0.0-4.5	3	2.2	0.0-4.9	133	79.5	72.2-86.8
\$50,000- 74,999	170	26006	18	10.5	5.7-15.3	6	4.0	0.7-7.3	1	0.6	0.0-1.8	3	1.6	0.0-3.4	3	2.9	0.0-6.3	139	80.4	73.8-87.0
\$75,000+	148	21158	9	5.6	1.9-9.3	2	1.1	0.0-2.7	1	0.7	0.0-2.0	1	1.1	0.0-3.3	2	3.0	0.0-7.9	133	88.5	82.1-94.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 10: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRINKDRI)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			6-10 Times			11-30 Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	99	19763	74	73.6	72.3-74.9	19	18.6	18.0-19.2	4	5.6	5.2-6.1	2	2.1	1.9-2.3
SEX														
Male	70	15605	51	71.3	69.2-73.3	14	19.8	18.7-20.9	4	7.1	6.4-7.9	1	1.8	1.5-2.1
Female	29	4158	23	82.5	81.2-83.8	5	14.1	13.7-14.6	0		0.0-0.0	1	3.4	3.2-3.6
RACE														
Native	3	1071	2	73.9	58.9-88.9	0		0.0-0.0	0		0.0-0.0	1	26.1	19.3-32.9
Non-Native	95	18614	71	73.5	72.2-74.8	19	19.8	19.1-20.4	4	6.0	5.6-6.4	1	0.8	0.7-0.9
AGE														
18-24	13	5462	11	80.5	75.5-85.5	1	9.7	7.8-11.7	1	9.7	7.8-11.7	0		0.0-0.0
25-34	28	5243	24	80.3	76.7-83.8	3	15.7	13.8-17.5	1	4.0	3.3-4.8	0		0.0-0.0
35-44	30	5532	20	64.1	61.3-66.9	8	28.3	26.3-30.3	0		0.0-0.0	2	7.6	6.6-8.6
45-54	21	2678	16	79.3	77.5-81.1	5	20.7	19.9-21.5	0		0.0-0.0	0		0.0-0.0
55-64	4	480	2	42.9	42.0-43.7	1	28.6	27.8-29.3	1	28.6	27.8-29.3	0		0.0-0.0
65+	3	368	1	18.1	17.8-18.5	1	18.1	17.8-18.5	1	63.8	62.6-64.9	0		0.0-0.0
EDUCATION														
Less Than H.S.	4	1187	3	80.2	72.7-87.8	0		0.0-0.0	1	19.8	16.9-22.7	0		0.0-0.0
H.S. or G.E.D.	34	6994	24	66.6	63.9-69.2	6	16.8	15.4-18.3	3	12.6	11.2-13.9	1	4.0	3.4-4.6
Some Post-H.S.	31	5732	22	74.7	72.7-76.6	8	22.9	21.9-23.9	0		0.0-0.0	1	2.5	2.2-2.7
College Graduate	30	5850	25	79.7	77.5-81.8	5	20.3	19.2-21.4	0		0.0-0.0	0		0.0-0.0
HOUSEHOLD INCOME														
Less than \$15,000	6	1933	4	80.5	72.7-88.3	0		0.0-0.0	1	12.1	10.0-14.3	1	7.3	6.0-8.7
\$15,000- 24,999	12	2252	9	51.6	49.3-53.8	2	36.0	33.2-38.9	0		0.0-0.0	1	12.4	11.1-13.8
\$25,000- 34,999	26	4927	17	72.1	67.8-76.4	8	23.6	21.5-25.7	1	4.3	3.4-5.3	0		0.0-0.0
\$35,000- 49,999	24	4112	19	76.3	73.5-79.0	3	7.5	6.9-8.0	2	16.3	14.6-17.9	0		0.0-0.0
\$50,000- 74,999	15	3309	10	62.5	60.2-64.8	5	37.5	35.5-39.4	0		0.0-0.0	0		0.0-0.0
\$75,000+	12	2159	11	92.8	90.2-95.4	1	7.2	6.6-7.8	0		0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 11: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRINKDRI)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			6-10 Times			11-30 Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	70	15605	51	71.3	69.2-73.3	14	19.8	18.7-20.9	4	7.1	6.4-7.9	1	1.8	1.5-2.1
RACE														
Native	3	1071	2	73.9	51.8-96.0	0		0.0-0.0	0		0.0-0.0	1	26.1	15.8-36.4
Non-Native	66	14456	48	70.9	68.9-72.9	14	21.4	20.2-22.5	4	7.7	7.0-8.5	0		0.0-0.0
AGE														
18-24	11	4606	9	76.9	69.1-84.8	1	11.5	8.1-15.0	1	11.5	8.1-15.0	0		0.0-0.0
25-34	21	4615	18	79.3	73.7-84.9	2	16.1	13.1-19.1	1	4.6	3.4-5.8	0		0.0-0.0
35-44	18	3729	11	60.0	55.8-64.2	6	32.5	29.3-35.7	0		0.0-0.0	1	7.5	5.8-9.2
45-54	15	1941	11	76.0	73.2-78.8	4	24.0	22.6-25.4	0		0.0-0.0	0		0.0-0.0
55-64	4	480	2	42.9	41.3-44.4	1	28.6	27.2-29.9	1	28.6	27.2-29.9	0		0.0-0.0
65+	1	235	0		0.0-0.0	0		0.0-0.0	1	100.0	97.7-100.0	0		0.0-0.0
EDUCATION														
Less Than H.S.	3	1120	2	79.0	67.1-90.9	0		0.0-0.0	1	21.0	16.3-25.6	0		0.0-0.0
H.S. or G.E.D.	24	5489	15	58.9	55.4-62.4	5	20.0	17.7-22.4	3	16.0	13.9-18.2	1	5.1	4.1-6.1
Some Post-H.S.	22	4606	17	78.0	74.6-81.3	5	22.0	20.3-23.7	0		0.0-0.0	0		0.0-0.0
College Graduate	21	4389	17	77.8	74.0-81.6	4	22.2	20.2-24.2	0		0.0-0.0	0		0.0-0.0
HOUSEHOLD INCOME														
Less than \$15,000	3	1120	2	79.0	64.4-93.7	0		0.0-0.0	1	21.0	15.2-26.7	0		0.0-0.0
\$15,000- 24,999	8	1930	5	43.5	4.3	2	42.0	36.9-47.2	0		0.0-0.0	1	14.5	12.1-16.9
\$25,000- 34,999	20	4180	13	70.6	63.8-77.4	6	24.3	20.8-27.9	1	5.1	3.5-6.7	0		0.0-0.0
\$35,000- 49,999	16	3128	13	76.1	72.1-80.2	1	2.5	2.1-2.9	2	21.4	18.7-24.0	0		0.0-0.0
\$50,000- 74,999	12	2744	8	62.5	58.7-66.4	4	37.4	34.1-40.8	0		0.0-0.0	0		0.0-0.0
\$75,000+	8	1510	7	89.7	85.7-93.7	1	10.3	9.2-11.4	0		0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 8: ALCOHOL CONSUMPTION**

TABLE 12: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRINKDRI)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days
Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			6-10 Times			11-30 Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	29	4158	23	82.5	81.2-83.8	5	14.1	13.7-14.6			0.0-0.0	1	3.4	3.2-3.6
RACE														
Non-Native	29	4158	23	82.5	81.2-83.8	5	14.1	13.7-14.6			0.0-0.0	1	3.4	3.2-3.6
AGE														
18-24	2	856	2	100.0	94.7-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
25-34	7	628	6	87.5	85.4-89.6	1	12.5	11.8-13.2			0.0-0.0	0		0.0-0.0
35-44	12	1803	9	72.5	69.1-76.0	2	19.6	17.7-21.5			0.0-0.0	1	7.8	6.8-8.9
45-54	6	737	5	88.0	85.8-90.2	1	12.0	11.4-12.6			0.0-0.0	0		0.0-0.0
65+	2	133	1	50.0	49.3-50.7	1	50.0	49.3-50.7			0.0-0.0	0		0.0-0.0
EDUCATION														
Less Than H.S.	1	67	1	100.0	97.8-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
H.S. or G.E.D.	10	1504	9	94.8	90.8-98.7	1	5.2	4.7-5.7			0.0-0.0	0		0.0-0.0
Some Post-H.S.	9	1125	5	61.1	59.7-62.4	3	26.4	25.6-27.1			0.0-0.0	1	12.6	12.0-13.2
College Graduate	9	1461	8	85.5	83.6-87.4	1	14.5	13.6-15.4			0.0-0.0	0		0.0-0.0
HOUSEHOLD INCOME														
Less than \$15,000	3	812	2	82.6	73.9-91.3	0		0.0-0.0			0.0-0.0	1	17.4	15.3-19.5
\$15,000- 24,999	4	322	4	100.0	98.2-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
\$25,000- 34,999	6	747	4	80.5	77.1-84.0	2	19.5	18.4-20.6			0.0-0.0	0		0.0-0.0
\$35,000- 49,999	8	984	6	76.6	73.8-79.5	2	23.4	21.9-24.8			0.0-0.0	0		0.0-0.0
\$50,000- 74,999	3	566	2	62.5	60.6-64.4	1	37.5	35.9-39.1			0.0-0.0	0		0.0-0.0
\$75,000+	4	648	4	100.0	97.0-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 9: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	68
2	MALES ONLY	69
3	FEMALES ONLY	70
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	71
5	MALES ONLY	72
6	FEMALES ONLY	73

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 9: ASTHMA**

**TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3039	486174	323	11.0	9.7-12.4	2716	88.9	87.6-90.3
SEX								
Male	1307	240774	130	11.0	8.9-13.0	1177	89.0	87.0-91.1
Female	1732	245399	193	11.1	9.4-12.8	1539	88.9	87.2-90.6
RACE								
Native	80	17507	14	16.3	6.7-25.9	66	83.7	74.1-93.3
Non-Native	2931	465114	306	10.8	9.5-12.2	2625	89.2	87.8-90.5
AGE								
18-24	200	75791	26	13.2	8.0-18.4	174	86.8	81.6-92.0
25-34	422	76271	51	13.0	9.4-16.5	371	87.0	83.5-90.6
35-44	575	88320	56	9.5	6.9-12.1	519	90.5	87.9-93.1
45-54	661	89870	65	9.9	7.4-12.3	596	90.1	87.6-92.6
55-64	460	59703	47	10.3	7.3-13.3	413	89.7	86.7-92.7
65+	704	94027	77	10.9	8.4-13.3	627	89.1	86.6-91.6
EDUCATION								
Less Than H.S.	260	40687	41	15.2	10.1-20.4	219	84.8	79.6-89.9
H.S. or G.E.D.	897	144052	87	11.8	9.0-14.6	810	88.2	85.4-91.0
Some Post-H.S.	995	163462	100	9.3	7.3-11.3	895	90.7	88.7-92.7
College Graduate	881	137240	95	11.2	8.9-13.5	786	88.8	86.5-91.1
HOUSEHOLD INCOME								
Less than \$15,000	264	40396	46	15.5	10.1-20.9	218	84.5	79.1-89.9
\$15,000- 24,999	492	75141	61	13.1	9.5-16.7	431	86.9	83.3-90.5
\$25,000- 34,999	450	71713	39	9.2	5.8-12.5	411	90.8	87.5-94.2
\$35,000- 49,999	569	89444	65	12.2	9.1-15.3	504	87.8	84.7-90.9
\$50,000- 74,999	501	83642	54	11.8	8.5-15.0	447	88.2	85.0-91.5
\$75,000+	392	64807	30	7.4	4.7-10.1	362	92.6	89.8-95.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 9: ASTHMA**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY									
SEX									
Male	1307	240774	130	11.0	8.9-13.0	1177	89.0	87.0-91.1	
RACE									
Native	36	10102	6	15.4	2.1-28.7	30	84.6	71.3-97.9	
Non-Native	1259	229293	124	10.8	8.8-12.9	1135	89.1	87.1-91.2	
AGE									
18-24	88	40034	10	12.2	4.8-19.6	78	87.8	80.4-95.2	
25-34	188	39946	26	15.3	9.6-21.0	162	84.7	79.0-90.4	
35-44	257	44465	17	7.8	3.9-11.6	240	92.2	88.4-96.1	
45-54	294	46191	24	9.1	5.4-12.7	270	90.9	87.2-94.6	
55-64	220	29663	20	9.1	5.1-13.2	200	90.9	86.8-94.9	
65+	255	39699	33	12.9	8.5-17.3	222	87.1	82.7-91.5	
EDUCATION									
Less Than H.S.	111	20580	20	19.5	10.6-28.4	91	80.5	71.6-89.4	
H.S. or G.E.D.	408	76687	40	11.8	7.7-15.8	368	88.2	84.2-92.3	
Some Post-H.S.	413	77803	28	6.8	4.0-9.6	385	93.2	90.4-96.0	
College Graduate	373	65392	42	12.4	8.6-16.2	331	87.6	83.8-91.4	
HOUSEHOLD INCOME									
Less than \$15,000	69	12091	12	18.9	7.0-30.8	57	81.1	69.2-93.0	
\$15,000- 24,999	202	36011	25	14.4	8.4-20.4	177	85.6	79.6-91.6	
\$25,000- 34,999	195	37028	18	9.6	4.2-15.0	177	90.4	85.0-95.8	
\$35,000- 49,999	287	49694	33	13.0	8.4-17.6	254	87.0	82.4-91.6	
\$50,000- 74,999	250	44759	20	9.7	5.5-14.0	230	90.3	85.9-94.6	
\$75,000+	189	35591	14	7.6	3.6-11.6	175	92.4	88.4-96.4	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 9: ASTHMA**

**TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1732	245399	193	11.1	9.4-12.8	1539	88.9	87.2-90.6
RACE								
Native	44	7405	8	17.5	4.2-30.9	36	82.5	69.1-95.8
Non-Native	1672	235821	182	10.8	9.1-12.5	1490	89.2	87.5-90.9
AGE								
18-24	112	35757	16	14.4	7.2-21.5	96	85.6	78.5-92.8
25-34	234	36325	25	10.5	6.4-14.5	209	89.5	85.5-93.6
35-44	318	43855	39	11.2	7.7-14.7	279	88.8	85.3-92.3
45-54	367	43679	41	10.7	7.4-14.1	326	89.3	85.9-92.6
55-64	240	30040	27	11.5	7.1-15.8	213	88.5	84.2-92.9
65+	449	54328	44	9.4	6.6-12.2	405	90.6	87.7-93.5
EDUCATION								
Less Than H.S.	149	20107	21	10.8	6.0-15.7	128	89.2	84.3-94.0
H.S. or G.E.D.	489	67365	47	11.8	8.0-15.5	442	88.2	84.5-92.0
Some Post-H.S.	582	85659	72	11.6	8.7-14.5	510	88.4	85.5-91.3
College Graduate	508	71848	53	10.1	7.3-12.9	455	89.9	87.1-92.7
HOUSEHOLD INCOME								
Less than \$15,000	195	28305	34	14.0	8.3-19.7	161	86.0	80.3-91.7
\$15,000- 24,999	290	39129	36	11.9	7.8-15.9	254	88.1	84.0-92.2
\$25,000- 34,999	255	34686	21	8.7	4.8-12.6	234	91.3	87.4-95.2
\$35,000- 49,999	282	39750	32	11.2	7.2-15.2	250	88.8	84.7-92.8
\$50,000- 74,999	251	38883	34	14.1	9.2-19.0	217	85.9	81.0-90.8
\$75,000+	203	29216	16	7.2	3.7-10.7	187	92.8	89.2-96.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 9: ASTHMA**

TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	315	52508	231	71.2	65.1-77.3	84	28.8	22.8-34.8
SEX								
Male	127	25860	87	65.6	55.8-75.4	40	34.4	24.6-44.2
Female	188	26648	144	76.6	69.5-83.7	44	23.4	16.4-30.3
RACE								
Native	14	2854	10	58.1	26.1-90.2	4	41.9	9.8-73.9
Non-Native	298	49203	219	71.9	65.7-78.1	79	28.1	22.0-34.2
AGE								
18-24	26	10007	18	65.6	44.9-86.3	8	34.4	13.7-55.1
25-34	48	9326	29	61.4	46.8-75.9	19	38.6	24.5-52.8
35-44	55	8292	39	69.9	56.2-83.7	16	30.1	16.4-43.8
45-54	63	8608	48	71.8	59.1-84.6	15	28.1	15.7-40.6
55-64	47	6147	38	83.2	72.3-94.0	9	16.8	6.0-27.7
65+	76	10127	59	78.9	69.3-88.5	17	21.1	11.6-30.6
EDUCATION								
Less Than H.S.	40	6119	32	78.5	63.5-93.6	8	21.5	6.5-36.4
H.S. or G.E.D.	86	16736	63	67.5	54.5-80.5	23	32.5	19.6-45.4
Some Post-H.S.	96	14666	70	73.5	63.3-83.6	26	26.5	16.7-36.3
College Graduate	93	14987	66	70.0	59.7-80.4	27	29.9	19.8-40.1
HOUSEHOLD INCOME								
Less than \$15,000	46	6248	36	83.9	73.2-94.6	10	16.1	5.4-26.8
\$15,000- 24,999	60	9731	44	69.3	55.0-83.6	16	30.7	16.4-44.9
\$25,000- 34,999	39	6584	28	63.4	42.9-83.9	11	36.6	16.1-57.1
\$35,000- 49,999	63	10698	48	77.5	66.5-88.6	15	22.4	11.6-33.3
\$50,000- 74,999	52	9424	33	56.3	41.3-71.2	19	43.7	28.7-58.8
\$75,000+	29	4649	21	72.5	55.4-89.7	8	27.4	10.8-44.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 9: ASTHMA**

TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY									
SEX									
Male	127	25860	87	65.6	55.7-75.4	40	34.4	24.6-44.2	
RACE									
Native	6	1557	2	23.3	0.0-55.3	4	76.8	44.7-100.0	
Non-Native	121	24303	85	68.3	58.4-78.2	36	31.7	21.9-41.5	
AGE									
18-24	10	4871	7	61.8	28.6-95.0	3	38.2	5.0-71.4	
25-34	24	5676	13	57.9	37.6-78.3	11	42.1	22.2-61.9	
35-44	17	3449	11	59.5	33.3-85.7	6	40.5	14.3-66.7	
45-54	23	4037	13	53.8	32.5-75.2	10	46.1	24.9-67.4	
55-64	20	2706	16	83.5	67.8-99.3	4	16.5	0.7-32.2	
65+	33	5122	27	81.5	67.6-95.5	6	18.5	4.5-32.4	
EDUCATION									
Less Than H.S.	20	4014	17	81.2	60.8-100.0	3	18.8	0.0-39.2	
H.S. or G.E.D.	39	8814	27	61.9	42.7-81.1	12	38.1	18.8-57.3	
Some Post-H.S.	27	5124	17	62.8	41.8-83.8	10	37.2	16.4-58.0	
College Graduate	41	7909	26	63.6	47.6-79.5	15	36.4	20.7-52.2	
HOUSEHOLD INCOME									
Less than \$15,000	12	2287	10	91.4	78.8-100.0	2	8.6	0.0-21.2	
\$15,000- 24,999	25	5189	16	61.8	39.2-84.3	9	38.3	15.7-60.8	
\$25,000- 34,999	18	3557	11	50.7	20.3-81.2	7	49.3	18.8-79.7	
\$35,000- 49,999	32	6309	24	75.2	59.1-91.3	8	24.8	9.1-40.5	
\$50,000- 74,999	18	3930	10	50.6	27.5-73.8	8	49.3	25.8-72.9	
\$75,000+	14	2710	10	70.0	45.0-95.0	4	30.0	5.0-55.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 9: ASTHMA**

TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	188	26648	144	76.6	69.5-83.7	44	23.4	16.4-30.3	
RACE									
Native	8	1297	8	100.0	100.0-100.0	0		0.0-0.0	
Non-Native	177	24900	134	75.4	67.9-82.9	43	24.6	17.3-31.9	
AGE									
18-24	16	5136	11	69.2	44.2-94.2	5	30.8	5.8-55.8	
25-34	24	3650	16	66.7	47.3-86.0	8	33.3	14.6-52.0	
35-44	38	4843	28	77.4	64.1-90.6	10	22.6	9.6-35.7	
45-54	40	4571	35	87.7	76.4-99.0	5	12.3	1.8-22.7	
55-64	27	3441	22	82.9	67.9-97.9	5	17.1	2.1-32.1	
65+	43	5005	32	76.3	63.1-89.5	11	23.7	10.9-36.6	
EDUCATION									
Less Than H.S.	20	2105	15	73.5	53.3-93.6	5	26.5	6.9-46.2	
H.S. or G.E.D.	47	7922	36	73.7	57.3-90.1	11	26.3	9.9-42.7	
Some Post-H.S.	69	9542	53	79.2	69.0-89.5	16	20.8	11.2-30.4	
College Graduate	52	7079	40	77.3	64.8-89.9	12	22.7	10.6-34.7	
HOUSEHOLD INCOME									
Less than \$15,000	34	3961	26	79.6	64.7-94.5	8	20.4	5.5-35.3	
\$15,000- 24,999	35	4542	28	78.0	61.9-94.2	7	22.0	6.1-37.9	
\$25,000- 34,999	21	3027	17	78.2	58.7-97.7	4	21.8	2.3-41.3	
\$35,000- 49,999	31	4390	24	80.9	67.0-94.8	7	19.1	5.5-32.7	
\$50,000- 74,999	34	5494	23	60.3	40.6-80.0	11	39.7	20.0-59.4	
\$75,000+	15	1939	11	76.1	53.5-98.7	4	23.9	3.9-44.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004

SECTION 10: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	75
2	MALES ONLY	76
3	FEMALES ONLY	77

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 10: DIABETES

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			4		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3044	486866	213	5.8	5.0-6.7	30	0.8	0.5-1.1	2780	92.7	91.8-93.7	21	0.6	0.3-0.9
SEX														
Male	1310	241165	96	6.2	4.9-7.5	0		0.0-0.0	1206	93.3	91.9-94.7	8	0.5	0.1-0.8
Female	1734	245701	117	5.5	4.5-6.6	30	1.6	1.0-2.2	1574	92.2	90.9-93.5	13	0.7	0.3-1.1
RACE														
Native	80	17507	14	14.8	5.4-24.1	3	3.4	0.0-7.3	61	80.4	70.2-90.6	2	1.5	0.0-3.5
Non-Native	2936	465806	195	5.4	4.6-6.2	27	0.7	0.4-1.0	2695	93.3	92.4-94.2	19	0.6	0.3-0.8
AGE														
18-24	200	75791	0		0.0-0.0	0		0.0-0.0	200	100.0	100.0-100.0	0		0.0-0.0
25-34	422	76271	2	0.9	0.0-2.6	7	1.5	0.3-2.6	413	97.6	95.6-99.5	0		0.0-0.0
35-44	576	88461	14	2.5	1.1-3.8	11	1.6	0.6-2.6	549	95.4	93.7-97.2	2	0.5	0.0-1.2
45-54	663	90142	43	6.5	4.4-8.6	6	0.8	0.2-1.5	611	92.2	89.9-94.4	3	0.4	0.0-1.0
55-64	460	59703	40	8.8	6.0-11.6	2	0.3	0.0-0.8	413	89.6	86.6-92.6	5	1.2	0.2-2.3
65+	706	94306	113	15.2	12.4-18.0	4	0.5	0.0-0.9	578	82.9	80.0-85.8	11	1.4	0.6-2.3
EDUCATION														
Less Than H.S.	260	40687	42	14.6	9.9-19.2	1	0.3	0.0-0.8	213	84.1	79.3-88.9	4	1.1	0.0-2.2
H.S. or G.E.D.	901	144617	68	6.3	4.7-7.8	8	0.7	0.2-1.2	815	92.0	90.3-93.8	10	1.0	0.3-1.7
Some Post-H.S.	995	163473	60	4.9	3.5-6.3	11	0.8	0.3-1.4	920	93.9	92.3-95.4	4	0.4	0.0-0.7
College Graduate	882	137357	43	4.0	2.7-5.3	10	1.1	0.4-1.8	826	94.6	93.2-96.1	3	0.3	0.0-0.6
HOUSEHOLD INCOME														
Less than \$15,000	263	40265	43	11.1	7.5-14.7	1	0.3	0.0-0.9	217	87.9	84.1-91.7	2	0.7	0.0-1.7
\$15,000- 24,999	493	75301	37	6.4	4.2-8.5	6	1.1	0.2-2.1	443	91.1	88.5-93.7	7	1.4	0.3-2.6
\$25,000- 34,999	450	71713	39	7.9	5.3-10.5	6	0.7	0.1-1.3	404	91.2	88.5-93.9	1	0.2	0.0-0.5
\$35,000- 49,999	571	89692	35	5.9	3.6-8.2	5	0.8	0.1-1.6	528	92.7	90.3-95.2	3	0.5	0.0-1.2
\$50,000- 74,999	503	83916	17	3.1	1.5-4.6	5	0.8	0.1-1.6	479	95.7	93.9-97.5	2	0.3	0.0-0.8
\$75,000+	393	64949	15	3.7	1.8-5.7	4	0.9	0.0-1.8	373	95.2	93.0-97.4	1	0.2	0.0-0.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 10: DIABETES**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			4		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	1310	241165	96	6.2	4.9-7.5			0.0-0.0	1206	93.3	91.9-94.7	8	0.5	0.1-0.8
RACE														
Native	36	10102	6	14.7	0.8-28.6			0.0-0.0	29	84.0	69.8-98.1	1	1.4	0.0-4.0
Non-Native	1262	229684	88	5.7	4.5-7.0			0.0-0.0	1167	93.8	92.5-95.1	7	0.4	0.1-0.8
AGE														
18-24	88	40034	0		0.0-0.0			0.0-0.0	88	100.0	100.0-100.0	0		0.0-0.0
25-34	188	39946	1	1.6	0.0-4.7			0.0-0.0	187	98.4	95.3-100.0	0		0.0-0.0
35-44	257	44465	8	2.9	0.8-5.1			0.0-0.0	249	97.1	94.9-99.2	0		0.0-0.0
45-54	296	46463	25	8.3	4.9-11.6			0.0-0.0	270	91.2	87.8-94.7	1	0.5	0.0-1.5
55-64	220	29663	20	9.7	5.5-13.9			0.0-0.0	198	89.4	85.0-93.8	2	0.9	0.0-2.2
65+	256	39818	42	15.7	11.0-20.4			0.0-0.0	209	82.6	77.7-87.4	5	1.7	0.2-3.2
EDUCATION														
Less Than H.S.	111	20580	15	12.7	6.2-19.2			0.0-0.0	94	86.2	79.5-92.9	2	1.2	0.0-2.8
H.S. or G.E.D.	410	76961	30	6.0	3.8-8.2			0.0-0.0	376	93.1	90.8-95.5	4	0.8	0.0-1.7
Some Post-H.S.	413	77803	24	4.8	2.5-7.2			0.0-0.0	389	95.1	92.8-97.5	0		0.0-0.0
College Graduate	374	65509	27	6.0	3.6-8.3			0.0-0.0	345	93.6	91.2-96.0	2	0.4	0.0-1.1
HOUSEHOLD INCOME														
Less than \$15,000	69	12091	10	9.5	3.0-16.0			0.0-0.0	58	89.5	82.8-96.3	1	1.0	0.0-2.9
\$15,000- 24,999	202	36011	19	7.9	4.2-11.7			0.0-0.0	181	91.1	87.1-95.0	2	1.0	0.0-2.4
\$25,000- 34,999	195	37028	22	9.4	5.4-13.4			0.0-0.0	172	90.3	86.2-94.3	1	0.3	0.0-0.9
\$35,000- 49,999	288	49811	19	6.8	3.2-10.3			0.0-0.0	267	92.7	89.0-96.3	2	0.6	0.0-1.4
\$50,000- 74,999	252	45033	12	3.6	1.5-5.8			0.0-0.0	239	96.0	93.8-98.3	1	0.3	0.0-0.9
\$75,000+	189	35591	11	5.5	2.1-8.9			0.0-0.0	178	94.5	91.1-97.9	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 10: DIABETES**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			4		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	1734	245701	117	5.5	4.5-6.6	30	1.6	1.0-2.2	1574	92.2	90.9-93.5	13	0.7	0.3-1.1
RACE														
Native	44	7405	8	14.9	3.5-26.3	3	7.9	0.0-17.0	32	75.5	61.5-89.6	1	1.6	0.0-4.7
Non-Native	1674	236122	107	5.1	4.1-6.2	27	1.4	0.9-2.0	1528	92.7	91.5-94.0	12	0.7	0.3-1.1
AGE														
18-24	112	35757	0		0.0-0.0	0		0.0-0.0	112	100.0	100.0-100.0	0		0.0-0.0
25-34	234	36325	1	0.2	0.0-0.7	7	3.1	0.7-5.5	226	96.6	94.2-99.1	0		0.0-0.0
35-44	319	43996	6	2.0	0.3-3.7	11	3.2	1.3-5.2	300	93.8	90.9-96.7	2	1.0	0.0-2.4
45-54	367	43679	18	4.7	2.2-7.1	6	1.8	0.3-3.2	341	93.2	90.4-96.0	2	0.4	0.0-1.0
55-64	240	30040	20	8.0	4.4-11.5	2	0.6	0.0-1.6	215	89.8	85.8-93.9	3	1.5	0.0-3.3
65+	450	54488	71	14.8	11.3-18.3	4	0.8	0.0-1.6	369	83.1	79.5-86.8	6	1.3	0.2-2.3
EDUCATION														
Less Than H.S.	149	20107	27	16.5	9.9-23.1	1	0.5	0.0-1.6	119	81.9	75.1-88.7	2	1.1	0.0-2.5
H.S. or G.E.D.	491	67656	38	6.6	4.4-8.8	8	1.5	0.4-2.6	439	90.8	88.1-93.4	6	1.2	0.1-2.3
Some Post-H.S.	582	85669	36	5.0	3.3-6.7	11	1.6	0.7-2.6	531	92.7	90.6-94.8	4	0.7	0.0-1.4
College Graduate	508	71848	16	2.2	1.0-3.3	10	2.1	0.7-3.4	481	95.6	93.8-97.4	1	0.2	0.0-0.5
HOUSEHOLD INCOME														
Less than \$15,000	194	28174	33	11.8	7.5-16.1	1	0.4	0.0-1.2	159	87.2	82.6-91.8	1	0.6	0.0-1.7
\$15,000- 24,999	291	39289	18	4.9	2.6-7.3	6	2.2	0.4-4.0	262	91.1	87.7-94.5	5	1.8	0.0-3.6
\$25,000- 34,999	255	34686	17	6.3	3.0-9.5	6	1.5	0.2-2.8	232	92.3	88.7-95.8	0		0.0-0.0
\$35,000- 49,999	283	39881	16	4.8	2.3-7.3	5	1.9	0.1-3.6	261	92.8	89.7-96.0	1	0.5	0.0-1.5
\$50,000- 74,999	251	38883	5	2.4	0.2-4.7	5	1.8	0.2-3.4	240	95.3	92.5-98.2	1	0.4	0.0-1.1
\$75,000+	204	29358	4	1.6	0.0-3.2	4	2.0	0.0-4.0	195	96.0	93.3-98.7	1	0.4	0.0-1.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 11: ORAL HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN2)	
1	MALES AND FEMALES	79
2	MALES ONLY	80
3	FEMALES ONLY	81
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. INCLUDE TEETH LOST DUE TO INFECTION. (RMVTEETH)	
4	MALES AND FEMALES	82
5	MALES ONLY	83
6	FEMALES ONLY	84
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)	
7	MALES AND FEMALES	85
8	MALES ONLY	86
9	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 11: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3030	484996	2074	68.4	66.5-70.4	371	12.7	11.3-14.1	292	9.4	8.2-10.6	286	9.3	8.1-10.5	7	0.2	0.0-0.4
SEX																	
Male	1303	240345	839	64.7	61.7-67.7	165	13.1	10.9-15.2	145	10.8	8.8-12.7	150	11.2	9.2-13.2	4	0.3	0.0-0.7
Female	1727	244652	1235	72.1	69.6-74.5	206	12.3	10.5-14.2	147	8.1	6.7-9.5	136	7.4	6.0-8.7	3	0.1	0.0-0.3
RACE																	
Native	80	17507	45	59.5	46.0-73.1	17	23.2	11.6-34.8	10	8.4	2.9-13.9	7	6.8	1.4-12.2	1	2.0	0.0-6.0
Non-Native	2924	464084	2018	69.0	67.0-70.9	349	12.3	10.9-13.7	276	9.4	8.1-10.6	275	9.3	8.0-10.5	6	0.1	0.0-0.3
AGE																	
18-24	199	75396	131	66.8	59.6-74.1	30	15.1	9.6-20.6	24	10.5	6.1-14.9	14	7.5	3.3-11.7	0		0.0-0.0
25-34	420	75902	287	68.3	63.6-73.1	55	12.8	9.4-16.2	44	10.6	7.5-13.8	34	8.2	5.4-11.0	0		0.0-0.0
35-44	575	88275	407	70.2	66.1-74.2	80	14.0	10.9-17.1	55	9.6	7.0-12.2	31	6.0	3.8-8.2	2	0.2	0.0-0.4
45-54	662	90083	482	73.1	69.4-76.8	91	13.5	10.7-16.4	50	6.6	4.7-8.5	39	6.8	4.5-9.1	0		0.0-0.0
55-64	458	59503	328	70.9	66.4-75.4	45	10.6	7.5-13.7	41	9.1	6.3-12.0	44	9.4	6.5-12.2	0		0.0-0.0
65+	700	93723	428	61.9	58.0-65.8	68	10.0	7.5-12.5	76	10.2	7.9-12.5	123	16.9	14.0-19.9	5	1.0	0.0-1.9
EDUCATION																	
Less Than H.S.	257	40380	130	53.8	46.4-61.1	33	14.5	9.2-19.8	31	10.0	6.3-13.7	59	19.9	14.7-25.2	4	1.8	0.0-3.9
H.S. or G.E.D.	893	143257	557	62.3	58.5-66.1	116	13.9	11.2-16.6	109	11.1	8.9-13.4	109	12.5	9.8-15.2	2	0.2	0.0-0.4
Some Post-H.S.	994	163466	704	70.3	66.9-73.7	127	12.9	10.4-15.5	87	9.3	7.1-11.5	75	7.4	5.6-9.2	1	0.1	0.0-0.2
College Graduate	880	137160	679	76.8	73.7-79.9	94	10.6	8.3-12.8	65	7.6	5.6-9.6	42	5.0	3.4-6.6	0		0.0-0.0
HOUSEHOLD INCOME																	
Less than \$15,000	261	40120	129	55.0	47.2-62.9	41	17.4	10.9-23.9	39	12.5	7.5-17.6	52	15.0	10.5-19.5	0		0.0-0.0
\$15,000- 24,999	490	75004	291	59.9	54.8-65.0	72	15.5	11.8-19.2	62	10.6	7.8-13.4	63	13.8	10.0-17.5	2	0.2	0.0-0.5
\$25,000- 34,999	449	71594	289	62.0	56.6-67.4	68	16.0	11.9-20.1	47	12.0	8.3-15.7	43	9.8	6.3-13.3	2	0.2	0.0-0.6
\$35,000- 49,999	570	89558	404	69.8	65.6-74.0	70	11.6	8.9-14.4	56	11.4	8.3-14.5	39	6.8	4.6-9.1	1	0.3	0.0-0.8
\$50,000- 74,999	502	83838	386	76.1	72.1-80.2	58	11.7	8.7-14.8	31	5.8	3.7-7.9	26	6.1	3.7-8.5	1	0.2	0.0-0.5
\$75,000+	390	64472	333	84.6	80.5-88.8	20	5.7	3.0-8.4	17	3.8	1.9-5.8	20	5.8	3.2-8.5	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 11: ORAL HEALTH**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	1303	240345	839	64.7	61.7-67.7	165	13.1	10.9-15.2	145	10.8	8.8-12.7	150	11.2	9.2-13.2	4	0.3	0.0-0.7
RACE																	
Native	36	10102	22	67.7	49.8-85.6	6	16.7	2.7-30.7	2	2.9	0.0-7.0	5	9.2	0.4-18.0	1	3.5	0.0-10.4
Non-Native	1257	229010	813	64.7	61.6-67.7	157	12.9	10.7-15.0	140	11.0	9.0-13.0	144	11.2	9.2-13.2	3	0.2	0.0-0.4
AGE																	
18-24	88	40034	53	63.0	52.1-74.0	13	14.2	6.5-21.9	14	13.3	6.1-20.4	8	9.5	2.7-16.3	0		0.0-0.0
25-34	187	39734	111	61.4	54.1-68.8	28	14.1	9.0-19.3	21	11.1	6.4-15.8	27	13.3	8.4-18.3	0		0.0-0.0
35-44	256	44279	164	64.0	57.7-70.3	40	16.3	11.4-21.3	31	12.0	7.7-16.3	20	7.5	4.1-10.8	1	0.2	0.0-0.6
45-54	296	46463	205	70.0	64.4-75.6	40	13.5	9.4-17.7	24	6.7	3.9-9.4	27	9.8	5.9-13.7	0		0.0-0.0
55-64	219	29594	150	67.9	61.4-74.5	20	10.1	5.6-14.5	22	10.3	6.0-14.6	27	11.7	7.3-16.1	0		0.0-0.0
65+	253	39542	153	61.4	55.1-67.8	23	8.8	5.2-12.4	33	11.7	7.7-15.8	41	16.3	11.5-21.2	3	1.7	0.0-3.8
EDUCATION																	
Less Than H.S.	110	20511	55	54.9	43.7-66.1	13	12.9	5.8-20.0	15	10.8	4.8-16.7	24	18.1	10.6-25.7	3	3.3	0.0-7.4
H.S. or G.E.D.	407	76484	235	57.7	52.0-63.4	68	17.8	13.3-22.3	52	11.0	7.9-14.2	52	13.5	9.3-17.7	0		0.0-0.0
Some Post-H.S.	412	77725	277	68.0	62.7-73.3	45	10.3	7.0-13.5	45	11.8	7.9-15.7	44	9.8	6.7-12.9	1	0.1	0.0-0.4
College Graduate	372	65312	271	72.0	67.0-77.1	38	10.8	7.2-14.4	33	9.2	6.0-12.5	30	8.0	5.0-10.9	0		0.0-0.0
HOUSEHOLD INCOME																	
Less than \$15,000	68	12013	30	47.8	32.1-63.4	9	14.6	2.5-26.7	14	21.2	8.0-34.4	15	16.5	6.8-26.1	0		0.0-0.0
\$15,000- 24,999	202	36011	103	52.8	44.6-60.9	36	19.1	12.9-25.3	29	11.3	6.9-15.7	32	16.4	10.0-22.7	2	0.5	0.0-1.1
\$25,000- 34,999	194	36909	111	55.1	46.8-63.4	33	17.6	11.2-24.0	26	14.0	8.0-19.9	24	13.3	7.2-19.5	0		0.0-0.0
\$35,000- 49,999	288	49811	185	63.6	57.5-69.7	37	12.6	8.5-16.6	34	13.1	8.6-17.6	31	10.3	6.6-13.9	1	0.5	0.0-1.4
\$50,000- 74,999	251	44955	182	71.8	65.7-77.8	33	13.5	8.9-18.0	18	6.9	3.6-10.2	18	7.9	4.3-11.5	0		0.0-0.0
\$75,000+	186	35115	157	84.1	78.2-90.0	7	4.3	1.1-7.6	9	4.4	1.4-7.5	13	7.2	3.1-11.2	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 11: ORAL HEALTH**

TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? (LASTDEN2)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	1727	244652	1235	72.1	69.6-74.5	206	12.3	10.5-14.2	147	8.1	6.7-9.5	136	7.4	6.0-8.7	3	0.1	0.0-0.3
RACE																	
Native	44	7405	23	48.4	31.1-65.7	11	32.1	14.4-49.8	8	15.9	4.8-27.0	2	3.6	0.0-8.7	0		0.0-0.0
Non-Native	1667	235073	1205	73.1	70.7-75.5	192	11.7	9.9-13.5	136	7.8	6.4-9.2	131	7.3	5.9-8.7	3	0.1	0.0-0.3
AGE																	
18-24	111	35362	78	71.1	61.8-80.4	17	16.2	8.4-24.0	10	7.4	2.8-12.1	6	5.2	0.7-9.7	0		0.0-0.0
25-34	233	36168	176	76.0	70.2-81.7	27	11.3	7.1-15.5	23	10.1	6.1-14.2	7	2.6	0.6-4.6	0		0.0-0.0
35-44	319	43996	243	76.4	71.4-81.4	40	11.7	8.1-15.4	24	7.1	4.2-10.1	11	4.6	1.8-7.4	1	0.2	0.0-0.5
45-54	366	43620	277	76.3	71.6-81.1	51	13.5	9.7-17.3	26	6.4	3.8-9.0	12	3.7	1.5-5.9	0		0.0-0.0
55-64	239	29909	178	73.8	67.7-79.9	25	11.1	6.7-15.4	19	8.0	4.2-11.8	17	7.1	3.5-10.7	0		0.0-0.0
65+	447	54181	275	62.2	57.3-67.1	45	11.0	7.5-14.4	43	9.1	6.3-11.9	82	17.3	13.6-21.0	2	0.4	0.0-1.0
EDUCATION																	
Less Than H.S.	147	19869	75	52.6	43.1-62.0	20	16.1	8.3-24.0	16	9.2	4.6-13.8	35	21.8	14.5-29.0	1	0.4	0.0-1.0
H.S. or G.E.D.	486	66773	322	67.6	62.9-72.3	48	9.5	6.7-12.2	57	11.3	8.2-14.4	57	11.3	8.1-14.5	2	0.3	0.0-0.8
Some Post-H.S.	582	85741	427	72.4	68.0-76.8	82	15.4	11.6-19.1	42	7.1	4.8-9.3	31	5.2	3.1-7.2	0		0.0-0.0
College Graduate	508	71848	408	81.2	77.5-84.9	56	10.4	7.5-13.3	32	6.2	3.8-8.5	12	2.3	0.9-3.7	0		0.0-0.0
HOUSEHOLD INCOME																	
Less than \$15,000	193	28107	99	58.1	49.3-67.0	32	18.6	10.9-26.3	25	8.8	4.8-12.9	37	14.4	9.4-19.4	0		0.0-0.0
\$15,000- 24,999	288	38992	188	66.5	60.4-72.7	36	12.2	7.9-16.4	33	10.0	6.4-13.6	31	11.3	7.1-15.5	0		0.0-0.0
\$25,000- 34,999	255	34686	178	69.3	63.0-75.7	35	14.3	9.5-19.1	21	9.9	5.7-14.2	19	6.0	3.2-8.7	2	0.5	0.0-1.2
\$35,000- 49,999	282	39748	219	77.6	72.3-83.0	33	10.5	6.9-14.1	22	9.3	5.3-13.4	8	2.5	0.7-4.4	0		0.0-0.0
\$50,000- 74,999	251	38883	204	81.2	76.0-86.5	25	9.8	5.8-13.7	13	4.6	2.1-7.1	8	4.1	1.1-7.1	1	0.3	0.0-1.0
\$75,000+	204	29358	176	85.3	79.7-91.0	13	7.3	2.8-11.9	8	3.1	0.9-5.3	7	4.2	1.0-7.5	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 11: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. INCLUDE TEETH LOST DUE TO INFECTION. (RMVTEETH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2992	479462	884	27.0	25.3-28.8	334	9.2	8.2-10.2	247	6.8	5.9-7.8	1527	56.9	54.9-58.9
SEX														
Male	1294	238545	389	27.8	25.1-30.6	138	8.3	6.8-9.7	90	5.8	4.5-7.1	677	58.1	55.1-61.2
Female	1698	240917	495	26.3	24.1-28.5	196	10.2	8.7-11.6	157	7.9	6.5-9.2	850	55.7	53.1-58.3
RACE														
Native	80	17507	28	35.8	21.1-50.5	10	8.1	2.6-13.7	5	6.6	0.3-12.8	37	49.5	35.1-64.0
Non-Native	2888	458910	847	26.7	24.9-28.4	319	9.2	8.1-10.2	237	6.7	5.8-7.6	1485	57.4	55.4-59.5
AGE														
18-24	199	75396	14	6.7	2.3-11.0	2	0.9	0.0-2.1	1	0.5	0.0-1.5	182	91.9	87.3-96.6
25-34	422	76271	75	18.6	14.4-22.7	3	0.8	0.0-1.7	2	0.2	0.0-0.5	342	80.4	76.2-84.6
35-44	572	87714	168	29.3	25.3-33.2	19	3.4	1.8-5.1	9	1.9	0.5-3.2	376	65.4	61.2-69.6
45-54	656	89119	248	37.5	33.5-41.5	59	8.2	6.1-10.3	14	2.1	0.8-3.4	335	52.2	48.0-56.3
55-64	454	58996	172	39.2	34.5-44.0	80	17.2	13.6-20.8	48	10.1	7.2-13.0	154	33.4	28.9-38.0
65+	674	90129	205	31.1	27.4-34.8	167	24.4	21.0-27.8	171	25.0	21.5-28.4	131	19.6	16.5-22.7
EDUCATION														
Less Than H.S.	249	39144	74	31.2	23.7-38.6	55	19.1	14.0-24.1	73	27.2	21.0-33.4	47	22.5	16.1-28.9
H.S. or G.E.D.	881	141409	292	30.2	26.9-33.5	127	11.8	9.7-13.8	108	9.9	8.0-11.9	354	48.1	44.2-52.0
Some Post-H.S.	981	161715	301	26.8	23.9-29.8	101	8.5	6.8-10.3	50	3.6	2.6-4.7	529	61.0	57.6-64.4
College Graduate	876	136528	217	22.9	20.0-25.9	51	4.6	3.3-6.0	15	1.5	0.7-2.4	593	70.9	67.7-74.2
HOUSEHOLD INCOME														
Less than \$15,000	260	39903	58	19.1	13.6-24.7	44	12.3	8.4-16.2	56	14.0	10.1-18.0	102	54.5	46.8-62.2
\$15,000- 24,999	485	74418	147	26.0	21.8-30.2	71	13.3	10.1-16.6	66	11.7	8.8-14.7	201	48.9	43.7-54.2
\$25,000- 34,999	442	70295	145	28.6	24.2-33.1	66	12.3	9.3-15.3	31	6.0	3.7-8.3	200	53.1	47.7-58.4
\$35,000- 49,999	568	89221	184	31.5	27.4-35.7	43	6.9	4.8-9.1	29	4.9	3.1-6.8	312	56.6	52.1-61.1
\$50,000- 74,999	499	83332	157	30.0	25.8-34.3	25	4.2	2.5-5.8	11	2.3	0.8-3.7	306	63.5	59.0-68.0
\$75,000+	391	64674	94	21.7	17.4-25.9	33	6.8	4.4-9.2	7	1.6	0.4-2.8	257	69.9	65.2-74.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 11: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. INCLUDE TEETH LOST DUE TO INFECTION. (RMVTEETH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	1294	238545	389	27.8	25.1-30.6	138	8.3	6.8-9.7	90	5.8	4.5-7.1	677	58.1	55.1-61.2
RACE														
Native	36	10102	15	44.8	22.8-66.8	4	8.0	0.0-16.1	2	4.7	0.0-11.9	15	42.5	21.5-63.5
Non-Native	1248	227251	369	27.0	24.4-29.7	131	8.1	6.6-9.5	87	5.8	4.5-7.1	661	59.1	56.1-62.1
AGE														
18-24	88	40034	5	7.3	0.0-14.7	1	0.7	0.0-2.0	0		0.0-0.0	82	92.0	84.6-99.5
25-34	188	39946	35	20.2	13.7-26.7	2	0.9	0.0-2.2	0		0.0-0.0	151	78.9	72.3-85.4
35-44	254	43859	70	27.8	21.9-33.7	8	2.9	0.7-5.0	5	2.5	0.2-4.9	171	66.7	60.4-73.0
45-54	292	45764	112	39.0	33.0-45.0	27	8.1	5.0-11.3	4	1.2	0.0-2.6	149	51.6	45.5-57.8
55-64	216	29218	81	39.4	32.5-46.3	38	17.1	12.0-22.3	25	10.9	6.5-15.3	72	32.6	26.1-39.1
65+	251	38948	85	35.1	28.8-41.3	62	23.3	17.9-28.6	56	23.0	17.4-28.6	48	18.7	13.7-23.7
EDUCATION														
Less Than H.S.	106	19930	35	38.4	26.3-50.6	24	18.8	11.2-26.5	30	25.2	16.3-34.1	17	17.5	9.1-25.9
H.S. or G.E.D.	404	75762	133	29.4	24.5-34.2	54	10.1	7.3-12.8	33	6.9	4.3-9.4	184	53.7	48.0-59.3
Some Post-H.S.	408	77033	126	27.2	22.5-31.8	35	6.7	4.4-9.0	18	3.1	1.6-4.6	229	63.0	57.8-68.2
College Graduate	374	65509	95	23.7	19.1-28.3	25	4.8	2.8-6.8	9	1.8	0.5-3.1	245	69.7	64.7-74.7
HOUSEHOLD INCOME														
Less than \$15,000	69	12091	17	24.1	11.4-36.8	11	10.5	3.8-17.1	14	12.3	4.9-19.7	27	53.1	37.9-68.4
\$15,000- 24,999	199	35633	61	28.3	21.4-35.1	32	12.7	8.1-17.3	26	11.1	6.7-15.5	80	47.9	39.6-56.3
\$25,000- 34,999	191	36196	67	28.4	21.9-35.0	29	11.5	7.2-15.7	12	5.2	2.0-8.4	83	54.9	46.9-62.9
\$35,000- 49,999	287	49624	89	30.1	24.3-35.9	26	8.4	5.1-11.7	20	6.8	3.7-9.8	152	54.7	48.4-61.1
\$50,000- 74,999	250	44656	83	32.7	26.5-39.0	12	3.6	1.6-5.7	6	2.3	0.3-4.2	149	61.4	55.0-67.9
\$75,000+	189	35591	48	22.3	16.0-28.5	15	6.1	3.0-9.3	4	1.6	0.0-3.2	122	70.0	63.1-76.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 11: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. INCLUDE TEETH LOST DUE TO INFECTION. (RMVTEETH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	1698	240917	495	26.3	24.1-28.4	196	10.2	8.7-11.6	157	7.9	6.5-9.2	850	55.7	53.1-58.3
RACE														
Native	44	7405	13	23.5	10.2-36.8	6	8.3	1.3-15.3	3	9.1	0.0-19.8	22	59.1	42.6-75.6
Non-Native	1640	231658	478	26.3	24.1-28.6	188	10.2	8.7-11.7	150	7.6	6.3-8.9	824	55.8	53.2-58.5
AGE														
18-24	111	35362	9	6.0	1.9-10.0	1	1.1	0.0-3.3	1	1.1	0.0-3.3	100	91.8	86.5-97.2
25-34	234	36325	40	16.8	11.8-21.8	1	0.6	0.0-1.9	2	0.4	0.0-1.0	191	82.1	77.0-87.2
35-44	318	43855	98	30.7	25.3-36.0	11	4.0	1.5-6.6	4	1.2	0.0-2.5	205	64.1	58.5-69.7
45-54	364	43355	136	35.9	30.6-41.1	32	8.2	5.3-11.2	10	3.1	0.9-5.3	186	52.8	47.3-58.3
55-64	238	29778	91	39.1	32.5-45.7	42	17.3	12.3-22.4	23	9.4	5.5-13.2	82	34.2	27.9-40.6
65+	423	51181	120	28.0	23.6-32.4	105	25.2	20.9-29.5	115	26.5	22.1-30.9	83	20.3	16.3-24.2
EDUCATION														
Less Than H.S.	143	19215	39	23.6	16.6-30.7	31	19.3	12.8-25.8	43	29.3	20.8-37.9	30	27.8	18.4-37.1
H.S. or G.E.D.	477	65647	159	31.2	26.7-35.6	73	13.7	10.6-16.9	75	13.5	10.5-16.5	170	41.6	36.5-46.7
Some Post-H.S.	573	84681	175	26.6	22.8-30.3	66	10.2	7.6-12.8	32	4.1	2.7-5.5	300	59.2	54.7-63.6
College Graduate	502	71019	122	22.2	18.4-26.0	26	4.5	2.6-6.3	6	1.3	0.1-2.6	348	72.0	67.8-76.2
HOUSEHOLD INCOME														
Less than \$15,000	191	27811	41	17.0	11.3-22.7	33	13.1	8.4-17.9	42	14.8	10.1-19.5	75	55.1	46.3-63.9
\$15,000- 24,999	286	38784	86	24.0	18.9-29.0	39	13.9	9.4-18.4	40	12.3	8.4-16.2	121	49.8	43.2-56.4
\$25,000- 34,999	251	34098	78	28.8	22.9-34.8	37	13.1	8.9-17.4	19	6.9	3.6-10.3	117	51.1	44.1-58.1
\$35,000- 49,999	281	39596	95	33.3	27.4-39.2	17	5.1	2.6-7.7	9	2.7	0.9-4.4	160	58.9	52.7-65.1
\$50,000- 74,999	249	38676	74	27.0	21.3-32.7	13	4.8	2.2-7.4	5	2.3	0.0-4.6	157	66.0	59.8-72.2
\$75,000+	202	29083	46	20.9	15.3-26.6	18	7.6	4.1-11.2	3	1.6	0.0-3.4	135	69.9	63.4-76.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 11: ORAL HEALTH**

TABLE 7: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that have never visited a dentist or dental clinic
Denominator excludes: Respondents that have had all of their permanent teeth extracted

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2769	448826	1882	67.6	65.6-69.6	349	12.6	11.2-13.9	260	9.8	8.6-11.0	222	8.1	7.0-9.2	56	1.9	1.4-2.5
SEX																	
Male	1204	223436	758	62.8	59.6-65.9	152	12.8	10.7-14.9	128	11.0	9.1-13.0	136	11.0	9.1-12.9	30	2.4	1.5-3.4
Female	1565	225390	1124	72.4	69.9-74.9	197	12.3	10.6-14.1	132	8.5	7.1-9.9	86	5.3	4.1-6.4	26	1.5	0.9-2.0
RACE																	
Native	74	15030	37	49.3	35.0-63.5	14	23.0	11.8-34.2	12	14.2	6.6-21.9	11	13.5	6.0-21.0	0		0.0-0.0
Non-Native	2674	431294	1837	68.4	66.4-70.4	330	12.1	10.8-13.5	247	9.6	8.4-10.9	207	7.8	6.8-8.9	53	2.0	1.4-2.5
AGE																	
18-24	195	72916	122	64.0	56.4-71.6	33	16.0	10.4-21.5	22	10.7	6.3-15.2	14	7.1	3.3-11.0	4	2.2	0.0-4.4
25-34	418	75929	272	64.6	59.7-69.5	61	14.3	10.8-17.9	46	11.3	8.1-14.5	37	9.3	6.3-12.3	2	0.5	0.0-1.2
35-44	563	86369	381	67.3	63.1-71.5	80	14.2	11.1-17.2	55	10.1	7.4-12.8	41	7.4	5.1-9.7	6	1.0	0.1-1.9
45-54	646	87776	459	72.1	68.3-75.9	86	12.0	9.5-14.6	52	7.2	5.2-9.1	44	7.7	5.3-10.1	5	0.9	0.0-1.9
55-64	413	53862	291	69.5	64.8-74.3	41	9.3	6.7-11.9	42	11.7	8.5-14.9	31	7.7	5.2-10.2	8	1.8	0.6-3.0
65+	521	70154	347	67.5	63.5-71.5	47	8.4	6.5-10.3	43	8.7	6.7-10.7	55	9.8	7.8-11.9	29	5.5	4.0-7.1
EDUCATION																	
Less Than H.S.	181	28112	90	51.0	44.0-58.1	29	16.6	12.0-21.2	21	11.1	7.6-14.5	23	12.6	8.6-16.5	18	8.7	5.6-11.8
H.S. or G.E.D.	783	128572	493	62.1	58.3-66.0	110	14.8	12.0-17.5	78	10.3	8.1-12.5	83	10.6	8.2-12.9	19	2.2	1.2-3.2
Some Post-H.S.	939	156848	646	68.4	65.0-71.9	116	11.9	9.5-14.2	94	10.4	8.1-12.7	72	7.9	6.0-9.7	11	1.4	0.5-2.4
College Graduate	862	134687	650	75.2	72.0-78.4	93	10.4	8.2-12.6	67	8.3	6.2-10.3	44	5.2	3.7-6.8	8	0.9	0.2-1.5
HOUSEHOLD INCOME																	
Less than \$15,000	204	34280	106	57.1	49.1-65.1	36	19.9	13.3-26.5	28	11.1	6.6-15.7	27	9.9	6.3-13.5	7	2.0	0.6-3.4
\$15,000- 24,999	423	66017	232	54.8	49.5-60.0	72	17.4	13.5-21.4	52	11.9	8.9-14.9	53	11.8	8.8-14.8	14	4.0	1.9-6.2
\$25,000- 34,999	414	66668	259	59.9	54.5-65.4	67	16.1	12.3-20.0	41	11.3	7.8-14.8	35	9.8	6.2-13.4	12	2.7	0.9-4.5
\$35,000- 49,999	541	85179	385	69.9	65.6-74.2	55	9.5	7.1-12.0	55	12.1	9.0-15.3	40	7.6	5.3-9.9	6	0.9	0.2-1.5
\$50,000- 74,999	491	81961	370	74.5	70.2-78.7	54	11.1	8.1-14.1	36	7.3	4.9-9.7	26	6.2	3.8-8.5	5	1.0	0.1-1.9
\$75,000+	382	63444	325	85.3	81.3-89.2	22	5.4	3.1-7.7	22	5.1	2.9-7.4	10	3.2	1.1-5.3	3	1.0	0.0-2.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 11: ORAL HEALTH**

TABLE 8: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	1204	223436	758	62.8	59.6-65.9	152	12.8	10.7-14.9	128	11.0	9.1-13.0	136	11.0	9.1-12.9	30	2.4	1.5-3.4
RACE																	
Native	33	8299	15	52.3	30.6-74.1	6	21.1	6.4-35.9	3	5.4	0.0-10.8	9	21.1	8.1-34.1	0		0.0-0.0
Non-Native	1161	213954	742	63.4	60.3-66.6	143	12.4	10.3-14.5	124	11.3	9.3-13.3	125	10.5	8.6-12.4	27	2.4	1.4-3.4
AGE																	
18-24	84	37554	48	59.2	47.7-70.7	13	14.9	7.0-22.7	11	12.7	5.6-19.8	8	9.0	2.9-15.0	4	4.3	0.2-8.3
25-34	187	39840	103	56.5	49.0-64.0	33	16.6	11.1-22.2	24	12.5	7.6-17.4	26	13.8	8.7-19.0	1	0.5	0.0-1.6
35-44	249	42974	155	62.1	55.7-68.6	36	15.1	10.4-19.7	29	12.4	7.9-16.8	27	10.0	6.3-13.7	2	0.4	0.0-1.0
45-54	289	45453	196	69.0	63.3-74.7	37	11.5	7.9-15.2	21	6.1	3.5-8.8	31	11.7	7.6-15.8	4	1.6	0.0-3.4
55-64	195	26478	128	63.9	57.0-70.8	18	8.9	5.2-12.7	21	12.8	8.1-17.5	21	11.0	6.9-15.1	7	3.4	1.0-5.7
65+	196	30439	125	65.6	59.0-72.1	14	7.0	4.1-9.9	22	11.1	7.5-14.7	23	10.5	7.1-13.9	12	5.8	3.2-8.5
EDUCATION																	
Less Than H.S.	78	14044	36	48.0	37.4-58.6	11	14.7	8.3-21.1	9	10.8	5.7-15.9	12	15.4	8.8-21.9	10	11.1	5.8-16.5
H.S. or G.E.D.	372	70439	209	56.0	50.3-61.8	65	18.4	13.9-22.9	44	11.5	8.2-14.9	45	11.9	8.3-15.5	9	2.1	0.5-3.8
Some Post-H.S.	390	74661	254	65.3	59.9-70.7	38	9.3	6.3-12.3	42	11.2	7.4-15.0	49	12.0	8.6-15.4	7	2.2	0.4-3.9
College Graduate	362	63980	258	70.5	65.3-75.7	37	10.1	6.7-13.5	33	10.4	6.9-13.8	30	8.0	5.1-10.9	4	1.1	0.0-2.2
HOUSEHOLD INCOME																	
Less than \$15,000	54	10340	22	45.0	29.5-60.6	10	19.9	7.3-32.5	9	18.8	6.1-31.4	10	13.7	5.4-22.1	3	2.6	0.0-5.2
\$15,000- 24,999	174	31886	76	45.5	37.3-53.7	34	20.2	13.5-26.8	26	13.4	8.6-18.2	30	15.5	10.3-20.6	8	5.4	1.7-9.2
\$25,000- 34,999	179	34413	98	51.2	43.0-59.3	32	18.0	11.9-24.1	20	12.4	6.8-17.9	25	16.0	9.5-22.5	4	2.4	0.0-5.4
\$35,000- 49,999	267	46360	175	64.8	58.5-71.0	27	10.0	6.4-13.6	31	12.8	8.4-17.2	30	11.3	7.6-15.1	4	1.1	0.1-2.1
\$50,000- 74,999	245	43950	174	70.3	64.1-76.4	31	12.5	8.2-16.8	19	8.3	4.6-12.1	17	7.4	3.9-10.8	4	1.5	0.0-3.0
\$75,000+	182	34614	152	83.2	77.2-89.3	9	5.1	1.8-8.5	13	6.6	3.0-10.2	6	3.6	0.6-6.6	2	1.5	0.0-3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 11: ORAL HEALTH**

TABLE 9: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	1565	225390	1124	72.4	69.9-74.9	197	12.3	10.6-14.1	132	8.5	7.1-9.9	86	5.3	4.1-6.4	26	1.5	0.9-2.0
RACE																	
Native	41	6731	22	45.5	29.0-62.0	8	25.3	8.6-41.9	9	25.1	10.5-39.7	2	4.1	0.0-9.4	0		0.0-0.0
Non-Native	1513	217340	1095	73.3	70.8-75.8	187	11.9	10.2-13.6	123	8.0	6.6-9.4	82	5.3	4.1-6.4	26	1.5	0.9-2.1
AGE																	
18-24	111	35362	74	69.1	59.7-78.4	20	17.1	9.4-24.9	11	8.6	3.5-13.7	6	5.2	0.7-9.7	0		0.0-0.0
25-34	231	36089	169	73.5	67.6-79.4	28	11.8	7.5-16.0	22	9.9	5.8-14.1	11	4.3	1.8-6.9	1	0.4	0.0-1.3
35-44	314	43395	226	72.5	67.2-77.8	44	13.3	9.4-17.2	26	7.8	4.8-10.8	14	4.9	2.2-7.6	4	1.5	0.0-3.2
45-54	357	42323	263	75.5	70.6-80.4	49	12.6	9.1-16.1	31	8.3	5.4-11.2	13	3.4	1.4-5.4	1	0.2	0.0-0.6
55-64	218	27385	163	75.0	68.6-81.3	23	9.7	6.0-13.4	21	10.6	6.4-14.9	10	4.4	1.6-7.3	1	0.2	0.0-0.7
65+	325	39715	222	69.0	64.0-74.1	33	9.4	7.0-11.9	21	6.9	4.5-9.2	32	9.3	6.9-11.8	17	5.3	3.4-7.2
EDUCATION																	
Less Than H.S.	103	14069	54	54.1	44.9-63.3	18	18.5	11.9-25.1	12	11.3	6.7-15.9	11	9.8	5.3-14.2	8	6.3	3.0-9.6
H.S. or G.E.D.	411	58133	284	69.6	64.7-74.4	45	10.3	7.6-13.1	34	8.8	6.1-11.6	38	9.0	6.1-11.8	10	2.3	1.0-3.5
Some Post-H.S.	549	82187	392	71.3	66.9-75.7	78	14.2	10.7-17.7	52	9.6	7.0-12.2	23	4.1	2.3-5.9	4	0.8	0.0-1.6
College Graduate	500	70707	392	79.5	75.6-83.4	56	10.6	7.8-13.5	34	6.4	4.1-8.7	14	2.8	1.2-4.3	4	0.7	0.0-1.4
HOUSEHOLD INCOME																	
Less than \$15,000	150	23940	84	62.3	53.2-71.4	26	19.9	12.1-27.6	19	7.8	4.6-11.0	17	8.3	4.6-11.9	4	1.8	0.2-3.3
\$15,000- 24,999	249	34131	156	63.4	56.9-70.0	38	14.9	10.6-19.3	26	10.4	6.6-14.3	23	8.4	5.2-11.7	6	2.8	0.6-4.9
\$25,000- 34,999	235	32256	161	69.3	62.8-75.9	35	14.2	9.7-18.7	21	10.2	6.1-14.3	10	3.2	1.2-5.2	8	3.0	1.1-5.0
\$35,000- 49,999	274	38819	210	76.0	70.4-81.6	28	9.0	5.7-12.3	24	11.3	6.8-15.8	10	3.1	1.2-5.1	2	0.6	0.0-1.4
\$50,000- 74,999	246	38010	196	79.3	73.6-85.0	23	9.5	5.5-13.4	17	6.0	3.3-8.8	9	4.8	1.6-8.0	1	0.4	0.0-1.1
\$75,000+	200	28830	173	87.7	82.9-92.6	13	5.7	2.7-8.8	9	3.4	1.1-5.6	4	2.7	0.0-5.5	1	0.5	0.0-1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 12: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT2)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE. (FLUSPRAY)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94
	HAVE YOU EVER HAD A PNEUMONIA SHOT? THIS SHOT IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSONS LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. IT IS ALSO CALLED THE PNEUMOCOCCAL VACCINE. (PNEUVAC2)	
7	MALES AND FEMALES	95
8	MALES ONLY	96
9	FEMALES ONLY	97

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 12: IMMUNIZATION**

**TABLE 1: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3039	485975	1262	38.2	36.2-40.1	1777	61.8	59.9-63.8
SEX								
Male	1309	241046	484	34.6	31.6-37.5	825	65.4	62.5-68.4
Female	1730	244929	778	41.7	39.2-44.3	952	58.3	55.7-60.9
RACE								
Native	80	17507	31	40.0	25.3-54.7	49	60.0	45.3-74.7
Non-Native	2931	464916	1213	37.9	35.9-39.9	1718	62.1	60.1-64.1
AGE								
18-24	199	75396	41	18.8	12.7-24.8	158	81.3	75.1-87.4
25-34	422	76271	104	24.3	20.0-28.7	318	75.6	71.3-80.0
35-44	574	88178	161	27.5	23.6-31.4	413	72.5	68.6-76.4
45-54	663	90142	248	37.4	33.4-41.4	415	62.6	58.6-66.6
55-64	461	59834	191	40.3	35.5-45.0	270	59.7	55.0-64.5
65+	704	94080	510	74.3	70.9-77.7	194	25.7	22.3-29.2
EDUCATION								
Less Than H.S.	259	40569	145	53.5	46.0-60.9	114	46.5	39.1-54.0
H.S. or G.E.D.	898	143997	356	35.8	32.2-39.3	542	64.2	60.7-67.8
Some Post-H.S.	995	163462	375	33.3	30.1-36.5	620	66.7	63.5-69.9
College Graduate	881	137215	382	41.9	38.3-45.5	499	58.1	54.5-61.7
HOUSEHOLD INCOME								
Less than \$15,000	264	40396	127	37.3	30.3-44.4	137	62.7	55.6-69.7
\$15,000- 24,999	493	75301	205	38.2	33.3-43.1	288	61.8	56.9-66.7
\$25,000- 34,999	449	71594	183	37.9	32.7-43.0	266	62.1	56.9-67.3
\$35,000- 49,999	571	89692	210	35.5	31.2-39.8	361	64.5	60.2-68.8
\$50,000- 74,999	503	83916	188	35.2	30.8-39.6	315	64.8	60.4-69.2
\$75,000+	391	64666	158	38.9	33.5-44.2	233	61.1	55.8-66.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 12: IMMUNIZATION**

TABLE 2: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1309	241046	484	34.6	31.6-37.5	825	65.4	62.5-68.4
RACE								
Native	36	10102	16	49.5	27.8-71.1	20	50.5	28.9-72.2
Non-Native	1261	229565	461	33.8	30.9-36.6	800	66.3	63.4-69.1
AGE								
18-24	88	40034	17	19.7	10.1-29.3	71	80.3	70.7-89.9
25-34	188	39946	38	20.0	14.0-26.1	150	79.9	73.9-86.0
35-44	257	44465	61	23.8	18.2-29.3	196	76.2	70.7-81.8
45-54	296	46463	98	34.3	28.5-40.2	198	65.7	59.8-71.5
55-64	220	29663	81	36.0	29.3-42.8	139	64.0	57.2-70.7
65+	255	39699	188	75.6	70.2-81.1	67	24.3	18.9-29.8
EDUCATION								
Less Than H.S.	111	20580	58	53.1	41.7-64.6	53	46.8	35.4-58.3
H.S. or G.E.D.	409	76842	142	32.0	26.8-37.2	267	68.0	62.8-73.2
Some Post-H.S.	413	77803	127	26.8	22.3-31.4	286	73.2	68.6-77.7
College Graduate	374	65509	156	40.8	35.3-46.3	218	59.2	53.7-64.7
HOUSEHOLD INCOME								
Less than \$15,000	69	12091	30	32.7	19.6-45.7	39	67.3	54.3-80.4
\$15,000- 24,999	202	36011	78	36.6	29.0-44.3	124	63.4	55.7-71.0
\$25,000- 34,999	194	36909	72	36.6	28.8-44.5	122	63.3	55.5-71.2
\$35,000- 49,999	288	49811	102	34.7	28.7-40.6	186	65.3	59.4-71.3
\$50,000- 74,999	252	45033	91	33.8	27.6-40.0	161	66.2	60.0-72.4
\$75,000+	189	35591	60	29.5	22.3-36.6	129	70.5	63.4-77.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 12: IMMUNIZATION**

TABLE 3: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU SHOT? (FLUSHOT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1730	244929	778	41.7	39.2-44.3	952	58.3	55.7-60.8
RACE								
Native	44	7405	15	27.1	13.3-40.9	29	72.9	59.1-86.7
Non-Native	1670	235351	752	41.9	39.3-44.6	918	58.1	55.4-60.7
AGE								
18-24	111	35362	24	17.7	10.7-24.7	87	82.3	75.1-89.6
25-34	234	36325	66	29.1	22.9-35.2	168	70.9	64.8-77.1
35-44	317	43713	100	31.3	25.9-36.7	217	68.7	63.3-74.1
45-54	367	43679	150	40.6	35.2-46.0	217	59.4	54.0-64.8
55-64	241	30171	110	44.4	37.7-51.1	131	55.6	48.9-62.3
65+	449	54381	322	73.3	68.9-77.7	127	26.7	22.3-31.1
EDUCATION								
Less Than H.S.	148	19989	87	53.8	44.3-63.3	61	46.2	36.7-55.7
H.S. or G.E.D.	489	67154	214	40.1	35.3-44.8	275	59.9	55.1-64.7
Some Post-H.S.	582	85659	248	39.2	34.7-43.6	334	60.8	56.4-65.3
College Graduate	507	71707	226	42.9	38.2-47.5	281	57.1	52.5-61.8
HOUSEHOLD INCOME								
Less than \$15,000	195	28305	97	39.3	30.9-47.7	98	60.7	52.3-69.1
\$15,000- 24,999	291	39289	127	39.6	33.4-45.8	164	60.4	54.2-66.6
\$25,000- 34,999	255	34686	111	39.2	32.6-45.8	144	60.8	54.2-67.4
\$35,000- 49,999	283	39881	108	36.5	30.5-42.6	175	63.4	57.4-69.5
\$50,000- 74,999	251	38883	97	36.8	30.4-43.1	154	63.2	56.9-69.6
\$75,000+	202	29075	98	50.4	43.1-57.7	104	49.6	42.4-56.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 12: IMMUNIZATION**

**TABLE 4: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE. (FLUSPRAY)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	3042	486635	13	0.5	0.2-0.8	3029	99.5	99.2-99.9	
SEX									
Male	1308	240910	6	0.4	0.1-0.7	1302	99.6	99.2-100.0	
Female	1734	245725	7	0.5	0.0-1.0	1727	99.5	99.0-100.0	
RACE									
Native	80	17507	1	0.7	0.0-2.0	79	99.3	98.0-100.0	
Non-Native	2934	465575	12	0.4	0.1-0.8	2922	99.5	99.2-99.9	
AGE									
18-24	199	75614	1	0.7	0.0-2.1	198	99.3	97.9-100.0	
25-34	422	76271	2	0.4	0.0-1.0	420	99.6	99.0-100.0	
35-44	576	88461	3	0.5	0.0-1.1	573	99.5	98.9-100.0	
45-54	663	90142	2	0.2	0.0-0.6	661	99.8	99.4-100.0	
55-64	461	59834	0		0.0-0.0	461	100.0	100.0-100.0	
65+	704	94121	5	0.8	0.1-1.5	699	99.2	98.4-100.0	
EDUCATION									
Less Than H.S.	259	40608	3	1.1	0.0-2.5	256	98.9	97.4-100.0	
H.S. or G.E.D.	900	144440	3	0.3	0.0-0.6	897	99.7	99.3-100.0	
Some Post-H.S.	996	163604	2	0.1	0.0-0.3	994	99.9	99.7-100.0	
College Graduate	881	137250	5	0.8	0.0-1.7	876	99.2	98.3-100.0	
HOUSEHOLD INCOME									
Less than \$15,000	263	40318	4	2.1	0.0-4.8	259	97.9	95.2-100.0	
\$15,000- 24,999	493	75301	2	0.2	0.0-0.5	491	99.8	99.5-100.0	
\$25,000- 34,999	449	71607	2	0.5	0.0-1.3	447	99.4	98.6-100.0	
\$35,000- 49,999	571	89692	1	0.2	0.0-0.7	570	99.8	99.3-100.0	
\$50,000- 74,999	503	83916	1	0.2	0.0-0.5	502	99.8	99.5-100.0	
\$75,000+	393	64949	0		0.0-0.0	393	100.0	100.0-100.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 12: IMMUNIZATION**

**TABLE 5: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE. (FLUSPRAY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY									
SEX									
Male	1308	240910	6	0.4	0.1-0.7	1302	99.6	99.2-100.0	
RACE									
Native	36	10102	1	1.2	0.0-3.5	35	98.8	96.5-100.0	
Non-Native	1260	229428	5	0.4	0.0-0.7	1255	99.6	99.3-100.0	
AGE									
18-24	87	39857	0		0.0-0.0	87	100.0	99.1-100.0	
25-34	188	39946	1	0.5	0.0-1.6	187	99.5	98.4-100.0	
35-44	257	44465	1	0.2	0.0-0.6	256	99.8	99.4-100.0	
45-54	296	46463	1	0.3	0.0-1.0	295	99.7	99.0-100.0	
55-64	220	29663	0		0.0-0.0	220	100.0	100.0-100.0	
65+	255	39740	3	1.2	0.0-2.6	252	98.8	97.3-100.0	
EDUCATION									
Less Than H.S.	110	20502	2	1.7	0.0-4.3	108	98.3	95.6-100.0	
H.S. or G.E.D.	409	76784	1	0.2	0.0-0.6	408	99.8	99.2-100.0	
Some Post-H.S.	413	77803	2	0.3	0.0-0.6	411	99.7	99.4-100.0	
College Graduate	374	65509	1	0.3	0.0-0.9	373	99.7	99.1-100.0	
HOUSEHOLD INCOME									
Less than \$15,000	68	12013	0		0.0-0.0	68	100.0	98.7-100.0	
\$15,000- 24,999	202	36011	1	0.3	0.0-0.8	201	99.7	99.2-100.0	
\$25,000- 34,999	195	37028	2	1.1	0.0-2.5	193	98.9	97.5-100.0	
\$35,000- 49,999	288	49811	0		0.0-0.0	288	100.0	100.0-100.0	
\$50,000- 74,999	252	45033	0		0.0-0.0	252	100.0	100.0-100.0	
\$75,000+	189	35591	0		0.0-0.0	189	100.0	100.0-100.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 12: IMMUNIZATION**

**TABLE 6: DURING THE PAST 12 MONTHS, HAVE YOU HAD A FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE. (FLUSPRAY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	1734	245725	7	0.5	0.0-1.0	1727	99.5	99.0-100.0	
RACE									
Native	44	7405	0		0.0-0.0	44	100.0	100.0-100.0	
Non-Native	1674	236147	7	0.5	0.0-1.0	1667	99.5	98.9-100.0	
AGE									
18-24	112	35757	1	1.5	0.0-4.3	111	98.5	95.7-100.0	
25-34	234	36325	1	0.2	0.0-0.7	233	99.8	99.3-100.0	
35-44	319	43996	2	0.8	0.0-1.9	317	99.2	98.1-100.0	
45-54	367	43679	1	0.1	0.0-0.4	366	99.9	99.6-100.0	
55-64	241	30171	0		0.0-0.0	241	100.0	100.0-100.0	
65+	449	54381	2	0.5	0.0-1.2	447	99.5	98.7-100.0	
EDUCATION									
Less Than H.S.	149	20107	•	0.5	0.0-1.6	148	99.5	98.4-100.0	
H.S. or G.E.D.	491	67656	2	0.3	0.0-0.9	489	99.6	99.1-100.0	
Some Post-H.S.	583	85800	0		0.0-0.0	583	100.0	100.0-100.0	
College Graduate	507	71741	4	1.3	0.0-2.9	503	98.7	97.1-100.0	
HOUSEHOLD INCOME									
Less than \$15,000	195	28305	4	3.0	0.0-6.8	191	97.0	93.2-100.0	
\$15,000- 24,999	291	39289	1	0.2	0.0-0.6	290	99.8	1	
\$25,000- 34,999	254	34579	0		0.0-0.0	254	100.0	99.4-100.0	
\$35,000- 49,999	283	39881	1	0.5	0.0-1.6	282	99.5	98.4-100.0	
\$50,000- 74,999	251	38883	1	0.4	0.0-1.1	250	99.6	98.9-100.0	
\$75,000+	204	29358	0		0.0-0.0	204	100.0	100.0-100.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 12: IMMUNIZATION**

TABLE 7: HAVE YOU EVER HAD A PNEUMONIA SHOT? THIS SHOT IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSONS LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. IT IS ALSO CALLED THE PNEUMOCOCCAL VACCINE. (PNEUVAC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2791	438367	759	25.6	23.9-27.2	2032	74.4	72.5-76.4
SEX								
Male	1143	208967	301	25.4	22.8-27.9	842	74.6	71.6-77.6
Female	1648	229400	458	25.7	23.6-27.9	1190	74.3	71.8-76.7
RACE								
Native	71	15631	19	26.5	14.1-39.0	52	73.5	59.9-87.0
Non-Native	2692	419183	729	25.4	23.7-27.0	1963	74.6	72.7-76.6
AGE								
18-24	152	58478	20	13.5	8.6-18.3	132	86.5	79.3-93.8
25-34	353	63980	36	12.6	9.1-16.2	317	87.4	82.7-92.0
35-44	521	79655	48	9.6	7.1-12.2	473	90.4	86.9-93.9
45-54	628	85604	72	11.6	9.0-14.3	556	88.4	85.3-91.4
55-64	441	57417	108	23.8	19.8-27.8	333	76.2	72.0-80.5
65+	679	91041	469	70.3	66.6-74.1	210	29.7	26.0-33.3
EDUCATION								
Less Than H.S.	245	37724	124	47.0	39.8-54.2	121	53.0	45.5-60.5
H.S. or G.E.D.	829	129375	253	29.0	25.7-32.3	576	71.0	67.2-74.7
Some Post-H.S.	905	145456	224	22.8	20.1-25.6	681	77.2	73.8-80.6
College Graduate	806	125080	155	18.4	15.8-21.1	651	81.5	78.4-84.7
HOUSEHOLD INCOME								
Less than \$15,000	240	35910	101	36.2	29.3-43.2	139	63.8	56.0-71.5
\$15,000- 24,999	456	67982	157	31.9	27.5-36.3	299	68.1	63.0-73.1
\$25,000- 34,999	409	64572	116	27.6	23.1-32.0	293	72.4	67.4-77.5
\$35,000- 49,999	522	81175	129	25.4	21.6-29.3	393	74.6	70.3-78.9
\$50,000- 74,999	458	75432	71	14.9	11.7-18.2	387	85.1	80.9-89.2
\$75,000+	364	59127	53	15.0	11.2-18.8	311	85.0	79.9-90.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 12: IMMUNIZATION**

TABLE 8: HAVE YOU EVER HAD A PNEUMONIA SHOT? THIS SHOT IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSONS LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. IT IS ALSO CALLED THE PNEUMOCOCCAL VACCINE. (PNEUVAC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1143	208967	301	25.4	22.8-27.9	842	74.6	71.6-77.6
RACE								
Native	32	9071	8	27.9	8.5-47.2	24	72.1	51.7-92.5
Non-Native	1099	198517	288	25.1	22.6-27.6	811	74.9	71.8-77.9
AGE								
18-24	63	30557	9	13.9	6.7-21.1	54	86.1	75.3-96.9
25-34	144	31776	23	18.5	12.6-24.5	121	81.5	74.2-88.8
35-44	216	37427	27	12.6	8.4-16.7	189	87.4	81.6-93.2
45-54	273	43163	29	11.5	7.6-15.4	244	88.5	83.8-93.2
55-64	203	27574	49	23.1	17.4-28.8	154	76.9	70.6-83.1
65+	239	37694	162	70.4	64.3-76.4	77	29.6	23.9-35.4
EDUCATION								
Less Than H.S.	102	18896	44	41.3	30.7-51.9	58	58.7	47.4-70.0
H.S. or G.E.D.	357	65874	96	26.4	21.7-31.1	261	73.6	68.0-79.2
Some Post-H.S.	350	65067	84	22.5	18.3-26.7	266	77.5	72.0-82.9
College Graduate	332	58817	75	21.9	17.5-26.2	257	78.1	73.1-83.2
HOUSEHOLD INCOME								
Less than \$15,000	57	10471	20	31.7	17.9-45.5	37	68.3	53.3-83.3
\$15,000- 24,999	175	30715	59	31.1	24.5-37.7	116	68.9	60.9-76.9
\$25,000- 34,999	170	32131	55	32.2	25.2-39.3	115	67.8	59.8-75.7
\$35,000- 49,999	253	44031	77	32.1	26.2-37.9	176	67.9	61.7-74.2
\$50,000- 74,999	221	39400	36	14.4	10.1-18.6	185	85.6	79.9-91.3
\$75,000+	168	30853	22	13.9	8.6-19.3	146	86.0	78.1-94.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 12: IMMUNIZATION**

TABLE 9: HAVE YOU EVER HAD A PNEUMONIA SHOT? THIS SHOT IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSONS LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. IT IS ALSO CALLED THE PNEUMOCOCCAL VACCINE. (PNEUVAC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1648	229400	458	25.7	23.6-27.9	1190	74.3	71.8-76.7
RACE								
Native	39	6560	11	24.7	11.7-37.7	28	75.3	59.5-91.1
Non-Native	1593	220666	441	25.6	23.4-27.8	1152	74.4	71.9-76.9
AGE								
18-24	89	27921	11	13.0	6.7-19.2	78	87.0	77.5-96.6
25-34	209	32204	13	6.8	3.3-10.4	196	93.2	87.8-98.5
35-44	305	42228	21	7.0	4.1-10.0	284	93.0	89.4-96.6
45-54	355	42441	43	11.7	8.3-15.2	312	88.3	84.5-92.0
55-64	238	29843	59	24.4	18.7-30.1	179	75.6	69.9-81.4
65+	440	53347	307	70.3	65.6-75.0	133	29.7	25.1-34.3
EDUCATION								
Less Than H.S.	143	18828	80	52.7	43.3-62.1	63	47.3	37.8-56.8
H.S. or G.E.D.	472	63500	157	31.7	27.2-36.3	315	68.3	63.3-73.2
Some Post-H.S.	555	80388	140	23.1	19.5-26.6	415	76.9	72.7-81.1
College Graduate	474	66262	80	15.4	12.3-18.6	394	84.6	80.6-88.5
HOUSEHOLD INCOME								
Less than \$15,000	183	25439	81	38.1	30.1-46.1	102	61.9	52.9-70.9
\$15,000- 24,999	281	37267	98	32.6	26.8-38.4	183	67.4	61.1-73.6
\$25,000- 34,999	239	32441	61	22.9	17.6-28.2	178	77.1	71.1-83.0
\$35,000- 49,999	269	37144	52	17.6	13.1-22.0	217	82.4	77.0-87.8
\$50,000- 74,999	237	36033	35	15.6	10.6-20.6	202	84.4	78.4-90.4
\$75,000+	196	28273	31	16.2	10.7-21.6	165	83.8	78.0-89.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 13: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	101
2 MALES ONLY	102
3 FEMALES ONLY	103
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	104
5 MALES ONLY	105
6 FEMALES ONLY	106
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? (MRACE)	
7 MALES AND FEMALES	107
8 MALES ONLY	108
9 FEMALES ONLY	109
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	110
11 MALES ONLY	111
12 FEMALES ONLY	112
ARE YOU..? (WHAT IS YOUR MARITAL STATUS?) (MARITAL)	
13 MALES AND FEMALES	113
14 MALES ONLY	114
15 FEMALES ONLY	115
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
16 MALES AND FEMALES	116
17 MALES ONLY	117
18 FEMALES ONLY	118
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
19 MALES AND FEMALES	119
20 MALES ONLY	120
21 FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 13: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE YOU CURRENTLY..? (WHAT IS YOUR EMPLOYMENT STATUS?) (EMPLOY)	
22	MALES AND FEMALES	122
23	MALES ONLY	123
24	FEMALES ONLY	124
	IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES? (INCOME2)	
25	MALES AND FEMALES	125
26	MALES ONLY	126
27	FEMALES ONLY	127
	ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? (WEIGHT2)	
28	MALES AND FEMALES	128
29	MALES ONLY	129
30	FEMALES ONLY	130
	ABOUT HOW TALL ARE YOU WITHOUT SHOES? (HEIGHT2)	
31	MALES AND FEMALES	131
32	MALES ONLY	132
33	FEMALES ONLY	133
	WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
34	MALES AND FEMALES	134
35	MALES ONLY	135
36	FEMALES ONLY	136
	DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OF FAX MACHINE. (NUMHHOL2)	
37	MALES AND FEMALES	137
38	MALES ONLY	138
39	FEMALES ONLY	139
	HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
40	MALES AND FEMALES	140
41	MALES ONLY	141
42	FEMALES ONLY	142

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 13: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? (TELESERV)	
43	MALES AND FEMALES	143
44	MALES ONLY	144
45	FEMALES ONLY	145
	INDICATE SEX OF RESPONDENT (SEX)	
46	MALES AND FEMALES	146
	TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
47	FEMALES ONLY	147

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3028	484805	200	15.6	13.5-17.7	422	15.7	14.2-17.2	576	18.3	16.8-19.7	663	18.6	17.1-20.0	461	12.3	11.2-13.5	706	19.4	18.0-20.9
SEX																				
Male	1305	240389	88	16.6	13.3-20.0	188	16.6	14.3-18.9	257	18.5	16.2-20.8	296	19.3	17.1-21.6	220	12.3	10.7-14.0	256	16.6	14.5-18.6
Female	1723	244416	112	14.6	12.0-17.2	234	14.9	13.0-16.7	319	18.0	16.1-19.9	367	17.9	16.0-19.7	241	12.3	10.8-13.9	450	22.3	20.2-24.3
RACE																				
Native	80	17507	10	29.8	13.3-46.2	22	27.7	15.9-39.5	13	11.5	4.6-18.4	18	14.3	6.7-21.9	8	7.1	1.7-12.6	9	9.6	2.8-16.4
Non-Native	2920	463745	189	15.2	13.1-17.2	400	15.4	13.9-16.9	561	18.6	17.1-20.1	639	18.8	17.3-20.2	450	12.6	11.4-13.8	681	19.5	18.1-21.0
EDUCATION																				
Less Than H.S.	258	40510	14	14.0	6.1-21.9	12	5.8	2.4-9.2	10	4.3	1.5-7.1	12	4.5	1.6-7.3	31	9.6	6.0-13.3	179	61.8	53.9-69.6
H.S. or G.E.D.	897	144049	74	19.6	15.5-23.7	83	10.2	7.9-12.4	164	18.1	15.3-20.9	172	16.0	13.5-18.5	157	14.4	12.1-16.7	247	21.7	19.0-24.5
Some Post-H.S.	992	163076	75	18.6	14.7-22.5	144	16.0	13.4-18.6	213	19.6	17.0-22.2	262	21.5	18.9-24.2	128	10.6	8.7-12.5	170	13.8	11.6-15.9
College Graduate	878	136829	37	8.5	5.6-11.3	183	24.3	21.0-27.5	189	21.0	18.1-23.9	216	22.0	19.1-24.9	145	13.1	10.9-15.3	108	11.2	9.0-13.4
HOUSEHOLD INCOME																				
Less than \$15,000	262	40278	45	40.3	31.6-48.9	20	6.0	3.1-8.9	27	7.9	4.6-11.2	36	9.1	5.6-12.5	30	7.6	4.5-10.6	104	29.2	23.1-35.3
\$15,000- 24,999	492	75145	46	20.0	14.5-25.5	59	12.9	9.5-16.3	80	15.4	12.0-18.9	71	11.6	8.7-14.5	64	10.8	8.0-13.5	172	29.3	25.0-33.6
\$25,000- 34,999	450	71713	35	18.8	13.1-24.5	78	19.8	15.5-24.0	70	13.9	10.4-17.3	79	13.3	10.2-16.4	69	12.2	9.2-15.1	119	22.2	18.2-26.1
\$35,000- 49,999	571	89692	18	7.2	3.9-10.4	105	22.4	18.4-26.3	133	22.1	18.5-25.7	126	18.3	15.1-21.5	103	15.3	12.3-18.2	86	14.8	11.7-17.9
\$50,000- 74,999	503	83916	14	6.2	2.9-9.5	86	19.0	15.3-22.8	138	28.2	24.0-32.5	154	27.5	23.5-31.6	78	12.9	10.0-15.7	33	6.1	3.9-8.3
\$75,000+	390	64598	12	8.7	3.6-13.8	50	15.1	11.0-19.1	98	24.0	19.5-28.5	132	30.9	26.1-35.8	66	14.0	10.6-17.4	32	7.3	4.7-9.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 2: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	1305	240389	88	16.6	13.3-20.0	188	16.6	14.3-18.9	257	18.5	16.2-20.8	296	19.3	17.1-21.6	220	12.3	10.7-14.0	256	16.6	14.5-18.6
RACE																				
Native	36	10102	5	35.9	11.8-60.1	9	24.7	7.9-41.5	6	12.0	1.8-22.2	5	9.6	0.7-18.5	6	8.8	1.1-16.5	5	9.0	0.1-17.8
Non-Native	1257	228908	83	15.9	12.6-19.2	179	16.4	14.0-18.7	250	18.8	16.5-21.2	288	19.7	17.4-22.0	213	12.5	10.8-14.3	244	16.6	14.6-18.7
EDUCATION																				
Less Than H.S.	111	20580	5	14.2	1.2-27.2	7	7.5	1.8-13.1	6	6.3	1.3-11.4	6	4.9	0.8-9.0	14	8.0	3.3-12.7	73	59.1	47.0-71.2
H.S. or G.E.D.	409	76806	45	24.8	18.5-31.1	45	11.5	8.1-14.9	86	19.7	15.5-23.9	88	17.1	13.4-20.8	65	11.8	8.9-14.8	80	15.1	11.7-18.5
Some Post-H.S.	412	77571	30	18.7	12.6-24.9	60	16.5	12.4-20.7	99	20.8	16.7-24.9	105	21.7	17.5-25.8	65	11.7	8.7-14.6	53	10.6	7.7-13.5
College Graduate	372	65276	8	5.4	1.3-9.6	76	25.6	20.5-30.7	66	18.3	14.0-22.6	97	23.7	19.1-28.3	76	15.2	11.7-18.6	49	11.8	8.5-15.1
HOUSEHOLD INCOME																				
Less than \$15,000	69	12091	11	41.0	24.1-57.9	4	4.4	0.0-8.9	9	10.0	2.8-17.2	12	12.2	4.0-20.4	9	5.9	1.7-10.2	24	26.4	14.8-38.1
\$15,000- 24,999	201	35856	21	21.5	12.6-30.4	24	13.8	8.3-19.2	37	17.0	11.5-22.6	26	10.9	6.5-15.3	33	11.8	7.5-16.1	60	24.9	18.7-31.2
\$25,000- 34,999	195	37028	18	22.5	13.6-31.3	39	21.6	15.2-28.1	32	14.0	8.9-19.1	28	9.6	5.8-13.4	22	8.4	4.8-12.1	56	23.8	17.7-30.0
\$35,000- 49,999	288	49811	7	6.0	1.7-10.4	51	22.1	16.5-27.8	59	19.0	14.2-23.8	63	19.4	14.7-24.1	57	15.5	11.5-19.6	51	17.9	13.1-22.6
\$50,000- 74,999	252	45033	4	3.7	0.0-7.6	36	17.8	12.4-23.2	70	30.2	24.0-36.4	80	28.7	22.9-34.5	45	14.2	10.0-18.4	17	5.3	2.7-8.0
\$75,000+	187	35358	9	12.8	4.5-21.1	23	14.8	8.9-20.8	43	21.2	15.1-27.4	64	31.2	24.0-38.3	36	14.5	9.7-19.3	12	5.4	2.3-8.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	1723	244416	112	14.6	12.1-17.2	234	14.9	13.0-16.7	319	18.0	16.1-19.9	367	17.9	16.0-19.7	241	12.3	10.8-13.9	450	22.3	20.3-24.3
RACE																				
Native	44	7405	5	21.3	3.7-38.9	13	31.8	16.3-47.3	7	10.7	2.1-19.3	13	20.7	8.3-33.1	2	4.9	0.0-12.7	4	10.5	0.1-21.0
Non-Native	1663	234838	106	14.4	11.8-17.0	221	14.5	12.6-16.3	311	18.3	16.3-20.3	351	17.8	15.9-19.7	237	12.6	11.0-14.2	437	22.3	20.3-24.4
EDUCATION																				
Less Than H.S.	147	19930	9	13.9	5.0-22.7	5	4.1	0.5-7.8	4	2.1	0.0-4.3	6	4.0	0.1-7.9	17	11.3	5.8-16.9	106	64.5	54.8-74.2
H.S. or G.E.D.	488	67243	29	13.7	8.8-18.6	38	8.6	5.8-11.3	78	16.4	12.8-20.0	84	14.7	11.5-17.9	92	17.3	13.8-20.9	167	29.3	25.1-33.6
Some Post-H.S.	580	85505	45	18.4	13.5-23.3	84	15.5	12.2-18.7	114	18.5	15.1-21.8	157	21.4	18.0-24.7	63	9.6	7.2-12.1	117	16.6	13.6-19.7
College Graduate	506	71553	29	11.2	7.3-15.2	107	23.1	19.1-27.1	123	23.4	19.5-27.3	119	20.4	16.8-24.1	69	11.2	8.5-13.9	59	10.6	7.8-13.5
HOUSEHOLD INCOME																				
Less than \$15,000	193	28187	34	39.9	29.9-50.0	16	6.7	3.1-10.3	18	7.0	3.5-10.5	24	7.7	4.3-11.2	21	8.3	4.3-12.2	80	30.3	23.3-37.4
\$15,000- 24,999	291	39289	25	18.6	12.0-25.2	35	12.1	7.9-16.3	43	14.0	9.7-18.3	45	12.2	8.4-16.1	31	9.8	6.2-13.3	112	33.3	27.5-39.1
\$25,000- 34,999	255	34686	17	14.8	8.0-21.7	39	17.8	12.4-23.1	38	13.8	9.1-18.4	51	17.1	12.3-22.0	47	16.2	11.5-20.8	63	20.4	15.4-25.4
\$35,000- 49,999	283	39881	11	8.6	3.7-13.4	54	22.6	17.2-28.1	74	25.9	20.4-31.4	63	16.9	12.7-21.1	46	15.0	10.7-19.2	35	11.0	7.3-14.8
\$50,000- 74,999	251	38883	10	9.1	3.7-14.6	50	20.5	15.3-25.7	68	25.9	20.3-31.5	74	26.2	20.5-31.9	33	11.3	7.5-15.1	16	7.0	3.4-10.5
\$75,000+	203	29240	3	3.8	0.0-8.3	27	15.3	9.9-20.7	55	27.3	20.9-33.8	68	30.7	24.2-37.1	30	13.3	8.7-18.0	20	9.5	5.4-13.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3030	485095	36	1.3	0.8-1.9	2994	98.6	98.1-99.2
SEX								
Male	1305	240651	11	0.9	0.3-1.6	1294	99.1	98.4-99.7
Female	1725	244444	25	1.8	1.0-2.5	1700	98.3	97.4-99.1
AGE								
18-24	200	75791	6	2.9	0.4-5.3	194	97.1	94.7-99.6
25-34	422	76271	8	1.7	0.5-2.9	414	98.3	97.1-99.5
35-44	574	88226	5	0.8	0.1-1.6	569	99.1	98.3-100.0
45-54	660	89821	1	0.1	0.0-0.3	659	99.9	99.5-100.0
55-64	459	59634	5	1.3	0.1-2.5	454	98.7	97.4-99.9
65+	698	93160	11	1.5	0.6-2.5	687	98.5	97.1-99.8
EDUCATION								
Less Than H.S.	255	39966	3	1.1	0.0-2.4	252	98.9	96.8-100.0
H.S. or G.E.D.	895	143811	19	2.7	1.3-4.1	876	97.3	95.8-98.8
Some Post-H.S.	994	163396	9	0.8	0.3-1.4	985	99.2	98.6-99.8
College Graduate	880	137191	5	0.6	0.1-1.2	875	99.3	98.7-100.0
HOUSEHOLD INCOME								
Less than \$15,000	263	40290	3	0.9	0.0-2.0	260	99.1	97.9-100.0
\$15,000- 24,999	485	74362	9	2.3	0.7-3.8	476	97.7	95.9-99.5
\$25,000- 34,999	449	71572	7	1.6	0.4-2.9	442	98.4	97.0-99.7
\$35,000- 49,999	570	89561	2	0.3	0.0-0.8	568	99.7	99.1-100.0
\$50,000- 74,999	503	83916	7	1.9	0.2-3.6	496	98.1	96.4-99.8
\$75,000+	393	64949	0		0.0-0.0	393	100.0	100.0-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY									
SEX									
Male	1305	240651	11	0.9	0.3-1.6	1294	99.1	98.4-99.7	
AGE									
18-24	88	40034	2	2.0	0.0-4.9	86	98.0	95.1-100.0	
25-34	188	39946	4	1.7	0.0-3.5	184	98.3	96.5-100.0	
35-44	256	44372	1	0.4	0.0-1.2	255	99.6	98.7-100.0	
45-54	294	46230	1	0.2	0.0-0.5	293	99.8	99.0-100.0	
55-64	219	29594	0		0.0-0.0	219	100.0	99.5-100.0	
65+	255	39699	3	1.3	0.0-2.8	252	98.7	97.1-100.0	
EDUCATION									
Less Than H.S.	109	20392	2	1.7	0.0-4.2	107	98.3	95.5-100.0	
H.S. or G.E.D.	408	76713	5	1.4	0.0-2.8	403	98.6	97.1-100.0	
Some Post-H.S.	413	77803	3	0.8	0.0-1.8	410	99.1	98.2-100.0	
College Graduate	373	65431	1	0.3	0.0-0.9	372	99.7	99.0-100.0	
HOUSEHOLD INCOME									
Less than \$15,000	69	12091	0		0.0-0.0	69	100.0	100.0-100.0	
\$15,000- 24,999	198	35566	4	2.3	0.0-4.6	194	97.7	95.1-100.0	
\$25,000- 34,999	195	37028	4	1.7	0.0-3.4	191	98.3	96.6-100.0	
\$35,000- 49,999	288	49811	1	0.2	0.0-0.5	287	99.8	99.5-100.0	
\$50,000- 74,999	252	45033	1	0.5	0.0-1.4	251	99.5	98.6-100.0	
\$75,000+	189	35591	0		0.0-0.0	189	100.0	100.0-100.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	1725	244444	25	1.8	1.0-2.5	1700	98.3	97.4-99.1	
AGE									
18-24	112	35757	4	3.9	0.0-7.9	108	96.1	92.1-100.0	
25-34	234	36325	4	1.7	0.0-3.4	230	98.3	96.6-100.0	
35-44	318	43855	4	1.3	0.0-2.6	314	98.7	97.2-100.0	
45-54	366	43591	0		0.0-0.0	366	100.0	99.6-100.0	
55-64	240	30040	5	2.6	0.3-4.9	235	97.4	94.9-99.8	
65+	443	53461	8	1.7	0.5-3.0	435	98.3	96.4-100.0	
EDUCATION									
Less Than H.S.	146	19573	1	0.5	0.0-1.5	145	99.5	96.3-100.0	
H.S. or G.E.D.	487	67098	14	4.2	1.7-6.7	473	95.8	93.2-98.4	
Some Post-H.S.	581	85592	6	0.8	0.1-1.4	575	99.2	98.5-100.0	
College Graduate	507	71760	4	0.9	0.0-1.9	503	99.0	98.1-100.0	
HOUSEHOLD INCOME									
Less than \$15,000	194	28198	3	1.3	0.0-2.8	191	98.7	97.0-100.0	
\$15,000- 24,999	287	38796	5	2.3	0.1-4.4	282	97.7	95.3-100.0	
\$25,000- 34,999	254	34544	3	1.6	0.0-3.5	251	98.4	96.4-100.0	
\$35,000- 49,999	282	39750	1	0.5	0.0-1.5	281	99.5	98.4-100.0	
\$50,000- 74,999	251	38883	6	3.6	0.1-7.0	245	96.4	93.0-99.9	
\$75,000+	204	29358	0		0.0-0.0	204	100.0	100.0-100.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3043	486784	3014	98.9	98.4-99.4	29	1.1	0.6-1.6
SEX								
Male	1310	241165	1297	98.9	98.3-99.6	13	1.1	0.4-1.7
Female	1733	245619	1717	98.9	98.3-99.6	16	1.1	0.4-1.7
AGE								
18-24	200	75791	194	97.3	95.1-99.6	6	2.6	0.4-4.9
25-34	422	76271	420	99.6	99.0-100.0	2	0.4	0.0-1.0
35-44	576	88461	567	98.6	97.6-99.6	9	1.4	0.4-2.4
45-54	663	90142	659	99.5	98.9-100.0	4	0.5	0.0-1.1
55-64	461	59834	455	98.3	96.8-99.8	6	1.7	0.3-3.2
65+	704	94093	702	99.7	99.3-100.0	2	0.3	0.0-0.6
EDUCATION								
Less Than H.S.	260	40687	258	98.9	97.4-100.0	2	1.1	0.0-2.6
H.S. or G.E.D.	900	144510	885	97.8	96.6-99.1	15	2.2	0.9-3.4
Some Post-H.S.	995	163497	989	99.4	98.8-100.0	6	0.6	0.1-1.2
College Graduate	882	137357	876	99.5	99.1-99.9	6	0.5	0.1-0.9
HOUSEHOLD INCOME								
Less than \$15,000	263	40290	258	97.7	94.7-100.0	5	2.3	0.0-5.2
\$15,000- 24,999	493	75301	484	97.8	96.3-99.3	9	2.2	0.7-3.7
\$25,000- 34,999	450	71713	443	98.5	97.2-99.8	7	1.5	0.2-2.8
\$35,000- 49,999	571	89692	568	99.4	98.6-100.0	3	0.6	0.0-1.4
\$50,000- 74,999	503	83916	501	99.7	99.2-100.0	2	0.3	0.0-0.8
\$75,000+	393	64949	392	99.8	99.3-100.0	1	0.2	0.0-0.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1310	241165	1297	98.9	98.3-99.6	13	1.1	0.4-1.7
AGE								
18-24	88	40034	84	97.1	94.2-100.0	4	2.9	0.0-5.8
25-34	188	39946	187	99.5	98.4-100.0	1	0.5	0.0-1.6
35-44	257	44465	253	98.4	96.8-100.0	4	1.6	0.0-3.2
45-54	296	46463	294	99.5	98.8-100.0	2	0.5	0.0-1.2
55-64	220	29663	218	98.8	97.2-100.0	2	1.1	0.0-2.8
65+	256	39818	256	100.0	100.0-100.0	0		0.0-0.0
EDUCATION								
Less Than H.S.	111	20580	111	100.0	100.0-100.0	0		0.0-0.0
H.S. or G.E.D.	410	76961	400	97.6	96.1-99.2	10	2.4	0.8-3.9
Some Post-H.S.	413	77803	411	99.2	98.1-100.0	2	0.8	0.0-1.9
College Graduate	374	65509	373	99.7	99.2-100.0	1	0.3	0.0-0.8
HOUSEHOLD INCOME								
Less than \$15,000	69	12091	69	100.0	100.0-100.0	0		0.0-0.0
\$15,000- 24,999	202	36011	196	97.4	95.2-99.5	6	2.6	0.5-4.8
\$25,000- 34,999	195	37028	191	97.9	95.5-100.0	4	2.1	0.0-4.5
\$35,000- 49,999	288	49811	287	99.4	98.3-100.0	1	0.6	0.0-1.7
\$50,000- 74,999	252	45033	252	100.0	100.0-100.0	0		0.0-0.0
\$75,000+	189	35591	189	100.0	100.0-100.0	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? (MRACE)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1733	245619	1717	98.9	98.3-99.6	16	1.1	0.4-1.7
AGE								
18-24	112	35757	110	97.6	94.1-100.0	2	2.4	0.0-5.9
25-34	234	36325	233	99.8	99.3-100.0	1	0.2	0.0-0.7
35-44	319	43996	314	98.7	97.5-99.9	5	1.3	0.1-2.5
45-54	367	43679	365	99.5	98.6-100.0	2	0.5	0.0-1.4
55-64	241	30171	237	97.7	95.3-100.0	4	2.3	0.0-4.7
65+	448	54275	446	99.6	98.7-100.0	2	0.4	0.0-1.0
EDUCATION								
Less Than H.S.	149	20107	147	97.8	94.7-100.0	2	2.2	0.0-5.3
H.S. or G.E.D.	490	67549	485	98.1	96.0-100.0	5	1.9	0.0-4.0
Some Post-H.S.	582	85694	578	99.5	99.0-100.0	4	0.5	0.0-1.0
College Graduate	508	71848	503	99.3	98.6-99.9	5	0.7	0.1-1.4
HOUSEHOLD INCOME								
Less than \$15,000	194	28198	189	96.7	92.5-100.0	5	3.3	0.0-7.5
\$15,000- 24,999	291	39289	288	98.1	96.0-100.0	3	1.9	0.0-4.0
\$25,000- 34,999	255	34686	252	99.1	98.1-100.0	3	0.9	0.0-1.9
\$35,000- 49,999	283	39881	281	99.3	98.3-100.0	2	0.7	0.0-1.7
\$50,000- 74,999	251	38883	249	99.3	98.3-100.0	2	0.7	0.0-1.7
\$75,000+	204	29358	203	99.5	98.6-100.0	1	0.5	0.0-1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	30	5250	21	72.4	53.0-91.8			0.0-0.0	1	2.7	0.0-7.7			0.0-0.0	8	24.9	7.2-42.7			0.0-0.0
SEX																				
Male	12	2372	8	66.8	36.8-96.9			0.0-0.0	0		0.0-0.0			0.0-0.0	4	33.1	5.6-60.7			0.0-0.0
Female	18	2878	13	76.9	53.8-100.0			0.0-0.0	1	4.9	0.0-14.6			0.0-0.0	4	18.2	0.0-39.4			0.0-0.0
AGE																				
18-24	5	1742	4	79.7	40.5-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	1	20.3	0.0-52.3			0.0-0.0
25-34	2	291	2	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
35-44	9	1265	6	72.2	41.6-100.0			0.0-0.0	1	11.2	0.0-32.4			0.0-0.0	2	16.6	0.0-40.5			0.0-0.0
45-54	4	469	2	54.3	0.3-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	2	45.7	0.0-99.7			0.0-0.0
55-64	6	1031	3	48.5	3.4-93.7			0.0-0.0	0		0.0-0.0			0.0-0.0	3	51.4	6.3-96.6			0.0-0.0
65+	4	454	4	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
EDUCATION																				
Less Than H.S.	2	436	1	32.4	0.0-93.1			0.0-0.0	0		0.0-0.0			0.0-0.0	1	67.6	6.9-100.0			0.0-0.0
H.S. or G.E.D.	15	2967	12	85.4	63.8-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	3	14.6	0.0-30.2			0.0-0.0
Some Post-H.S.	7	1145	4	57.7	12.7-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	3	42.3	0.0-87.3			0.0-0.0
College Graduate	6	702	4	65.8	25.2-100.0			0.0-0.0	1	20.1	0.0-55.6			0.0-0.0	1	14.0	0.0-40.3			0.0-0.0
HOUSEHOLD INCOME																				
Less than \$15,000	6	1034	3	77.9	43.9-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	3	22.0	0.0-56.1			0.0-0.0
\$15,000- 24,999	9	1681	6	66.0	34.6-97.4			0.0-0.0	0		0.0-0.0			0.0-0.0	3	34.0	2.6-65.4			0.0-0.0
\$25,000- 34,999	7	1095	5	53.5	9.4-97.5			0.0-0.0	0		0.0-0.0			0.0-0.0	2	46.5	2.5-90.6			0.0-0.0
\$35,000- 49,999	3	555	3	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
\$50,000- 74,999	2	283	2	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
\$75,000+	1	141	0		0.0-0.0			0.0-0.0	1	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	12	2372	8	66.8	35.2-98.5			0.0-0.0			0.0-0.0			0.0-0.0	4	33.1	4.7-61.6			0.0-0.0
AGE																				
18-24	3	886	2	60.0	7.7-100.0			0.0-0.0			0.0-0.0			0.0-0.0	1	40.0	0.0-91.1			0.0-0.0
25-34	1	212	1	100.0	100.0-100.0			0.0-0.0			0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
35-44	4	699	3	80.0	39.0-100.0			0.0-0.0			0.0-0.0			0.0-0.0	1	20.0	0.0-61.0			0.0-0.0
45-54	2	233	1	33.3	0.0-98.7			0.0-0.0			0.0-0.0			0.0-0.0	1	66.7	1.3-100.0			0.0-0.0
55-64	2	342	1	60.0	0.0-100.0			0.0-0.0			0.0-0.0			0.0-0.0	1	40.0	0.0-100.0			0.0-0.0
EDUCATION																				
H.S. or G.E.D.	9	1552	6	72.2	39.0-100.0			0.0-0.0			0.0-0.0			0.0-0.0	3	27.8	0.3-55.4			0.0-0.0
Some Post-H.S.	2	634	1	44.1	0.0-100.0			0.0-0.0			0.0-0.0			0.0-0.0	1	55.9	0.0-100.0			0.0-0.0
College Graduate	1	186	1	100.0	100.0-100.0			0.0-0.0			0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
HOUSEHOLD INCOME																				
\$15,000- 24,999	6	946	4	70.7	34.3-100.0			0.0-0.0			0.0-0.0			0.0-0.0	2	29.3	0.0-65.7			0.0-0.0
\$25,000- 34,999	4	793	2	35.7	0.0-84.9			0.0-0.0			0.0-0.0			0.0-0.0	2	64.3	15.1-100.0			0.0-0.0
\$35,000- 49,999	1	280	1	100.0	100.0-100.0			0.0-0.0			0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black or African American			Asian			Native Hawaiian or P.I.			Am. Indian or Alaskan Native			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	18	2878	13	76.9	52.9-100.0			0.0-0.0	1	4.9	0.0-14.6			0.0-0.0	4	18.2	0.0-40.0			0.0-0.0
AGE																				
18-24	2	856	2	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
25-34	1	79	1	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
35-44	5	566	3	62.5	16.8-100.0			0.0-0.0	1	25.0	0.0-68.2			0.0-0.0	1	12.5	0.0-37.6			0.0-0.0
45-54	2	236	1	75.0	20.9-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	1	25.0	0.0-79.1			0.0-0.0
55-64	4	688	2	42.9	0.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	2	57.1	0.0-100.0			0.0-0.0
65+	4	454	4	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
EDUCATION																				
Less Than H.S.	2	436	1	32.4	0.0-93.1			0.0-0.0	0		0.0-0.0			0.0-0.0	1	67.6	6.9-100.0			0.0-0.0
H.S. or G.E.D.	6	1415	6	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
Some Post-H.S.	5	511	3	74.6	39.2-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	2	25.4	0.0-60.8			0.0-0.0
College Graduate	5	515	3	53.5	5.3-100.0			0.0-0.0	1	27.4	0.0-71.8			0.0-0.0	1	19.1	0.0-54.2			0.0-0.0
HOUSEHOLD INCOME																				
Less than \$15,000	6	1034	3	77.9	42.7-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	3	22.0	0.0-57.3			0.0-0.0
\$15,000- 24,999	3	735	2	59.9	2.7-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	1	40.1	0.0-97.3			0.0-0.0
\$25,000- 34,999	3	303	3	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
\$35,000- 49,999	2	275	2	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
\$50,000- 74,999	2	283	2	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0			0.0-0.0
\$75,000+	1	141	0		0.0-0.0			0.0-0.0	1	100.0	100.0-100.0			0.0-0.0	0		0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 13: ARE YOU..? (WHAT IS YOUR MARITAL STATUS?) (MARITAL)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3037	486019	1812	62.9	60.9-65.0	371	8.0	7.1-8.9	354	7.2	6.4-8.0	25	0.5	0.3-0.7	418	18.3	16.3-20.3	57	3.0	2.2-3.9
SEX																				
Male	1307	240736	804	62.5	59.2-65.7	174	8.2	6.9-9.6	55	2.4	1.8-3.1	9	0.4	0.1-0.7	234	22.8	19.6-26.0	31	3.7	2.3-5.1
Female	1730	245284	1008	63.3	60.7-66.0	197	7.8	6.6-9.1	299	12.0	10.5-13.4	16	0.5	0.2-0.8	184	14.0	11.6-16.3	26	2.4	1.3-3.4
RACE																				
Native	80	17507	37	42.5	29.0-56.0	13	9.0	3.4-14.6	4	2.0	0.0-4.0	3	1.6	0.0-3.6	19	38.0	22.4-53.7	4	6.8	0.0-14.4
Non-Native	2931	465166	1767	63.8	61.7-65.9	351	7.9	7.0-8.8	342	7.3	6.5-8.1	21	0.4	0.2-0.6	397	17.7	15.7-19.7	53	2.9	2.0-3.8
AGE																				
18-24	199	75614	43	18.1	12.8-23.4	2	0.9	0.0-2.1	0		0.0-0.0	1	0.2	0.0-0.5	134	71.7	65.2-78.2	19	9.1	4.9-13.4
25-34	421	76112	270	67.8	63.0-72.6	35	6.0	3.9-8.2	1	0.1	0.0-0.3	2	0.3	0.0-0.8	93	19.4	15.4-23.5	20	6.3	3.4-9.2
35-44	574	88262	387	75.2	71.6-78.7	96	12.3	9.8-14.9	1	0.1	0.0-0.2	6	0.7	0.1-1.3	77	10.3	7.9-12.8	7	1.3	0.3-2.4
45-54	660	89818	458	79.1	76.1-82.1	112	12.1	9.7-14.5	17	1.5	0.8-2.3	11	0.9	0.3-1.4	57	5.7	4.1-7.2	5	0.8	0.1-1.5
55-64	461	59834	327	79.2	75.6-82.9	72	11.4	8.6-14.3	32	4.7	3.0-6.4	3	0.4	0.0-0.8	25	3.5	2.0-5.0	2	0.7	0.0-1.8
65+	706	94306	318	57.6	53.7-61.4	53	5.5	4.0-7.1	300	32.6	29.1-36.1	2	0.2	0.0-0.5	30	3.7	2.2-5.2	3	0.4	0.0-0.9
EDUCATION																				
Less Than H.S.	260	40687	110	48.3	40.9-55.8	23	6.5	3.5-9.4	93	24.1	18.7-29.4	3	1.0	0.0-2.1	27	17.8	10.0-25.6	4	2.4	0.0-5.0
H.S. or G.E.D.	898	144163	500	57.8	53.9-61.7	114	8.4	6.7-10.2	129	8.6	7.0-10.2	8	0.4	0.1-0.8	130	21.6	17.6-25.5	17	3.1	1.6-4.7
Some Post-H.S.	994	163404	613	62.0	58.2-65.7	140	9.1	7.5-10.7	85	5.2	4.1-6.4	8	0.4	0.1-0.7	124	19.1	15.4-22.8	24	4.2	2.3-6.0
College Graduate	880	137150	587	73.8	70.5-77.0	94	6.8	5.3-8.4	45	3.1	2.2-4.1	6	0.4	0.1-0.8	137	14.2	11.4-17.1	11	1.6	0.5-2.7
HOUSEHOLD INCOME																				
Less than \$15,000	263	40290	40	18.6	12.5-24.7	60	15.4	10.9-19.9	78	18.6	14.1-23.1	8	1.5	0.4-2.6	70	41.3	33.0-49.7	7	4.5	0.7-8.3
\$15,000- 24,999	493	75301	193	45.4	40.2-50.6	90	13.0	10.1-15.8	97	12.8	10.1-15.5	4	0.3	0.0-0.6	102	25.1	19.9-30.4	7	3.3	0.9-5.8
\$25,000- 34,999	450	71713	226	55.0	49.6-60.5	74	11.7	8.7-14.6	52	7.1	5.1-9.1	4	0.6	0.0-1.1	84	21.5	16.3-26.6	10	4.2	1.3-7.2
\$35,000- 49,999	571	89692	391	73.9	69.8-78.0	77	8.1	6.1-10.0	21	2.1	1.2-3.1	2	0.2	0.0-0.4	64	11.6	8.2-14.9	16	4.1	1.9-6.4
\$50,000- 74,999	502	83798	419	84.6	80.8-88.4	31	4.2	2.6-5.9	14	1.9	0.9-3.0	3	0.3	0.0-0.6	29	7.2	4.0-10.4	6	1.7	0.3-3.1
\$75,000+	392	64856	347	85.4	80.1-90.7	11	2.0	0.7-3.2	7	0.9	0.2-1.6	1	0.2	0.0-0.5	19	9.3	4.3-14.4	7	2.2	0.4-3.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 14: ARE YOU..? (WHAT IS YOUR MARITAL STATUS?) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	1307	240736	804	62.5	59.3-65.7	174	8.2	6.9-9.6	55	2.4	1.8-3.1	9	0.4	0.1-0.7	234	22.8	19.6-26.0	31	3.7	2.3-5.1
RACE																				
Native	36	10102	19	40.7	21.3-60.1	2	2.1	0.0-5.1	1	0.7	0.0-2.0	2	2.3	0.0-5.6	10	46.6	24.3-68.8	2	7.7	0.0-19.8
Non-Native	1259	229254	783	63.6	60.4-66.8	167	8.3	7.0-9.7	51	2.4	1.7-3.0	6	0.3	0.0-0.5	223	21.8	18.7-25.0	29	3.5	2.2-4.9
AGE																				
18-24	87	39857	12	11.6	5.0-18.1	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	67	80.0	71.5-88.5	8	8.4	2.6-14.3
25-34	187	39787	107	60.8	53.3-68.3	12	5.1	2.1-8.0	0		0.0-0.0	1	0.3	0.0-0.8	53	24.0	17.6-30.4	14	9.9	4.7-15.1
35-44	256	44372	152	68.8	63.1-74.5	49	14.0	10.0-18.0	0		0.0-0.0	2	0.6	0.0-1.6	50	15.3	10.9-19.8	3	1.3	0.0-2.7
45-54	296	46463	205	79.7	75.4-84.0	52	12.1	8.6-15.6	3	0.5	0.0-1.1	3	0.6	0.0-1.2	31	6.4	4.0-8.9	2	0.7	0.0-1.6
55-64	220	29663	166	82.9	78.1-87.7	31	9.7	6.1-13.3	4	1.1	0.0-2.3	1	0.3	0.0-1.0	16	4.4	2.1-6.7	2	1.5	0.0-3.7
65+	256	39818	159	72.6	67.3-77.8	30	7.8	4.9-10.7	48	13.3	9.6-17.0	2	0.5	0.0-1.2	15	5.2	2.4-7.9	2	0.7	0.0-1.7
EDUCATION																				
Less Than H.S.	111	20580	58	55.2	43.4-67.0	12	5.7	2.1-9.4	17	9.2	4.7-13.8	1	0.5	0.0-1.5	20	26.5	13.7-39.3	3	2.8	0.0-6.3
H.S. or G.E.D.	408	76625	218	52.5	46.7-58.2	67	10.4	7.7-13.1	15	2.1	1.0-3.2	1	0.2	0.0-0.7	96	30.8	24.8-36.8	11	4.0	1.6-6.4
Some Post-H.S.	412	77710	267	62.7	56.8-68.6	58	8.3	6.1-10.6	10	1.6	0.5-2.6	4	0.4	0.0-0.8	61	22.0	16.1-27.8	12	5.0	1.9-8.1
College Graduate	374	65509	259	76.0	70.9-81.0	37	6.4	4.1-8.7	13	1.8	0.8-2.7	3	0.5	0.0-1.1	57	13.3	8.9-17.7	5	2.1	0.1-4.1
HOUSEHOLD INCOME																				
Less than \$15,000	69	12091	13	25.9	11.7-40.1	18	15.8	7.1-24.6	8	7.2	2.0-12.4	1	0.6	0.0-1.9	28	49.2	33.5-64.8	1	1.3	0.0-3.8
\$15,000- 24,999	202	36011	90	46.8	38.7-54.9	35	11.0	7.1-15.0	17	5.2	2.7-7.7	0		0.0-0.0	56	33.3	24.7-41.8	4	3.7	0.1-7.3
\$25,000- 34,999	195	37028	97	51.6	43.4-59.7	34	11.7	7.4-16.0	11	3.4	1.4-5.4	2	0.5	0.0-1.3	44	26.0	18.0-34.0	7	6.8	1.4-12.2
\$35,000- 49,999	288	49811	186	69.2	63.2-75.2	44	9.6	6.6-12.5	6	1.1	0.2-2.0	1	0.2	0.0-0.6	41	14.3	9.3-19.3	10	5.6	1.9-9.3
\$50,000- 74,999	252	45033	201	83.6	78.5-88.8	24	6.1	3.5-8.7	7	1.4	0.3-2.4	2	0.3	0.0-0.8	16	7.5	3.1-11.9	2	1.0	0.0-2.6
\$75,000+	188	35498	157	79.5	71.2-87.9	9	2.9	0.9-4.9	1	0.2	0.0-0.6	1	0.3	0.0-1.0	15	13.8	5.5-22.0	5	3.3	0.3-6.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 15: ARE YOU..? (WHAT IS YOUR MARITAL STATUS?) (MARITAL)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	1730	245284	1008	63.3	60.7-65.9	197	7.8	6.6-9.1	299	12.0	10.5-13.4	16	0.5	0.2-0.8	184	14.0	11.6-16.3	26	2.4	1.3-3.4
RACE																				
Native	44	7405	18	45.0	27.9-62.2	11	18.5	6.8-30.2	3	3.8	0.0-8.2	1	0.7	0.0-2.1	9	26.4	9.0-43.8	2	5.5	0.0-13.0
Non-Native	1672	235912	984	64.0	61.3-66.7	184	7.4	6.3-8.6	291	12.1	10.6-13.6	15	0.5	0.2-0.8	174	13.7	11.3-16.0	24	2.3	1.2-3.3
AGE																				
18-24	112	35757	31	25.4	17.2-33.6	2	1.8	0.0-4.4	0		0.0-0.0	1	0.4	0.0-1.1	67	62.4	52.9-71.9	11	9.9	3.9-16.0
25-34	234	36325	163	75.4	69.8-81.1	23	7.1	4.1-10.1	1	0.2	0.0-0.7	1	0.4	0.0-1.3	40	14.4	9.7-19.2	6	2.4	0.4-4.4
35-44	318	43890	235	81.6	77.5-85.7	47	10.7	7.4-14.0	1	0.2	0.0-0.5	4	0.8	0.0-1.5	27	5.3	3.2-7.4	4	1.4	0.0-2.9
45-54	364	43355	253	78.4	74.2-82.5	60	12.0	8.8-15.2	14	2.6	1.2-4.0	8	1.2	0.4-2.1	26	4.8	2.9-6.8	3	0.9	0.0-2.1
55-64	241	30171	161	75.6	70.2-81.0	41	13.1	8.7-17.5	28	8.1	5.0-11.3	2	0.4	0.0-1.0	9	2.7	0.8-4.7	0		0.0-0.0
65+	450	54488	159	46.6	41.5-51.7	23	3.8	2.2-5.5	252	46.7	41.7-51.6	0		0.0-0.0	15	2.6	1.2-4.1	1	0.3	0.0-0.7
EDUCATION																				
Less Than H.S.	149	20107	52	41.3	32.0-50.7	11	7.2	2.5-11.9	76	39.2	30.5-48.0	2	1.4	0.0-3.4	7	8.8	1.5-16.1	1	2.0	0.0-5.8
H.S. or G.E.D.	490	67538	282	63.8	58.9-68.8	47	6.3	4.3-8.2	114	16.0	13.0-19.1	7	0.6	0.2-1.1	34	11.1	6.7-15.5	6	2.1	0.2-4.0
Some Post-H.S.	582	85694	346	61.3	56.5-66.0	82	9.8	7.4-12.2	75	8.6	6.6-10.6	4	0.4	0.0-0.7	63	16.5	12.0-21.1	12	3.4	1.2-5.6
College Graduate	506	71642	328	71.8	67.5-76.0	57	7.3	5.2-9.3	32	4.4	2.8-6.0	3	0.3	0.0-0.8	80	15.1	11.4-18.7	6	1.2	0.2-2.2
HOUSEHOLD INCOME																				
Less than \$15,000	194	28199	27	15.5	9.5-21.4	42	15.2	10.0-20.5	70	23.5	17.6-29.5	7	1.9	0.4-3.3	42	38.0	28.1-47.9	6	5.9	0.6-11.2
\$15,000- 24,999	291	39289	103	44.1	37.4-50.7	55	14.7	10.6-18.8	80	19.8	15.4-24.3	4	0.6	0.0-1.2	46	17.7	12.1-23.4	3	3.0	0.0-6.4
\$25,000- 34,999	255	34686	129	58.7	51.8-65.6	40	11.6	7.6-15.7	41	11.0	7.5-14.4	2	0.6	0.0-1.5	40	16.6	10.5-22.8	3	1.5	0.0-3.3
\$35,000- 49,999	283	39881	205	79.8	74.8-84.8	33	6.1	3.9-8.4	15	3.4	1.6-5.2	1	0.1	0.0-0.4	23	8.1	4.1-12.2	6	2.3	0.4-4.3
\$50,000- 74,999	250	38765	218	85.8	80.2-91.3	7	2.1	0.2-4.0	7	2.6	0.6-4.6	1	0.2	0.0-0.7	13	6.9	2.3-11.5	4	2.4	0.0-4.9
\$75,000+	204	29358	190	92.5	87.6-97.4	2	0.9	0.0-2.1	6	1.8	0.3-3.2	0		0.0-0.0	4	4.0	0.0-8.5	2	0.8	0.0-2.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 16: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3031	483697	384	14.7	13.2-16.3	411	14.5	13.1-16.0	170	6.3	5.3-7.3	55	1.9	1.4-2.4	11	0.5	0.2-0.7	2000	62.0	60.0-64.1
SEX																				
Male	1305	239326	160	15.0	12.5-17.4	175	14.6	12.4-16.8	75	6.7	5.2-8.3	19	1.5	0.8-2.3	5	0.4	0.0-0.8	871	61.7	58.6-64.9
Female	1726	244371	224	14.5	12.5-16.5	236	14.4	12.6-16.3	95	5.9	4.7-7.2	36	2.3	1.5-3.1	6	0.5	0.1-1.0	1129	62.3	59.7-64.9
RACE																				
Native	79	17271	15	23.3	8.5-38.2	19	27.7	14.5-41.0	13	18.3	7.5-29.0	2	2.0	0.0-5.0	3	5.0	0.0-10.6	27	23.6	13.7-33.5
Non-Native	2924	462873	367	14.4	12.9-16.0	392	14.1	12.7-15.6	157	5.9	5.0-6.9	53	1.9	1.4-2.5	7	0.3	0.1-0.5	1948	63.3	61.3-65.3
AGE																				
18-24	198	74465	47	22.9	16.3-29.4	17	8.8	4.4-13.2	7	4.0	1.0-7.0	1	0.5	0.0-1.4	0		0.0-0.0	126	63.9	56.4-71.3
25-34	417	75486	80	20.0	15.9-24.2	110	26.4	21.8-30.9	55	13.8	10.2-17.3	22	5.3	3.0-7.6	2	0.6	0.0-1.3	148	34.0	29.1-38.8
35-44	572	87641	100	17.9	14.5-21.4	190	34.4	30.2-38.6	82	14.9	11.8-18.0	27	4.8	2.9-6.6	6	1.1	0.2-2.0	167	26.9	22.9-30.8
45-54	660	89773	126	21.2	17.6-24.8	80	12.8	10.0-15.6	23	4.4	2.5-6.3	5	0.8	0.1-1.6	2	0.6	0.0-1.4	424	60.1	56.0-64.3
55-64	461	59834	23	5.8	3.3-8.2	10	2.1	0.8-3.5	3	0.5	0.0-1.1	0		0.0-0.0	1	0.5	0.0-1.5	424	91.1	88.2-94.0
65+	706	94306	8	1.0	0.3-1.6	3	0.6	0.0-1.3	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	695	98.4	97.4-99.4
EDUCATION																				
Less Than H.S.	260	40687	19	12.0	4.9-19.0	8	4.9	1.3-8.6	5	2.3	0.1-4.6	2	1.1	0.0-2.7	1	0.9	0.0-2.6	225	78.8	71.1-86.5
H.S. or G.E.D.	897	144059	93	13.4	10.5-16.3	98	12.6	9.9-15.2	40	5.5	3.6-7.4	10	1.3	0.4-2.1	3	0.3	0.0-0.8	653	66.9	63.2-70.7
Some Post-H.S.	990	161572	141	15.8	13.1-18.5	152	15.6	13.0-18.1	63	7.0	5.2-8.8	20	1.9	1.0-2.9	6	0.7	0.1-1.3	608	59.0	55.4-62.5
College Graduate	878	136646	131	15.8	13.1-18.5	153	18.3	15.5-21.1	62	7.7	5.8-9.7	23	2.8	1.6-4.0	1	0.2	0.0-0.5	508	55.2	51.6-58.9
HOUSEHOLD INCOME																				
Less than \$15,000	262	40259	18	5.9	2.9-8.9	19	6.3	3.0-9.5	3	1.4	0.0-3.3	0		0.0-0.0	2	1.2	0.0-2.9	220	85.2	80.3-90.2
\$15,000- 24,999	492	75159	59	14.3	10.4-18.1	48	10.6	7.5-13.8	28	5.5	3.4-7.6	7	1.7	0.3-3.1	1	0.2	0.0-0.6	349	67.6	62.7-72.6
\$25,000- 34,999	447	71013	43	12.4	8.4-16.4	47	11.8	8.2-15.4	25	7.6	4.4-10.8	7	1.5	0.3-2.6	3	1.0	0.0-2.2	322	65.7	60.4-71.1
\$35,000- 49,999	567	88987	67	13.8	10.4-17.2	85	16.3	12.8-19.7	47	8.7	6.2-11.2	13	2.5	1.1-4.0	4	0.7	0.0-1.5	351	57.9	53.4-62.4
\$50,000- 74,999	502	83761	90	18.7	15.0-22.4	108	22.3	18.4-26.2	31	6.9	4.5-9.3	11	2.4	1.0-3.9	1	0.3	0.0-0.7	261	49.5	44.7-54.2
\$75,000+	390	63488	63	16.4	12.4-20.3	74	19.0	14.9-23.1	30	8.1	5.2-11.0	13	3.0	1.3-4.7	0		0.0-0.0	210	53.5	48.1-58.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 17: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	1305	239326	160	15.0	12.5-17.4	175	14.6	12.4-16.8	75	6.7	5.2-8.3	19	1.5	0.8-2.3	5	0.4	0.0-0.8	871	61.7	58.6-64.9
RACE																				
Native	36	10102	6	26.3	3.3-49.2	10	33.0	12.6-53.4	6	16.8	2.8-30.8	0		0.0-0.0	1	2.1	0.0-6.2	13	21.8	8.3-35.4
Non-Native	1257	227845	153	14.5	12.2-16.9	165	13.9	11.7-16.0	69	6.3	4.8-7.9	19	1.6	0.9-2.4	4	0.3	0.0-0.6	847	63.3	60.3-66.4
AGE																				
18-24	87	38971	18	22.0	12.1-32.0	8	9.5	2.6-16.5	5	5.5	0.7-10.2	1	0.9	0.0-2.7	0		0.0-0.0	55	62.0	50.7-73.4
25-34	188	39946	33	18.7	12.8-24.7	36	20.4	14.2-26.7	20	11.9	6.9-17.0	6	3.6	0.7-6.5	2	1.1	0.0-2.5	91	44.2	36.7-51.7
35-44	255	43999	42	17.9	12.8-23.0	75	31.7	25.5-37.8	33	14.2	9.6-18.8	9	3.3	1.1-5.5	2	0.8	0.0-2.0	94	32.1	26.0-38.2
45-54	294	46152	54	21.9	16.5-27.4	46	16.6	12.0-21.2	15	6.0	2.9-9.0	3	1.0	0.0-2.1	1	0.3	0.0-1.0	175	54.2	47.9-60.4
55-64	220	29663	11	5.1	2.0-8.1	8	3.6	1.1-6.1	2	0.8	0.0-1.9	0		0.0-0.0	0		0.0-0.0	199	90.5	86.5-94.5
65+	256	39818	2	0.7	0.0-1.7	1	0.4	0.0-1.2	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	253	98.9	97.7-100.0
EDUCATION																				
Less Than H.S.	111	20580	10	16.2	3.8-28.6	3	3.2	0.0-7.3	4	4.3	0.0-8.7	1	1.5	0.0-4.5	0		0.0-0.0	93	74.7	62.1-87.3
H.S. or G.E.D.	410	76961	45	14.0	9.7-18.3	45	13.1	9.0-17.2	18	6.1	3.2-9.1	5	1.3	0.1-2.5	1	0.2	0.0-0.7	296	65.2	59.6-70.9
Some Post-H.S.	410	76306	57	15.9	11.7-20.2	66	16.4	12.3-20.5	29	7.4	4.7-10.1	7	1.5	0.3-2.7	3	0.7	0.0-1.6	248	58.0	52.4-63.5
College Graduate	372	65167	48	14.7	10.6-18.8	61	17.9	13.6-22.2	24	7.5	4.4-10.5	6	1.9	0.3-3.5	1	0.3	0.0-1.0	232	57.7	52.1-63.3
HOUSEHOLD INCOME																				
Less than \$15,000	69	12091	3	5.3	0.0-11.5	3	2.0	0.0-4.3	1	2.9	0.0-8.5	0		0.0-0.0	1	1.5	0.0-4.6	61	88.2	79.4-97.1
\$15,000- 24,999	202	36011	21	11.7	6.3-17.0	20	11.9	6.6-17.3	7	3.8	1.0-6.6	4	2.6	0.0-5.3	1	0.4	0.0-1.3	149	69.5	62.0-77.1
\$25,000- 34,999	194	36748	16	11.9	5.7-18.1	16	10.2	4.8-15.7	14	10.3	4.9-15.8	1	0.5	0.0-1.5	1	0.6	0.0-1.7	146	66.4	58.1-74.7
\$35,000- 49,999	287	49655	31	13.5	8.7-18.4	41	15.3	10.6-20.1	19	7.1	3.9-10.3	4	1.5	0.0-3.0	2	0.8	0.0-1.9	190	61.7	55.4-68.1
\$50,000- 74,999	251	44878	41	17.9	12.7-23.1	49	21.2	15.8-26.7	17	7.8	4.2-11.4	5	2.3	0.2-4.4	0		0.0-0.0	139	50.8	44.1-57.5
\$75,000+	187	34342	30	16.8	10.9-22.7	34	18.0	12.2-23.8	14	7.5	3.5-11.4	4	1.9	0.0-3.8	0		0.0-0.0	105	55.8	48.0-63.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 18: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	1726	244371	224	14.5	12.5-16.5	236	14.4	12.6-16.3	95	5.9	4.7-7.2	36	2.3	1.5-3.1	6	0.5	0.1-1.0	1129	62.3	59.7-64.9
RACE																				
Native	43	7170	9	19.2	5.3-33.1	9	20.3	7.2-33.4	7	20.4	3.9-36.8	2	4.9	0.0-12.0	2	9.0	0.0-20.9	14	26.1	12.3-39.9
Non-Native	1667	235028	214	14.4	12.4-16.3	227	14.4	12.5-16.3	88	5.6	4.4-6.8	34	2.2	1.4-3.0	3	0.2	0.0-0.4	1101	63.2	60.6-65.9
AGE																				
18-24	111	35494	29	23.8	15.5-32.0	9	8.0	2.8-13.2	2	2.4	0.0-5.9	0		0.0-0.0	0		0.0-0.0	71	65.9	56.5-75.3
25-34	229	35540	47	21.5	15.9-27.2	74	33.1	26.6-39.5	35	15.8	10.8-20.7	16	7.2	3.6-10.7	0		0.0-0.0	57	22.4	16.9-27.9
35-44	317	43642	58	18.0	13.5-22.5	115	37.1	31.5-42.8	49	15.5	11.4-19.7	18	6.3	3.4-9.3	4	1.4	0.0-2.8	73	21.6	16.7-26.5
45-54	366	43620	72	20.4	16.0-24.9	34	8.9	5.9-11.9	8	2.8	0.7-4.8	2	0.7	0.0-1.6	1	0.8	0.0-2.4	249	66.4	61.2-71.7
55-64	241	30171	12	6.4	2.7-10.2	2	0.7	0.0-1.7	1	0.2	0.0-0.7	0		0.0-0.0	1	1.0	0.0-2.9	225	91.7	87.4-95.9
65+	450	54488	6	1.2	0.2-2.1	2	0.8	0.0-1.9	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	442	98.0	96.6-99.5
EDUCATION																				
Less Than H.S.	149	20107	9	7.6	2.2-13.1	5	6.7	0.7-12.7	1	0.3	0.0-1.0	1	0.6	0.0-1.7	1	1.8	0.0-5.2	132	83.0	74.8-91.2
H.S. or G.E.D.	487	67098	48	12.7	8.8-16.5	53	12.0	8.7-15.2	22	4.8	2.6-6.9	5	1.3	0.1-2.4	2	0.5	0.0-1.2	357	68.9	64.1-73.7
Some Post-H.S.	580	85266	84	15.7	12.3-19.1	86	14.8	11.7-18.0	34	6.6	4.2-9.0	13	2.4	1.0-3.7	3	0.7	0.0-1.5	360	59.9	55.3-64.5
College Graduate	506	71479	83	16.8	13.2-20.4	92	18.6	14.9-22.3	38	7.9	5.4-10.4	17	3.7	1.9-5.5	0		0.0-0.0	276	53.0	48.2-57.8
HOUSEHOLD INCOME																				
Less than \$15,000	193	28168	15	6.1	2.7-9.6	16	8.1	3.6-12.6	2	0.8	0.0-1.9	0		0.0-0.0	1	1.0	0.0-3.1	159	83.9	78.0-89.9
\$15,000- 24,999	290	39148	38	16.7	11.2-22.1	28	9.5	5.8-13.1	21	7.1	4.0-10.2	3	0.9	0.0-2.0	0		0.0-0.0	200	65.9	59.5-72.3
\$25,000- 34,999	253	34265	27	12.9	7.9-18.0	31	13.4	8.8-18.1	11	4.7	1.7-7.6	6	2.5	0.4-4.6	2	1.4	0.0-3.6	176	65.0	58.2-71.8
\$35,000- 49,999	280	39332	36	14.2	9.4-18.9	44	17.5	12.5-22.5	28	10.7	6.8-14.6	9	3.8	1.2-6.5	2	0.6	0.0-1.5	161	53.1	46.7-59.5
\$50,000- 74,999	251	38883	49	19.6	14.4-24.8	59	23.5	17.9-29.1	14	5.8	2.8-8.8	6	2.6	0.5-4.7	1	0.5	0.0-1.6	122	48.0	41.2-54.7
\$75,000+	203	29146	33	15.9	10.7-21.0	40	20.2	14.4-26.0	16	8.8	4.5-13.2	9	4.4	1.5-7.3	0		0.0-0.0	105	50.8	43.4-58.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 19: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3039	486264	1	0.0	0.0-0.1	129	3.8	3.1-4.5	130	4.5	3.6-5.5	901	29.7	27.8-31.6	996	33.6	31.7-35.6	882	28.3	26.4-30.1
SEX																				
Male	1308	240853	0		0.0-0.0	62	4.2	3.1-5.3	49	4.4	2.8-5.9	410	31.9	29.0-34.9	413	32.3	29.3-35.3	374	27.2	24.5-29.9
Female	1731	245411	1	0.0	0.0-0.1	67	3.5	2.5-4.4	81	4.7	3.5-5.9	491	27.6	25.2-29.9	583	35.0	32.4-37.6	508	29.3	26.9-31.7
RACE																				
Native	80	17507	0		0.0-0.0	2	4.1	0.0-9.6	9	18.0	3.6-32.3	19	27.8	14.6-41.0	31	34.6	21.8-47.4	19	15.5	7.5-23.6
Non-Native	2932	465323	1	0.0	0.0-0.1	120	3.6	2.9-4.4	118	3.9	3.1-4.7	875	29.8	27.9-31.8	960	33.8	31.7-35.8	858	28.8	27.0-30.7
AGE																				
18-24	200	75791	0		0.0-0.0	1	0.5	0.0-1.4	13	7.0	2.5-11.5	74	37.3	29.8-44.8	75	39.9	32.3-47.6	37	15.3	10.1-20.5
25-34	422	76271	0		0.0-0.0	2	0.4	0.0-1.0	10	2.7	1.0-4.4	83	19.2	15.2-23.2	144	34.2	29.3-39.1	183	43.5	38.5-48.6
35-44	576	88461	0		0.0-0.0	1	0.2	0.0-0.6	9	1.7	0.5-3.0	164	29.5	25.4-33.6	213	36.1	31.9-40.3	189	32.4	28.3-36.5
45-54	662	90024	0		0.0-0.0	0		0.0-0.0	12	2.0	0.7-3.3	172	25.6	22.0-29.2	262	39.0	35.0-43.0	216	33.4	29.5-37.4
55-64	461	59834	1	0.2	0.0-0.5	14	2.8	1.3-4.2	16	3.6	1.7-5.6	157	34.6	30.0-39.3	128	28.9	24.4-33.3	145	30.0	25.6-34.4
65+	704	94083	0		0.0-0.0	109	16.8	13.6-20.1	70	9.7	7.4-12.1	247	33.2	29.5-36.9	170	23.9	20.5-27.3	108	16.3	13.3-19.3
HOUSEHOLD INCOME																				
Less than \$15,000	263	40337	0		0.0-0.0	32	9.4	5.7-13.0	26	11.1	6.1-16.1	82	27.6	20.8-34.5	93	40.4	32.4-48.5	30	11.5	6.8-16.2
\$15,000- 24,999	493	75301	0		0.0-0.0	39	7.5	5.1-10.0	42	8.7	5.9-11.6	197	39.8	34.7-45.0	141	28.2	23.6-32.8	74	15.7	11.5-20.0
\$25,000- 34,999	450	71713	1	0.1	0.0-0.4	17	3.7	1.8-5.7	21	4.0	2.1-5.9	158	36.6	31.2-42.0	150	33.5	28.4-38.6	103	22.0	17.6-26.4
\$35,000- 49,999	571	89692	0		0.0-0.0	9	1.8	0.5-3.1	9	1.8	0.6-3.1	157	28.7	24.6-32.8	213	38.4	34.0-42.9	183	29.3	25.2-33.3
\$50,000- 74,999	502	83798	0		0.0-0.0	0		0.0-0.0	7	1.6	0.3-3.0	105	20.7	16.8-24.6	184	37.2	32.6-41.8	206	40.4	35.8-45.1
\$75,000+	392	64793	0		0.0-0.0	1	0.2	0.0-0.5	3	0.7	0.0-1.5	71	18.1	13.7-22.5	105	28.2	22.8-33.6	212	52.8	47.2-58.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 20: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	1308	240853			0.0-0.0	62	4.2	3.1-5.3	49	4.4	2.8-5.9	410	31.9	29.0-34.9	413	32.3	29.3-35.3	374	27.2	24.5-29.9
RACE																				
Native	36	10102			0.0-0.0	2	7.0	0.0-16.6	6	25.3	2.8-47.8	9	30.9	10.8-51.0	11	22.7	7.2-38.1	8	14.0	3.0-25.1
Non-Native	1260	229372			e Post-H.	56	3.9	2.8-5.0	41	3.3	2.2-4.4	399	32.1	29.1-35.1	401	32.9	29.8-35.9	363	27.8	25.0-30.6
AGE																				
18-24	88	40034			0.0-0.0	1	0.9	0.0-2.6	4	6.4	0.0-13.5	45	47.6	36.0-59.1	30	36.3	25.0-47.6	8	8.8	2.0-15.7
25-34	188	39946			0.0-0.0	2	0.8	0.0-2.0	5	3.0	0.3-5.8	45	22.2	16.0-28.3	60	32.1	24.9-39.3	76	41.8	34.3-49.3
35-44	257	44465			0.0-0.0	1	0.4	0.0-1.2	5	2.5	0.3-4.7	86	34.0	27.7-40.2	99	36.3	30.1-42.4	66	26.8	21.0-32.7
45-54	296	46463			0.0-0.0	0		0.0-0.0	6	2.2	0.4-4.0	88	28.3	22.9-33.8	105	36.2	30.3-42.1	97	33.3	27.5-39.2
55-64	220	29663			0.0-0.0	9	3.1	1.0-5.2	5	2.4	0.0-4.9	65	30.6	24.1-37.1	65	30.5	24.0-37.0	76	33.4	26.8-39.9
65+	255	39661			0.0-0.0	49	20.8	15.3-26.4	24	9.8	5.9-13.8	80	29.2	23.4-35.0	53	20.8	15.5-26.0	49	19.4	14.3-24.6
HOUSEHOLD INCOME																				
Less than \$15,000	69	12091			0.0-0.0	11	14.7	5.2-24.2	5	9.2	0.0-18.9	27	35.7	20.8-50.6	20	34.2	18.8-49.7	6	6.2	0.0-12.5
\$15,000- 24,999	202	36011			0.0-0.0	21	9.0	5.0-12.9	22	11.4	6.5-16.3	83	42.6	34.5-50.8	41	18.6	12.7-24.5	35	18.4	11.1-25.7
\$25,000- 34,999	195	37028			0.0-0.0	11	5.6	2.1-9.1	6	2.4	0.4-4.4	80	40.9	32.7-49.0	60	31.8	24.0-39.5	38	19.4	13.1-25.6
\$35,000- 49,999	288	49811			0.0-0.0	9	3.3	1.0-5.5	6	2.5	0.5-4.5	91	31.2	25.4-37.1	103	37.0	30.7-43.2	79	26.1	20.6-31.6
\$50,000- 74,999	252	45033			0.0-0.0	0		0.0-0.0	1	0.4	0.0-1.2	54	22.1	16.5-27.7	99	39.6	33.0-46.1	98	37.9	31.5-44.3
\$75,000+	188	35436			0.0-0.0	0		0.0-0.0	3	1.3	0.0-2.7	40	21.4	14.6-28.3	50	28.9	20.9-36.9	95	48.4	40.3-56.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 21: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	1731	245411	1	0.0	0.0-0.1	67	3.5	2.5-4.4	81	4.7	3.5-5.9	491	27.6	25.2-29.9	583	35.0	32.4-37.6	508	29.3	26.9-31.7
RACE																				
Native	44	7405	0		0.0-0.0	0		0.0-0.0	3	8.0	0.0-17.9	10	23.6	9.2-38.1	20	50.8	33.5-68.1	11	17.6	6.4-28.8
Non-Native	1672	235951	1	0.0	0.0-0.1	64	3.4	2.4-4.3	77	4.5	3.4-5.7	476	27.6	25.2-30.1	559	34.6	31.9-37.2	495	29.8	27.4-32.3
AGE																				
18-24	112	35757	0		0.0-0.0	0		0.0-0.0	9	7.7	2.4-13.1	29	25.8	16.8-34.8	45	44.0	33.9-54.2	29	22.5	14.6-30.3
25-34	234	36325	0		0.0-0.0	0		0.0-0.0	5	2.3	0.3-4.3	38	15.9	11.0-20.8	84	36.4	29.9-42.9	107	45.4	38.7-52.1
35-44	319	43996	0		0.0-0.0	0		0.0-0.0	4	1.0	0.0-2.0	78	25.0	19.9-30.2	114	35.9	30.3-41.5	123	38.1	32.4-43.8
45-54	366	43561	0		0.0-0.0	0		0.0-0.0	6	1.8	0.0-3.7	84	22.7	18.1-27.2	157	41.9	36.5-47.4	119	33.5	28.2-38.9
55-64	241	30171	1	0.3	0.0-1.0	5	2.4	0.3-4.5	11	4.8	1.7-7.8	92	38.6	32.0-45.2	63	27.3	21.2-33.3	69	26.6	20.8-32.5
65+	449	54421	0		0.0-0.0	60	14.0	10.2-17.7	46	9.7	6.8-12.5	167	36.2	31.4-41.0	117	26.2	21.7-30.6	59	14.0	10.4-17.6
HOUSEHOLD INCOME																				
Less than \$15,000	194	28246	0		0.0-0.0	21	7.1	3.8-10.3	21	11.8	6.0-17.7	55	24.2	16.9-31.5	73	43.1	33.7-52.4	24	13.8	7.7-19.9
\$15,000- 24,999	291	39289	0		0.0-0.0	18	6.3	3.2-9.3	20	6.3	3.1-9.5	114	37.3	31.0-43.6	100	36.9	30.4-43.4	39	13.2	8.7-17.8
\$25,000- 34,999	255	34686	1	0.3	0.0-0.8	6	1.8	0.3-3.2	15	5.8	2.6-9.0	78	32.0	25.2-38.8	90	35.3	28.6-42.0	65	24.8	18.8-30.8
\$35,000- 49,999	283	39881	0		0.0-0.0	0		0.0-0.0	3	1.1	0.0-2.3	66	25.5	19.9-31.2	110	40.2	33.9-46.5	104	33.2	27.3-39.1
\$50,000- 74,999	250	38765	0		0.0-0.0	0		0.0-0.0	6	3.1	0.4-5.8	51	19.1	13.8-24.4	85	34.5	28.1-40.8	108	43.4	36.7-50.0
\$75,000+	204	29358	0		0.0-0.0	1	0.4	0.0-1.1	0		0.0-0.0	31	14.1	9.3-19.0	55	27.3	20.5-34.1	117	58.2	50.9-65.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 22: ARE YOU CURRENTLY..? (WHAT IS YOUR EMPLOYMENT STATUS?) (EMPLOY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3035	485641	2035	68.3	66.4-70.3	73	2.6	1.8-3.5	188	6.0	5.1-7.0	92	5.6	4.3-6.9	563	15.2	13.9-16.5	84	2.2	1.7-2.7
SEX																				
Male	1307	240633	977	75.8	73.0-78.6	32	2.8	1.4-4.3	2	0.1	0.0-0.3	35	4.9	3.0-6.8	230	14.6	12.7-16.6	31	1.7	1.0-2.4
Female	1728	245008	1058	61.0	58.4-63.7	41	2.4	1.5-3.4	186	11.8	10.1-13.5	57	6.2	4.4-8.0	333	15.8	14.1-17.6	53	2.6	1.8-3.5
RACE																				
Native	80	17507	48	48.8	34.5-63.1	11	25.3	9.6-41.0	1	2.0	0.0-5.9	6	10.8	0.2-21.4	6	7.0	1.1-12.9	8	6.1	1.3-10.8
Non-Native	2929	465032	1976	69.3	67.4-71.2	61	1.8	1.3-2.3	185	6.1	5.2-7.1	86	5.4	4.1-6.7	546	15.4	14.1-16.7	75	2.0	1.5-2.5
AGE																				
18-24	199	75614	128	62.8	55.2-70.5	9	5.9	1.5-10.3	7	3.0	0.7-5.2	49	26.5	19.5-33.5	1	0.3	0.0-0.8	5	1.5	0.1-2.9
25-34	421	76153	357	85.4	81.7-89.1	9	2.2	0.3-4.1	22	5.0	2.9-7.1	30	6.8	4.2-9.4	1	0.3	0.0-0.8	2	0.3	0.0-0.8
35-44	576	88461	513	89.2	86.5-91.9	13	1.8	0.7-2.8	37	6.6	4.5-8.8	8	1.5	0.4-2.6	0		0.0-0.0	5	0.9	0.0-1.8
45-54	662	90083	579	88.3	85.7-90.9	19	2.4	1.2-3.6	26	4.3	2.6-6.0	4	0.5	0.0-1.0	8	1.1	0.3-1.9	26	3.4	1.9-4.8
55-64	460	59703	340	75.4	71.3-79.6	17	3.7	1.8-5.6	17	3.8	2.0-5.7	0		0.0-0.0	64	12.8	9.7-16.0	22	4.2	2.3-6.0
65+	702	93671	112	16.0	13.0-19.0	5	0.6	0.1-1.1	78	11.7	9.0-14.3	1	0.1	0.0-0.4	484	68.6	64.8-72.5	22	2.9	1.4-4.5
EDUCATION																				
Less Than H.S.	258	40331	76	32.7	25.7-39.7	13	7.8	1.1-14.4	30	10.4	6.3-14.4	2	1.9	0.0-4.4	121	41.7	34.6-48.8	16	5.6	2.1-9.1
H.S. or G.E.D.	895	143852	570	67.3	63.8-70.9	24	2.5	1.3-3.8	66	7.3	5.5-9.2	14	3.9	1.7-6.2	199	17.2	14.8-19.7	22	1.7	0.9-2.4
Some Post-H.S.	996	163604	706	70.0	66.6-73.5	22	2.5	1.2-3.8	55	5.3	3.9-6.8	47	8.7	5.9-11.4	134	10.8	8.9-12.7	32	2.7	1.7-3.7
College Graduate	880	137121	682	78.2	75.1-81.2	14	1.4	0.5-2.2	36	4.2	2.8-5.7	29	4.7	2.8-6.6	106	10.4	8.4-12.5	13	1.1	0.4-1.7
HOUSEHOLD INCOME																				
Less than \$15,000	264	40396	87	39.4	31.3-47.5	15	4.4	1.6-7.3	16	5.1	2.4-7.9	31	20.1	12.7-27.6	78	21.4	16.3-26.5	37	9.5	6.0-12.9
\$15,000- 24,999	491	75175	279	58.1	53.0-63.2	20	3.8	1.7-5.9	31	7.0	4.4-9.7	21	7.2	3.9-10.4	125	21.4	17.6-25.1	15	2.5	1.1-3.9
\$25,000- 34,999	450	71713	280	64.1	59.0-69.3	11	2.1	0.7-3.5	24	5.7	3.4-8.1	17	6.1	2.8-9.5	111	20.4	16.6-24.2	7	1.5	0.2-2.7
\$35,000- 49,999	571	89692	451	78.3	74.5-82.0	8	1.9	0.2-3.5	23	4.3	2.5-6.0	5	1.6	0.2-3.0	76	12.7	9.8-15.5	8	1.4	0.4-2.4
\$50,000- 74,999	502	83799	433	84.8	81.1-88.6	9	2.0	0.5-3.4	23	4.4	2.5-6.4	5	2.8	0.3-5.3	30	5.6	3.6-7.6	2	0.4	0.0-0.9
\$75,000+	393	64949	332	85.3	81.5-89.1	2	0.4	0.0-0.9	30	6.8	4.3-9.3	3	1.8	0.0-4.0	23	5.0	2.9-7.1	3	0.7	0.0-1.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 23: ARE YOU CURRENTLY..? (WHAT IS YOUR EMPLOYMENT STATUS?) (EMPLOY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	1307	240633	977	75.8	73.0-78.6	32	2.8	1.4-4.3	2	0.1	0.0-0.3	35	4.9	3.0-6.8	230	14.6	12.7-16.5	31	1.7	1.0-2.4
RACE																				
Native	36	10102	23	47.7	26.6-68.8	6	31.1	7.6-54.7	0		0.0-0.0	1	8.8	0.0-24.8	4	8.5	0.0-17.4	2	3.9	0.0-9.8
Non-Native	1260	229389	949	77.2	74.6-79.8	25	1.5	0.9-2.2	2	0.1	0.0-0.4	34	4.8	2.9-6.6	221	14.8	12.8-16.7	29	1.6	1.0-2.3
AGE																				
18-24	87	39857	63	70.7	59.7-81.7	4	6.4	0.0-13.6	0		0.0-0.0	19	22.0	12.3-31.7	0		0.0-0.0	1	0.9	0.0-2.6
25-34	188	39946	172	91.0	86.2-95.7	4	2.9	0.0-6.4	0		0.0-0.0	10	5.2	1.9-8.5	1	0.5	0.0-1.6	1	0.4	0.0-1.2
35-44	257	44465	249	96.6	94.2-99.1	2	0.6	0.0-1.6	1	0.4	0.0-1.2	4	1.7	0.0-3.4	0		0.0-0.0	1	0.6	0.0-1.9
45-54	296	46463	270	92.3	89.2-95.4	11	3.3	1.2-5.4	1	0.3	0.0-1.0	1	0.2	0.0-0.5	2	0.5	0.0-1.2	11	3.3	1.2-5.5
55-64	220	29663	170	79.7	74.3-85.1	9	3.3	1.1-5.6	0		0.0-0.0	0		0.0-0.0	32	14.0	9.2-18.7	9	3.0	0.8-5.2
65+	254	39463	49	19.7	14.3-25.1	2	0.6	0.0-1.5	0		0.0-0.0	1	0.3	0.0-0.9	194	77.2	71.6-82.7	8	2.2	0.6-3.7
EDUCATION																				
Less Than H.S.	110	20342	39	37.2	26.3-48.1	6	10.3	0.0-22.5	0		0.0-0.0	1	1.7	0.0-5.1	61	48.5	37.0-59.9	3	2.3	0.0-5.3
H.S. or G.E.D.	408	76666	309	79.1	74.6-83.6	12	2.9	0.9-4.8	0		0.0-0.0	8	3.6	0.7-6.6	68	12.8	9.7-15.9	11	1.6	0.6-2.7
Some Post-H.S.	413	77803	324	77.1	71.9-82.2	9	2.4	0.4-4.3	2	0.4	0.0-1.0	15	7.6	3.4-11.9	51	10.1	7.3-13.0	12	2.3	0.8-3.8
College Graduate	374	65509	305	82.8	78.7-86.9	5	1.0	0.0-1.9	0		0.0-0.0	11	4.1	1.5-6.7	48	11.2	8.0-14.4	5	0.9	0.0-1.8
HOUSEHOLD INCOME																				
Less than \$15,000	69	12091	25	45.9	30.0-61.8	4	3.4	0.0-7.0	0		0.0-0.0	10	21.6	7.8-35.3	19	20.3	10.2-30.3	11	8.9	2.6-15.1
\$15,000- 24,999	202	36011	119	63.8	56.3-71.2	12	5.9	1.9-9.9	0		0.0-0.0	6	4.4	0.6-8.3	56	22.4	16.6-28.3	9	3.5	1.0-5.9
\$25,000- 34,999	195	37028	131	70.3	63.2-77.4	3	1.6	0.0-3.7	0		0.0-0.0	5	3.8	0.2-7.4	54	23.0	17.0-29.1	2	1.3	0.0-3.3
\$35,000- 49,999	288	49811	229	79.1	73.9-84.4	5	2.3	0.0-5.0	0		0.0-0.0	2	1.1	0.0-2.5	48	16.2	11.7-20.6	4	1.3	0.0-2.7
\$50,000- 74,999	252	45033	227	89.2	84.6-93.8	5	1.9	0.2-3.5	0		0.0-0.0	3	2.9	0.0-6.5	17	6.0	3.1-8.9	0		0.0-0.0
\$75,000+	189	35591	178	93.6	89.5-97.7	0		0.0-0.0	1	0.5	0.0-1.5	2	2.2	0.0-5.5	8	3.6	1.1-6.2	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 24: ARE YOU CURRENTLY..? (WHAT IS YOUR EMPLOYMENT STATUS?) (EMPLOY)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	1728	245008	1058	61.0	58.4-63.7	41	2.4	1.5-3.4	186	11.8	10.1-13.5	57	6.2	4.4-8.0	333	15.8	14.1-17.6	53	2.6	1.8-3.5
RACE																				
Native	44	7405	25	50.3	32.9-67.6	5	17.3	1.1-33.5	1	4.8	0.0-13.9	5	13.6	1.2-26.0	2	5.0	0.0-12.0	6	9.0	1.3-16.7
Non-Native	1669	235643	1027	61.6	58.9-64.3	36	2.0	1.2-2.8	183	12.0	10.2-13.7	52	6.1	4.2-7.9	325	16.0	14.2-17.7	46	2.3	1.6-3.1
AGE																				
18-24	112	35757	65	54.1	44.0-64.3	5	5.3	0.5-10.2	7	6.3	1.7-10.9	30	31.5	21.7-41.3	1	0.5	0.0-1.6	4	2.2	0.0-4.4
25-34	233	36207	185	79.2	73.6-84.8	5	1.5	0.1-2.8	22	10.5	6.2-14.8	20	8.6	4.6-12.6	0		0.0-0.0	1	0.2	0.0-0.7
35-44	319	43996	264	81.7	77.1-86.3	11	2.9	1.0-4.8	36	12.9	8.8-17.0	4	1.3	0.0-2.6	0		0.0-0.0	4	1.2	0.0-2.4
45-54	366	43620	309	84.0	79.9-88.2	8	1.5	0.4-2.6	25	8.5	5.1-12.0	3	0.8	0.0-1.7	6	1.8	0.3-3.2	15	3.4	1.6-5.2
55-64	240	30040	170	71.3	65.2-77.3	8	4.0	1.0-7.1	17	7.6	4.0-11.3	0		0.0-0.0	32	11.7	7.7-15.8	13	5.3	2.4-8.3
65+	448	54208	63	13.3	9.9-16.6	3	0.6	0.0-1.3	78	20.2	15.9-24.5	0		0.0-0.0	290	62.4	57.4-67.4	14	3.5	1.2-5.8
EDUCATION																				
Less Than H.S.	148	19989	37	28.2	19.2-37.1	7	5.2	0.6-9.7	30	20.9	13.4-28.4	1	2.0	0.0-5.8	60	34.8	26.4-43.2	13	9.0	2.7-15.2
H.S. or G.E.D.	487	67186	261	53.9	48.8-59.0	12	2.2	0.6-3.7	66	15.7	11.9-19.4	6	4.3	0.7-7.9	131	22.3	18.5-26.0	11	1.7	0.6-2.8
Some Post-H.S.	583	85800	382	63.7	59.0-68.3	13	2.6	0.8-4.4	53	9.7	7.0-12.4	32	9.6	6.0-13.2	83	11.3	8.8-13.9	20	3.0	1.6-4.4
College Graduate	506	71612	377	73.9	69.6-78.2	9	1.7	0.3-3.1	36	8.1	5.4-10.8	18	5.3	2.6-7.9	58	9.7	7.1-12.3	8	1.2	0.3-2.2
HOUSEHOLD INCOME																				
Less than \$15,000	195	28305	62	36.6	27.4-45.9	11	4.9	1.2-8.6	16	7.3	3.5-11.2	21	19.5	10.7-28.4	59	21.9	15.9-27.8	26	9.7	5.5-13.9
\$15,000- 24,999	289	39164	160	52.9	46.3-59.6	8	1.8	0.5-3.2	31	13.5	8.6-18.4	15	9.7	4.7-14.7	69	20.4	15.6-25.2	6	1.6	0.2-3.0
\$25,000- 34,999	255	34686	149	57.6	50.5-64.6	8	2.6	0.7-4.5	24	11.9	7.1-16.6	12	8.7	3.0-14.4	57	17.6	13.0-22.2	5	1.7	0.2-3.2
\$35,000- 49,999	283	39881	222	77.2	71.8-82.6	3	1.3	0.0-2.9	23	9.6	5.7-13.4	3	2.2	0.0-4.7	28	8.3	5.2-11.5	4	1.4	0.0-2.8
\$50,000- 74,999	250	38765	206	79.8	73.9-85.7	4	2.1	0.0-4.5	23	9.6	5.5-13.7	2	2.5	0.0-6.1	13	5.1	2.3-8.0	2	0.8	0.0-2.0
\$75,000+	204	29358	154	75.3	68.9-81.7	2	0.8	0.0-1.9	29	14.4	9.2-19.5	1	1.3	0.0-4.0	15	6.7	3.2-10.1	3	1.5	0.0-3.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 25: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES? (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2674	425967	115	4.4	3.4-5.5	149	5.0	4.0-6.1	217	7.9	6.6-9.1	276	9.8	8.5-11.1	450	16.8	15.2-18.5	1467	56.0	53.8-58.2
SEX																				
Male	1195	215565	32	2.5	1.4-3.7	37	3.1	1.8-4.4	83	7.0	5.2-8.8	119	9.7	7.8-11.6	195	17.2	14.6-19.7	729	60.5	57.3-63.7
Female	1479	210402	83	6.4	4.6-8.1	112	7.1	5.5-8.7	134	8.8	7.1-10.4	157	9.9	8.2-11.6	255	16.5	14.4-18.6	738	51.4	48.5-54.3
RACE																				
Native	73	13952	11	11.9	4.4-19.4	2	1.3	0.0-3.3	10	14.8	5.8-23.9	9	13.6	4.2-23.1	12	20.0	8.8-31.3	29	38.2	25.2-51.2
Non-Native	2581	409677	100	4.1	3.0-5.1	147	5.2	4.2-6.3	201	7.5	6.3-8.7	263	9.6	8.4-10.9	437	16.8	15.1-18.5	1433	56.8	54.6-59.0
AGE																				
18-24	170	62009	27	15.3	9.4-21.3	18	10.8	5.5-16.2	21	11.6	6.1-17.0	25	12.6	7.5-17.8	35	21.7	14.8-28.6	44	27.9	20.4-35.4
25-34	398	72055	10	1.5	0.5-2.5	10	1.9	0.6-3.1	25	5.9	3.4-8.4	34	7.6	5.0-10.2	78	19.7	15.5-23.8	241	63.5	58.5-68.5
35-44	546	83704	8	1.2	0.3-2.2	19	2.6	1.3-3.8	31	5.8	3.6-7.9	49	8.1	5.8-10.5	70	11.9	8.9-14.8	369	70.4	66.4-74.5
45-54	598	81394	19	2.7	1.3-4.2	17	1.8	0.9-2.6	29	4.2	2.5-5.9	42	6.5	4.4-8.6	79	11.7	9.0-14.4	412	73.1	69.3-76.9
55-64	410	53393	13	2.4	0.9-3.9	17	3.3	1.6-5.1	25	5.4	3.1-7.6	39	9.8	6.7-12.8	69	16.3	12.6-20.1	247	62.8	57.9-67.8
65+	546	72788	36	5.0	3.3-6.7	68	11.1	8.3-13.9	86	15.1	11.9-18.2	86	15.2	12.0-18.4	119	21.8	18.1-25.6	151	31.8	27.4-36.1
EDUCATION																				
Less Than H.S.	207	31384	24	10.5	5.4-15.7	34	15.7	10.0-21.5	43	20.6	14.5-26.7	38	18.5	12.5-24.4	39	18.1	12.3-23.9	29	16.6	10.7-22.5
H.S. or G.E.D.	770	122223	36	4.3	2.5-6.0	46	4.9	3.1-6.7	85	10.3	7.8-12.8	112	14.2	11.4-17.1	158	21.5	17.9-25.0	333	44.8	40.8-48.9
Some Post-H.S.	886	145420	41	5.3	3.2-7.4	52	5.9	3.8-8.0	57	6.3	4.5-8.1	84	8.3	6.3-10.3	150	16.5	13.7-19.4	502	57.7	53.9-61.5
College Graduate	808	126607	13	2.0	0.7-3.3	17	1.7	0.8-2.5	32	4.2	2.1-6.2	42	5.2	3.4-6.9	103	12.5	9.9-15.0	601	74.5	71.0-78.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 26: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES? (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	1195	215565	32	2.5	1.4-3.7	37	3.1	1.8-4.4	83	7.0	5.2-8.8	119	9.7	7.8-11.6	195	17.2	14.6-19.7	729	60.5	57.3-63.7
RACE																				
Native	30	7140	3	6.7	0.0-15.2	0		0.0-0.0	6	19.7	4.8-34.7	5	17.8	1.8-33.9	5	19.8	2.6-36.9	11	36.0	16.1-55.8
Non-Native	1156	207508	28	2.4	1.2-3.5	37	3.2	1.8-4.5	73	6.3	4.6-8.1	112	9.4	7.5-11.3	190	17.2	14.6-19.7	716	61.5	58.3-64.8
AGE																				
18-24	70	30203	6	7.9	1.3-14.6	5	8.5	1.1-15.9	8	10.3	1.6-18.9	13	15.3	6.8-23.7	18	27.6	16.2-39.0	20	30.5	18.5-42.5
25-34	177	37771	2	0.6	0.0-1.3	2	0.8	0.0-2.1	12	6.5	2.7-10.2	12	6.6	2.8-10.4	39	21.2	14.9-27.5	110	64.3	56.9-71.7
35-44	250	43067	5	1.7	0.0-3.4	4	1.1	0.0-2.2	14	5.6	2.5-8.8	23	8.5	5.0-12.1	32	12.0	7.7-16.3	172	71.0	65.0-77.0
45-54	273	42581	8	2.7	0.5-4.9	4	0.7	0.0-1.5	11	4.2	1.6-6.8	15	5.0	2.3-7.7	28	8.4	5.1-11.6	207	78.9	73.9-84.0
55-64	202	27368	5	1.3	0.2-2.3	4	1.4	0.0-2.8	9	4.1	1.1-7.1	24	11.4	6.9-15.9	22	11.4	6.7-16.1	138	70.5	63.9-77.0
65+	220	34187	6	1.8	0.4-3.3	18	7.5	3.7-11.3	29	12.2	7.8-16.7	31	13.9	9.1-18.8	56	25.8	19.7-32.0	80	38.7	31.7-45.6
EDUCATION																				
Less Than H.S.	95	16658	6	4.4	0.4-8.5	10	12.9	4.3-21.5	23	25.0	15.4-34.5	20	19.0	10.9-27.1	17	17.8	9.4-26.1	19	20.9	12.0-29.8
H.S. or G.E.D.	375	67909	14	3.6	1.1-6.2	13	2.7	0.8-4.7	29	7.9	4.5-11.3	54	14.7	10.5-18.8	80	22.3	17.2-27.4	185	48.8	42.9-54.6
Some Post-H.S.	373	69075	9	2.5	0.5-4.6	11	3.4	0.7-6.1	16	3.6	1.7-5.5	25	6.1	3.4-8.8	60	17.0	12.4-21.6	252	67.3	61.6-72.9
College Graduate	351	61769	3	0.8	0.0-2.0	3	0.4	0.0-0.8	15	4.9	1.2-8.6	20	5.8	3.0-8.7	38	11.6	7.8-15.4	272	76.5	71.0-81.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 27: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES? (INCOME2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	1479	210402	83	6.4	4.6-8.1	112	7.1	5.5-8.7	134	8.8	7.1-10.4	157	9.9	8.2-11.6	255	16.5	14.4-18.6	738	51.4	48.5-54.3
RACE																				
Native	43	6812	8	17.4	5.2-29.6	2	2.8	0.0-6.7	4	9.7	0.0-19.5	4	9.2	0.1-18.3	7	20.4	6.0-34.7	18	40.6	23.9-57.2
Non-Native	1425	202169	72	5.8	4.1-7.5	110	7.3	5.6-9.0	128	8.6	7.0-10.3	151	9.9	8.2-11.6	247	16.4	14.2-18.6	717	52.0	49.0-54.9
AGE																				
18-24	100	31806	21	22.4	13.1-31.7	13	13.0	5.3-20.8	13	12.8	6.0-19.6	12	10.1	4.1-16.1	17	16.1	8.4-23.9	24	25.5	16.2-34.7
25-34	221	34284	8	2.5	0.6-4.4	8	3.0	0.7-5.3	13	5.2	1.9-8.5	22	8.7	5.0-12.4	39	18.0	12.6-23.3	131	62.6	55.9-69.3
35-44	296	40637	3	0.7	0.0-1.5	15	4.2	1.9-6.4	17	5.9	2.8-8.9	26	7.7	4.6-10.7	38	11.7	7.8-15.7	197	69.9	64.3-75.4
45-54	325	38813	11	2.7	0.9-4.6	13	2.9	1.3-4.5	18	4.3	2.1-6.4	27	8.1	4.8-11.5	51	15.3	11.1-19.5	205	66.7	61.2-72.2
55-64	208	26025	8	3.5	0.7-6.4	13	5.4	2.3-8.6	16	6.7	3.3-10.1	15	8.1	3.9-12.2	47	21.5	15.7-27.4	109	54.8	47.6-62.0
65+	326	38601	30	7.8	4.9-10.7	50	14.3	10.4-18.3	57	17.6	13.1-22.1	55	16.3	12.0-20.6	63	18.3	13.9-22.7	71	25.7	20.3-31.1
EDUCATION																				
Less Than H.S.	112	14726	18	17.4	8.0-26.9	24	18.9	11.4-26.4	20	15.6	8.7-22.6	18	17.8	9.2-26.5	22	18.5	10.6-26.4	10	11.7	4.1-19.3
H.S. or G.E.D.	395	54315	22	5.0	2.6-7.4	33	7.6	4.3-10.8	56	13.3	9.5-17.1	58	13.7	10.0-17.3	78	20.5	15.7-25.2	148	40.0	34.5-45.5
Some Post-H.S.	513	76346	32	7.9	4.4-11.3	41	8.1	4.9-11.2	41	8.7	5.7-11.7	59	10.3	7.4-13.1	90	16.0	12.6-19.5	250	49.0	44.0-54.0
College Graduate	457	64838	10	3.1	0.9-5.4	14	2.9	1.2-4.5	17	3.5	1.5-5.5	22	4.5	2.4-6.7	65	13.3	9.8-16.7	329	72.7	68.1-77.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 28: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs - 300 lbs			301 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2895	466930	21	0.5	0.3-0.7	944	30.9	28.9-32.8	1337	47.0	44.9-49.1	460	16.5	14.9-18.1	112	4.3	3.4-5.2	21	0.8	0.4-1.3
SEX																				
Male	1303	239957	0		0.0-0.0	126	10.4	8.3-12.5	728	55.5	52.3-58.7	349	26.2	23.5-29.0	82	6.4	4.8-7.9	18	1.5	0.6-2.3
Female	1592	226973	21	1.0	0.5-1.5	818	52.5	49.7-55.3	609	38.0	35.3-40.7	111	6.3	5.0-7.6	30	2.0	1.2-2.9	3	0.2	0.0-0.4
RACE																				
Native	79	17309	0		0.0-0.0	16	13.6	6.1-21.2	36	46.1	31.7-60.6	20	28.9	14.3-43.4	4	8.2	0.0-16.8	3	3.2	0.0-6.8
Non-Native	2790	446340	21	0.5	0.3-0.8	916	31.4	29.4-33.4	1291	47.1	45.0-49.3	437	16.1	14.5-17.7	108	4.2	3.3-5.0	17	0.7	0.3-1.1
AGE																				
18-24	194	74013	1	0.2	0.0-0.5	78	38.0	30.5-45.6	83	44.2	36.4-52.1	22	11.9	6.4-17.5	9	4.7	1.4-8.0	1	1.0	0.0-2.8
25-34	404	73559	2	0.3	0.0-0.8	138	31.6	26.9-36.3	187	46.3	41.1-51.5	58	16.1	12.2-20.1	16	4.8	2.2-7.5	3	0.8	0.0-1.7
35-44	550	84916	6	0.9	0.0-1.7	176	28.8	24.9-32.7	249	46.7	42.2-51.2	89	17.9	14.4-21.5	23	4.2	2.4-6.0	7	1.5	0.3-2.6
45-54	626	85784	2	0.2	0.0-0.6	184	26.9	23.3-30.6	279	45.7	41.4-49.9	130	21.5	18.0-25.1	26	4.7	2.8-6.6	5	0.9	0.1-1.8
55-64	433	56425	1	0.1	0.0-0.4	102	22.3	18.2-26.5	217	49.7	44.7-54.8	86	21.3	17.1-25.5	23	5.9	3.5-8.3	4	0.7	0.0-1.3
65+	679	91044	9	1.0	0.4-1.7	263	35.4	31.6-39.3	316	49.2	45.1-53.3	75	11.9	9.1-14.6	15	2.3	1.0-3.5	1	0.2	0.0-0.5
EDUCATION																				
Less Than H.S.	253	39969	6	1.6	0.3-3.0	87	32.8	25.8-39.8	105	39.9	32.7-47.1	48	22.8	15.3-30.2	7	2.9	0.6-5.1	0		0.0-0.0
H.S. or G.E.D.	844	136968	3	0.2	0.0-0.4	263	29.5	25.9-33.2	409	49.5	45.5-53.5	134	16.1	13.2-19.0	30	4.1	2.3-5.8	5	0.7	0.1-1.3
Some Post-H.S.	946	156584	6	0.5	0.0-1.1	296	28.9	25.5-32.3	438	47.8	44.0-51.5	154	16.6	13.9-19.4	41	4.8	3.1-6.5	11	1.4	0.3-2.4
College Graduate	848	132913	6	0.4	0.1-0.8	296	34.0	30.5-37.5	383	45.6	41.8-49.3	124	15.0	12.4-17.7	34	4.3	2.8-5.8	5	0.6	0.0-1.2
HOUSEHOLD INCOME																				
Less than \$15,000	253	39043	4	0.9	0.0-1.9	104	44.6	36.3-52.8	109	43.2	35.2-51.3	27	8.4	4.8-12.0	7	2.3	0.5-4.1	2	0.6	0.0-1.4
\$15,000- 24,999	476	73211	4	0.9	0.0-1.9	171	33.3	28.4-38.2	203	45.6	40.2-50.9	73	14.9	11.4-18.4	20	4.5	1.8-7.1	5	0.9	0.1-1.7
\$25,000- 34,999	428	68598	3	0.3	0.0-0.6	130	27.7	22.8-32.6	203	47.2	41.6-52.8	70	19.2	14.4-24.1	19	4.8	2.5-7.1	3	0.8	0.0-1.7
\$35,000- 49,999	548	87045	1	0.2	0.0-0.5	132	22.0	18.3-25.7	262	47.6	43.0-52.2	115	21.9	18.0-25.9	33	7.3	4.6-10.0	5	1.0	0.1-2.0
\$50,000- 74,999	490	82231	3	0.4	0.0-0.9	148	29.6	25.2-34.0	239	48.2	43.4-53.0	83	17.1	13.6-20.6	13	3.2	1.5-5.0	4	1.4	0.0-3.2
\$75,000+	385	63746	0		0.0-0.0	116	28.2	23.3-33.1	193	51.9	46.3-57.6	61	15.2	11.5-19.0	13	4.0	1.6-6.4	2	0.7	0.0-1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 29: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? (WEIGHT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs - 300 lbs			301 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	1303	239957				126	10.4	8.3-12.5	728	55.5	52.3-58.6	349	26.2	23.5-29.0	82	6.4	4.8-7.9	18	1.5	0.6-2.3
RACE																				
Native	36	10102				4	9.3	0.0-18.9	16	42.8	21.8-63.8	11	35.0	12.9-57.1	2	7.5	0.0-19.5	3	5.5	0.0-11.8
Non-Native	1255	228476				119	10.3	8.2-12.5	706	56.2	53.0-59.3	336	25.9	23.2-28.6	80	6.4	4.8-7.9	14	1.2	0.4-2.0
AGE																				
18-24	88	40034				17	19.5	10.4-28.6	50	55.3	43.7-66.9	17	19.3	9.7-28.8	3	4.2	0.0-9.1	1	1.8	0.0-5.2
25-34	187	39628				24	12.6	7.6-17.6	107	54.8	47.2-62.3	43	24.2	17.7-30.8	11	7.4	2.7-12.0	2	1.1	0.0-2.5
35-44	256	44279				21	7.5	4.2-10.8	139	53.5	46.9-60.0	71	29.3	23.2-35.3	19	7.3	4.0-10.5	6	2.5	0.5-4.6
45-54	295	46307				22	6.6	3.7-9.6	154	53.4	47.3-59.5	91	30.2	24.6-35.8	23	8.0	4.7-11.4	5	1.8	0.2-3.3
55-64	220	29663				17	6.6	3.4-9.7	119	53.1	46.1-60.1	65	31.4	24.8-38.0	16	7.8	4.0-11.7	3	1.0	0.0-2.3
65+	252	39270				25	9.9	6.1-13.8	154	62.0	55.6-68.4	62	24.0	18.3-29.6	10	3.7	1.3-6.1	1	0.4	0.0-1.2
EDUCATION																				
Less Than H.S.	111	20580				18	18.2	9.5-27.0	50	39.9	29.2-50.6	38	37.5	25.5-49.6	5	4.3	0.3-8.3	0		0.0-0.0
H.S. or G.E.D.	407	76570				53	14.7	10.3-19.1	224	53.9	48.2-59.7	103	24.4	19.7-29.2	23	5.9	3.0-8.8	4	1.0	0.0-2.0
Some Post-H.S.	410	77305				25	6.2	3.0-9.4	238	59.2	53.5-64.8	111	25.5	20.8-30.3	26	6.6	3.7-9.5	10	2.6	0.5-4.7
College Graduate	373	65190				30	8.0	5.0-11.0	214	57.6	52.1-63.2	97	25.8	20.9-30.7	28	7.4	4.6-10.2	4	1.2	0.0-2.4
HOUSEHOLD INCOME																				
Less than \$15,000	68	11905				13	24.4	9.7-39.1	40	59.3	43.8-74.8	12	13.8	4.7-22.8	1	0.7	0.0-2.0	2	1.9	0.0-4.7
\$15,000- 24,999	202	36011				33	16.3	10.3-22.3	97	51.3	43.1-59.5	53	23.5	17.2-29.8	15	7.2	2.3-12.2	4	1.6	0.0-3.3
\$25,000- 34,999	194	36910				22	10.6	5.9-15.4	105	51.7	43.4-59.9	53	30.2	22.2-38.2	11	6.0	2.3-9.7	3	1.5	0.0-3.2
\$35,000- 49,999	288	49811				13	4.6	2.1-7.2	155	52.6	46.3-59.0	91	31.8	25.8-37.7	26	9.8	5.7-13.8	3	1.2	0.0-2.6
\$50,000- 74,999	252	45033				17	6.9	3.5-10.3	149	58.2	51.5-64.8	70	27.0	21.3-32.8	12	5.3	2.3-8.4	4	2.5	0.0-5.8
\$75,000+	189	35591				8	5.1	1.0-9.2	121	65.0	57.3-72.6	46	22.0	15.8-28.1	12	6.8	2.5-11.0	2	1.2	0.0-2.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 30: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? (WEIGHT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs - 300 lbs			301 lbs or greater		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	1592	226973	21	1.0	0.5-1.5	818	52.5	49.7-55.3	609	38.0	35.3-40.7	111	6.3	5.0-7.6	30	2.0	1.2-2.9	3	0.2	0.0-0.4
RACE																				
Native	43	7207	0		0.0-0.0	12	19.8	8.3-31.3	20	50.8	33.2-68.4	9	20.3	7.0-33.5	2	9.1	0.0-21.3	0		0.0-0.0
Non-Native	1535	217865	21	1.1	0.6-1.6	797	53.5	50.6-56.3	585	37.7	34.9-40.4	101	5.8	4.6-7.1	28	1.8	1.1-2.6	3	0.2	0.0-0.4
AGE																				
18-24	106	33979	1	0.4	0.0-1.2	61	59.9	49.8-70.0	33	31.2	21.6-40.8	5	3.3	0.2-6.4	6	5.2	1.0-9.5	0		0.0-0.0
25-34	217	33931	2	0.7	0.0-1.7	114	53.8	46.8-60.7	80	36.5	29.8-43.2	15	6.7	3.2-10.2	5	1.8	0.2-3.5	1	0.5	0.0-1.4
35-44	294	40637	6	1.8	0.0-3.6	155	52.0	45.9-58.1	110	39.3	33.3-45.3	18	5.6	3.0-8.2	4	0.9	0.0-1.8	1	0.3	0.0-1.0
45-54	331	39476	2	0.5	0.0-1.2	162	50.8	44.9-56.6	125	36.6	31.0-42.2	39	11.4	7.6-15.1	3	0.8	0.0-1.7	0		0.0-0.0
55-64	213	26762	1	0.2	0.0-0.7	85	39.8	32.7-46.9	98	46.0	38.8-53.1	21	10.0	5.6-14.5	7	3.7	1.0-6.4	1	0.2	0.0-0.7
65+	427	51774	9	1.8	0.6-3.0	238	54.8	49.6-59.9	162	39.5	34.5-44.6	13	2.7	1.0-4.4	5	1.2	0.1-2.3	0		0.0-0.0
EDUCATION																				
Less Than H.S.	142	19389	6	3.4	0.7-6.1	69	48.2	38.5-57.9	55	39.9	30.5-49.4	10	7.1	2.3-11.9	2	1.3	0.0-3.2	0		0.0-0.0
H.S. or G.E.D.	437	60399	3	0.3	0.0-0.8	210	48.3	42.9-53.7	185	43.8	38.4-49.1	31	5.6	3.4-7.7	7	1.7	0.2-3.3	1	0.2	0.0-0.7
Some Post-H.S.	536	79279	6	1.1	0.1-2.1	271	51.0	46.1-56.0	200	36.6	32.0-41.3	43	8.0	5.4-10.5	15	3.1	1.3-4.8	1	0.2	0.0-0.6
College Graduate	475	67722	6	0.9	0.1-1.6	266	59.0	54.2-63.8	169	34.0	29.4-38.6	27	4.7	2.9-6.6	6	1.3	0.2-2.5	1	0.1	0.0-0.3
HOUSEHOLD INCOME																				
Less than \$15,000	185	27138	4	1.4	0.0-2.8	91	53.4	44.1-62.7	69	36.2	27.3-45.1	15	6.0	2.6-9.5	6	3.0	0.5-5.6	0		0.0-0.0
\$15,000- 24,999	274	37199	4	1.7	0.0-3.6	138	49.8	42.9-56.6	106	40.0	33.4-46.7	20	6.4	3.2-9.7	5	1.8	0.0-3.6	1	0.2	0.0-0.5
\$25,000- 34,999	234	31688	3	0.6	0.0-1.4	108	47.5	40.1-55.0	98	42.0	34.8-49.3	17	6.4	3.1-9.7	8	3.4	0.8-6.0	0		0.0-0.0
\$35,000- 49,999	260	37234	1	0.4	0.0-1.1	119	45.2	38.6-51.8	107	40.9	34.4-47.4	24	8.8	5.0-12.6	7	3.9	0.6-7.2	2	0.8	0.0-1.9
\$50,000- 74,999	238	37198	3	0.9	0.0-2.1	131	57.0	50.3-63.8	90	36.2	29.6-42.8	13	5.1	2.2-8.0	1	0.7	0.0-2.1	0		0.0-0.0
\$75,000+	196	28155	0		0.0-0.0	108	57.4	50.1-64.7	72	35.4	28.4-42.4	15	6.7	3.3-10.2	1	0.5	0.0-1.4	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 31: ABOUT HOW TALL ARE YOU WITHOUT SHOES? (HEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in to 7-ft 0-in			7-ft 1-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3030	484507	109	2.8	2.2-3.3	1349	39.6	37.7-41.6	1325	47.5	45.5-49.6	244	9.9	8.6-11.3	3	0.1	0.0-0.2			0.0-0.0
SEX																				
Male	1306	240266	2	0.1	0.0-0.3	111	8.6	6.8-10.4	949	71.4	68.5-74.3	241	19.7	17.1-22.2	3	0.2	0.0-0.5			0.0-0.0
Female	1724	244241	107	5.4	4.3-6.5	1238	70.1	67.6-72.7	376	24.1	21.7-26.5	3	0.3	0.0-0.9	0		0.0-0.0			0.0-0.0
RACE																				
Native	80	17507	4	3.6	0.0-7.6	38	35.0	22.8-47.2	33	53.2	39.1-67.3	5	8.2	0.0-16.3	0		0.0-0.0			0.0-0.0
Non-Native	2922	463447	103	2.7	2.1-3.2	1297	39.7	37.7-41.7	1282	47.5	45.4-49.6	237	10.0	8.6-11.4	3	0.1	0.0-0.3			0.0-0.0
AGE																				
18-24	198	75350	0		0.0-0.0	74	32.5	25.5-39.5	98	53.4	45.7-61.2	26	14.1	8.7-19.5	0		0.0-0.0			0.0-0.0
25-34	420	75796	4	0.7	0.0-1.5	159	32.3	27.7-36.9	205	51.9	46.7-57.0	50	14.6	10.6-18.5	2	0.6	0.0-1.3			0.0-0.0
35-44	574	88226	15	2.0	0.9-3.1	238	37.9	33.7-42.1	266	48.8	44.4-53.2	55	11.3	8.3-14.2	0		0.0-0.0			0.0-0.0
45-54	658	89301	19	2.2	1.2-3.2	291	40.5	36.5-44.5	288	46.9	42.8-51.1	59	10.2	7.5-12.8	1	0.1	0.0-0.4			0.0-0.0
55-64	459	59572	23	4.8	2.8-6.9	197	41.8	37.0-46.6	208	46.1	41.3-51.0	31	7.2	4.6-9.8	0		0.0-0.0			0.0-0.0
65+	706	94306	48	6.6	4.6-8.7	382	50.6	46.6-54.7	253	39.4	35.4-43.4	23	3.3	1.9-4.8	0		0.0-0.0			0.0-0.0
EDUCATION																				
Less Than H.S.	259	40569	17	5.8	2.4-9.2	126	43.1	35.9-50.3	106	47.1	39.5-54.7	10	4.0	1.4-6.6	0		0.0-0.0			0.0-0.0
H.S. or G.E.D.	896	143921	36	3.0	2.0-4.1	416	41.6	37.9-45.4	376	45.5	41.6-49.4	68	9.8	7.3-12.3	0		0.0-0.0			0.0-0.0
Some Post-H.S.	992	162857	32	2.5	1.6-3.4	450	39.9	36.4-43.4	425	46.7	43.0-50.4	84	10.8	8.3-13.4	1	0.1	0.0-0.2			0.0-0.0
College Graduate	877	136428	24	2.0	1.1-2.8	354	36.2	32.7-39.6	415	50.7	47.0-54.4	82	10.8	8.4-13.3	2	0.3	0.0-0.7			0.0-0.0
HOUSEHOLD INCOME																				
Less than \$15,000	263	40303	17	4.7	2.2-7.1	148	50.1	42.2-58.1	86	37.8	29.9-45.8	12	7.3	2.3-12.4	0		0.0-0.0			0.0-0.0
\$15,000- 24,999	491	74982	26	3.9	2.3-5.6	227	42.3	37.2-47.4	213	47.0	41.7-52.3	25	6.7	3.6-9.8	0		0.0-0.0			0.0-0.0
\$25,000- 34,999	449	71450	19	3.1	1.7-4.6	200	39.9	34.6-45.1	194	45.1	39.6-50.5	35	11.6	7.6-15.6	1	0.3	0.0-0.9			0.0-0.0
\$35,000- 49,999	568	89312	8	1.1	0.3-2.0	219	34.2	30.1-38.4	274	50.0	45.5-54.6	66	14.4	10.7-18.0	1	0.2	0.0-0.7			0.0-0.0
\$50,000- 74,999	502	83739	10	1.6	0.6-2.7	200	36.9	32.4-41.4	236	49.2	44.4-53.9	55	12.2	8.8-15.5	1	0.1	0.0-0.4			0.0-0.0
\$75,000+	391	64461	10	2.2	0.8-3.5	148	32.8	27.9-37.7	197	55.5	50.0-60.9	36	9.6	6.4-12.7	0		0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 32: ABOUT HOW TALL ARE YOU WITHOUT SHOES? (HEIGHT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in to 7-ft 0-in			7-ft 1-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	1306	240266	2	0.1	0.0-0.3	111	8.6	6.8-10.4	949	71.4	68.5-74.3	241	19.7	17.1-22.2	3	0.2	0.0-0.5			0.0-0.0
RACE																				
Native	36	10102	0		0.0-0.0	8	16.7	4.5-28.8	23	69.1	51.4-86.9	5	14.2	0.3-28.1	0		0.0-0.0			0.0-0.0
Non-Native	1258	228785	2	0.1	0.0-0.3	100	8.1	6.3-9.9	919	71.6	68.7-74.5	234	19.9	17.3-22.5	3	0.2	0.0-0.5			0.0-0.0
AGE																				
18-24	87	39857	0		0.0-0.0	10	11.3	4.3-18.4	53	64.0	53.1-74.9	24	24.7	15.2-34.2	0		0.0-0.0			0.0-0.0
25-34	187	39628	0		0.0-0.0	6	3.5	0.6-6.3	129	67.6	60.3-74.9	50	27.8	20.9-34.8	2	1.1	0.0-2.5			0.0-0.0
35-44	256	44372	0		0.0-0.0	17	6.2	3.2-9.2	184	71.4	65.6-77.3	55	22.4	16.9-27.8	0		0.0-0.0			0.0-0.0
45-54	295	46152	0		0.0-0.0	26	9.1	5.5-12.6	210	71.1	65.5-76.7	58	19.6	14.7-24.5	1	0.3	0.0-0.7			0.0-0.0
55-64	220	29663	1	0.5	0.0-1.4	19	7.7	4.2-11.3	169	77.4	71.5-83.2	31	14.4	9.4-19.4	0		0.0-0.0			0.0-0.0
65+	256	39818	1	0.3	0.0-0.9	32	13.9	9.2-18.5	200	77.9	72.5-83.3	23	7.9	4.6-11.2	0		0.0-0.0			0.0-0.0
EDUCATION																				
Less Than H.S.	111	20580	0		0.0-0.0	16	14.0	7.0-21.1	85	78.1	69.6-86.6	10	7.8	2.7-13.0	0		0.0-0.0			0.0-0.0
H.S. or G.E.D.	408	76691	0		0.0-0.0	47	12.6	8.6-16.7	293	69.0	63.6-74.4	68	18.4	13.8-22.9	0		0.0-0.0			0.0-0.0
Some Post-H.S.	412	77493	2	0.3	0.0-0.8	27	6.4	3.8-9.0	299	71.1	65.9-76.3	83	22.0	17.1-26.9	1	0.1	0.0-0.4			0.0-0.0
College Graduate	373	65190	0		0.0-0.0	21	4.9	2.6-7.2	270	72.2	67.1-77.3	80	22.3	17.5-27.0	2	0.6	0.0-1.6			0.0-0.0
HOUSEHOLD INCOME																				
Less than \$15,000	68	11998	0		0.0-0.0	8	8.6	1.2-16.1	50	72.1	57.9-86.3	10	19.3	6.0-32.5	0		0.0-0.0			0.0-0.0
\$15,000- 24,999	201	35834	0		0.0-0.0	27	13.9	8.4-19.4	149	72.0	64.5-79.5	25	14.1	7.8-20.3	0		0.0-0.0			0.0-0.0
\$25,000- 34,999	195	37028	1	0.3	0.0-0.9	20	11.4	5.7-17.1	138	65.2	57.1-73.4	35	22.4	15.2-29.7	1	0.6	0.0-1.7			0.0-0.0
\$35,000- 49,999	288	49811	0		0.0-0.0	23	8.1	4.8-11.4	198	65.8	59.5-72.0	66	25.8	19.8-31.7	1	0.4	0.0-1.3			0.0-0.0
\$50,000- 74,999	252	45033	0		0.0-0.0	13	5.0	2.1-8.0	183	72.0	65.9-78.2	55	22.6	16.8-28.5	1	0.3	0.0-0.8			0.0-0.0
\$75,000+	188	35280	1	0.4	0.0-1.2	7	2.8	0.6-5.0	144	79.3	73.2-85.3	36	17.5	11.8-23.2	0		0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 33: ABOUT HOW TALL ARE YOU WITHOUT SHOES? (HEIGHT2)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in to 7-ft 0-in			7-ft 1-in or taller		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	1724	244241	107	5.4	4.3-6.5	1238	70.1	67.6-72.7	376	24.1	21.7-26.5	3	0.3	0.0-0.9			0.0-0.0			0.0-0.0
RACE																				
Native	44	7405	4	8.5	0.0-17.7	30	60.1	42.3-77.8	10	31.4	13.7-49.1	0		0.0-0.0			0.0-0.0			0.0-0.0
Non-Native	1664	234663	101	5.2	4.1-6.3	1197	70.6	68.0-73.1	363	23.9	21.5-26.3	3	0.4	0.0-0.9			0.0-0.0			0.0-0.0
AGE																				
18-24	111	35494	0		0.0-0.0	64	56.2	46.1-66.4	45	41.6	31.5-51.6	2	2.2	0.0-5.6			0.0-0.0			0.0-0.0
25-34	233	36168	4	1.5	0.0-3.0	153	63.9	57.3-70.4	76	34.6	28.1-41.1	0		0.0-0.0			0.0-0.0			0.0-0.0
35-44	318	43855	15	4.1	1.9-6.3	221	69.9	64.6-75.2	82	26.0	20.9-31.1	0		0.0-0.0			0.0-0.0			0.0-0.0
45-54	363	43149	19	4.6	2.5-6.7	265	74.1	69.3-79.0	78	21.2	16.6-25.7	1	0.1	0.0-0.4			0.0-0.0			0.0-0.0
55-64	239	29909	22	9.2	5.2-13.2	178	75.7	69.9-81.4	39	15.1	10.5-19.8	0		0.0-0.0			0.0-0.0			0.0-0.0
65+	450	54488	47	11.2	7.8-14.7	350	77.5	73.2-81.9	53	11.3	8.1-14.4	0		0.0-0.0			0.0-0.0			0.0-0.0
EDUCATION																				
Less Than H.S.	148	19989	17	11.8	5.2-18.3	110	73.1	64.3-81.8	21	15.2	8.0-22.3	0		0.0-0.0			0.0-0.0			0.0-0.0
H.S. or G.E.D.	488	67230	36	6.5	4.3-8.7	369	74.8	70.1-79.4	83	18.7	14.3-23.1	0		0.0-0.0			0.0-0.0			0.0-0.0
Some Post-H.S.	580	85364	30	4.4	2.7-6.1	423	70.3	65.9-74.8	126	24.5	20.3-28.8	1	0.7	0.0-2.0			0.0-0.0			0.0-0.0
College Graduate	504	71238	24	3.8	2.2-5.4	333	64.8	60.1-69.4	145	31.1	26.6-35.7	2	0.4	0.0-0.9			0.0-0.0			0.0-0.0
HOUSEHOLD INCOME																				
Less than \$15,000	195	28305	17	6.6	3.1-10.2	140	67.7	58.8-76.6	36	23.3	15.0-31.7	2	2.3	0.0-6.4			0.0-0.0			0.0-0.0
\$15,000- 24,999	290	39148	26	7.5	4.5-10.6	200	68.3	62.0-74.6	64	24.1	18.2-30.1	0		0.0-0.0			0.0-0.0			0.0-0.0
\$25,000- 34,999	254	34422	18	6.2	3.2-9.1	180	70.4	64.0-76.9	56	23.4	17.3-29.5	0		0.0-0.0			0.0-0.0			0.0-0.0
\$35,000- 49,999	280	39501	8	2.6	0.7-4.5	196	67.2	61.0-73.4	76	30.2	24.1-36.3	0		0.0-0.0			0.0-0.0			0.0-0.0
\$50,000- 74,999	250	38706	10	3.5	1.3-5.8	187	73.9	67.8-80.0	53	22.5	16.7-28.4	0		0.0-0.0			0.0-0.0			0.0-0.0
\$75,000+	203	29181	9	4.3	1.5-7.1	141	69.0	62.2-75.9	53	26.7	20.0-33.3	0		0.0-0.0			0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 34: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3045	486997	3012	98.9	98.5-99.3	14	0.5	0.2-0.8	19	0.6	0.3-0.9
SEX											
Male	1310	241165	1297	98.9	98.2-99.5	7	0.7	0.2-1.2	6	0.5	0.1-0.8
Female	1735	245832	1715	99.0	98.5-99.4	7	0.3	0.1-0.6	13	0.7	0.3-1.1
RACE											
Native	80	17507	80	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
Non-Native	2937	465937	2904	98.9	98.5-99.3	14	0.5	0.2-0.8	19	0.6	0.3-0.9
AGE											
18-24	200	75791	196	98.7	97.4-100.0	4	1.3	0.0-2.6	0		0.0-0.0
25-34	422	76271	418	99.0	98.1-100.0	1	0.3	0.0-0.8	3	0.7	0.0-1.5
35-44	576	88461	569	98.8	97.8-99.8	4	0.6	0.0-1.3	3	0.6	0.0-1.3
45-54	663	90142	662	99.9	99.6-100.0	0		0.0-0.0	1	0.1	0.0-0.4
55-64	461	59834	459	99.4	98.7-100.0	0		0.0-0.0	2	0.5	0.0-1.3
65+	706	94306	694	98.3	97.3-99.3	5	0.7	0.1-1.4	7	1.0	0.2-1.7
EDUCATION											
Less Than H.S.	260	40687	256	98.8	97.7-100.0	4	1.2	0.0-2.3	0		0.0-0.0
H.S. or G.E.D.	901	144617	887	98.3	97.4-99.3	7	0.9	0.2-1.7	7	0.7	0.2-1.3
Some Post-H.S.	996	163604	986	99.1	98.5-99.7	2	0.2	0.0-0.4	8	0.8	0.2-1.3
College Graduate	882	137357	877	99.4	98.8-100.0	1	0.2	0.0-0.6	4	0.4	0.0-0.9
HOUSEHOLD INCOME											
Less than \$15,000	264	40396	262	99.5	98.8-100.0	1	0.2	0.0-0.5	1	0.3	0.0-1.0
\$15,000- 24,999	493	75301	488	99.0	98.1-99.9	3	0.6	0.0-1.3	2	0.4	0.0-1.0
\$25,000- 34,999	450	71713	446	98.9	97.7-100.0	4	1.1	0.0-2.3	0		0.0-0.0
\$35,000- 49,999	571	89692	568	99.3	98.5-100.0	0		0.0-0.0	3	0.7	0.0-1.5
\$50,000- 74,999	503	83916	501	99.4	98.6-100.0	1	0.3	0.0-1.0	1	0.3	0.0-0.7
\$75,000+	393	64949	393	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 35: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY											
SEX											
Male	1310	241165	1297	98.9	98.2-99.5	7	0.7	0.2-1.2	6	0.5	0.1-0.8
RACE											
Native	36	10102	36	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
Non-Native	1262	229684	1249	98.8	98.1-99.5	7	0.7	0.2-1.3	6	0.5	0.1-0.9
AGE											
18-24	88	40034	84	97.6	95.1-100.0	4	2.4	0.0-4.9	0		0.0-0.0
25-34	188	39946	186	98.9	97.5-100.0	1	0.5	0.0-1.6	1	0.5	0.0-1.6
35-44	257	44465	255	98.9	97.5-100.0	1	0.6	0.0-1.9	1	0.4	0.0-1.2
45-54	296	46463	296	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
55-64	220	29663	220	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
65+	256	39818	252	98.4	96.8-100.0	1	0.4	0.0-1.2	3	1.2	0.0-2.6
EDUCATION											
Less Than H.S.	111	20580	110	99.2	97.8-100.0	1	0.8	0.0-2.2	0		0.0-0.0
H.S. or G.E.D.	410	76961	403	98.0	96.5-99.5	5	1.5	0.1-2.9	2	0.4	0.0-1.1
Some Post-H.S.	413	77803	409	99.0	98.0-100.0	0		0.0-0.0	4	1.0	0.0-2.0
College Graduate	374	65509	373	99.6	98.7-100.0	1	0.4	0.0-1.3	0		0.0-0.0
HOUSEHOLD INCOME											
Less than \$15,000	69	12091	69	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
\$15,000- 24,999	202	36011	199	98.6	97.0-100.0	2	1.0	0.0-2.3	1	0.4	0.0-1.3
\$25,000- 34,999	195	37028	192	98.0	95.7-100.0	3	1.9	0.0-4.3	0		0.0-0.0
\$35,000- 49,999	288	49811	286	99.1	98.0-100.0	0		0.0-0.0	2	0.8	0.0-2.0
\$50,000- 74,999	252	45033	250	98.9	97.4-100.0	1	0.6	0.0-1.8	1	0.5	0.0-1.4
\$75,000+	189	35591	189	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 36: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY											
SEX											
Female	1735	245832	1715	99.0	98.5-99.4	7	0.3	0.1-0.6	13	0.7	0.3-1.1
RACE											
Native	44	7405	44	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
Non-Native	1675	236254	1655	98.9	98.4-99.4	7	0.3	0.1-0.6	13	0.7	0.3-1.2
AGE											
18-24	112	35757	112	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
25-34	234	36325	232	99.1	97.9-100.0	0		0.0-0.0	2	0.9	0.0-2.1
35-44	319	43996	314	98.6	97.3-100.0	3	0.6	0.0-1.3	2	0.8	0.0-1.9
45-54	367	43679	366	99.7	99.2-100.0	0		0.0-0.0	1	0.3	0.0-0.8
55-64	241	30171	239	98.9	97.4-100.0	0		0.0-0.0	2	1.1	0.0-2.6
65+	450	54488	442	98.2	96.9-99.5	4	1.0	0.0-2.0	4	0.8	0.0-1.7
EDUCATION											
Less Than H.S.	149	20107	146	98.4	96.6-100.0	3	1.6	0.0-3.4	0		0.0-0.0
H.S. or G.E.D.	491	67656	484	98.7	97.7-99.7	2	0.3	0.0-0.7	5	1.0	0.1-2.0
Some Post-H.S.	583	85800	577	99.1	98.4-99.9	2	0.3	0.0-0.8	4	0.5	0.0-1.1
College Graduate	508	71848	504	99.2	98.4-100.0	0		0.0-0.0	4	0.8	0.0-1.6
HOUSEHOLD INCOME											
Less than \$15,000	195	28305	193	99.3	98.2-100.0	1	0.3	0.0-0.7	1	0.5	0.0-1.4
\$15,000- 24,999	291	39289	289	99.3	98.4-100.0	1	0.3	0.0-0.8	1	0.4	0.0-1.2
\$25,000- 34,999	255	34686	254	99.9	99.7-100.0	1	0.1	0.0-0.3	0		0.0-0.0
\$35,000- 49,999	283	39881	282	99.5	98.5-100.0	0		0.0-0.0	1	0.5	0.0-1.5
\$50,000- 74,999	251	38883	251	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0
\$75,000+	204	29358	204	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 37: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD?
DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3043	486751	156	4.0	3.3-4.6	2887	96.0	95.4-96.7
SEX								
Male	1308	240919	69	4.1	3.0-5.2	1239	95.9	94.8-97.0
Female	1735	245832	87	3.8	3.0-4.7	1648	96.2	95.3-97.0
RACE								
Native	80	17507	5	2.3	0.1-4.4	75	97.8	95.6-99.9
Non-Native	2935	465692	149	4.0	3.3-4.7	2786	96.0	95.3-96.7
AGE								
18-24	199	75614	6	1.7	0.3-3.1	193	98.3	96.8-99.8
25-34	422	76271	17	3.4	1.6-5.1	405	96.6	94.9-98.4
35-44	576	88461	40	5.0	3.4-6.7	536	95.0	93.3-96.6
45-54	663	90142	40	4.9	3.3-6.6	623	95.1	93.4-96.7
55-64	460	59765	24	4.3	2.4-6.1	436	95.7	93.9-97.6
65+	706	94306	28	3.9	2.4-5.5	678	96.0	94.5-97.6
EDUCATION								
Less Than H.S.	260	40687	3	0.7	0.0-1.5	257	99.3	98.5-100.0
H.S. or G.E.D.	900	144440	49	4.2	2.9-5.5	851	95.8	94.4-97.1
Some Post-H.S.	995	163535	59	4.4	3.2-5.7	936	95.6	94.3-96.8
College Graduate	882	137357	45	4.1	2.8-5.4	837	95.9	94.6-97.2
HOUSEHOLD INCOME								
Less than \$15,000	264	40396	1	0.1	0.0-0.4	263	99.8	99.6-100.0
\$15,000- 24,999	493	75301	15	2.3	1.0-3.6	478	97.7	96.4-99.0
\$25,000- 34,999	450	71713	15	2.5	1.0-4.0	435	97.5	96.0-99.0
\$35,000- 49,999	570	89623	27	3.4	2.0-4.8	543	96.6	95.1-98.0
\$50,000- 74,999	503	83916	33	5.1	3.3-6.9	470	94.9	93.1-96.7
\$75,000+	393	64949	39	7.4	4.9-9.9	354	92.6	90.1-95.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 38: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD?
DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY									
SEX									
Male	1308	240919	69	4.1	3.0-5.2	1239	95.9	94.8-97.0	
RACE									
Native	36	10102	0		0.0-0.0	36	100.0	100.0-100.0	
Non-Native	1260	229438	67	4.2	3.1-5.3	1193	95.8	94.7-96.9	
AGE									
18-24	87	39857	4	2.4	0.0-4.9	83	97.6	95.0-100.0	
25-34	188	39946	8	3.8	1.0-6.7	180	96.1	93.3-99.0	
35-44	257	44465	14	3.6	1.6-5.5	243	96.4	94.5-98.4	
45-54	296	46463	17	5.2	2.6-7.7	279	94.8	92.3-97.4	
55-64	219	29594	9	3.1	0.9-5.3	210	96.9	94.6-99.1	
65+	256	39818	16	5.5	2.6-8.5	240	94.5	91.5-97.4	
EDUCATION									
Less Than H.S.	111	20580	0		0.0-0.0	111	100.0	100.0-100.0	
H.S. or G.E.D.	409	76784	22	4.3	2.3-6.3	387	95.7	93.7-97.7	
Some Post-H.S.	412	77735	29	5.2	3.2-7.3	383	94.8	92.7-96.8	
College Graduate	374	65509	18	3.8	1.9-5.8	356	96.2	94.2-98.1	
HOUSEHOLD INCOME									
Less than \$15,000	69	12091	0		0.0-0.0	69	100.0	100.0-100.0	
\$15,000- 24,999	202	36011	9	3.3	1.0-5.6	193	96.7	94.4-99.0	
\$25,000- 34,999	195	37028	8	3.2	0.7-5.6	187	96.8	94.4-99.3	
\$35,000- 49,999	287	49742	8	2.2	0.6-3.8	279	97.8	96.1-99.4	
\$50,000- 74,999	252	45033	15	4.8	2.2-7.5	237	95.1	92.5-97.8	
\$75,000+	189	35591	21	7.4	3.9-10.9	168	92.6	89.1-96.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 39: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD?
DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	1735	245832	87	3.8	3.0-4.7	1648	96.2	95.3-97.0	
RACE									
Native	44	7405	5	5.3	0.3-10.4	39	94.7	89.6-99.7	
Non-Native	1675	236254	82	3.8	2.9-4.7	1593	96.2	95.3-97.1	
AGE									
18-24	112	35757	2	0.9	0.0-2.2	110	99.1	97.8-100.0	
25-34	234	36325	9	2.9	0.9-4.8	225	97.1	95.2-99.1	
35-44	319	43996	26	6.5	3.8-9.1	293	93.5	90.9-96.2	
45-54	367	43679	23	4.7	2.6-6.7	344	95.3	93.3-97.4	
55-64	241	30171	15	5.4	2.5-8.3	226	94.6	91.7-97.5	
65+	450	54488	12	2.8	1.1-4.5	438	97.2	95.5-98.9	
EDUCATION									
Less Than H.S.	149	20107	3	1.4	0.0-3.1	146	98.6	96.9-100.0	
H.S. or G.E.D.	491	67656	27	4.1	2.4-5.8	464	95.9	94.2-97.6	
Some Post-H.S.	583	85800	30	3.7	2.2-5.2	553	96.3	94.8-97.8	
College Graduate	508	71848	27	4.3	2.6-6.1	481	95.7	93.9-97.4	
HOUSEHOLD INCOME									
Less than \$15,000	195	28305	1	0.2	0.0-0.6	194	99.8	99.4-100.0	
\$15,000- 24,999	291	39289	6	1.4	0.2-2.6	285	98.6	97.4-99.8	
\$25,000- 34,999	255	34686	7	1.8	0.2-3.4	248	98.2	96.6-99.8	
\$35,000- 49,999	283	39881	19	4.9	2.5-7.4	264	95.1	92.6-97.5	
\$50,000- 74,999	251	38883	18	5.4	2.8-8.0	233	94.6	92.0-97.2	
\$75,000+	204	29358	18	7.3	3.8-10.8	186	92.7	89.2-96.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 40: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	156	19261	58	50.2	41.4-58.9	93	47.6	38.9-56.3	4	2.1	0.0-4.3	1	0.2	0.0-0.5			0.0-0.0			0.0-0.0
SEX																				
Male	69	9869	25	47.2	34.0-60.5	42	50.0	36.9-63.2	2	2.7	0.0-6.7	0		0.0-0.0			0.0-0.0			0.0-0.0
Female	87	9392	33	53.3	41.9-64.6	51	45.0	33.8-56.3	2	1.4	0.0-3.3	1	0.3	0.0-1.0			0.0-0.0			0.0-0.0
RACE																				
Native	5	395	0		0.0-0.0	5	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
Non-Native	149	18617	56	50.6	41.6-59.5	88	47.1	38.2-56.0	4	2.1	0.0-4.5	1	0.2	0.0-0.5			0.0-0.0			0.0-0.0
AGE																				
18-24	6	1304	0		0.0-0.0	5	86.4	61.0-100.0	1	13.6	0.0-39.0	0		0.0-0.0			0.0-0.0			0.0-0.0
25-34	17	2579	7	53.2	27.3-79.0	10	46.8	21.0-72.7	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
35-44	40	4431	16	55.2	39.0-71.3	23	42.7	26.8-58.6	1	2.1	0.0-6.2	0		0.0-0.0			0.0-0.0			0.0-0.0
45-54	40	4442	16	57.5	41.3-73.8	23	41.1	25.0-57.2	1	1.3	0.0-4.0	0		0.0-0.0			0.0-0.0			0.0-0.0
55-64	24	2547	8	49.5	27.3-71.6	15	49.2	27.2-71.2	0		0.0-0.0	1	1.3	0.0-3.8			0.0-0.0			0.0-0.0
65+	28	3726	10	48.2	27.3-69.1	17	49.9	29.1-70.6	1	1.9	0.0-5.7	0		0.0-0.0			0.0-0.0			0.0-0.0
EDUCATION																				
Less Than H.S.	3	289	0		0.0-0.0	3	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
H.S. or G.E.D.	49	6112	22	59.9	45.0-74.8	25	38.0	23.3-52.6	2	2.1	0.0-5.1	0		0.0-0.0			0.0-0.0			0.0-0.0
Some Post-H.S.	59	7241	18	42.0	27.6-56.4	38	53.8	39.5-68.1	2	3.7	0.0-9.1	1	0.4	0.0-1.4			0.0-0.0			0.0-0.0
College Graduate	45	5619	18	52.6	36.5-68.7	27	47.4	31.3-63.5	• •		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
HOUSEHOLD INCOME																				
Less than \$15,000	1	59	0		0.0-0.0	0		0.0-0.0	1	100.0	100.0-100.0	0		0.0-0.0			0.0-0.0			0.0-0.0
\$15,000- 24,999	15	1749	5	45.9	17.7-74.1	10	54.1	25.9-82.3	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
\$25,000- 34,999	15	1790	4	35.2	7.0-63.4	11	64.8	36.6-93.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
\$35,000- 49,999	27	3065	9	52.8	32.1-73.5	17	44.9	24.6-65.2	1	2.3	0.0-6.9	0		0.0-0.0			0.0-0.0			0.0-0.0
\$50,000- 74,999	33	4280	13	47.7	29.0-66.4	20	52.3	33.6-71.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
\$75,000+	39	4787	16	53.0	35.9-70.1	21	41.4	24.9-57.8	2	5.6	0.0-13.6	0		0.0-0.0			0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 41: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	69	9869	25	47.2	33.8-60.6	42	50.0	36.7-63.3	2	2.7	0.0-6.7			0.0-0.0			0.0-0.0			0.0-0.0
RACE																				
Non-Native	67	9620	23	45.9	32.2-59.5	42	51.3	37.7-64.9	2	2.8	0.0-6.9			0.0-0.0			0.0-0.0			0.0-0.0
AGE																				
18-24	4	974	0		0.0-0.0	3	81.8	47.9-100.0	1	18.2	0.0-52.1			0.0-0.0			0.0-0.0			0.0-0.0
25-34	8	1538	3	48.3	10.8-85.8	5	51.7	14.2-89.2	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
35-44	14	1585	4	38.2	9.7-66.8	9	55.9	27.7-84.1	1	5.9	0.0-17.3			0.0-0.0			0.0-0.0			0.0-0.0
45-54	17	2407	9	64.5	41.9-87.1	8	35.5	12.9-58.1	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
55-64	9	925	2	37.0	0.0-74.7	7	63.0	25.3-100.0	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
65+	16	2207	6	53.6	26.6-80.6	10	46.4	19.4-73.4	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
EDUCATION																				
H.S. or G.E.D.	22	3309	11	61.1	39.3-82.8	11	38.9	17.2-60.7	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
Some Post-H.S.	29	4055	7	34.3	14.3-54.3	20	59.0	38.9-79.1	2	6.7	0.0-16.2			0.0-0.0			0.0-0.0			0.0-0.0
College Graduate	18	2505	7	49.8	23.3-76.3	11	50.2	23.7-76.7	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
HOUSEHOLD INCOME																				
\$15,000- 24,999	9	1196	4	56.0	21.2-90.8	5	44.0	9.2-78.8	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
\$25,000- 34,999	8	1170	3	42.6	4.8-80.3	5	57.4	19.7-95.2	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
\$35,000- 49,999	8	1103	3	53.5	16.7-90.3	5	46.5	9.7-83.3	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
\$50,000- 74,999	15	2184	5	43.6	15.5-71.7	10	56.4	28.3-84.5	0		0.0-0.0			0.0-0.0			0.0-0.0			0.0-0.0
\$75,000+	21	2648	6	37.8	13.2-62.4	13	52.0	27.7-76.4	2	10.2	0.0-24.4			0.0-0.0			0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 42: HOW MANY OF THESE ARE RESIDENTIAL NUMBERS? (NUMPHON2)
Denominator excludes: Respondents reporting only one phone number in the household
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	87	9392	33	53.3	41.8-64.7	51	45.0	33.7-56.3	2	1.4	0.0-3.3	1	0.3	0.0-1.0			0.0-0.0			0.0-0.0
RACE																				
Native	5	395	0		0.0-0.0	5	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
Non-Native	82	8997	33	55.6	43.9-67.2	46	42.6	31.1-54.1	2	1.4	0.0-3.5	1	0.4	0.0-1.1			0.0-0.0			0.0-0.0
AGE																				
18-24	2	329	0		0.0-0.0	2	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
25-34	9	1040	4	60.4	28.6-92.1	5	39.6	7.9-71.4	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
35-44	26	2846	12	64.6	46.3-82.9	14	35.4	17.1-53.7	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
45-54	23	2035	7	49.3	26.3-72.3	15	47.8	25.4-70.3	1	2.9	0.0-8.6	0		0.0-0.0			0.0-0.0			0.0-0.0
55-64	15	1622	6	56.6	29.6-83.5	8	41.4	14.8-68.0	0		0.0-0.0	1	2.0	0.0-6.1			0.0-0.0			0.0-0.0
65+	12	1519	4	40.4	9.5-71.3	7	54.9	23.9-85.9	1	4.7	0.0-14.0	0		0.0-0.0			0.0-0.0			0.0-0.0
EDUCATION																				
Less Than H.S.	3	289	0		0.0-0.0	3	100.0	100.0-100.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
H.S. or G.E.D.	27	2803	11	58.5	38.7-78.3	14	36.9	17.8-55.9	2	4.6	0.0-11.1	0		0.0-0.0			0.0-0.0			0.0-0.0
Some Post-H.S.	30	3186	11	51.8	31.8-71.9	18	47.1	27.1-67.1	0		0.0-0.0	1	1.0	0.0-3.1			0.0-0.0			0.0-0.0
College Graduate	27	3114	11	54.9	35.2-74.7	16	45.1	25.3-64.8	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
HOUSEHOLD INCOME																				
Less than \$15,000	1	59	0		0.0-0.0	0		0.0-0.0	1	100.0	100.0-100.0	0		0.0-0.0			0.0-0.0			0.0-0.0
\$15,000- 24,999	6	554	1	24.1	0.0-63.8	5	75.9	36.2-100.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
\$25,000- 34,999	7	619	1	21.2	0.0-58.2	6	78.8	41.8-100.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
\$35,000- 49,999	19	1962	6	52.4	27.3-77.5	12	44.0	19.6-68.3	1	3.6	0.0-10.7	0		0.0-0.0			0.0-0.0			0.0-0.0
\$50,000- 74,999	18	2096	8	51.9	27.0-76.9	10	48.1	23.1-73.1	□		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0
\$75,000+	18	2139	10	71.8	52.6-91.1	8	28.2	8.9-47.4	0		0.0-0.0	0		0.0-0.0			0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 43: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? (TELESERV)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3041	486201	83	3.8	2.9-4.8	2958	96.2	95.2-97.1
SEX								
Male	1307	240511	40	4.0	2.6-5.5	1267	96.0	94.5-97.5
Female	1734	245691	43	3.6	2.4-4.9	1691	96.4	95.1-97.6
RACE								
Native	80	17507	3	3.5	0.0-7.8	77	96.5	92.2-100.0
Non-Native	2933	465141	79	3.8	2.9-4.8	2854	96.2	95.2-97.1
AGE								
18-24	199	75614	23	11.7	6.9-16.6	176	88.3	83.4-93.1
25-34	420	75794	11	3.1	1.2-5.1	409	96.8	94.8-98.9
35-44	575	88320	18	3.1	1.6-4.6	557	96.9	95.4-98.4
45-54	663	90142	10	1.8	0.6-3.0	653	98.2	97.0-99.4
55-64	461	59834	12	2.9	1.1-4.7	449	97.1	95.3-98.9
65+	706	94306	9	1.3	0.4-2.1	697	98.7	97.9-99.6
EDUCATION								
Less Than H.S.	260	40687	5	3.1	0.2-6.0	255	96.9	94.0-99.8
H.S. or G.E.D.	898	144140	34	5.6	3.4-7.8	864	94.4	92.2-96.6
Some Post-H.S.	996	163604	27	3.7	2.1-5.3	969	96.3	94.7-97.9
College Graduate	881	137039	17	2.3	1.1-3.6	864	97.6	96.3-99.0
HOUSEHOLD INCOME								
Less than \$15,000	264	40396	17	9.4	4.1-14.8	247	90.5	85.2-95.9
\$15,000- 24,999	492	75142	24	7.9	4.4-11.5	468	92.0	88.4-95.7
\$25,000- 34,999	450	71713	9	2.9	0.7-5.1	441	97.1	94.9-99.3
\$35,000- 49,999	571	89692	11	2.2	0.8-3.5	560	97.8	96.5-99.2
\$50,000- 74,999	503	83916	8	1.7	0.5-2.9	495	98.3	97.1-99.5
\$75,000+	393	64949	7	2.1	0.5-3.6	386	97.9	96.4-99.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 44: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? (TELESERV)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY									
SEX									
Male	1307	240511	40	4.0	2.6-5.5	1267	96.0	94.5-97.4	
RACE									
Native	36	10102	2	4.1	0.0-10.5	34	95.9	89.5-100.0	
Non-Native	1259	229029	37	4.0	2.5-5.5	1222	96.0	94.5-97.5	
AGE									
18-24	87	39857	9	10.2	3.5-17.0	78	89.8	83.0-96.6	
25-34	186	39469	6	3.8	0.7-6.8	180	96.2	92.8-99.7	
35-44	257	44465	10	3.8	1.3-6.2	247	96.2	93.8-98.7	
45-54	296	46463	4	1.9	0.0-3.9	292	98.1	96.1-100.0	
55-64	220	29663	7	3.3	0.6-6.1	213	96.6	93.9-99.4	
65+	256	39818	4	1.4	0.0-2.8	252	98.6	97.2-100.0	
EDUCATION									
Less Than H.S.	111	20580	4	4.2	0.0-8.6	107	95.8	91.4-100.0	
H.S. or G.E.D.	408	76625	18	6.0	2.8-9.1	390	94.0	90.8-97.2	
Some Post-H.S.	413	77803	12	3.8	1.3-6.2	401	96.2	93.8-98.7	
College Graduate	373	65190	6	2.0	0.1-3.9	367	98.0	95.9-100.0	
HOUSEHOLD INCOME									
Less than \$15,000	69	12091	7	13.2	2.5-23.9	62	86.8	76.1-97.5	
\$15,000- 24,999	201	35852	14	10.5	4.3-16.7	187	89.5	83.3-95.7	
\$25,000- 34,999	195	37028	5	3.4	0.0-6.9	190	96.5	93.1-100.0	
\$35,000- 49,999	288	49811	3	1.0	0.0-2.3	285	99.0	97.7-100.0	
\$50,000- 74,999	252	45033	2	0.7	0.0-1.8	250	99.3	98.2-100.0	
\$75,000+	189	35591	5	3.0	0.3-5.8	184	97.0	94.2-99.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

**TABLE 45: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT TELEPHONE SERVICE FOR 1 WEEK OR MORE? (TELESERV)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	1734	245691	43	3.6	2.4-4.8	1691	96.4	95.1-97.6	
RACE									
Native	44	7405	1	2.7	0.0-7.8	43	97.3	92.2-100.0	
Non-Native	1674	236112	42	3.7	2.4-4.9	1632	96.3	95.0-97.6	
AGE									
18-24	112	35757	14	13.4	6.5-20.4	98	86.6	79.6-93.5	
25-34	234	36325	5	2.5	0.3-4.7	229	97.5	95.3-99.7	
35-44	318	43855	8	2.4	0.7-4.2	310	97.6	95.7-99.5	
45-54	367	43679	6	1.7	0.3-3.1	361	98.3	96.9-99.7	
55-64	241	30171	5	2.5	0.3-4.7	236	97.5	95.3-99.7	
65+	450	54488	5	1.2	0.1-2.3	445	98.8	97.7-99.9	
EDUCATION									
Less Than H.S.	149	20107	1	2.0	0.0-5.8	148	98.0	94.2-100.0	
H.S. or G.E.D.	490	67515	16	5.2	2.3-8.0	474	94.8	91.9-97.7	
Some Post-H.S.	583	85800	15	3.6	1.5-5.7	568	96.4	94.3-98.5	
College Graduate	508	71848	11	2.7	0.9-4.4	497	97.3	95.6-99.1	
HOUSEHOLD INCOME									
Less than \$15,000	195	28305	10	7.9	1.8-13.9	185	92.1	86.1-98.2	
\$15,000- 24,999	291	39289	10	5.6	1.8-9.5	281	94.3	90.5-98.2	
\$25,000- 34,999	255	34686	4	2.3	0.0-4.9	251	97.7	95.1-100.0	
\$35,000- 49,999	283	39881	8	3.6	1.0-6.2	275	96.4	93.8-99.0	
\$50,000- 74,999	251	38883	6	2.8	0.5-5.2	245	97.2	94.8-99.5	
\$75,000+	204	29358	2	0.9	0.0-2.1	202	99.1	97.9-100.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 46: INDICATE SEX OF RESPONDENT (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Male			Female		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3045	486997	1310	49.5	47.4-51.6	1735	50.5	48.4-52.6
RACE								
Native	80	17507	36	57.7	44.2-71.2	44	42.3	28.8-55.8
Non-Native	2937	465937	1262	49.3	47.2-51.4	1675	50.7	48.6-52.8
AGE								
18-24	200	75791	88	52.8	45.1-60.5	112	47.2	39.5-54.9
25-34	422	76271	188	52.4	47.3-57.4	234	47.6	42.6-52.7
35-44	576	88461	257	50.3	45.9-54.7	319	49.7	45.3-54.1
45-54	663	90142	296	51.5	47.4-55.7	367	48.5	44.3-52.6
55-64	461	59834	220	49.6	44.7-54.4	241	50.4	45.6-55.3
65+	706	94306	256	42.2	38.2-46.3	450	57.8	53.7-61.8
EDUCATION								
Less Than H.S.	260	40687	111	50.6	43.1-58.0	149	49.4	42.0-56.9
H.S. or G.E.D.	901	144617	410	53.2	49.4-57.0	491	46.8	43.0-50.6
Some Post-H.S.	996	163604	413	47.6	43.9-51.2	583	52.4	48.8-56.1
College Graduate	882	137357	374	47.7	44.0-51.4	508	52.3	48.6-56.0
HOUSEHOLD INCOME								
Less than \$15,000	264	40396	69	29.9	22.3-37.5	195	70.1	62.5-77.7
\$15,000- 24,999	493	75301	202	47.8	42.5-53.1	291	52.2	46.9-57.5
\$25,000- 34,999	450	71713	195	51.6	46.2-57.0	255	48.4	43.0-53.8
\$35,000- 49,999	571	89692	288	55.5	51.1-60.0	283	44.5	40.0-48.9
\$50,000- 74,999	503	83916	252	53.7	49.0-58.4	251	46.3	41.6-51.0
\$75,000+	393	64949	189	54.8	49.4-60.2	204	45.2	39.8-50.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 13: DEMOGRAPHICS**

TABLE 47: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	663	115736	29	4.8	2.9-6.6	634	95.2	93.3-97.1	
RACE									
Native	25	4730	0		0.0-0.0	25	100.0	100.0-100.0	
Non-Native	636	110601	29	5.0	3.1-7.0	607	95.0	93.0-97.0	
AGE									
18-24	111	35494	7	6.1	1.6-10.6	104	93.9	89.2-98.6	
25-34	233	36246	14	6.1	2.9-9.2	219	93.9	90.8-97.1	
35-44	319	43996	8	2.6	0.7-4.6	311	97.3	95.4-99.3	
EDUCATION									
Less Than H.S.	18	4014	2	13.8	0.0-32.9	16	86.3	67.1-100.0	
H.S. or G.E.D.	145	26001	5	4.0	0.1-8.0	140	96.0	92.0-99.9	
Some Post-H.S.	241	44426	11	4.7	1.8-7.6	230	95.3	92.2-98.5	
College Graduate	259	41295	11	4.5	1.8-7.2	248	95.5	92.8-98.2	
HOUSEHOLD INCOME									
Less than \$15,000	68	15124	3	5.9	0.0-13.1	65	94.1	86.9-100.0	
\$15,000- 24,999	102	17497	3	2.5	0.0-5.5	99	97.5	94.3-100.0	
\$25,000- 34,999	94	16071	4	4.1	0.0-8.3	90	95.9	91.7-100.0	
\$35,000- 49,999	138	22511	5	4.1	0.6-7.6	133	95.9	91.8-100.0	
\$50,000- 74,999	128	21600	5	4.8	0.3-9.3	123	95.2	90.7-99.7	
\$75,000+	85	13584	2	2.2	0.0-5.2	83	97.8	94.8-100.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 14: VETERANS STATUS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)	
1	MALES AND FEMALES	149
2	MALES ONLY	150
3	FEMALES ONLY	151
	WHICH OF THE FOLLOWING BEST DESCRIBES YOUR SERVICE IN THE UNITED STATES MILITARY? (VETSTAT2)	
4	MALES AND FEMALES	152
5	MALES ONLY	153
6	FEMALES ONLY	154
	IN THE LAST 12 MONTHS HAVE YOU RECEIVED SOME OR ALL OF YOUR HEALTH CARE FROM VA FACILITIES? IF YES PROBE FOR ALL OR SOME OF THE HEALTH CARE. (VACARE)	
7	MALES AND FEMALES	155
8	MALES ONLY	156
9	FEMALES ONLY	157

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 14: VETERANS STATUS**

TABLE 1: THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3030	484627	482	15.4	14.0-16.8	2548	84.6	83.2-86.0
SEX								
Male	1305	240255	444	28.8	26.2-31.4	861	71.2	68.6-73.8
Female	1725	244372	38	2.3	1.5-3.1	1687	97.7	96.9-98.5
RACE								
Native	80	17507	14	15.8	6.7-24.8	66	84.2	75.2-93.3
Non-Native	2923	463698	464	15.4	14.0-16.8	2459	84.6	83.2-86.0
AGE								
18-24	199	75525	12	5.2	2.2-8.3	187	94.8	91.7-97.8
25-34	422	76271	43	11.6	8.2-15.1	379	88.4	84.9-91.8
35-44	574	88169	52	8.5	6.2-10.9	522	91.4	89.0-93.9
45-54	659	89408	88	14.4	11.4-17.5	571	85.5	82.5-88.6
55-64	459	59634	124	28.6	24.1-33.0	335	71.4	67.0-75.9
65+	702	93722	163	26.1	22.5-29.7	539	73.9	70.3-77.6
EDUCATION								
Less Than H.S.	260	40687	30	11.6	7.4-15.9	230	88.3	84.1-92.6
H.S. or G.E.D.	897	143996	148	15.8	13.2-18.5	749	84.2	81.5-86.8
Some Post-H.S.	992	162929	164	15.6	13.2-18.1	828	84.3	81.9-86.8
College Graduate	875	136282	139	15.8	13.2-18.4	736	84.2	81.6-86.8
HOUSEHOLD INCOME								
Less than \$15,000	263	40278	27	7.9	4.7-11.2	236	92.1	88.8-95.3
\$15,000- 24,999	491	75126	85	16.5	12.9-20.0	406	83.5	80.0-87.1
\$25,000- 34,999	450	71713	83	18.8	14.7-22.9	367	81.2	77.1-85.3
\$35,000- 49,999	571	89692	117	20.8	17.1-24.4	454	79.3	75.6-82.9
\$50,000- 74,999	501	83437	75	13.7	10.7-16.8	426	86.3	83.2-89.4
\$75,000+	392	64831	49	12.5	9.0-16.0	343	87.5	84.0-91.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 14: VETERANS STATUS**

TABLE 2: THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1305	240255	444	28.8	26.2-31.4	861	71.2	68.6-73.8
RACE								
Native	36	10102	10	19.4	5.5-33.4	26	80.6	66.6-94.5
Non-Native	1257	228774	430	29.1	26.4-31.8	827	70.9	68.2-73.6
AGE								
18-24	87	39768	8	7.6	2.3-12.9	79	92.4	87.1-97.7
25-34	188	39946	33	17.7	11.9-23.4	155	82.3	76.6-88.1
35-44	256	44279	42	14.3	10.0-18.7	214	85.7	81.3-90.1
45-54	295	46230	80	26.0	20.7-31.4	215	74.0	68.6-79.3
55-64	219	29594	123	56.9	50.0-63.9	96	43.1	36.1-50.0
65+	255	39661	158	60.2	53.7-66.6	97	39.8	33.4-46.3
EDUCATION								
Less Than H.S.	111	20580	30	23.0	14.7-31.4	81	77.0	68.6-85.3
H.S. or G.E.D.	409	76695	142	28.5	23.7-33.2	267	71.5	66.8-76.3
Some Post-H.S.	411	77460	143	28.8	24.2-33.4	268	71.2	66.5-75.9
College Graduate	372	65207	128	30.8	25.8-35.8	244	69.2	64.2-74.2
HOUSEHOLD INCOME								
Less than \$15,000	69	12091	22	20.2	10.7-29.7	47	79.8	70.3-89.3
\$15,000- 24,999	201	35943	78	31.7	24.8-38.6	123	68.3	61.4-75.2
\$25,000- 34,999	195	37028	77	33.8	26.5-41.2	118	66.2	58.8-73.5
\$35,000- 49,999	288	49811	106	34.0	28.2-39.9	182	66.0	60.1-71.8
\$50,000- 74,999	252	45033	72	24.3	18.9-29.7	180	75.7	70.3-81.1
\$75,000+	189	35591	46	21.7	15.5-27.9	143	78.3	72.1-84.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 14: VETERANS STATUS**

TABLE 3: THE NEXT QUESTION RELATES TO MILITARY SERVICE IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR RESERVE UNIT. HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? (VETERAN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1725	244372	38	2.3	1.5-3.1	1687	97.7	96.9-98.5
RACE								
Native	44	7405	4	10.8	0.5-21.2	40	89.2	78.8-99.5
Non-Native	1666	234924	34	2.0	1.3-2.8	1632	98.0	97.2-98.8
AGE								
18-24	112	35757	4	2.6	0.0-5.2	108	97.4	94.8-100.0
25-34	234	36325	10	5.0	1.6-8.3	224	95.0	91.7-98.4
35-44	318	43890	10	2.7	0.9-4.6	308	97.3	95.4-99.1
45-54	364	43178	8	2.0	0.6-3.5	356	97.9	96.5-99.4
55-64	240	30040	1	0.6	0.0-1.9	239	99.3	98.1-100.0
65+	447	54061	5	1.0	0.0-2.0	442	99.0	97.7-100.0
EDUCATION								
Less Than H.S.	149	20107	0		0.0-0.0	149	100.0	100.0-100.0
H.S. or G.E.D.	488	67300	6	1.4	0.2-2.7	482	98.5	97.3-99.8
Some Post-H.S.	581	85469	21	3.7	2.0-5.5	560	96.3	94.4-98.1
College Graduate	503	71075	11	2.0	0.7-3.2	492	98.0	96.8-99.3
HOUSEHOLD INCOME								
Less than \$15,000	194	28187	5	2.6	0.2-5.1	189	97.4	94.9-99.8
\$15,000- 24,999	290	39183	7	2.5	0.1-4.9	283	97.5	95.1-99.9
\$25,000- 34,999	255	34686	6	2.7	0.4-5.0	249	97.3	95.0-99.6
\$35,000- 49,999	283	39881	11	4.2	1.5-6.9	272	95.8	93.1-98.5
\$50,000- 74,999	249	38404	3	1.3	0.0-2.9	246	98.7	96.7-100.0
\$75,000+	203	29240	3	1.3	0.0-2.7	200	98.7	97.3-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 14: VETERANS STATUS**

TABLE 4: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR SERVICE IN THE UNITED STATES MILITARY? (VETSTAT2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not having served in the armed forces

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Active Duty			National Guard or Reserve			Retired			Medically discharged			Discharged		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	482	74723	35	9.8	6.5-13.0	14	4.1	1.6-6.7	42	8.1	5.6-10.6	11	2.1	0.8-3.4	380	75.8	71.4-80.3
SEX																	
Male	444	69152	29	8.9	5.6-12.2	12	4.1	1.5-6.8	38	8.2	5.5-10.8	8	1.6	0.4-2.7	357	77.2	72.7-81.8
Female	38	5571	6	20.7	5.4-36.1	2	4.5	0.0-10.6	4	7.4	0.1-14.7	3	8.9	0.0-19.0	23	58.5	41.0-76.0
RACE																	
Native	14	2762	1	8.5	0.0-24.6	1	19.2	0.0-51.0	1	7.4	0.0-21.7	1	4.3	0.0-12.7	10	60.5	29.3-91.8
Non-Native	464	71370	34	9.9	6.6-13.3	13	3.6	1.4-5.8	41	8.2	5.6-10.8	10	2.0	0.7-3.4	366	76.2	71.8-80.7
AGE																	
18-24	12	3934	8	62.9	32.8-93.1	3	30.4	0.4-60.3	0		0.0-0.0	0		0.0-0.0	1	6.7	0.0-19.6
25-34	43	8861	18	40.0	24.8-55.2	4	10.2	0.4-20.0	1	3.6	0.0-10.5	3	6.3	0.0-13.5	17	40.0	24.2-55.7
35-44	52	7541	7	13.6	3.3-23.9	3	5.6	0.0-11.9	4	6.7	0.0-13.4	1	1.9	0.0-5.5	37	72.3	59.3-85.3
45-54	88	12918	1	1.2	0.0-3.6	4	4.5	0.0-9.2	10	11.1	4.2-18.1	4	2.7	0.0-5.4	69	80.4	71.8-89.0
55-64	124	17049	1	0.6	0.0-1.8	0		0.0-0.0	16	12.7	6.6-18.7	1	0.8	0.0-2.4	106	85.9	79.6-92.3
65+	163	24421	0		0.0-0.0	0		0.0-0.0	11	6.8	2.8-10.7	2	1.6	0.0-3.9	150	91.6	87.1-96.1
EDUCATION																	
Less Than H.S.	30	4742	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	5.0	0.0-14.5	29	95.0	85.5-100.0
H.S. or G.E.D.	148	22811	5	5.5	0.7-10.3	5	6.3	0.0-12.8	15	9.4	4.7-14.2	3	1.8	0.0-3.7	120	77.0	68.6-85.4
Some Post-H.S.	164	25505	14	10.9	5.0-16.8	7	4.7	1.1-8.4	13	7.2	3.2-11.2	3	2.1	0.0-4.5	127	75.1	67.6-82.6
College Graduate	139	21509	16	15.2	8.1-22.3	2	2.1	0.0-4.9	14	9.6	4.4-14.9	4	1.9	0.0-3.9	103	71.1	62.7-79.6
HOUSEHOLD INCOME																	
Less than \$15,000	27	3184	0		0.0-0.0	1	4.1	0.0-12.1	1	3.7	0.0-10.9	3	12.3	0.0-27.1	22	79.9	62.7-97.1
\$15,000- 24,999	85	12374	3	6.0	0.0-12.6	1	1.3	0.0-3.7	3	3.4	0.0-7.4	3	3.9	0.0-8.5	75	85.4	76.7-94.2
\$25,000- 34,999	83	13474	8	12.4	3.7-21.2	3	5.7	0.0-13.4	7	7.9	1.6-14.2	1	1.2	0.0-3.4	64	72.8	61.2-84.5
\$35,000- 49,999	117	18614	14	14.3	6.9-21.6	3	3.5	0.0-7.6	13	10.4	4.7-16.0	2	1.8	0.0-4.3	85	70.1	60.9-79.3
\$50,000- 74,999	75	11453	5	9.3	1.5-17.0	3	4.2	0.0-9.1	5	6.8	0.8-12.9	1	1.2	0.0-3.6	61	78.5	68.3-88.8
\$75,000+	49	8096	4	10.6	0.1-21.1	0		0.0-0.0	7	11.0	2.6-19.4	0		0.0-0.0	38	78.4	65.9-91.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 14: VETERANS STATUS

TABLE 5: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR SERVICE IN THE UNITED STATES MILITARY? (VETSTAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not having served in the armed forces

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Active Duty			National Guard or Reserve			Retired			Medically discharged			Discharged		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	444	69152	29	8.9	5.6-12.2	12	4.1	1.5-6.8	38	8.2	5.5-10.8	8	1.6	0.4-2.7	357	77.2	72.7-81.8
RACE																	
Native	10	1961	0		0.0-0.0	1	27.1	0.0-68.2	1	10.5	0.0-30.3	0		0.0-0.0	8	62.4	22.7-100.0
Non-Native	430	66600	29	9.2	5.8-12.6	11	3.5	1.2-5.8	37	8.2	5.5-10.9	8	1.6	0.4-2.8	345	77.5	72.9-82.0
AGE																	
18-24	8	3012	6	64.7	28.0-100.0	2	35.3	0.0-72.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0
25-34	33	7055	14	41.4	24.1-58.6	4	12.8	0.7-24.9	1	4.5	0.0-13.1	2	4.5	0.0-11.0	12	36.8	19.5-54.2
35-44	42	6339	7	16.2	4.1-28.3	3	6.6	0.0-14.2	2	5.1	0.0-12.2	0		0.0-0.0	30	72.1	57.6-86.5
45-54	80	12033	1	1.3	0.0-3.8	3	3.9	0.0-8.5	8	10.0	3.0-17.0	3	1.9	0.0-4.1	65	82.9	74.3-91.5
55-64	123	16852	1	0.6	0.0-1.8	0		0.0-0.0	16	12.8	6.6-19.0	1	0.8	0.0-2.4	105	85.8	79.4-92.2
65+	158	23861	0		0.0-0.0	0		0.0-0.0	11	6.9	2.8-11.0	2	1.6	0.0-4.0	145	91.4	86.8-96.0
EDUCATION																	
Less Than H.S.	30	4742	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	5.0	0.0-14.5	29	95.0	85.5-100.0
H.S. or G.E.D.	142	21837	4	4.7	0.1-9.2	5	6.6	0.0-13.3	14	9.3	4.4-14.2	3	1.8	0.0-3.9	116	77.6	69.0-86.2
Some Post-H.S.	143	22307	11	10.2	4.0-16.4	5	4.3	0.4-8.2	13	8.3	3.7-12.8	2	1.3	0.0-3.3	112	75.9	68.0-83.9
College Graduate	128	20110	14	14.2	7.0-21.4	2	2.2	0.0-5.2	11	8.8	3.5-14.2	2	0.8	0.0-1.8	99	74.0	65.4-82.6
HOUSEHOLD INCOME																	
Less than \$15,000	22	2443	0		0.0-0.0	0		0.0-0.0	1	4.9	0.0-14.2	2	6.4	0.0-15.1	19	88.8	76.3-100.0
\$15,000- 24,999	78	11385	3	6.5	0.0-13.6	1	1.4	0.0-4.0	3	3.7	0.0-8.0	3	4.2	0.0-9.2	68	84.2	74.8-93.6
\$25,000- 34,999	77	12525	6	11.5	2.4-20.6	3	6.1	0.0-14.4	7	8.5	1.8-15.3	1	1.3	0.0-3.7	60	72.6	60.4-84.9
\$35,000- 49,999	106	16941	11	11.8	4.7-18.9	2	3.1	0.0-7.5	12	11.0	4.9-17.1	1	1.3	0.0-3.7	80	72.8	63.5-82.2
\$50,000- 74,999	72	10942	4	7.3	0.4-14.1	3	4.3	0.0-9.5	5	7.2	0.9-13.5	0		0.0-0.0	60	81.2	71.3-91.1
\$75,000+	46	7719	4	11.1	0.1-22.1	0		0.0-0.0	5	8.5	0.6-16.4	0		0.0-0.0	37	80.4	67.7-93.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 14: VETERANS STATUS**

TABLE 6: WHICH OF THE FOLLOWING BEST DESCRIBES YOUR SERVICE IN THE UNITED STATES MILITARY? (VETSTAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not having served in the armed forces

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Active Duty			National Guard or Reserve			Retired			Medically discharged			Discharged		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	38	5571	6	20.7	5.7-35.8	2	4.5	0.0-10.7	4	7.4	0.0-15.0	3	8.9	0.0-19.3	23	58.5	40.7-76.3
RACE																	
Native	4	801	1	29.4	0.0-76.1	0		0.0-0.0	0		0.0-0.0	1	14.7	0.0-43.0	2	55.9	8.6-100.0
Non-Native	34	4770	5	19.3	3.3-35.3	2	5.2	0.0-12.5	4	8.6	0.0-17.4	2	7.9	0.0-18.9	21	58.9	39.7-78.1
AGE																	
18-24	4	922	2	57.1	7.0-100.0	1	14.3	0.0-42.5	0		0.0-0.0	0		0.0-0.0	1	28.6	0.0-76.0
25-34	10	1805	4	34.8	3.5-66.1	0		0.0-0.0	0		0.0-0.0	1	13.0	0.0-37.1	5	52.2	16.4-88.0
35-44	10	1202	0		0.0-0.0	0		0.0-0.0	2	14.7	0.0-36.0	1	11.8	0.0-33.3	7	73.5	44.8-100.0
45-54	8	885	0		0.0-0.0	1	13.3	0.0-38.0	2	26.7	0.0-58.6	1	13.3	0.0-38.0	4	46.7	11.1-82.3
55-64	1	197	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	100.0	100.0-100.0
65+	5	560	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	5	100.0	100.0-100.0
EDUCATION																	
H.S. or G.E.D.	6	974	1	24.2	0.0-65.0	0		0.0-0.0	1	12.1	0.0-35.7	0		0.0-0.0	4	63.7	20.7-100.0
Some Post-H.S.	21	3197	3	15.6	0.0-33.3	2	7.8	0.0-18.5	0		0.0-0.0	1	7.4	0.0-21.5	15	69.2	46.3-92.2
College Graduate	11	1400	2	30.0	0.0-63.8	0		0.0-0.0	3	21.1	0.0-44.1	2	18.5	0.0-42.5	4	30.4	2.6-58.2
HOUSEHOLD INCOME																	
Less than \$15,000	5	741	0		0.0-0.0	1	17.8	0.0-50.0	0		0.0-0.0	1	31.8	0.0-82.6	3	50.5	0.0-100.0
\$15,000- 24,999	7	989	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	7	100.0	100.0-100.0
\$25,000- 34,999	6	948	2	24.8	0.0-58.9	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	4	75.2	41.1-100.0
\$35,000- 49,999	11	1673	3	39.2	6.5-71.9	1	7.0	0.0-20.8	1	4.2	0.0-12.7	1	7.0	0.0-20.8	5	42.5	12.1-72.8
\$50,000- 74,999	3	511	1	51.6	0.0-100.0	0		0.0-0.0	0		0.0-0.0	1	27.7	0.0-78.0	1	20.8	0.0-60.6
\$75,000+	3	377	0		0.0-0.0	0		0.0-0.0	2	62.5	5.3-100.0	0		0.0-0.0	1	37.5	0.0-94.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 14: VETERANS STATUS**

**TABLE 7: IN THE LAST 12 MONTHS HAVE YOU RECEIVED SOME OR ALL OF YOUR HEALTH CARE FROM VA FACILITIES? IF YES PROBE FOR ALL OR SOME OF THE HEALTH CARE.
(VACARE)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents not having served in the armed forces
Denominator excludes: Respondents currently serving in the armed forces

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All of my health care			Some of my health care			No VA health care received		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	432	64225	36	8.3	5.5-11.1	69	16.2	12.5-20.0	327	75.5	71.1-79.9
SEX											
Male	402	60059	34	8.5	5.6-11.4	69	17.4	13.4-21.4	299	74.1	69.5-78.8
Female	30	4167	2	5.7	0.0-13.4	0		0.0-0.0	28	94.3	86.6-100.0
RACE											
Native	12	1995	1	5.9	0.0-17.3	1	3.4	0.0-10.2	10	90.6	77.4-100.0
Non-Native	416	61640	35	8.5	5.6-11.4	66	16.2	12.4-20.1	315	75.3	70.8-79.8
AGE											
18-24	1	263	0		0.0-0.0	0		0.0-0.0	1	100.0	100.0-100.0
25-34	21	4413	1	3.6	0.0-10.7	2	12.0	0.0-28.0	18	84.4	67.4-100.0
35-44	41	6003	3	10.9	0.0-22.4	0		0.0-0.0	38	89.1	77.4-100.0
45-54	83	12179	6	7.0	1.0-13.0	8	8.3	2.3-14.3	69	84.7	76.5-92.9
55-64	123	16946	11	9.1	3.6-14.6	9	7.1	2.3-11.8	103	83.8	76.9-90.7
65+	163	24421	15	8.7	4.2-13.3	50	31.5	23.8-39.2	98	59.8	51.8-67.9
EDUCATION											
Less Than H.S.	30	4742	4	10.6	0.0-21.9	15	46.6	27.7-65.5	11	42.8	23.7-61.9
H.S. or G.E.D.	138	20111	10	7.3	2.6-11.9	16	11.6	5.7-17.5	112	81.1	74.1-88.2
Some Post-H.S.	142	21428	17	11.6	6.1-17.1	19	14.1	7.8-20.3	106	74.3	66.6-82.1
College Graduate	121	17789	5	5.0	0.4-9.5	18	15.3	8.2-22.3	98	79.8	71.8-87.7
HOUSEHOLD INCOME											
Less than \$15,000	26	3053	4	11.0	0.3-21.8	5	15.5	2.3-28.6	17	73.5	57.1-89.9
\$15,000- 24,999	81	11475	11	16.0	6.9-25.1	20	22.8	13.3-32.3	50	61.1	49.6-72.7
\$25,000- 34,999	72	11035	6	6.9	1.0-12.7	12	16.9	7.7-26.1	54	76.2	65.9-86.5
\$35,000- 49,999	100	15312	4	3.8	0.0-7.7	16	18.2	9.8-26.6	80	78.0	69.2-86.9
\$50,000- 74,999	66	9824	2	3.5	0.0-8.3	5	5.9	0.6-11.1	59	90.6	83.5-97.8
\$75,000+	45	7240	1	3.9	0.0-11.2	3	9.5	0.0-20.2	41	86.6	74.2-99.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 14: VETERANS STATUS**

**TABLE 8: IN THE LAST 12 MONTHS HAVE YOU RECEIVED SOME OR ALL OF YOUR HEALTH CARE FROM VA FACILITIES? IF YES PROBE FOR ALL OR SOME OF THE HEALTH CARE.
(VACARE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents not having served in the armed forces
Denominator excludes: Respondents currently serving in the armed forces

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All of my health care			Some of my health care			No VA health care received		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY											
SEX											
Male	402	60059	34	8.5	5.6-11.4	69	17.4	13.4-21.4	299	74.1	69.5-78.8
RACE											
Native	9	1430	0		0.0-0.0	1	4.8	0.0-14.3	8	95.2	85.7-100.0
Non-Native	389	58038	34	8.8	5.8-11.8	66	17.2	13.2-21.3	289	74.0	69.3-78.7
AGE											
25-34	15	3236	1	4.9	0.0-14.5	2	16.4	0.0-37.5	12	78.7	56.3-100.0
35-44	31	4801	3	13.6	0.0-27.7	0		0.0-0.0	28	86.4	72.1-100.0
45-54	76	11412	4	5.4	0.0-11.2	8	8.8	2.4-15.3	64	85.7	77.4-94.0
55-64	122	16750	11	9.2	3.7-14.7	9	7.2	2.4-12.0	102	83.6	76.7-90.6
65+	158	23861	15	8.9	4.3-13.6	50	32.2	24.4-40.0	93	58.9	50.7-67.1
EDUCATION											
Less Than H.S.	30	4742	4	10.6	0.0-21.9	15	46.6	27.7-65.5	11	42.8	23.7-61.9
H.S. or G.E.D.	133	19372	10	7.5	2.7-12.4	16	12.0	5.9-18.1	107	80.4	73.1-87.8
Some Post-H.S.	126	18979	16	12.5	6.4-18.6	19	15.9	9.0-22.8	91	71.6	63.2-80.1
College Graduate	112	16810	4	4.6	0.0-9.2	18	16.1	8.7-23.6	90	79.3	71.0-87.6
HOUSEHOLD INCOME											
Less than \$15,000	22	2443	4	13.8	0.5-27.0	5	19.3	3.2-35.4	13	66.9	47.1-86.7
\$15,000- 24,999	74	10486	11	17.5	7.7-27.4	20	25.0	14.8-35.2	43	57.5	45.5-69.5
\$25,000- 34,999	68	10322	5	6.2	0.4-12.0	12	18.1	8.3-27.8	51	75.7	65.0-86.5
\$35,000- 49,999	93	14412	3	3.2	0.0-7.0	16	19.3	10.5-28.2	74	77.5	68.2-86.8
\$50,000- 74,999	64	9577	2	3.6	0.0-8.5	5	6.0	0.6-11.4	57	90.4	83.1-97.7
\$75,000+	42	6863	1	4.1	0.0-11.9	3	10.1	0.0-21.3	38	85.9	72.8-98.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 14: VETERANS STATUS**

**TABLE 9: IN THE LAST 12 MONTHS HAVE YOU RECEIVED SOME OR ALL OF YOUR HEALTH CARE FROM VA FACILITIES? IF YES PROBE FOR ALL OR SOME OF THE HEALTH CARE.
(VACARE)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not having served in the armed forces

Denominator excludes: Respondents currently serving in the armed forces

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		All of my health care			Some of my health care			No VA health care received		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY											
SEX											
Female	30	4167	2	5.7	0.0-13.4			0.0-0.0	28	94.3	86.6-100.0
RACE											
Native	3	565	1	20.9	0.0-59.4			0.0-0.0	2	79.1	40.6-100.0
Non-Native	27	3601	1	3.3	0.0-9.7			0.0-0.0	26	96.7	90.3-100.0
AGE											
18-24	1	263	0		0.0-0.0			0.0-0.0	1	100.0	100.0-100.0
25-34	6	1177	0		0.0-0.0			0.0-0.0	6	100.0	100.0-100.0
35-44	10	1202	0		0.0-0.0			0.0-0.0	10	100.0	100.0-100.0
45-54	7	767	2	30.8	0.0-66.7			0.0-0.0	5	69.2	33.3-100.0
55-64	1	197	0		0.0-0.0			0.0-0.0	1	100.0	100.0-100.0
65+	5	560	0		0.0-0.0			0.0-0.0	5	100.0	100.0-100.0
EDUCATION											
H.S. or G.E.D.	5	739	0		0.0-0.0			0.0-0.0	5	100.0	100.0-100.0
Some Post-H.S.	16	2449	1	4.8	0.0-14.3			0.0-0.0	15	95.2	85.7-100.0
College Graduate	9	979	1	12.0	0.0-34.6			0.0-0.0	8	87.9	65.4-100.0
HOUSEHOLD INCOME											
Less than \$15,000	4	610	0		0.0-0.0			0.0-0.0	4	100.0	100.0-100.0
\$15,000- 24,999	7	989	0		0.0-0.0			0.0-0.0	7	100.0	100.0-100.0
\$25,000- 34,999	4	713	1	16.5	0.0-48.9			0.0-0.0	3	83.4	51.1-100.0
\$35,000- 49,999	7	900	1	13.1	0.0-37.8			0.0-0.0	6	86.9	62.2-100.0
\$50,000- 74,999	2	247	0		0.0-0.0			0.0-0.0	2	100.0	100.0-100.0
\$75,000+	3	377	0		0.0-0.0			0.0-0.0	3	100.0	100.0-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 15: WOMENS HEALTH CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
1	A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM) FEMALES ONLY	159
2	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG) FEMALES ONLY	160
3	A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM) FEMALES ONLY	161
4	HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM) FEMALES ONLY	162
5	A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2) FEMALES ONLY	163
6	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2) FEMALES ONLY	164
7	HAVE YOU HAD A HYSTERECTOMY? A HYSTERECTOMY IS AN OPERATION TO REMOVE THE UTERUS (WOMB). (HADHYST2) FEMALES ONLY	165

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 15: WOMENS HEALTH**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	1723	244285	1213	63.2	60.5-65.9	510	36.8	34.1-39.5	
RACE									
Native	44	7405	24	43.8	27.1-60.5	20	56.2	39.5-72.9	
Non-Native	1664	234837	1177	63.6	60.8-66.4	487	36.4	33.6-39.2	
AGE									
18-24	112	35757	21	17.5	10.2-24.8	91	82.5	75.2-89.8	
25-34	233	36168	18	7.2	3.7-10.6	215	92.8	89.4-96.3	
35-44	318	43890	191	59.8	54.1-65.6	127	40.1	34.4-45.9	
45-54	364	43178	339	92.9	89.9-95.9	25	7.1	4.1-10.1	
55-64	240	30040	227	93.9	90.4-97.3	13	6.1	2.7-9.6	
65+	445	53954	406	91.9	89.1-94.7	39	8.1	5.4-10.8	
EDUCATION									
Less Than H.S.	148	20000	116	71.4	62.1-80.8	32	28.5	19.2-37.9	
H.S. or G.E.D.	487	67194	364	69.2	64.2-74.3	123	30.8	25.7-35.8	
Some Post-H.S.	580	85419	413	61.8	56.9-66.6	167	38.3	33.4-43.1	
College Graduate	504	71252	317	56.7	51.8-61.5	187	43.3	38.5-48.2	
HOUSEHOLD INCOME									
Less than \$15,000	194	28187	126	51.2	42.0-60.5	68	48.8	39.5-58.0	
\$15,000- 24,999	288	38920	195	61.9	55.2-68.6	93	38.1	31.4-44.8	
\$25,000- 34,999	255	34686	171	57.8	50.6-65.1	84	42.2	34.9-49.4	
\$35,000- 49,999	283	39881	197	61.7	55.3-68.1	86	38.3	31.9-44.7	
\$50,000- 74,999	250	38618	162	59.4	52.7-66.2	88	40.5	33.8-47.3	
\$75,000+	203	29240	156	72.4	65.4-79.4	47	27.6	20.6-34.6	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 15: WOMENS HEALTH**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a mammogram

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 lt 12 months			1 lt 2 years			2 lt 3 years			3 lt 5 years			5 or More years			Had only one		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	1203	152859	736	61.4	58.5-64.4	207	16.5	14.3-18.7	99	8.8	7.0-10.7	64	5.5	4.1-6.9	97	7.8	6.2-9.3			0.0-0.0
RACE																				
Native	24	3244	11	46.4	23.8-69.0	4	19.3	0.3-38.2	2	6.0	0.0-14.4	5	16.5	0.6-32.5	2	11.8	0.0-27.9			0.0-0.0
Non-Native	1167	147912	718	61.8	58.8-64.9	203	16.6	14.3-18.9	93	8.5	6.7-10.4	58	5.3	3.8-6.7	95	7.8	6.1-9.4			0.0-0.0
AGE																				
18-24	21	6256	12	53.7	30.9-76.5	4	17.9	1.2-34.6	3	20.0	0.0-40.6	1	4.2	0.0-12.3	1	4.2	0.0-12.3			0.0-0.0
25-34	18	2591	5	30.3	7.3-53.3	3	21.2	0.0-42.6	2	9.1	0.0-21.9	2	12.1	0.0-29.5	6	27.3	6.7-47.8			0.0-0.0
35-44	190	26055	101	53.3	45.8-60.8	31	15.6	10.3-20.9	22	11.8	7.0-16.6	15	8.5	4.1-13.0	21	10.7	6.3-15.1			0.0-0.0
45-54	336	39727	203	60.4	54.8-66.1	64	18.9	14.5-23.4	26	9.1	5.4-12.7	17	4.8	2.3-7.2	26	6.8	4.0-9.7			0.0-0.0
55-64	226	28073	151	68.1	61.7-74.6	34	13.7	9.0-18.3	10	4.2	1.5-6.9	12	4.7	2.0-7.4	19	9.3	5.1-13.6			0.0-0.0
65+	402	49037	257	65.0	60.0-70.0	70	16.4	12.6-20.2	36	8.4	5.7-11.2	16	4.7	2.3-7.1	23	5.5	3.2-7.8			0.0-0.0
EDUCATION																				
Less Than H.S.	113	13863	62	56.9	46.6-67.2	18	13.6	7.3-19.8	14	14.6	6.7-22.5	9	7.8	2.9-12.7	10	7.2	2.8-11.6			0.0-0.0
H.S. or G.E.D.	361	46070	221	60.6	55.0-66.1	62	15.8	11.9-19.8	33	10.2	6.4-14.0	15	4.7	2.1-7.2	30	8.7	5.6-11.8			0.0-0.0
Some Post-H.S.	410	52366	250	61.8	56.7-66.9	71	16.3	12.5-20.0	31	7.3	4.7-9.9	22	6.0	3.4-8.6	36	8.6	5.7-11.6			0.0-0.0
College Graduate	316	40206	200	63.3	57.4-69.1	56	18.6	13.9-23.3	21	7.3	3.8-10.7	18	5.1	2.5-7.6	21	5.8	3.1-8.4			0.0-0.0
HOUSEHOLD INCOME																				
Less than \$15,000	125	14226	59	46.5	36.4-56.6	28	21.7	13.7-29.7	19	18.2	9.9-26.4	4	3.2	0.0-6.3	15	10.5	4.7-16.3			0.0-0.0
\$15,000- 24,999	194	23971	120	60.0	52.1-67.8	29	15.0	9.3-20.7	17	8.1	4.0-12.1	14	10.2	4.7-15.8	14	6.7	3.1-10.3			0.0-0.0
\$25,000- 34,999	168	19665	103	60.8	52.8-68.8	34	19.5	13.1-26.0	11	7.7	3.3-12.1	9	4.6	1.6-7.7	11	7.3	2.8-11.9			0.0-0.0
\$35,000- 49,999	197	24607	112	58.1	50.7-65.4	38	18.9	13.0-24.7	15	7.2	3.4-11.0	14	6.2	2.8-9.5	18	9.7	5.2-14.1			0.0-0.0
\$50,000- 74,999	162	22957	116	71.5	64.1-79.0	24	14.5	8.9-20.1	12	8.2	3.2-13.2	4	2.6	0.0-5.2	6	3.1	0.6-5.7			0.0-0.0
\$75,000+	156	21175	99	63.3	55.4-71.2	27	16.8	10.8-22.9	11	7.9	3.3-12.5	7	5.1	1.3-8.9	12	6.8	2.9-10.8			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 15: WOMENS HEALTH**

TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1719	243860	1596	91.1	89.3-92.9	123	8.9	7.1-10.7
RACE								
Native	44	7405	40	85.8	70.2-100.0	4	14.2	0.0-29.8
Non-Native	1660	234413	1544	91.4	89.5-93.2	116	8.6	6.8-10.5
AGE								
18-24	112	35757	79	69.6	60.2-79.0	33	30.4	21.0-39.8
25-34	233	36168	220	94.6	91.5-97.6	13	5.4	2.4-8.5
35-44	318	43890	309	97.6	95.9-99.3	9	2.4	0.7-4.1
45-54	362	42972	352	97.5	95.9-99.1	10	2.5	0.9-4.1
55-64	240	30040	232	96.5	93.9-99.1	8	3.5	0.9-6.1
65+	444	53854	394	89.3	86.3-92.4	50	10.6	7.7-13.6
EDUCATION								
Less Than H.S.	146	19782	117	78.9	71.1-86.8	29	21.0	13.4-28.7
H.S. or G.E.D.	487	67194	450	91.2	87.7-94.6	37	8.8	5.4-12.3
Some Post-H.S.	579	85319	546	90.9	87.5-94.4	33	9.1	5.6-12.5
College Graduate	503	71145	480	94.6	92.2-97.1	23	5.4	2.9-7.8
HOUSEHOLD INCOME								
Less than \$15,000	193	28080	164	81.7	74.4-89.0	29	18.3	11.1-25.6
\$15,000- 24,999	289	39026	259	88.1	83.5-92.8	30	11.9	7.2-16.5
\$25,000- 34,999	254	34597	237	90.4	84.8-96.0	17	9.6	4.0-15.2
\$35,000- 49,999	283	39881	267	93.4	89.8-96.9	16	6.6	3.1-10.2
\$50,000- 74,999	250	38618	246	97.9	95.5-100.0	4	2.1	0.0-4.5
\$75,000+	203	29240	198	95.5	90.9-100.0	5	4.5	0.0-9.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 15: WOMENS HEALTH**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a clinical breast exam

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 lt 12 months			1 lt 2 years			2 lt 3 years			3 lt 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	1571	218613	1047	67.8	65.3-70.4	278	17.5	15.5-19.6	81	5.2	4.0-6.4	61	3.9	2.9-4.9	104	5.6	4.5-6.7
RACE																	
Native	40	6352	28	71.9	55.9-87.9	5	15.9	1.3-30.5	0		0.0-0.0	4	4.8	0.0-9.7	3	7.5	0.0-15.7
Non-Native	1519	210669	1012	67.8	65.2-70.4	270	17.5	15.5-19.6	81	5.3	4.1-6.6	56	3.8	2.8-4.9	100	5.4	4.3-6.6
AGE																	
18-24	77	24233	58	77.2	67.2-87.2	15	17.7	9.2-26.1	2	3.0	0.0-7.7	0		0.0-0.0	2	2.2	0.0-5.1
25-34	220	34206	156	70.3	63.9-76.7	38	17.8	12.4-23.1	11	4.8	1.9-7.8	5	2.5	0.3-4.7	10	4.6	1.7-7.5
35-44	308	42688	198	64.8	59.1-70.5	61	19.3	14.6-24.0	20	6.3	3.4-9.1	11	4.0	1.5-6.4	18	5.6	3.0-8.3
45-54	348	41261	233	68.3	63.1-73.6	59	17.2	13.0-21.3	13	3.8	1.7-5.9	19	5.6	2.9-8.2	24	5.1	3.0-7.3
55-64	228	28532	150	65.3	58.7-71.9	40	17.5	12.3-22.6	13	6.8	3.2-10.4	8	3.4	0.9-6.0	17	7.0	3.6-10.5
65+	381	46690	245	64.8	59.6-69.9	64	16.1	12.3-19.9	22	5.8	3.4-8.3	18	5.7	3.0-8.4	32	7.6	4.9-10.2
EDUCATION																	
Less Than H.S.	116	15405	69	63.5	53.7-73.4	20	14.3	8.0-20.5	7	5.8	1.5-10.1	7	6.4	1.7-11.2	13	9.9	4.1-15.7
H.S. or G.E.D.	439	59721	275	62.5	57.4-67.5	79	18.0	14.1-21.9	29	7.1	4.2-9.9	17	4.3	2.2-6.5	39	8.1	5.5-10.8
Some Post-H.S.	539	76706	364	68.9	64.5-73.2	101	18.8	15.2-22.4	22	4.0	2.3-5.8	19	3.7	1.9-5.4	33	4.7	3.0-6.3
College Graduate	474	66427	336	72.3	68.0-76.7	78	16.5	12.9-20.1	23	4.6	2.7-6.6	18	3.1	1.6-4.7	19	3.4	1.9-5.0
HOUSEHOLD INCOME																	
Less than \$15,000	162	22652	99	68.7	60.4-77.0	28	15.8	9.7-22.0	10	4.6	1.7-7.5	5	2.7	0.2-5.1	20	8.2	4.2-12.1
\$15,000- 24,999	253	33733	166	65.8	59.1-72.4	41	16.0	11.0-21.0	18	6.2	3.2-9.2	7	4.6	1.1-8.0	21	7.4	4.1-10.7
\$25,000- 34,999	232	30399	151	65.3	58.5-72.2	45	19.9	14.2-25.7	13	5.9	2.7-9.2	8	3.6	1.1-6.0	15	5.2	2.6-7.9
\$35,000- 49,999	266	37076	185	70.4	64.5-76.4	42	16.1	11.2-21.0	12	4.6	2.0-7.3	15	4.3	2.0-6.5	12	4.6	1.9-7.3
\$50,000- 74,999	245	37674	174	72.3	66.5-78.2	46	17.8	12.8-22.8	7	3.0	0.8-5.2	8	2.9	0.9-5.0	10	3.9	1.4-6.4
\$75,000+	198	27921	138	69.2	62.4-76.0	33	16.6	11.1-22.0	10	5.7	2.2-9.2	7	3.8	0.9-6.6	10	4.8	1.7-7.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 15: WOMENS HEALTH**

TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	1717	243300	1644	94.2	92.6-95.8	73	5.8	4.2-7.4	
RACE									
Native	44	7405	44	100.0	100.0-100.0	0		0.0-0.0	
Non-Native	1658	233853	1586	94.0	92.3-95.7	72	6.0	4.3-7.7	
AGE									
18-24	111	35230	89	78.7	70.1-87.3	22	21.3	12.7-29.9	
25-34	233	36168	228	98.3	96.6-99.9	5	1.7	0.1-3.4	
35-44	318	43890	314	99.4	98.7-100.0	4	0.6	0.0-1.3	
45-54	362	42972	359	98.9	97.5-100.0	3	1.1	0.0-2.5	
55-64	240	30040	238	99.4	98.7-100.0	2	0.5	0.0-1.3	
65+	443	53821	407	90.7	87.2-94.1	36	9.3	5.9-12.7	
EDUCATION									
Less Than H.S.	146	19395	130	86.7	79.2-94.1	16	13.3	5.9-20.7	
H.S. or G.E.D.	487	67194	463	93.4	90.2-96.7	24	6.6	3.3-9.8	
Some Post-H.S.	578	85212	559	94.3	91.4-97.2	19	5.7	2.8-8.6	
College Graduate	502	71078	490	97.0	95.0-99.0	12	3.0	1.0-5.0	
HOUSEHOLD INCOME									
Less than \$15,000	192	27594	172	86.7	80.0-93.4	20	13.3	6.6-20.0	
\$15,000- 24,999	289	39026	278	95.3	91.9-98.6	11	4.7	1.4-8.1	
\$25,000- 34,999	253	34490	242	93.8	88.7-98.9	11	6.2	1.1-11.3	
\$35,000- 49,999	283	39881	279	98.0	95.7-100.0	4	2.0	0.0-4.3	
\$50,000- 74,999	250	38618	246	97.8	95.2-100.0	4	2.2	0.0-4.8	
\$75,000+	203	29240	200	96.2	91.7-100.0	3	3.8	0.0-8.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 15: WOMENS HEALTH**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that did not report ever having a Pap test

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 lt 12 months			1 lt 2 years			2 lt 3 years			3 lt 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	1611	225250	912	59.1	56.5-61.8	308	19.3	17.1-21.4	105	6.1	4.9-7.3	94	4.9	3.9-6.0	192	10.5	9.0-12.0
RACE																	
Native	44	7405	22	57.4	40.6-74.3	9	19.2	5.6-32.8	0		0.0-0.0	4	4.4	0.0-9.1	9	19.0	6.4-31.5
Non-Native	1554	216041	883	59.2	56.5-61.9	296	19.2	17.1-21.4	104	6.3	5.1-7.5	90	5.0	4.0-6.1	181	10.2	8.7-11.7
AGE																	
18-24	88	27328	65	74.9	65.3-84.6	19	21.9	12.8-31.1	2	1.2	0.0-2.9	1	1.0	0.0-2.8	1	1.0	0.0-2.8
25-34	228	35540	169	73.0	67.0-79.1	39	17.7	12.4-22.9	6	2.6	0.4-4.9	5	2.2	0.3-4.1	9	4.4	1.5-7.3
35-44	314	43607	194	61.9	56.2-67.7	61	19.8	15.0-24.6	19	5.7	2.9-8.4	22	7.0	4.1-10.0	18	5.5	2.9-8.2
45-54	357	42205	209	60.2	54.8-65.7	78	21.5	17.1-26.0	19	5.9	3.3-8.6	17	4.4	2.2-6.6	34	7.9	5.1-10.7
55-64	234	29286	118	51.1	44.3-57.9	41	18.3	13.0-23.7	24	10.3	6.2-14.4	21	7.8	4.4-11.2	30	12.4	8.0-16.8
65+	382	46341	150	39.9	34.7-45.0	70	17.4	13.6-21.2	35	9.8	6.8-12.9	28	6.2	4.0-8.4	99	26.7	22.0-31.3
EDUCATION																	
Less Than H.S.	124	16181	46	42.1	32.3-51.9	18	12.6	6.3-18.8	13	11.3	5.4-17.2	9	5.7	2.0-9.4	38	28.3	19.9-36.7
H.S. or G.E.D.	450	61158	234	53.9	48.8-59.0	94	21.4	17.3-25.6	31	6.4	4.2-8.6	27	5.4	3.3-7.5	64	12.9	9.7-16.0
Some Post-H.S.	552	79484	315	59.7	55.1-64.3	107	19.4	15.7-23.2	33	5.7	3.7-7.7	36	5.6	3.7-7.5	61	9.6	7.1-12.1
College Graduate	483	68133	315	67.0	62.5-71.5	89	18.8	15.0-22.7	28	5.3	3.2-7.3	22	3.7	2.1-5.2	29	5.3	3.3-7.2
HOUSEHOLD INCOME																	
Less than \$15,000	163	22878	70	53.8	44.2-63.5	31	18.1	11.0-25.3	13	6.6	2.9-10.3	13	6.4	2.8-10.1	36	15.0	9.9-20.0
\$15,000- 24,999	272	36616	129	49.0	42.3-55.8	56	21.5	15.9-27.1	18	7.1	3.7-10.6	15	4.6	2.2-7.0	54	17.8	13.0-22.6
\$25,000- 34,999	238	31879	132	57.4	50.5-64.3	47	19.7	14.0-25.4	20	8.1	4.5-11.7	15	5.4	2.6-8.1	24	9.4	5.6-13.2
\$35,000- 49,999	277	38837	175	63.8	57.7-69.9	47	17.8	12.8-22.8	11	3.9	1.5-6.3	23	7.2	4.1-10.3	21	7.3	4.1-10.5
\$50,000- 74,999	245	37635	163	68.4	62.3-74.5	46	17.5	12.6-22.5	13	4.8	2.2-7.4	11	4.3	1.7-6.9	12	5.0	2.0-7.9
\$75,000+	199	28054	129	64.4	57.5-71.3	36	18.8	13.0-24.6	14	7.5	3.6-11.4	4	1.9	0.1-3.7	16	7.4	3.7-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 15: WOMENS HEALTH**

TABLE 7: HAVE YOU HAD A HYSTERECTOMY? A HYSTERECTOMY IS AN OPERATION TO REMOVE THE UTERUS (WOMB). (HADHYST2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	1691	238082	444	23.4	21.3-25.6	1247	76.6	74.4-78.7	
RACE									
Native	44	7405	11	22.1	8.6-35.6	33	77.9	64.4-91.4	
Non-Native	1632	228635	426	23.3	21.2-25.5	1206	76.7	74.5-78.8	
AGE									
18-24	104	33057	0		0.0-0.0	104	100.0	100.0-100.0	
25-34	219	33970	14	6.0	2.8-9.2	205	94.0	90.8-97.2	
35-44	310	42723	46	15.1	10.6-19.5	264	84.9	80.5-89.4	
45-54	362	42972	103	29.3	24.2-34.5	259	70.7	65.5-75.8	
55-64	240	30040	84	35.1	28.6-41.6	156	64.9	58.4-71.4	
65+	446	54141	194	43.9	38.9-48.9	252	56.1	51.1-61.1	
EDUCATION									
Less Than H.S.	144	18843	63	39.5	30.5-48.4	81	60.5	51.6-69.5	
H.S. or G.E.D.	483	66253	149	28.4	24.0-32.7	334	71.6	67.3-76.0	
Some Post-H.S.	568	83238	160	24.5	20.8-28.3	408	75.5	71.7-79.2	
College Graduate	492	69328	70	12.9	9.8-16.0	422	87.1	84.0-90.2	
HOUSEHOLD INCOME									
Less than \$15,000	189	26697	64	24.9	18.3-31.6	125	75.1	68.4-81.7	
\$15,000- 24,999	286	38586	96	30.9	25.1-36.8	190	69.0	63.2-74.9	
\$25,000- 34,999	250	33941	62	22.6	17.1-28.1	188	77.4	71.9-82.9	
\$35,000- 49,999	278	38963	62	20.7	15.6-25.8	216	79.3	74.2-84.4	
\$50,000- 74,999	245	37585	55	20.8	15.4-26.1	190	79.2	73.9-84.6	
\$75,000+	201	28941	41	18.9	13.5-24.4	160	81.0	75.6-86.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 16: PROSTATE CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)	
1	MALES ONLY	167
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
2	MALES ONLY	168
	A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)	
3	MALES ONLY	169
	HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)	
4	MALES ONLY	170
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)	
5	MALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 16: PROSTATE CANCER SCREENING**

**TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST?
(PSATEST)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 40 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	873	133586	514	58.3	54.8-61.8	359	41.7	38.3-45.2
RACE								
Native	16	2595	8	44.1	20.3-67.9	8	55.9	30.5-81.3
Non-Native	845	129611	497	58.3	54.8-61.9	348	41.7	38.2-45.2
AGE								
40-44	135	22512	27	21.1	13.9-28.3	108	78.9	71.1-86.6
45-54	283	44638	125	44.5	38.4-50.7	158	55.5	49.3-61.7
55-64	210	28430	159	76.0	69.7-82.3	51	24.0	18.0-30.0
65+	245	38005	203	83.2	77.9-88.5	42	16.8	12.0-21.6
EDUCATION								
Less Than H.S.	91	14439	57	62.5	51.8-73.3	34	37.5	27.0-47.9
H.S. or G.E.D.	286	43136	158	55.0	48.9-61.2	128	44.9	38.9-51.0
Some Post-H.S.	254	39192	136	51.9	45.4-58.4	118	48.1	41.6-54.6
College Graduate	241	36662	162	67.1	60.6-73.5	79	32.9	26.7-39.2
HOUSEHOLD INCOME								
Less than \$15,000	48	5751	26	53.8	37.8-69.8	22	46.2	30.3-62.1
\$15,000- 24,999	136	19925	76	54.6	45.7-63.5	60	45.4	36.5-54.3
\$25,000- 34,999	118	17155	76	67.7	58.9-76.6	42	32.3	23.8-40.7
\$35,000- 49,999	195	30080	125	64.0	56.8-71.2	70	36.0	28.9-43.1
\$50,000- 74,999	165	26850	95	55.4	47.4-63.4	70	44.6	36.6-52.5
\$75,000+	135	22095	70	49.1	40.3-57.9	65	50.9	42.1-59.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents that have never had a PSA test

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	513	77724	297	58.2	53.6-62.7	104	19.9	16.3-23.6	43	9.3	6.5-12.1	40	7.4	5.0-9.8	29	5.2	3.2-7.1
RACE																	
Native	8	1145	4	52.1	15.9-88.3	3	37.6	1.9-73.3	0		0.0-0.0	0		0.0-0.0	1	10.3	0.0-29.7
Non-Native	496	75439	288	58.3	53.7-62.9	99	19.7	16.0-23.4	42	9.4	6.6-12.2	39	7.4	5.0-9.8	28	5.2	3.2-7.2
AGE																	
40-44	27	4754	8	26.5	9.3-43.6	9	37.3	17.7-56.8	6	23.5	5.9-41.1	2	5.9	0.0-14.3	2	6.9	0.0-16.2
45-54	125	19874	62	48.4	39.0-57.9	29	24.2	16.1-32.4	16	14.4	7.6-21.3	11	8.2	3.2-13.2	7	4.7	1.0-8.4
55-64	158	21477	93	60.8	52.8-68.7	31	19.5	13.0-26.0	13	8.0	3.6-12.3	13	8.0	3.6-12.4	8	3.8	1.1-6.6
65+	203	31619	134	67.3	60.5-74.2	35	14.9	10.0-19.9	8	4.9	1.5-8.2	14	6.7	3.1-10.4	12	6.1	2.6-9.7
EDUCATION																	
Less Than H.S.	56	8891	33	59.7	45.9-73.4	10	18.6	7.7-29.6	2	3.1	0.0-7.3	3	4.7	0.0-10.5	8	13.9	4.2-23.5
H.S. or G.E.D.	158	23744	86	55.7	47.4-63.9	34	22.0	15.1-29.0	10	6.3	2.3-10.2	18	10.6	5.5-15.7	10	5.4	1.9-8.9
Some Post-H.S.	136	20342	84	61.6	53.0-70.2	28	19.7	12.8-26.6	11	9.3	3.8-14.7	9	6.6	2.3-10.9	4	2.8	0.0-5.8
College Graduate	162	24590	94	57.6	49.4-65.8	31	18.0	11.7-24.4	20	14.6	8.4-20.9	10	6.0	2.1-9.8	7	3.7	1.0-6.5
HOUSEHOLD INCOME																	
Less than \$15,000	26	3094	14	59.3	38.2-80.5	5	14.9	1.8-28.0	2	6.0	0.0-14.4	1	2.2	0.0-6.6	4	17.6	0.4-34.8
\$15,000- 24,999	75	10740	38	48.9	36.9-60.9	20	29.6	18.4-40.9	6	8.7	1.8-15.7	7	8.6	2.0-15.1	4	4.2	0.1-8.3
\$25,000- 34,999	76	11620	50	67.1	55.9-78.3	8	9.2	2.4-15.9	6	8.7	1.7-15.6	7	7.8	1.8-13.7	5	7.3	0.8-13.8
\$35,000- 49,999	125	19248	68	55.4	46.2-64.6	24	17.8	10.9-24.8	12	10.5	4.8-16.2	14	11.7	5.5-17.9	7	4.6	0.9-8.3
\$50,000- 74,999	95	14881	57	57.5	46.8-68.3	25	25.6	16.3-35.0	6	9.3	1.9-16.7	4	4.4	0.1-8.6	3	3.1	0.0-6.9
\$75,000+	70	10846	42	61.7	49.9-73.4	15	20.2	10.7-29.6	7	9.9	2.6-17.2	4	5.5	0.1-11.0	2	2.7	0.0-6.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 3: A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents that reported being less than 40 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	902	138183	674	75.3	72.2-78.3	228	24.8	21.7-27.8
RACE								
Native	17	2952	12	64.8	40.0-89.5	5	35.2	10.5-60.0
Non-Native	873	133852	653	75.5	72.4-78.5	220	24.5	21.5-27.6
AGE								
40-44	140	23538	69	51.9	42.9-60.8	71	48.1	39.2-57.1
45-54	292	45842	202	70.4	64.8-76.0	90	29.6	24.0-35.2
55-64	218	29457	178	82.0	76.6-87.4	40	18.0	12.6-23.4
65+	252	39347	225	89.9	85.9-93.8	27	10.1	6.3-13.9
EDUCATION								
Less Than H.S.	94	15030	70	76.8	67.8-85.7	24	23.3	14.4-32.1
H.S. or G.E.D.	296	44746	204	67.5	61.7-73.3	92	32.5	26.7-38.3
Some Post-H.S.	260	40008	195	76.0	70.4-81.5	65	24.0	18.5-29.5
College Graduate	251	38243	204	82.9	78.0-87.7	47	17.1	12.3-22.0
HOUSEHOLD INCOME								
Less than \$15,000	50	5948	39	75.5	61.0-90.1	11	24.4	9.9-39.0
\$15,000- 24,999	137	20139	91	65.2	56.7-73.7	46	34.8	26.4-43.2
\$25,000- 34,999	123	18003	99	83.2	76.5-89.9	24	16.8	10.1-23.5
\$35,000- 49,999	203	31244	162	81.6	76.0-87.2	41	18.4	12.8-24.0
\$50,000- 74,999	172	27960	131	75.4	68.4-82.4	41	24.6	17.6-31.6
\$75,000+	137	22407	98	72.5	64.7-80.4	39	27.5	19.6-35.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRE/TIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents that have never had a digital rectal exam

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	665	102922	310	47.3	43.3-51.3	122	18.2	15.1-21.3	77	12.2	9.5-14.9	63	8.6	6.4-10.8	93	13.7	10.9-16.5
RACE																	
Native	12	1912	7	56.3	24.8-87.7	2	11.8	0.0-28.7	0		0.0-0.0	0		0.0-0.0	3	32.0	0.3-63.6
Non-Native	645	100027	298	46.9	42.8-51.0	119	18.4	15.2-21.6	76	12.4	9.7-15.2	63	8.8	6.6-11.1	89	13.4	10.6-16.2
AGE																	
40-44	68	12118	18	28.1	16.5-39.7	16	27.7	16.2-39.2	13	20.0	9.7-30.3	7	6.1	1.5-10.8	14	18.1	8.8-27.4
45-54	202	32256	77	36.9	29.8-44.1	46	23.2	16.9-29.5	26	13.8	8.5-19.1	17	7.7	3.9-11.5	36	18.3	12.5-24.1
55-64	177	24011	92	54.8	47.1-62.5	31	16.3	10.7-21.9	17	9.3	4.9-13.6	18	10.3	5.5-15.1	19	9.4	5.2-13.7
65+	218	34537	123	58.5	51.6-65.4	29	11.5	7.4-15.6	21	9.9	5.8-14.1	21	9.1	5.2-13.0	24	10.9	6.5-15.4
EDUCATION																	
Less Than H.S.	66	11141	35	53.1	40.4-65.8	6	9.6	2.1-17.1	8	10.3	3.1-17.5	8	11.1	3.3-18.9	9	15.9	5.7-26.0
H.S. or G.E.D.	200	29774	89	45.8	38.4-53.2	37	20.3	14.2-26.5	20	10.4	6.0-14.8	21	9.9	5.6-14.3	33	13.6	9.0-18.1
Some Post-H.S.	194	30155	86	44.8	37.4-52.2	34	16.9	11.4-22.4	26	13.9	8.6-19.1	16	6.9	3.4-10.4	32	17.5	11.8-23.2
College Graduate	204	31696	100	49.3	41.9-56.7	44	20.0	14.3-25.8	23	13.0	7.7-18.3	18	8.1	4.3-12.0	19	9.6	5.0-14.2
HOUSEHOLD INCOME																	
Less than \$15,000	37	4337	17	48.6	30.6-66.6	3	5.2	0.0-10.8	3	10.8	0.0-22.6	7	19.2	5.5-32.8	7	16.2	4.7-27.8
\$15,000- 24,999	90	13007	36	42.3	31.2-53.4	17	19.6	10.7-28.6	11	11.8	4.8-18.7	15	17.1	8.7-25.6	11	9.2	3.8-14.6
\$25,000- 34,999	96	14506	48	52.4	41.9-62.8	12	13.0	5.8-20.3	10	8.9	3.6-14.2	12	11.6	5.2-18.0	14	14.1	7.1-21.1
\$35,000- 49,999	159	25196	77	48.5	40.3-56.6	27	16.4	10.4-22.3	18	12.3	6.8-17.7	16	9.0	4.4-13.5	21	13.9	8.0-19.9
\$50,000- 74,999	131	21075	56	42.1	33.1-51.2	29	21.7	14.2-29.1	17	14.2	7.5-20.8	7	4.4	1.1-7.8	22	17.6	10.6-24.6
\$75,000+	98	16248	48	48.5	38.1-59.0	23	23.3	14.4-32.1	15	15.1	7.6-22.5	3	3.6	0.0-7.8	9	9.5	3.0-15.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 16: PROSTATE CANCER SCREENING**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents that reported being less than 40 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY									
SEX									
Male	904	138424	42	5.0	3.5-6.6	862	94.9	93.4-96.5	
RACE									
Native	17	2952	0		0.0-0.0	17	100.0	100.0-100.0	
Non-Native	875	134092	41	5.1	3.5-6.7	834	94.9	93.3-96.5	
AGE									
40-44	139	23444	0		0.0-0.0	139	100.0	100.0-100.0	
45-54	293	45919	0		0.0-0.0	293	100.0	100.0-100.0	
55-64	217	29320	4	1.9	0.1-3.7	213	98.1	96.1-100.0	
65+	255	39740	38	16.2	11.2-21.2	217	83.8	78.8-88.8	
EDUCATION									
Less Than H.S.	95	15187	14	15.6	7.5-23.8	81	84.4	76.2-92.5	
H.S. or G.E.D.	295	44633	11	4.1	1.6-6.5	284	95.9	93.4-98.4	
Some Post-H.S.	262	40205	10	4.1	1.5-6.7	252	95.9	93.3-98.5	
College Graduate	251	38243	7	3.0	0.8-5.2	244	97.0	94.8-99.2	
HOUSEHOLD INCOME									
Less than \$15,000	50	5948	5	16.6	2.5-30.8	45	83.4	69.2-97.5	
\$15,000- 24,999	140	20492	5	3.3	0.2-6.3	135	96.7	93.7-99.8	
\$25,000- 34,999	122	17910	8	8.5	2.7-14.3	114	91.5	85.7-97.3	
\$35,000- 49,999	202	31107	13	7.2	3.3-11.1	189	92.8	88.8-96.7	
\$50,000- 74,999	172	27960	3	1.9	0.0-4.1	169	98.1	95.9-100.0	
\$75,000+	137	22407	3	1.9	0.0-4.1	134	98.1	95.9-100.0	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 17: COLORECTAL CANCER SCREENING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)	
4	MALES AND FEMALES	176
5	MALES ONLY	177
6	FEMALES ONLY	178
	SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7	MALES AND FEMALES	179
8	MALES ONLY	180
9	FEMALES ONLY	181
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)	
10	MALES AND FEMALES	182
11	MALES ONLY	183
12	FEMALES ONLY	184

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1470	193756	589	39.4	36.8-42.1	881	60.6	57.9-63.3
SEX								
Male	611	89453	213	34.5	30.5-38.5	398	65.5	61.5-69.5
Female	859	104303	376	43.6	40.1-47.2	483	56.4	52.8-59.9
RACE								
Native	25	3934	6	28.9	8.8-49.0	19	71.1	51.0-91.2
Non-Native	1424	187273	576	39.8	37.1-42.5	848	60.2	57.5-62.9
AGE								
50-54	322	41781	85	26.9	21.7-32.0	237	73.1	67.9-78.3
55-64	457	59366	180	39.7	34.9-44.5	277	60.3	55.5-65.1
65+	691	92610	324	44.9	40.9-48.9	367	55.1	51.1-59.1
EDUCATION								
Less Than H.S.	210	28966	77	35.2	28.3-42.2	133	64.8	57.7-71.8
H.S. or G.E.D.	473	60295	189	40.9	36.2-45.6	284	59.1	54.4-63.9
Some Post-H.S.	429	57107	174	38.7	33.8-43.5	255	61.3	56.4-66.2
College Graduate	355	47047	147	40.9	35.5-46.4	208	59.1	53.6-64.5
HOUSEHOLD INCOME								
Less than \$15,000	151	16450	57	38.2	29.6-46.8	94	61.8	53.2-70.4
\$15,000- 24,999	264	33528	106	38.7	32.4-45.0	158	61.3	55.0-67.6
\$25,000- 34,999	221	28136	100	44.5	37.5-51.5	121	55.5	48.5-62.5
\$35,000- 49,999	248	34510	92	37.5	31.0-43.9	156	62.5	56.1-69.0
\$50,000- 74,999	191	27112	82	41.1	33.8-48.4	109	58.9	51.5-66.2
\$75,000+	160	22907	60	38.7	30.8-46.6	100	61.3	53.4-69.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	611	89453	213	34.5	30.5-38.5	398	65.5	61.5-69.5
RACE								
Native	13	2145	4	33.8	6.2-61.4	9	66.2	38.6-93.8
Non-Native	588	86178	206	34.7	30.7-38.8	382	65.3	61.2-69.4
AGE								
50-54	142	20767	36	25.2	17.7-32.8	106	74.8	67.1-82.4
55-64	218	29457	79	37.4	30.6-44.3	139	62.6	55.7-69.4
65+	251	39229	98	37.2	31.0-43.5	153	62.8	56.5-69.0
EDUCATION								
Less Than H.S.	88	13918	26	28.9	18.9-38.8	62	71.1	61.0-81.2
H.S. or G.E.D.	184	25844	63	34.6	27.3-41.9	121	65.4	58.0-72.7
Some Post-H.S.	168	25170	56	33.9	26.4-41.5	112	66.0	58.5-73.6
College Graduate	170	24366	68	38.4	30.7-46.1	102	61.6	53.8-69.3
HOUSEHOLD INCOME								
Less than \$15,000	39	4574	15	32.3	16.6-48.0	24	67.7	52.0-83.4
\$15,000- 24,999	98	13820	30	30.2	20.7-39.8	68	69.8	60.1-79.4
\$25,000- 34,999	89	13150	37	43.1	32.2-54.0	52	56.9	46.0-67.8
\$35,000- 49,999	137	20867	45	35.4	26.8-43.9	92	64.6	56.0-73.2
\$50,000- 74,999	105	15403	40	36.0	26.5-45.5	65	64.0	54.4-73.6
\$75,000+	78	11970	26	33.9	22.9-45.0	52	66.1	55.0-77.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	859	104303	376	43.6	40.1-47.2	483	56.4	52.8-59.9
RACE								
Native	12	1790	2	23.1	0.0-52.6	10	76.9	47.4-100.0
Non-Native	836	101095	370	44.1	40.5-47.7	466	55.9	52.3-59.5
AGE								
50-54	180	21014	49	28.5	21.4-35.5	131	71.5	64.5-78.6
55-64	239	29909	101	42.0	35.3-48.7	138	58.0	51.3-64.7
65+	440	53380	226	50.5	45.5-55.6	214	49.5	44.4-54.6
EDUCATION								
Less Than H.S.	122	15048	51	41.1	31.5-50.7	71	58.9	49.2-68.5
H.S. or G.E.D.	289	34451	126	45.6	39.4-51.7	163	54.4	48.3-60.6
Some Post-H.S.	261	31937	118	42.4	36.1-48.8	143	57.6	51.2-64.0
College Graduate	185	22682	79	43.6	35.9-51.3	106	56.4	48.7-64.1
HOUSEHOLD INCOME								
Less than \$15,000	112	11876	42	40.5	30.5-50.6	70	59.5	49.4-69.5
\$15,000- 24,999	166	19708	76	44.6	36.4-52.8	90	55.4	47.2-63.6
\$25,000- 34,999	132	14986	63	45.8	36.8-54.8	69	54.2	45.2-63.2
\$35,000- 49,999	111	13643	47	40.7	31.0-50.4	64	59.3	49.6-69.0
\$50,000- 74,999	86	11709	42	47.9	36.7-59.0	44	52.1	41.0-63.3
\$75,000+	82	10937	34	43.8	32.6-55.1	48	56.1	44.9-67.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	582	75481	202	32.9	28.9-36.9	116	20.5	17.0-24.0	159	28.3	24.4-32.2	105	18.3	14.9-21.7
SEX														
Male	211	30520	72	33.5	26.9-40.2	44	20.8	15.1-26.5	57	26.7	20.5-33.0	38	18.9	13.3-24.5
Female	371	44960	130	32.5	27.6-37.4	72	20.3	15.9-24.6	102	29.4	24.4-34.4	67	17.9	13.7-22.0
RACE														
Native	6	1137	2	24.1	0.0-55.7	1	13.8	0.0-39.5	2	44.0	1.7-86.3	1	18.1	0.0-50.1
Non-Native	569	73604	199	33.3	29.2-37.3	112	20.2	16.7-23.7	155	28.1	24.1-32.0	103	18.4	15.0-21.8
AGE														
50-54	85	11227	31	34.6	24.0-45.3	20	26.3	16.0-36.6	17	19.6	10.7-28.6	17	19.4	10.6-28.2
55-64	179	23517	67	35.4	28.1-42.8	36	20.1	14.0-26.3	53	31.4	24.1-38.8	23	13.0	7.6-18.4
65+	318	40736	104	31.0	25.7-36.3	60	19.1	14.5-23.6	89	28.9	23.6-34.2	65	21.0	16.2-25.8
EDUCATION														
Less Than H.S.	75	9852	22	27.0	16.7-37.3	12	18.0	8.2-27.8	23	28.9	18.2-39.5	18	26.1	15.3-37.0
H.S. or G.E.D.	188	24589	72	37.6	30.3-44.8	39	21.0	14.9-27.2	43	24.2	17.5-30.9	34	17.2	11.6-22.8
Some Post-H.S.	173	21984	61	32.6	25.3-39.9	41	23.4	16.8-30.0	42	27.1	19.8-34.4	29	16.9	10.9-22.9
College Graduate	145	18938	47	30.6	22.8-38.4	24	17.8	11.1-24.4	50	34.3	26.1-42.5	24	17.4	10.7-24.0
HOUSEHOLD INCOME														
Less than \$15,000	56	6184	19	31.1	18.3-43.9	6	12.9	2.6-23.2	15	27.6	14.6-40.7	16	28.3	15.5-41.1
\$15,000- 24,999	104	12791	35	29.6	20.7-38.6	20	21.3	12.8-29.8	34	34.1	24.4-43.9	15	14.9	7.5-22.3
\$25,000- 34,999	100	12527	40	39.1	29.0-49.3	19	18.2	10.1-26.3	20	22.3	13.2-31.5	21	20.3	12.2-28.5
\$35,000- 49,999	91	12693	27	30.7	20.6-40.8	18	18.7	10.5-27.0	26	28.9	19.0-38.8	20	21.7	12.7-30.7
\$50,000- 74,999	82	11150	28	33.2	22.6-43.8	21	23.5	14.2-32.8	21	25.7	15.6-35.8	12	17.6	8.5-26.8
\$75,000+	60	8858	17	29.3	17.2-41.5	14	24.4	12.9-36.0	22	35.1	22.7-47.5	7	11.1	3.2-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	211	30520	72	33.5	26.9-40.2	44	20.8	15.1-26.5	57	26.7	20.5-33.0	38	18.9	13.3-24.6
RACE														
Native	4	724	1	21.6	0.0-60.1	1	21.6	0.0-60.1	1	28.4	0.0-74.4	1	28.4	0.0-74.6
Non-Native	204	29561	70	33.8	27.1-40.6	42	20.7	14.9-26.5	56	26.9	20.6-33.2	36	18.6	12.9-24.3
AGE														
50-54	36	5240	13	32.6	16.5-48.7	12	37.8	20.6-54.9	4	8.9	0.0-17.8	7	20.7	6.6-34.9
55-64	79	11029	28	36.6	25.4-47.8	15	16.8	8.6-24.9	23	29.8	19.0-40.6	13	16.8	8.0-25.5
65+	96	14251	31	31.5	21.8-41.2	17	17.7	9.8-25.6	30	30.9	21.3-40.5	18	19.9	11.4-28.4
EDUCATION														
Less Than H.S.	24	3663	6	27.4	9.3-45.5	4	17.7	2.6-32.8	9	32.2	14.3-50.1	5	22.6	5.5-39.8
H.S. or G.E.D.	63	8950	31	48.6	35.5-61.6	8	13.6	4.3-22.9	14	23.8	12.2-35.3	10	14.0	5.7-22.4
Some Post-H.S.	56	8545	15	26.5	14.4-38.6	19	32.3	19.6-44.9	12	21.4	10.3-32.4	10	19.8	8.5-31.2
College Graduate	68	9362	20	28.0	16.7-39.3	13	18.4	8.8-28.0	22	32.3	20.5-44.2	13	21.3	10.6-32.0
HOUSEHOLD INCOME														
Less than \$15,000	15	1478	8	48.2	20.8-75.6	1	16.1	0.0-43.6	3	15.8	0.0-33.1	3	19.8	0.0-41.1
\$15,000- 24,999	29	4059	10	28.7	12.2-45.2	6	21.6	5.8-37.3	9	30.7	13.3-48.2	4	18.9	2.5-35.4
\$25,000- 34,999	37	5668	13	35.3	19.0-51.6	8	21.0	7.3-34.7	8	25.0	9.6-40.5	8	18.7	6.5-31.0
\$35,000- 49,999	44	7144	13	31.1	17.0-45.3	8	15.9	5.5-26.4	12	28.0	14.3-41.7	11	24.9	11.6-38.3
\$50,000- 74,999	40	5544	12	31.4	16.5-46.3	11	24.3	11.0-37.6	10	23.3	9.9-36.7	7	21.0	7.1-35.0
\$75,000+	26	4063	8	34.4	14.9-53.9	6	24.5	6.8-42.2	9	30.5	12.7-48.3	3	10.6	0.0-22.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	371	44960	130	32.5	27.6-37.4	72	20.3	15.9-24.6	102	29.4	24.4-34.4	67	17.9	13.7-22.0
RACE														
Native	2	413	1	28.6	0.0-85.1	0		0.0-0.0	1	71.4	14.9-100.0	0		0.0-0.0
Non-Native	365	44042	129	32.9	27.9-37.9	70	19.9	15.5-24.3	99	28.9	23.9-33.9	67	18.3	14.1-22.4
AGE														
50-54	49	5987	18	36.4	22.3-50.6	8	16.3	5.4-27.1	13	29.1	15.1-43.0	10	18.2	7.4-29.0
55-64	100	12488	39	34.4	24.8-44.0	21	23.1	14.1-32.1	30	32.8	22.7-42.9	10	9.7	3.1-16.4
65+	222	26485	73	30.7	24.5-37.0	43	19.8	14.2-25.4	59	27.8	21.5-34.2	47	21.6	15.9-27.4
EDUCATION														
Less Than H.S.	51	6189	16	26.8	14.6-39.1	8	18.1	5.3-30.9	14	26.9	13.7-40.0	13	28.2	14.2-42.2
H.S. or G.E.D.	125	15639	41	31.3	22.9-39.7	31	25.3	17.3-33.3	29	24.4	16.3-32.6	24	19.0	11.6-26.4
Some Post-H.S.	117	13439	46	36.5	27.4-45.5	22	17.7	10.7-24.8	30	30.7	21.4-40.1	19	15.0	8.5-21.6
College Graduate	77	9576	27	33.1	22.2-43.9	11	17.1	7.8-26.4	28	36.2	24.9-47.5	11	13.5	5.7-21.4
HOUSEHOLD INCOME														
Less than \$15,000	41	4706	11	25.8	11.5-40.1	5	11.9	1.6-22.2	12	31.3	15.5-47.2	13	31.0	15.7-46.3
\$15,000- 24,999	75	8733	25	30.1	19.5-40.7	14	21.2	11.1-31.2	25	35.7	24.0-47.5	11	13.0	5.5-20.6
\$25,000- 34,999	63	6860	27	42.3	29.5-55.1	11	15.9	6.5-25.3	12	20.1	9.5-30.7	13	21.7	10.8-32.6
\$35,000- 49,999	47	5549	14	30.1	16.0-44.2	10	22.4	9.3-35.4	14	30.0	15.7-44.3	9	17.6	6.6-28.5
\$50,000- 74,999	42	5606	16	35.0	20.3-49.7	10	22.7	9.8-35.7	11	28.0	13.0-43.1	5	14.3	2.5-26.0
\$75,000+	34	4795	9	25.0	10.2-39.9	8	24.4	9.2-39.6	13	39.0	22.0-56.0	4	11.6	0.5-22.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1467	193307	784	53.9	51.2-56.6	683	46.1	43.4-48.8
SEX								
Male	610	89150	315	53.1	48.9-57.3	295	46.9	42.7-51.1
Female	857	104157	469	54.6	51.0-58.2	388	45.4	41.8-49.0
RACE								
Native	24	3578	9	41.4	20.4-62.4	15	58.6	36.7-80.4
Non-Native	1422	187181	768	54.5	51.7-57.3	654	45.5	42.7-48.3
AGE								
50-54	323	41936	125	39.7	33.9-45.4	198	60.3	54.6-66.1
55-64	454	59164	219	47.7	42.8-52.6	235	52.3	47.4-57.2
65+	690	92208	440	64.3	60.4-68.2	250	35.7	31.8-39.5
EDUCATION								
Less Than H.S.	207	28367	122	59.1	51.7-66.6	85	40.9	33.5-48.2
H.S. or G.E.D.	473	60450	230	48.7	43.9-53.5	243	51.3	46.5-56.1
Some Post-H.S.	429	57158	236	54.5	49.5-59.5	193	45.5	40.5-50.5
College Graduate	355	46990	195	56.7	51.2-62.2	160	43.3	37.8-48.8
HOUSEHOLD INCOME								
Less than \$15,000	150	16343	79	52.3	43.5-61.1	71	47.7	38.9-56.5
\$15,000- 24,999	263	33312	140	55.7	49.3-62.1	123	44.3	37.9-50.7
\$25,000- 34,999	220	28135	121	56.8	49.8-63.7	99	43.2	36.3-50.2
\$35,000- 49,999	248	34548	140	56.9	50.4-63.4	108	43.1	36.6-49.6
\$50,000- 74,999	191	27054	96	50.4	42.9-57.9	95	49.6	42.1-57.1
\$75,000+	160	22907	87	55.3	47.2-63.4	73	44.7	36.6-52.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	610	89150	315	53.1	48.9-57.3	295	46.9	42.7-51.1
RACE								
Native	12	1788	6	47.6	19.5-75.7	6	52.4	23.6-81.3
Non-Native	588	86231	305	53.5	49.2-57.8	283	46.5	42.3-50.8
AGE								
50-54	143	20922	54	40.6	31.9-49.4	89	59.4	50.6-68.1
55-64	216	29320	97	44.3	37.3-51.2	119	55.7	48.8-62.7
65+	251	38907	164	66.4	60.2-72.6	87	33.6	27.5-39.7
EDUCATION								
Less Than H.S.	85	13292	51	61.6	50.5-72.8	34	38.4	27.6-49.2
H.S. or G.E.D.	185	25999	85	47.7	40.0-55.4	100	52.3	44.6-60.0
Some Post-H.S.	168	25180	86	51.3	43.4-59.2	82	48.7	40.8-56.6
College Graduate	171	24522	92	55.7	47.7-63.6	79	44.3	36.4-52.3
HOUSEHOLD INCOME								
Less than \$15,000	39	4574	21	55.2	37.4-73.0	18	44.8	27.0-62.6
\$15,000- 24,999	99	13817	55	57.0	46.7-67.4	44	43.0	32.7-53.2
\$25,000- 34,999	88	13081	47	58.1	47.4-68.8	41	41.9	31.2-52.6
\$35,000- 49,999	137	20905	72	54.4	45.6-63.1	65	45.6	36.9-54.4
\$50,000- 74,999	106	15558	52	49.0	38.9-59.2	54	51.0	40.8-61.1
\$75,000+	78	11970	40	53.4	41.8-65.0	38	46.6	35.0-58.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	857	104157	469	54.6	51.0-58.2	388	45.4	41.8-49.0
RACE								
Native	12	1790	3	35.3	3.1-67.5	9	64.7	32.5-96.9
Non-Native	834	100950	463	55.3	51.7-59.0	371	44.7	41.0-48.3
AGE								
50-54	180	21014	71	38.7	31.2-46.3	109	61.3	53.7-68.8
55-64	238	29843	122	51.1	44.3-57.9	116	48.9	42.1-55.7
65+	439	53300	276	62.8	57.9-67.8	163	37.2	32.3-42.1
EDUCATION								
Less Than H.S.	122	15075	71	56.9	47.1-66.7	51	43.1	33.3-52.9
H.S. or G.E.D.	288	34451	145	49.5	43.4-55.7	143	50.5	44.3-56.6
Some Post-H.S.	261	31979	150	57.0	50.6-63.5	111	43.0	36.5-49.4
College Graduate	184	22468	103	57.8	50.2-65.5	81	42.2	34.6-49.8
HOUSEHOLD INCOME								
Less than \$15,000	111	11769	58	51.2	41.2-61.3	53	48.8	38.7-58.8
\$15,000- 24,999	164	19495	85	54.8	46.5-63.0	79	45.3	37.1-53.4
\$25,000- 34,999	132	15054	74	55.6	46.6-64.7	58	44.4	35.3-53.4
\$35,000- 49,999	111	13643	68	60.8	51.1-70.5	43	39.2	29.5-48.9
\$50,000- 74,999	85	11496	44	52.3	41.1-63.4	41	47.7	36.6-58.9
\$75,000+	82	10937	47	57.4	46.2-68.5	35	42.6	31.5-53.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	774	102719	198	26.4	23.1-29.7	136	16.8	14.0-19.5	295	37.5	33.9-41.1	86	11.2	8.9-13.5	59	8.1	6.0-10.2
SEX																	
Male	310	46534	93	30.8	25.4-36.2	54	17.4	12.9-21.9	111	34.4	28.9-39.9	31	10.3	6.8-13.9	21	7.1	4.0-10.1
Female	464	56185	105	22.7	18.7-26.8	82	16.2	12.8-19.6	184	40.1	35.3-44.8	55	11.9	8.9-15.0	38	9.0	6.1-11.9
RACE																	
Native	9	1482	6	57.5	21.4-93.5	0		0.0-0.0	1	14.4	0.0-40.3	0		0.0-0.0	2	28.1	0.0-62.6
Non-Native	758	100497	190	26.0	22.6-29.3	134	16.8	14.0-19.6	293	38.0	34.3-41.7	85	11.4	9.0-13.8	56	7.8	5.7-9.9
AGE																	
50-54	125	16641	37	29.6	21.0-38.2	19	16.4	8.9-24.0	47	35.8	26.9-44.6	10	8.3	3.0-13.5	12	9.9	4.2-15.6
55-64	217	28043	46	22.5	16.5-28.4	36	15.5	10.6-20.4	87	39.4	32.6-46.2	32	15.8	10.6-20.9	16	6.9	3.5-10.4
65+	432	58035	115	27.4	22.8-31.9	81	17.5	13.8-21.1	161	37.1	32.3-42.0	44	9.8	7.0-12.7	31	8.2	5.3-11.1
EDUCATION																	
Less Than H.S.	119	16467	36	32.0	22.8-41.2	18	15.2	8.3-22.1	46	38.9	29.4-48.5	12	7.4	3.3-11.6	7	6.4	1.6-11.3
H.S. or G.E.D.	227	28923	61	26.7	20.6-32.8	46	19.6	14.3-24.9	76	33.7	27.2-40.1	26	11.4	7.2-15.7	18	8.6	4.6-12.5
Some Post-H.S.	233	30628	48	21.5	15.9-27.1	48	18.1	13.1-23.1	92	38.9	32.3-45.5	29	13.1	8.5-17.6	16	8.4	4.3-12.5
College Graduate	194	26545	53	28.3	21.5-35.1	24	13.2	7.9-18.5	80	38.8	31.6-46.1	19	11.2	6.3-16.2	18	8.4	4.4-12.5
HOUSEHOLD INCOME																	
Less than \$15,000	78	8487	23	28.9	18.2-39.7	13	14.2	6.7-21.7	25	34.4	22.4-46.4	10	13.5	5.3-21.7	7	8.9	2.1-15.8
\$15,000- 24,999	137	17959	41	29.5	21.3-37.8	23	17.3	10.5-24.0	45	31.1	23.1-39.2	13	9.5	4.6-14.5	15	12.5	6.3-18.7
\$25,000- 34,999	119	15612	25	21.6	13.8-29.4	24	17.0	10.4-23.5	44	37.7	28.5-47.0	16	13.9	7.2-20.7	10	9.8	3.8-15.7
\$35,000- 49,999	139	19592	37	27.4	19.4-35.4	22	15.4	9.2-21.6	61	42.1	33.4-50.7	10	8.1	3.1-13.2	9	6.9	2.4-11.5
\$50,000- 74,999	95	13479	26	26.9	17.7-36.2	17	20.0	11.0-29.0	33	32.6	22.8-42.3	12	12.4	5.7-19.1	7	8.0	2.0-14.1
\$75,000+	87	12668	21	26.9	16.9-36.8	13	14.3	6.7-21.8	36	39.9	29.2-50.6	12	13.2	5.9-20.5	5	5.7	0.7-10.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																	
SEX																	
Male	310	46534	93	30.8	25.5-36.1	54	17.4	12.9-21.9	111	34.4	28.9-39.9	31	10.3	6.8-13.9	21	7.1	4.0-10.1
RACE																	
Native	6	850	5	86.3	60.3-100.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	13.7	0.0-39.7
Non-Native	300	45331	87	29.8	24.4-35.2	54	17.8	13.3-22.4	110	35.1	29.5-40.7	30	10.4	6.8-14.1	19	6.8	3.8-9.9
AGE																	
50-54	54	8501	18	34.7	21.2-48.2	11	22.8	10.1-35.6	18	31.5	18.6-44.4	2	3.6	0.0-9.2	5	7.3	0.9-13.7
55-64	97	12982	28	30.3	20.7-40.0	15	14.0	6.9-21.0	32	30.6	21.1-40.2	15	18.2	9.7-26.7	7	6.9	1.7-12.1
65+	159	25051	47	29.7	22.3-37.1	28	17.3	11.3-23.3	61	37.4	29.6-45.2	14	8.5	4.0-13.0	9	7.1	2.7-11.5
EDUCATION																	
Less Than H.S.	49	7955	16	31.8	18.3-45.4	8	16.9	5.9-27.9	18	37.4	23.1-51.8	2	2.7	0.0-6.5	5	11.2	1.8-20.5
H.S. or G.E.D.	84	12246	25	31.8	21.1-42.5	15	17.8	9.3-26.3	29	33.0	22.6-43.4	12	13.1	5.8-20.4	3	4.3	0.0-9.2
Some Post-H.S.	84	12521	22	26.7	17.0-36.4	21	23.7	14.4-33.0	27	32.3	21.9-42.8	9	11.4	4.4-18.3	5	5.9	1.0-10.8
College Graduate	92	13656	30	33.4	23.1-43.6	10	11.8	4.2-19.4	36	35.1	25.0-45.3	8	11.5	3.8-19.1	8	8.3	2.1-14.4
HOUSEHOLD INCOME																	
Less than \$15,000	21	2525	7	34.3	11.2-57.5	4	14.2	0.1-28.3	7	42.1	16.5-67.8	3	9.3	0.0-19.9	0		0.0-0.0
\$15,000- 24,999	53	7605	14	25.6	13.5-37.7	11	23.8	11.6-36.1	18	31.5	18.7-44.3	2	3.4	0.0-7.8	8	15.7	5.3-26.0
\$25,000- 34,999	45	7241	12	26.0	13.3-38.8	6	12.0	2.9-21.1	17	36.2	22.1-50.4	7	17.0	5.4-28.7	3	8.7	0.0-17.8
\$35,000- 49,999	72	11365	21	29.2	18.0-40.4	11	13.8	5.6-21.9	32	43.4	31.4-55.4	4	7.3	0.4-14.3	4	6.3	0.2-12.5
\$50,000- 74,999	51	7470	17	34.1	20.6-47.5	10	23.3	10.0-36.6	13	22.9	11.3-34.5	7	13.4	4.2-22.5	4	6.4	0.2-12.6
\$75,000+	40	6393	15	39.6	23.8-55.5	6	15.3	3.7-26.8	11	25.3	11.4-39.3	6	15.5	3.8-27.3	2	4.3	0.0-10.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 17: COLORECTAL CANCER SCREENING**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 years but less than 10 years ago			10 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																	
SEX																	
Female	464	56185	105	22.7	18.6-26.8	82	16.2	12.8-19.6	184	40.1	35.3-44.8	55	11.9	8.9-15.0	38	9.0	6.1-11.9
RACE																	
Native	3	632	1	18.7	0.0-55.3	0		0.0-0.0	1	33.8	0.0-89.2	0		0.0-0.0	1	47.5	0.0-100.0
Non-Native	458	55166	103	22.8	18.7-27.0	80	15.9	12.6-19.3	183	40.4	35.6-45.2	55	12.2	9.1-15.3	37	8.6	5.8-11.5
AGE																	
50-54	71	8140	19	24.3	14.0-34.6	8	9.8	3.1-16.5	29	40.2	28.2-52.2	8	13.0	4.3-21.7	7	12.7	3.4-22.0
55-64	120	15061	18	15.7	8.6-22.7	21	16.8	9.9-23.6	55	46.9	37.6-56.2	17	13.7	7.5-19.9	9	7.0	2.3-11.6
65+	273	32984	68	25.6	20.0-31.2	53	17.6	13.0-22.1	100	36.9	30.7-43.1	30	10.9	7.1-14.7	22	9.0	5.2-12.9
EDUCATION																	
Less Than H.S.	70	8513	20	32.2	19.7-44.6	10	13.6	5.2-22.1	28	40.3	27.7-52.9	10	11.8	4.7-18.9	2	2.0	0.0-4.9
H.S. or G.E.D.	143	16676	36	23.0	16.2-29.9	31	20.9	14.2-27.7	47	34.1	26.0-42.3	14	10.3	5.1-15.4	15	11.7	6.0-17.4
Some Post-H.S.	149	18107	26	17.9	11.3-24.5	27	14.3	8.9-19.6	65	43.5	35.0-52.0	20	14.3	8.3-20.2	11	10.1	4.1-16.1
College Graduate	102	12889	23	22.9	14.1-31.8	14	14.7	7.3-22.0	44	42.8	32.5-53.1	11	11.0	4.7-17.3	10	8.6	3.3-14.0
HOUSEHOLD INCOME																	
Less than \$15,000	57	5962	16	26.7	14.9-38.5	9	14.2	5.3-23.1	18	31.2	18.5-43.9	7	15.3	4.6-25.9	7	12.7	3.2-22.1
\$15,000- 24,999	84	10354	27	32.4	21.4-43.5	12	12.4	5.4-19.4	27	30.8	20.5-41.1	11	14.1	6.2-21.9	7	10.3	2.7-17.8
\$25,000- 34,999	74	8371	13	17.8	8.6-27.0	18	21.3	11.9-30.6	27	39.0	27.0-51.0	9	11.3	4.1-18.4	7	10.7	2.9-18.5
\$35,000- 49,999	67	8227	16	25.0	13.8-36.2	11	17.7	8.0-27.3	29	40.3	28.0-52.6	6	9.3	2.2-16.4	5	7.8	0.9-14.7
\$50,000- 74,999	44	6009	9	18.1	6.9-29.2	7	16.0	4.8-27.1	20	44.6	29.1-60.1	5	11.2	1.5-21.0	3	10.1	0.0-21.4
\$75,000+	47	6275	6	13.9	3.1-24.7	7	13.3	3.5-23.1	25	54.8	40.0-69.7	6	10.8	2.4-19.3	3	7.2	0.0-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 18: FAMILY PLANNING CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (BRTHCNT3)	
1	MALES AND FEMALES	186
2	MALES ONLY	187
3	FEMALES ONLY	188
	WHAT ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (TYPCNTR3)	
4	MALES AND FEMALES	189
5	MALES ONLY	190
6	FEMALES ONLY	191
	WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT? (NOBCUSE2)	
7	MALES AND FEMALES	192
8	MALES ONLY	193
9	FEMALES ONLY	194
	HOW DO YOU FEEL ABOUT HAVING A CHILD SOMETIME IN THE FUTURE? (FPCHLDFT)	
10	MALES AND FEMALES	195
11	MALES ONLY	196
12	FEMALES ONLY	197
	HOW SOON WOULD YOU WANT TO HAVE A CHILD? (FPCHLDHS)	
13	MALES AND FEMALES	198
14	MALES ONLY	199
15	FEMALES ONLY	200

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 1: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1474	278102	901	61.9	59.0-64.8	305	20.2	17.9-22.4	262	17.5	15.0-20.0	6	0.4	0.1-0.7
SEX														
Male	915	179188	485	54.4	50.6-58.2	237	24.8	21.7-27.8	189	20.5	17.1-23.8	4	0.4	0.0-0.8
Female	559	98914	416	75.4	71.2-79.6	68	11.9	8.9-14.8	73	12.2	8.8-15.6	2	0.5	0.0-1.1
RACE														
Native	49	11701	27	58.4	42.0-74.8	12	19.1	8.1-30.2	9	20.4	5.2-35.6	1	2.0	0.0-5.9
Non-Native	1419	265515	871	62.0	59.1-65.0	291	20.2	17.9-22.5	252	17.4	14.9-19.9	5	0.3	0.0-0.7
AGE														
18-24	185	69644	102	53.8	45.8-61.9	18	9.7	5.2-14.2	64	36.1	28.3-44.0	1	0.4	0.0-1.1
25-34	383	69808	259	68.4	63.3-73.4	74	20.7	16.3-25.1	48	10.3	7.1-13.4	2	0.7	0.0-1.6
35-44	498	77150	333	69.5	65.2-73.8	83	18.1	14.5-21.8	80	12.1	9.3-14.9	2	0.2	0.0-0.6
45-54	281	43552	153	59.1	52.9-65.2	77	29.2	23.5-35.0	51	11.7	8.3-15.0	0		0.0-0.0
55-64	127	17948	54	42.0	33.1-50.9	53	45.8	36.6-55.0	19	11.1	5.7-16.5	1	1.1	0.0-3.3
EDUCATION														
Less Than H.S.	40	8505	21	53.0	36.0-70.0	10	21.6	8.8-34.4	9	25.4	9.6-41.3	0		0.0-0.0
H.S. or G.E.D.	399	79378	228	58.8	53.0-64.5	82	17.7	13.8-21.6	86	23.0	17.6-28.3	3	0.6	0.0-1.3
Some Post-H.S.	525	102007	328	61.6	56.6-66.7	111	20.7	16.8-24.6	85	17.4	12.9-21.9	1	0.2	0.0-0.7
College Graduate	510	88213	324	65.8	61.3-70.3	102	21.7	17.8-25.6	82	12.0	9.1-14.9	2	0.5	0.0-1.2
HOUSEHOLD INCOME														
Less than \$15,000	89	20203	40	55.6	42.7-68.4	10	7.7	0.8-14.6	38	35.5	23.7-47.4	1	1.2	0.0-3.4
\$15,000- 24,999	208	39182	117	58.9	51.1-66.8	26	11.0	6.6-15.5	63	29.2	21.9-36.5	2	0.8	0.0-2.1
\$25,000- 34,999	205	39992	120	61.0	53.1-69.0	37	17.9	12.2-23.6	48	21.0	13.9-28.2	0		0.0-0.0
\$35,000- 49,999	329	56581	201	62.3	56.5-68.1	79	26.9	21.6-32.3	49	10.8	7.3-14.2	0		0.0-0.0
\$50,000- 74,999	326	58513	219	68.3	62.8-73.9	81	24.0	19.1-28.8	26	7.7	3.9-11.5	0		0.0-0.0
\$75,000+	228	42151	161	68.4	61.1-75.7	52	23.6	17.5-29.7	13	7.3	1.7-12.9	2	0.7	0.0-1.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 2: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	915	179188	485	54.4	50.6-58.2	237	24.8	21.7-27.8	189	20.5	17.1-23.8	4	0.4	0.0-0.8
RACE														
Native	25	7041	14	57.1	34.3-80.0	8	24.8	8.0-41.6	3	18.1	0.0-40.1	0		0.0-0.0
Non-Native	886	171666	469	54.3	50.5-58.1	228	24.8	21.7-27.9	185	20.5	17.1-23.9	4	0.4	0.0-0.8
AGE														
18-24	84	37377	36	42.2	30.6-53.7	8	9.0	2.7-15.4	39	48.1	36.3-59.9	1	0.7	0.0-2.1
25-34	179	38036	107	61.1	53.5-68.6	46	27.5	20.6-34.4	26	11.4	6.9-16.0	0		0.0-0.0
35-44	244	42275	135	59.6	53.2-66.1	53	22.7	17.2-28.2	54	17.2	12.6-21.8	2	0.4	0.0-1.0
45-54	281	43552	153	59.1	52.9-65.2	77	29.2	23.5-35.0	51	11.7	8.3-15.0	0		0.0-0.0
55-64	127	17948	54	42.0	33.1-50.9	53	45.8	36.7-54.9	19	11.1	5.7-16.5	1	1.1	0.0-3.3
EDUCATION														
Less Than H.S.	26	5640	11	37.8	18.5-57.1	9	29.8	12.0-47.5	6	32.4	11.2-53.7	0		0.0-0.0
H.S. or G.E.D.	282	58336	140	53.9	47.1-60.8	66	19.9	15.1-24.6	73	25.4	19.1-31.8	3	0.8	0.0-1.8
Some Post-H.S.	329	64261	185	54.4	47.8-60.9	83	24.6	19.3-29.9	61	21.0	14.7-27.3	0		0.0-0.0
College Graduate	278	50951	149	56.8	50.4-63.2	79	30.0	24.2-35.8	49	12.8	8.9-16.7	1	0.4	0.0-1.2
HOUSEHOLD INCOME														
Less than \$15,000	34	7524	11	35.4	14.8-56.0	4	12.5	0.0-29.0	19	52.1	30.5-73.7	0		0.0-0.0
\$15,000- 24,999	121	23909	55	51.5	40.8-62.2	18	12.8	6.8-18.8	47	35.3	25.3-45.3	1	0.4	0.0-1.2
\$25,000- 34,999	123	25771	63	54.6	44.3-64.9	27	20.9	13.2-28.6	33	24.5	15.2-33.8	0		0.0-0.0
\$35,000- 49,999	212	37338	114	56.6	49.3-64.0	61	30.8	23.9-37.7	37	12.6	8.0-17.2	0		0.0-0.0
\$50,000- 74,999	215	39800	129	62.6	55.6-69.6	67	29.8	23.3-36.2	19	7.7	3.3-12.1	0		0.0-0.0
\$75,000+	153	30059	94	59.9	50.8-69.1	45	29.5	21.6-37.5	12	9.6	2.0-17.2	2	1.0	0.0-2.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 3: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	559	98914	416	75.4	71.2-79.6	68	11.9	8.9-14.9	73	12.2	8.8-15.6	2	0.5	0.0-1.1
RACE														
Native	24	4660	13	60.4	38.5-82.4	4	10.6	0.0-22.1	6	24.0	4.8-43.2	1	5.0	0.0-14.8
Non-Native	533	93849	402	76.2	71.9-80.5	63	11.9	8.8-14.9	67	11.7	8.3-15.1	1	0.3	0.0-0.7
AGE														
18-24	101	32267	66	67.3	57.4-77.3	10	10.4	4.0-16.8	25	22.2	13.4-31.0	0		0.0-0.0
25-34	204	31772	152	77.1	71.0-83.1	28	12.6	8.0-17.2	22	8.8	4.7-13.0	2	1.5	0.0-3.5
35-44	254	34875	198	81.4	76.4-86.4	30	12.6	8.3-16.9	26	6.0	3.6-8.3	0		0.0-0.0
EDUCATION														
Less Than H.S.	14	2865	10	82.8	65.5-100.0	1	5.5	0.0-16.1	3	11.7	0.0-25.5	0		0.0-0.0
H.S. or G.E.D.	117	21041	88	72.1	61.4-82.9	16	11.7	4.8-18.5	13	16.2	6.2-26.1	0		0.0-0.0
Some Post-H.S.	196	37746	143	74.0	67.0-81.0	28	14.1	8.7-19.5	24	11.3	6.2-16.4	1	0.6	0.0-1.8
College Graduate	232	37262	175	78.1	72.3-84.0	23	10.3	6.2-14.4	33	10.9	6.7-15.2	1	0.6	0.0-1.8
HOUSEHOLD INCOME														
Less than \$15,000	55	12679	29	67.5	53.5-81.6	6	4.9	0.8-8.9	19	25.7	13.1-38.3	1	1.9	0.0-5.4
\$15,000- 24,999	87	15274	62	70.5	59.0-82.0	8	8.3	1.6-15.0	16	19.7	9.4-30.0	1	1.5	0.0-4.5
\$25,000- 34,999	82	14221	57	72.7	60.6-84.8	10	12.5	4.8-20.3	15	14.8	3.9-25.7	0		0.0-0.0
\$35,000- 49,999	117	19243	87	73.3	64.2-82.5	18	19.4	11.1-27.8	12	7.2	2.1-12.3	0		0.0-0.0
\$50,000- 74,999	111	18713	90	80.6	71.8-89.4	14	11.6	5.8-17.5	7	7.8	0.6-15.0	0		0.0-0.0
\$75,000+	75	12092	67	89.6	82.6-96.6	7	8.8	2.4-15.1	1	1.6	0.0-4.8	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 4: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (TYPCNTR3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawal, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	868	164974	415	42.2	40.1-44.4	263	34.5	32.2-36.8	126	15.6	14.0-17.1	30	3.6	2.8-4.4			0.0-0.0	34	4.1	3.2-5.0
SEX																				
Male	465	92807	247	47.5	44.6-50.3	121	30.4	27.6-33.1	68	14.8	12.9-16.8	11	2.7	1.9-3.5			0.0-0.0	18	4.6	3.4-5.9
Female	403	72167	168	35.5	32.3-38.8	142	39.8	35.8-43.8	58	16.5	13.7-19.3	19	4.8	3.2-6.3			0.0-0.0	16	3.4	2.3-4.6
RACE																				
Native	26	6305	14	49.1	36.1-62.1	8	39.4	26.3-52.6	2	4.4	1.5-7.3	2	7.1	2.5-11.7			0.0-0.0	0		0.0-0.0
Non-Native	839	158157	400	42.0	39.8-44.2	255	34.4	32.0-36.8	122	15.8	14.2-17.5	28	3.5	2.7-4.2			0.0-0.0	34	4.3	3.3-5.2
AGE																				
18-24	94	33811	0		0.0-0.0	64	66.6	59.7-73.6	21	22.5	18.1-26.9	3	3.6	1.7-5.5			0.0-0.0	6	7.3	4.4-10.2
25-34	259	47727	69	27.4	23.5-31.4	113	43.7	39.2-48.3	52	19.8	16.5-23.2	14	5.3	3.5-7.2			0.0-0.0	11	3.7	2.3-5.1
35-44	320	51937	192	60.3	56.1-64.5	70	22.1	19.0-25.1	38	11.4	9.2-13.7	11	3.6	2.3-5.0			0.0-0.0	9	2.6	1.6-3.6
45-54	146	24648	115	79.7	73.6-85.8	12	6.3	4.4-8.2	11	8.8	5.8-11.8	2	1.1	0.3-1.9			0.0-0.0	6	4.1	2.3-5.8
55-64	49	6850	39	82.5	74.3-90.7	4	7.5	4.8-10.2	4	7.0	4.4-9.6	0		0.0-0.0			0.0-0.0	2	3.0	1.4-4.6
EDUCATION																				
Less Than H.S.	20	4111	10	39.2	29.8-48.7	8	47.5	35.5-59.6	2	13.2	6.8-19.7	0		0.0-0.0			0.0-0.0	0		0.0-0.0
H.S. or G.E.D.	220	44160	114	43.3	39.2-47.3	57	30.3	26.1-34.4	33	16.6	13.4-19.9	10	5.8	3.8-7.8			0.0-0.0	6	4.1	2.0-6.1
Some Post-H.S.	318	60896	164	45.4	41.7-49.2	89	32.9	29.1-36.8	41	14.2	11.6-16.8	12	3.5	2.4-4.7			0.0-0.0	12	3.9	2.5-5.3
College Graduate	310	55806	127	38.1	34.5-41.8	109	38.6	34.4-42.8	50	16.4	13.7-19.1	8	2.2	1.3-3.1			0.0-0.0	16	4.7	3.3-6.1
HOUSEHOLD INCOME																				
Less than \$15,000	40	11227	5	7.0	3.8-10.1	22	58.0	46.2-69.8	9	24.8	16.2-33.5	4	10.2	4.7-15.8			0.0-0.0	0		0.0-0.0
\$15,000- 24,999	110	21879	49	35.6	30.4-40.8	31	36.8	29.7-43.9	17	15.4	11.4-19.5	6	4.2	2.3-6.1			0.0-0.0	7	7.9	3.9-12.0
\$25,000- 34,999	114	22421	35	26.9	22.2-31.7	53	49.8	42.9-56.6	19	15.7	11.7-19.8	3	2.4	1.0-3.9			0.0-0.0	4	5.1	2.4-7.8
\$35,000- 49,999	194	34228	108	53.1	48.0-58.2	42	23.6	19.5-27.7	27	13.8	10.7-16.8	6	3.9	2.0-5.7			0.0-0.0	11	5.7	3.5-7.9
\$50,000- 74,999	215	39341	104	45.8	40.9-50.8	63	31.2	26.6-35.8	34	16.9	13.3-20.5	4	1.9	0.7-3.1			0.0-0.0	10	4.2	2.5-5.8
\$75,000+	156	28060	93	54.4	48.1-60.8	38	27.3	21.8-32.9	16	12.7	8.7-16.8	7	4.4	2.3-6.6			0.0-0.0	2	1.1	0.2-2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 5: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (TYPCNTR3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawal, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	465	92807	247	47.5	44.6-50.3	121	30.4	27.6-33.1	68	14.8	12.9-16.8	11	2.7	1.9-3.5			0.0-0.0	18	4.6	3.4-5.9
RACE																				
Native	13	3490	5	42.7	26.4-59.0	6	46.7	30.6-62.7	1	4.6	1.0-8.2	1	6.1	1.3-10.8			0.0-0.0	0		0.0-0.0
Non-Native	450	89068	241	47.6	44.7-50.5	115	29.8	27.0-32.6	66	15.2	13.2-17.2	10	2.5	1.7-3.4			0.0-0.0	18	4.8	3.5-6.2
AGE																				
18-24	32	13463	0		0.0-0.0	19	61.2	52.0-70.3	9	23.7	18.1-29.2	1	2.6	0.9-4.4			0.0-0.0	3	12.5	7.6-17.4
25-34	107	23236	23	22.4	17.0-27.8	53	50.5	43.5-57.4	24	20.3	15.6-25.1	3	3.2	1.1-5.3			0.0-0.0	4	3.6	1.6-5.7
35-44	131	24610	70	55.1	49.0-61.2	33	25.0	20.4-29.6	20	13.1	9.7-16.4	5	4.5	2.3-6.8			0.0-0.0	3	2.3	0.9-3.7
45-54	146	24648	115	79.7	73.6-85.8	12	6.3	4.4-8.2	11	8.8	5.8-11.8	2	1.1	0.3-1.9			0.0-0.0	6	4.1	2.3-5.8
55-64	49	6850	39	82.5	74.3-90.7	4	7.5	4.8-10.2	4	7.0	4.4-9.6	0		0.0-0.0			0.0-0.0	2	3.0	1.4-4.6
EDUCATION																				
Less Than H.S.	11	2133	6	45.8	34.1-57.6	4	41.1	29.3-52.9	1	13.1	5.9-20.4	0		0.0-0.0			0.0-0.0	0		0.0-0.0
H.S. or G.E.D.	135	29588	74	44.5	39.5-49.4	33	30.1	24.9-35.3	21	17.5	13.3-21.6	3	2.9	1.3-4.5			0.0-0.0	4	5.1	2.2-8.0
Some Post-H.S.	177	33237	100	53.5	48.4-58.6	40	24.9	21.0-28.9	23	13.1	10.3-16.0	6	3.5	2.1-5.0			0.0-0.0	8	4.8	2.9-6.8
College Graduate	142	27849	67	43.5	38.5-48.6	44	36.3	30.6-42.0	23	14.2	11.1-17.4	2	1.7	0.5-2.9			0.0-0.0	6	4.3	2.5-6.0
HOUSEHOLD INCOME																				
Less than \$15,000	11	2663	2	11.7	5.8-17.5	4	36.9	23.4-50.5	4	43.4	27.1-59.8	1	8.0	2.9-13.0			0.0-0.0	0		0.0-0.0
\$15,000- 24,999	51	11444	23	35.6	28.8-42.5	14	35.3	25.7-44.9	10	16.9	11.7-22.1	1	2.4	0.2-4.6			0.0-0.0	3	9.7	3.3-16.0
\$25,000- 34,999	60	12695	22	30.8	24.5-37.0	24	46.4	37.6-55.1	11	16.9	11.7-22.2	0		0.0-0.0			0.0-0.0	3	5.9	2.7-9.2
\$35,000- 49,999	110	20542	65	56.0	49.3-62.7	18	18.7	13.8-23.6	17	14.3	10.4-18.2	3	3.7	1.4-5.9			0.0-0.0	7	7.3	4.0-10.7
\$50,000- 74,999	126	24404	69	51.3	44.9-57.8	35	30.2	24.6-35.8	16	13.5	9.4-17.5	2	1.8	0.3-3.3			0.0-0.0	4	3.2	1.3-5.1
\$75,000+	90	17368	57	57.7	50.0-65.5	20	27.7	20.8-34.6	8	9.0	5.6-12.5	4	4.6	2.0-7.3			0.0-0.0	1	0.9	0.0-1.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 6: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] DOING NOW TO KEEP [IF FEMALE, INSERT HUSBAND/PARTNER, IF MALE, INSERT WIFE/PARTNER] FROM GETTING PREGNANT? (TYPCNTR3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawal, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	403	72167	168	35.5	32.3-38.8	142	39.8	35.8-43.9	58	16.5	13.7-19.3	19	4.8	3.2-6.3			0.0-0.0	16	3.4	2.3-4.6
RACE																				
Native	13	2815	9	57.0	36.8-77.3	2	30.4	7.4-53.5	1	4.2	0.0-9.1	1	8.4	0.0-17.9			0.0-0.0	0		0.0-0.0
Non-Native	389	69089	159	34.8	31.5-38.0	140	40.4	36.3-44.5	56	16.6	13.8-19.5	18	4.6	3.1-6.2			0.0-0.0	16	3.6	2.4-4.8
AGE																				
18-24	62	20348	0		0.0-0.0	45	70.2	60.3-80.2	12	21.7	14.9-28.5	2	4.2	0.7-7.7			0.0-0.0	3	3.9	1.2-6.5
25-34	152	24491	46	32.2	26.5-37.9	60	37.3	31.6-43.1	28	19.4	14.8-24.0	11	7.4	4.4-10.4			0.0-0.0	7	3.7	1.8-5.6
35-44	189	27327	122	64.9	59.2-70.7	37	19.4	15.4-23.4	18	10.0	7.0-12.9	6	2.8	1.4-4.3			0.0-0.0	6	2.8	1.4-4.3
EDUCATION																				
Less Than H.S.	9	1978	4	32.1	16.3-48.0	4	54.5	30.0-79.1	1	13.3	0.8-25.8	0		0.0-0.0			0.0-0.0	0		0.0-0.0
H.S. or G.E.D.	85	14573	40	40.8	33.8-47.8	24	30.6	23.6-37.6	12	15.0	10.2-19.7	7	11.7	6.2-17.2			0.0-0.0	2	1.9	0.4-3.3
Some Post-H.S.	141	27659	64	35.7	30.4-41.0	49	42.6	35.3-49.8	18	15.4	10.4-20.4	6	3.5	1.7-5.3			0.0-0.0	4	2.8	0.8-4.8
College Graduate	168	27957	60	32.8	27.6-38.0	65	40.9	34.7-47.1	27	18.5	13.9-23.1	6	2.7	1.2-4.2			0.0-0.0	10	5.1	2.9-7.3
HOUSEHOLD INCOME																				
Less than \$15,000	29	8565	3	5.5	1.8-9.2	18	64.5	49.1-80.0	5	19.1	9.2-29.0	3	10.9	2.8-19.0			0.0-0.0	0		0.0-0.0
\$15,000- 24,999	59	10435	26	35.6	27.6-43.7	17	38.5	28.0-49.0	7	13.8	7.4-20.2	5	6.1	2.7-9.4			0.0-0.0	4	6.0	2.3-9.8
\$25,000- 34,999	54	9727	13	22.0	14.7-29.2	29	54.2	43.3-65.0	8	14.1	7.7-20.6	3	5.6	1.7-9.6			0.0-0.0	1	4.1	0.0-8.8
\$35,000- 49,999	84	13687	43	48.7	40.9-56.6	24	30.9	23.7-38.0	10	12.9	8.1-17.8	3	4.2	1.1-7.2			0.0-0.0	4	3.3	1.3-5.3
\$50,000- 74,999	89	14937	35	36.9	29.1-44.6	28	32.7	24.8-40.7	18	22.5	15.5-29.5	2	2.1	0.1-4.1			0.0-0.0	6	5.7	2.6-8.9
\$75,000+	66	10692	36	49.1	38.2-60.0	18	26.8	17.6-36.0	8	18.7	8.4-28.9	3	4.1	0.5-7.7			0.0-0.0	1	1.3	0.0-3.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

**TABLE 7: WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT?
(NOBCUSE2)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Can Not Get Pregnant (01,07,11)			Want Or Do Not Care About Pregnancy (02,15)			Do Not Want To Use or Can Not Use BC (03,04,05)			Surgical (08,09,10)			Physical (12,13,16)			Lapse or Other (06,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	262	48085	69	24.0	23.1-25.0	60	26.5	25.4-27.6	8	3.0	2.7-3.4	66	22.7	21.8-23.6	11	5.0	4.5-5.5	48	18.7	17.7-19.6
SEX																				
Male	200	37206	62	28.6	27.1-30.0	31	18.1	16.8-19.4	6	3.1	2.6-3.5	58	27.0	25.6-28.5	7	4.2	3.6-4.9	36	19.0	17.6-20.4
Female	62	10879	7	8.7	8.1-9.3	29	55.4	53.3-57.4	2	2.9	2.5-3.3	8	7.8	7.3-8.4	4	7.8	6.9-8.6	12	17.5	16.5-18.4
RACE																				
Native	11	2008	2	16.1	12.7-19.5	1	10.6	7.5-13.6	0		0.0-0.0	3	17.8	14.1-21.4	2	28.2	22.3-34.1	3	27.3	22.7-32.0
Non-Native	250	46000	67	24.4	23.5-25.4	59	27.3	26.1-28.4	8	3.2	2.8-3.5	62	22.8	21.8-23.7	9	4.0	3.6-4.5	45	18.3	17.3-19.3
AGE																				
18-24	15	5484	1	6.5	5.5-7.4	10	57.3	54.6-59.9	0		0.0-0.0	0		0.0-0.0	2	13.7	12.3-15.0	2	22.6	20.3-24.9
25-34	66	12704	4	6.4	5.2-7.7	36	55.7	52.7-58.7	2	2.5	1.8-3.1	5	7.7	6.5-8.9	6	8.5	7.4-9.7	13	19.1	17.4-20.9
35-44	65	11394	12	18.1	16.7-19.4	13	20.9	19.4-22.4	5	8.2	7.3-9.1	15	21.8	20.3-23.3	3	5.1	4.4-5.9	17	25.9	24.3-27.5
45-54	67	10830	24	35.8	32.5-39.2	1	1.4	0.8-2.1	0		0.0-0.0	31	47.3	43.4-51.2	0		0.0-0.0	11	15.4	13.1-17.7
55-64	49	7673	28	58.0	50.0-66.1	0		0.0-0.0	1	2.7	0.5-4.8	15	30.4	24.3-36.4	0		0.0-0.0	5	8.9	5.6-12.2
EDUCATION																				
Less Than H.S.	7	1341	1	5.1	3.9-6.3	1	11.7	9.0-14.4	0		0.0-0.0	1	17.4	13.4-21.3	1	26.4	20.5-32.4	3	39.4	34.2-44.6
H.S. or G.E.D.	70	12238	17	22.7	21.1-24.3	14	26.4	24.3-28.5	2	2.2	1.7-2.6	28	37.7	35.6-39.8	4	5.4	4.6-6.2	5	5.7	4.9-6.4
Some Post-H.S.	98	18594	28	25.9	24.1-27.6	19	22.1	20.4-23.8	5	5.4	4.6-6.2	19	16.2	14.9-17.4	4	5.4	4.5-6.3	23	25.0	23.0-27.1
College Graduate	87	15912	23	24.6	22.9-26.3	26	33.0	30.9-35.2	1	1.2	0.8-1.5	18	19.2	17.7-20.7	2	2.5	1.9-3.1	17	19.5	17.9-21.0
HOUSEHOLD INCOME																				
Less than \$15,000	9	1452	3	20.4	18.9-21.9	0		0.0-0.0	1	5.4	4.7-6.1	2	14.6	13.3-15.9	1	5.4	4.7-6.1	2	54.1	48.3-60.0
\$15,000- 24,999	21	3509	4	14.0	12.8-15.2	6	35.8	33.3-38.4	1	5.3	4.4-6.2	6	26.8	24.9-28.8	1	6.0	5.1-7.0	3	12.0	10.8-13.2
\$25,000- 34,999	31	6444	6	20.8	18.2-23.4	9	31.5	28.4-34.6	0		0.0-0.0	7	21.4	18.9-23.9	1	5.5	3.9-7.1	8	20.8	18.5-23.0
\$35,000- 49,999	68	12614	17	20.7	18.6-22.8	13	22.7	20.1-25.2	3	4.8	3.7-5.9	14	18.9	16.8-21.0	5	9.7	7.9-11.5	16	23.3	20.8-25.8
\$50,000- 74,999	71	12546	22	32.0	29.2-34.8	19	29.9	27.2-32.6	2	3.1	2.3-4.0	21	26.6	24.2-29.0	0		0.0-0.0	7	8.4	7.1-9.7
\$75,000+	48	8850	12	22.0	19.5-24.5	10	23.0	20.1-25.9	1	2.1	1.3-2.9	14	25.6	22.9-28.4	2	4.5	3.3-5.7	9	22.8	19.6-26.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

**TABLE 8: WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT?
(NOBCUSE2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Can Not Get Pregnant (01,07,11)			Want Or Do Not Care About Pregnancy (02,15)			Do Not Want To Use or Can Not Use BC (03,04,05)			Surgical (08,09,10)			Physical (12,13,16)			Lapse or Other (06,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	200	37206	62	28.6	27.1-30.0	31	18.1	16.8-19.4	6	3.1	2.6-3.5	58	27.0	25.6-28.5	7	4.2	3.6-4.9	36	19.0	17.6-20.4
RACE																				
Native	7	1515	2	21.3	16.1-26.6	1	14.0	9.2-18.8	0		0.0-0.0	1	15.4	10.1-20.6	1	23.4	15.6-31.2	2	25.9	19.6-32.2
Non-Native	192	35613	60	28.9	27.4-30.4	30	18.3	17.0-19.6	6	3.2	2.7-3.7	56	27.4	25.9-28.9	6	3.4	2.9-4.0	34	18.8	17.3-20.2
AGE																				
18-24	5	2126	1	16.7	14.9-18.4	1	8.3	7.5-9.2	0		0.0-0.0	0		0.0-0.0	1	16.7	14.9-18.4	2	58.3	54.1-62.6
25-34	38	8700	2	6.7	4.5-8.9	21	54.3	49.4-59.2	0		0.0-0.0	3	8.5	6.4-10.7	4	9.8	7.7-11.8	8	20.7	17.6-23.8
35-44	41	7877	7	17.2	14.8-19.5	8	21.3	18.7-23.9	5	11.8	10.0-13.7	9	23.7	20.9-26.4	2	4.7	3.6-5.9	10	21.3	18.9-23.7
45-54	67	10830	24	35.8	32.5-39.2	1	1.4	0.8-2.1	0		0.0-0.0	31	47.3	43.4-51.2	0		0.0-0.0	11	15.4	13.1-17.7
55-64	49	7673	28	58.0	50.0-66.1	0		0.0-0.0	1	2.7	0.5-4.8	15	30.4	24.3-36.4	0		0.0-0.0	5	8.9	5.6-12.2
EDUCATION																				
Less Than H.S.	6	1184	1	5.8	4.0-7.6	0		0.0-0.0	0		0.0-0.0	1	19.7	13.6-25.7	1	29.9	20.9-39.0	3	44.6	36.5-52.7
H.S. or G.E.D.	55	9920	14	24.3	22.1-26.5	11	22.6	20.4-24.8	1	1.9	1.3-2.5	23	41.5	38.6-44.3	2	4.3	3.3-5.2	4	5.4	4.5-6.4
Some Post-H.S.	73	13736	25	31.8	29.0-34.6	8	11.8	10.1-13.5	4	5.6	4.5-6.7	16	19.3	17.3-21.3	2	2.9	2.1-3.7	18	28.6	25.3-31.8
College Graduate	66	12366	22	30.5	27.6-33.4	12	23.2	20.3-26.1	1	1.5	0.8-2.2	18	24.7	22.1-27.4	2	3.2	2.2-4.2	11	16.8	14.5-19.2
HOUSEHOLD INCOME																				
Less than \$15,000	4	942	2	16.5	13.8-19.2	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	2	83.5	67.8-99.3
\$15,000- 24,999	13	2248	2	11.3	9.8-12.9	2	16.2	14.2-18.2	1	8.3	6.8-9.8	5	39.5	36.3-42.8	1	9.4	7.8-11.1	2	15.2	13.3-17.1
\$25,000- 34,999	23	4943	5	24.3	20.2-28.4	5	22.5	18.8-26.1	0		0.0-0.0	6	26.5	22.6-30.5	1	7.2	4.6-9.7	6	19.6	16.6-22.6
\$35,000- 49,999	52	9223	16	26.7	23.5-30.0	6	13.5	11.0-16.1	2	4.0	2.7-5.4	12	22.8	19.6-25.9	3	6.6	4.8-8.4	13	26.3	22.7-29.9
\$50,000- 74,999	58	10508	21	36.8	32.7-41.0	10	21.4	18.0-24.7	2	3.7	2.4-5.1	19	29.5	26.1-33.0	0		0.0-0.0	6	8.5	6.7-10.3
\$75,000+	41	7790	11	23.2	19.8-26.6	7	20.6	16.8-24.5	1	2.4	1.2-3.5	14	29.1	25.3-33.0	2	5.1	3.4-6.9	6	19.5	15.3-23.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

**TABLE 9: WHAT IS THE MAIN REASON FOR NOT DOING ANYTHING TO KEEP [IF FEMALE, INSERT YOU, IF MALE, INSERT YOUR WIFE/PARTNER] FROM GETTING PREGNANT?
(NOBCUSE2)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Can Not Get Pregnant (01,07,11)			Want Or Do Not Care About Pregnancy (02,15)			Do Not Want To Use or Can Not Use BC (03,04,05)			Surgical (08,09,10)			Physical (12,13,16)			Lapse or Other (06,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	62	10879	7	8.7	8.1-9.3	29	55.4	53.3-57.4	2	2.9	2.5-3.3	8	7.8	7.3-8.4	4	7.8	6.9-8.6	12	17.5	16.5-18.4
RACE																				
Native	4	493	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	2	25.1	21.3-28.9	1	43.0	34.4-51.7	1	31.9	25.4-38.3
Non-Native	58	10387	7	9.1	8.5-9.7	29	58.0	55.9-60.2	2	3.0	2.6-3.5	6	7.0	6.5-7.6	3	6.1	5.3-6.8	11	16.8	15.8-17.8
AGE																				
18-24	10	3358	0		0.0-0.0	9	88.2	82.8-93.7	0		0.0-0.0	0		0.0-0.0	1	11.8	9.6-13.9	0		0.0-0.0
25-34	28	4004	2	5.9	4.9-6.8	15	58.8	55.5-62.1	2	7.8	6.5-9.2	2	5.9	4.9-6.8	2	5.9	4.9-6.8	5	15.7	14.1-17.3
35-44	24	3517	5	20.1	18.7-21.5	5	20.1	18.7-21.5	0		0.0-0.0	6	17.6	16.4-18.8	1	6.0	5.1-7.0	7	36.2	34.0-38.3
EDUCATION																				
Less Than H.S.	1	157	0		0.0-0.0	1	100.0	92.3-100.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0
H.S. or G.E.D.	15	2318	3	15.6	14.0-17.2	3	42.5	37.7-47.3	1	3.4	2.8-4.0	5	21.6	19.8-23.4	2	10.2	8.8-11.5	1	6.8	5.6-7.9
Some Post-H.S.	25	4858	3	9.0	7.9-10.2	11	51.3	47.8-54.8	1	4.8	3.8-5.9	3	7.3	6.4-8.2	2	12.5	10.6-14.4	5	15.0	13.6-16.5
College Graduate	21	3547	1	4.0	3.3-4.7	14	67.4	64.4-70.5	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	6	28.6	26.6-30.6
HOUSEHOLD INCOME																				
Less than \$15,000	5	511	1	27.7	25.9-29.5	0		0.0-0.0	1	15.4	14.4-16.4	2	41.5	39.5-43.6	1	15.4	14.4-16.4	0		0.0-0.0
\$15,000- 24,999	8	1261	2	18.7	16.7-20.6	4	70.9	65.4-76.4	0		0.0-0.0	1	4.2	3.6-4.8	0		0.0-0.0	1	6.2	5.3-7.1
\$25,000- 34,999	8	1501	1	9.4	7.7-11.1	4	61.3	55.7-66.8	0		0.0-0.0	1	4.7	3.8-5.6	0		0.0-0.0	2	24.6	21.4-27.8
\$35,000- 49,999	16	3390	1	4.2	3.0-5.4	7	47.6	42.2-52.9	1	6.9	4.9-9.0	2	8.3	6.6-10.0	2	17.9	14.1-21.7	3	15.1	12.5-17.6
\$50,000- 74,999	13	2038	1	6.9	5.7-8.2	9	73.8	69.3-78.3	0		0.0-0.0	2	11.6	10.0-13.1	0		0.0-0.0	1	7.7	6.3-9.1
\$75,000+	7	1061	1	13.3	11.3-15.4	3	40.0	36.5-43.5	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	3	46.7	42.5-50.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 10: HOW DO YOU FEEL ABOUT HAVING A CHILD SOMETIME IN THE FUTURE? (FPCHLDFT)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Do Not Want To Have One			Want To Have One			Not Sure If Do or Do Not		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	701	143328	259	31.7	28.0-35.4	278	45.5	41.3-49.8	164	22.8	19.2-26.3
SEX											
Male	404	85229	170	36.0	31.0-41.1	146	41.4	35.8-47.0	88	22.5	17.8-27.3
Female	297	58099	89	25.2	19.9-30.6	132	51.6	45.2-58.1	76	23.1	17.8-28.4
RACE											
Native	22	5625	5	14.8	1.7-27.9	9	41.9	18.5-65.4	8	43.3	19.5-67.0
Non-Native	676	137206	254	32.5	28.7-36.3	268	45.7	41.4-50.0	154	21.8	18.3-25.4
AGE											
18-24	118	43492	12	11.6	4.8-18.5	83	67.7	58.2-77.1	23	20.7	12.5-28.9
25-34	255	47377	45	17.1	12.4-21.9	141	57.1	50.7-63.5	69	25.8	20.2-31.4
35-44	196	31748	100	52.0	44.7-59.3	43	23.2	17.1-29.3	53	24.8	18.7-30.9
45-54	80	13003	54	65.7	54.3-77.1	10	10.1	4.0-16.3	16	24.2	13.4-34.9
55-64	52	7707	48	92.9	86.1-99.7	1	1.8	0.0-5.2	3	5.3	0.0-11.2
EDUCATION											
Less Than H.S.	19	4263	6	27.7	6.3-49.2	9	53.1	28.6-77.6	4	19.2	0.9-37.5
H.S. or G.E.D.	165	36092	61	28.9	21.8-36.1	55	40.0	31.1-48.9	49	31.1	22.6-39.6
Some Post-H.S.	247	51870	101	35.5	28.8-42.3	92	43.5	36.3-50.8	54	20.9	15.1-26.7
College Graduate	270	51103	91	30.0	24.3-35.7	122	50.9	44.3-57.4	57	19.1	14.3-24.0
HOUSEHOLD INCOME											
Less than \$15,000	43	11792	10	19.2	3.8-34.6	18	50.0	30.9-69.0	15	30.8	13.7-47.9
\$15,000- 24,999	83	17887	21	18.8	10.1-27.5	37	51.0	37.9-64.2	25	30.1	17.9-42.4
\$25,000- 34,999	112	23337	33	29.0	19.4-38.6	48	48.1	37.6-58.5	31	23.0	14.7-31.3
\$35,000- 49,999	152	28928	64	36.1	28.0-44.2	52	41.8	33.0-50.5	36	22.2	15.1-29.2
\$50,000- 74,999	171	32045	73	39.7	32.1-47.3	68	41.8	34.0-49.6	30	18.6	12.4-24.8
\$75,000+	101	20339	45	37.3	27.5-47.0	38	46.4	35.4-57.3	18	16.4	9.2-23.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 11: HOW DO YOU FEEL ABOUT HAVING A CHILD SOMETIME IN THE FUTURE? (FPCHLDFT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Do Not Want To Have One			Want To Have One			Not Sure If Do or Do Not		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY											
SEX											
Male	404	85229	170	36.0	31.0-41.1	146	41.4	35.8-47.0	88	22.5	17.8-27.3
RACE											
Native	16	4046	4	17.7	0.6-34.8	6	33.3	8.6-57.9	6	49.1	21.6-76.6
Non-Native	387	81089	166	37.0	31.8-42.2	140	41.8	36.1-47.6	81	21.1	16.5-25.8
AGE											
18-24	43	18601	4	10.9	0.4-21.5	29	63.3	47.4-79.2	10	25.7	11.2-40.2
25-34	125	27321	21	16.5	9.9-23.1	77	61.8	52.9-70.6	27	21.8	14.2-29.3
35-44	104	18597	43	45.6	35.5-55.7	29	27.8	18.9-36.8	32	26.6	18.1-35.0
45-54	80	13003	54	65.7	54.3-77.1	10	10.1	4.0-16.3	16	24.2	13.4-35.0
55-64	52	7707	48	92.9	86.1-99.7	1	1.8	0.0-5.2	3	5.3	0.0-11.2
EDUCATION											
Less Than H.S.	12	2368	5	33.2	6.3-60.1	4	37.8	7.2-68.5	3	29.0	0.5-57.4
H.S. or G.E.D.	107	25045	42	30.6	21.4-39.8	33	38.7	27.6-49.9	32	30.7	20.2-41.2
Some Post-H.S.	146	29367	69	43.0	34.1-52.0	50	37.7	28.7-46.7	27	19.3	11.9-26.7
College Graduate	139	28449	54	33.9	25.6-42.2	59	47.8	38.5-57.2	26	18.3	11.4-25.1
HOUSEHOLD INCOME											
Less than \$15,000	13	3294	2	5.2	0.0-13.0	5	49.4	12.6-86.1	6	45.4	9.1-81.8
\$15,000- 24,999	42	9900	10	18.3	6.1-30.4	19	44.6	25.3-63.9	13	37.1	18.3-56.0
\$25,000- 34,999	61	13709	19	31.4	17.6-45.1	26	45.7	31.3-60.1	16	22.9	11.2-34.7
\$35,000- 49,999	94	18405	48	43.9	33.0-54.8	27	36.1	25.0-47.3	19	20.0	11.2-28.8
\$50,000- 74,999	105	20674	50	44.8	35.0-54.6	35	35.5	25.9-45.2	20	19.6	11.7-27.6
\$75,000+	66	14191	33	40.5	27.9-53.0	24	46.8	33.2-60.5	9	12.7	4.6-20.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 12: HOW DO YOU FEEL ABOUT HAVING A CHILD SOMETIME IN THE FUTURE? (FPCHLDFT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Do Not Want To Have One			Want To Have One			Not Sure If Do or Do Not		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY											
SEX											
Female	297	58099	89	25.2	19.9-30.6	132	51.6	45.1-58.2	76	23.1	17.8-28.4
RACE											
Native	6	1578	1	7.5	0.0-22.7	3	64.2	23.9-100.0	2	28.3	0.0-65.5
Non-Native	289	56116	88	25.9	20.4-31.5	128	51.2	44.6-57.8	73	22.9	17.5-28.3
AGE											
18-24	75	24892	8	12.2	3.3-21.1	54	70.9	59.4-82.4	13	16.9	7.7-26.2
25-34	130	20057	24	18.0	11.4-24.6	64	50.7	41.7-59.6	42	31.3	23.0-39.6
35-44	92	13151	57	61.0	50.5-71.5	14	16.7	9.0-24.3	21	22.3	13.7-31.0
EDUCATION											
Less Than H.S.	7	1895	1	20.9	0.0-56.4	5	72.2	35.7-100.0	1	6.9	0.0-20.8
H.S. or G.E.D.	58	11047	19	25.2	14.3-36.0	22	42.9	28.1-57.7	17	31.9	17.7-46.1
Some Post-H.S.	101	22503	32	25.8	15.7-35.8	42	51.2	39.6-62.8	27	23.1	13.8-32.3
College Graduate	131	22654	37	25.1	17.6-32.7	63	54.7	45.6-63.8	31	20.2	13.4-27.1
HOUSEHOLD INCOME											
Less than \$15,000	30	8498	8	24.7	4.5-44.9	13	50.2	27.9-72.5	9	25.1	6.7-43.5
\$15,000- 24,999	41	7987	11	19.5	7.1-31.9	18	59.0	42.2-75.8	12	21.5	8.5-34.5
\$25,000- 34,999	51	9628	14	25.6	13.1-38.0	22	51.4	36.6-66.3	15	23.0	11.7-34.3
\$35,000- 49,999	58	10524	16	22.4	12.0-32.8	25	51.6	37.8-65.4	17	26.0	14.3-37.7
\$50,000- 74,999	66	11371	23	30.3	19.1-41.6	33	53.0	40.3-65.8	10	16.6	7.0-26.3
\$75,000+	35	6148	12	29.8	14.8-44.9	14	45.3	27.2-63.3	9	24.9	10.6-39.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

**TABLE 13: HOW SOON WOULD YOU WANT TO HAVE A CHILD? (FPCHLDHS)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Male respondents that report being 60 years of age or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	266	63193	79	24.5	19.4-29.6	84	28.0	22.5-33.6	80	34.8	28.2-41.5	23	12.6	7.6-17.6
SEX														
Male	136	33661	38	23.6	16.6-30.5	47	31.2	23.2-39.1	39	32.3	23.0-41.6	12	13.0	5.9-20.1
Female	130	29532	41	25.6	18.2-33.1	37	24.5	16.9-32.1	41	37.8	28.2-47.4	11	12.1	5.0-19.2
RACE														
Native	8	2146	1	7.2	0.0-20.2	1	9.9	0.0-27.2	3	44.2	5.8-82.7	3	38.6	3.9-73.4
Non-Native	257	60783	78	25.2	20.0-30.5	83	28.8	23.1-34.5	76	34.2	27.5-41.0	20	11.7	6.6-16.8
AGE														
18-24	82	29034	10	10.1	4.1-16.2	15	16.2	8.4-24.0	38	49.3	37.6-61.1	19	24.3	14.1-34.5
25-34	135	26002	43	31.4	23.4-39.4	54	40.4	31.9-49.0	34	24.7	17.0-32.3	4	3.5	0.1-6.8
35-44	40	6993	22	54.2	38.6-69.8	12	30.1	16.0-44.2	6	15.7	4.3-27.1	0		0.0-0.0
45-54	9	1164	4	50.0	18.1-81.9	3	33.3	4.3-62.4	2	16.7	0.0-36.5	0		0.0-0.0
EDUCATION														
Less Than H.S.	8	2157	2	14.6	0.0-34.7	1	7.2	0.0-21.3	2	25.2	0.0-56.1	3	53.1	16.7-89.4
H.S. or G.E.D.	50	13460	12	19.5	9.2-29.9	13	23.1	11.5-34.7	16	31.5	17.5-45.5	9	25.9	11.2-40.6
Some Post-H.S.	89	22127	26	22.5	14.0-31.0	23	22.2	13.7-30.7	32	43.4	31.8-55.0	8	11.9	3.8-20.0
College Graduate	119	25449	39	29.8	21.3-38.2	47	37.5	28.2-46.8	30	30.0	19.8-40.2	3	2.7	0.0-5.8
HOUSEHOLD INCOME														
Less than \$15,000	16	5706	0		0.0-0.0	1	4.1	0.0-12.0	10	55.7	28.3-83.1	5	40.2	12.6-67.8
\$15,000- 24,999	35	8880	7	16.9	4.2-29.6	10	26.7	10.9-42.6	11	38.1	17.6-58.6	7	18.3	5.0-31.5
\$25,000- 34,999	47	11110	9	16.3	6.0-26.6	16	36.7	21.5-51.9	18	35.3	20.5-50.0	4	11.8	0.2-23.3
\$35,000- 49,999	50	11546	20	34.3	21.3-47.3	18	32.5	19.5-45.5	12	33.2	18.4-48.0	0		0.0-0.0
\$50,000- 74,999	68	13383	22	29.9	18.7-41.1	29	40.4	28.2-52.7	15	25.1	13.4-36.9	2	4.5	0.0-10.9
\$75,000+	35	8893	18	42.4	25.5-59.3	7	13.6	4.1-23.1	7	30.0	11.4-48.7	3	13.9	0.0-27.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 14: HOW SOON WOULD YOU WANT TO HAVE A CHILD? (FPCHLDHS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	136	33661	38	23.6	16.6-30.5	47	31.2	23.2-39.1	39	32.3	22.9-41.7	12	13.0	5.9-20.1
RACE														
Native	5	1133	1	13.7	0.0-36.0	1	18.7	0.0-47.8	1	8.2	0.0-22.2	2	59.3	16.2-100.0
Non-Native	131	32527	37	23.9	16.7-31.1	46	31.6	23.4-39.8	38	33.1	23.5-42.8	10	11.4	4.4-18.4
AGE														
18-24	29	11780	2	6.0	0.0-14.2	6	16.5	3.7-29.4	12	46.6	26.2-67.0	9	30.8	12.4-49.2
25-34	72	15915	20	27.7	17.4-38.0	29	40.7	29.2-52.2	20	27.0	16.3-37.7	3	4.7	0.0-9.7
35-44	26	4801	12	46.6	27.5-65.7	9	34.9	16.9-53.0	5	18.4	4.0-32.9	0		0.0-0.0
45-54	9	1164	4	50.0	18.0-82.0	3	33.3	4.2-62.4	2	16.7	0.0-36.6	0		0.0-0.0
EDUCATION														
Less Than H.S.	3	789	0		0.0-0.0	1	19.7	0.0-57.8	1	35.4	0.0-91.7	1	44.9	0.0-100.0
H.S. or G.E.D.	30	9196	8	21.3	7.5-35.0	8	21.6	7.5-35.6	9	31.8	13.3-50.3	5	25.4	6.7-44.2
Some Post-H.S.	47	10611	14	23.7	12.0-35.4	16	34.3	20.1-48.5	13	30.8	15.6-46.1	4	11.2	0.4-21.9
College Graduate	56	13064	16	26.5	14.8-38.2	22	36.1	22.8-49.3	16	33.6	17.9-49.3	2	3.8	0.0-9.0
HOUSEHOLD INCOME														
Less than \$15,000	4	1520	0		0.0-0.0	0		0.0-0.0	2	18.4	0.0-46.3	2	81.6	48.3-100.0
\$15,000- 24,999	17	4169	2	8.2	0.0-19.1	7	34.2	10.1-58.4	4	37.6	3.8-71.4	4	20.0	1.1-38.8
\$25,000- 34,999	25	6156	4	11.9	0.4-23.5	10	44.8	23.2-66.4	9	28.8	10.0-47.7	2	14.4	0.0-32.7
\$35,000- 49,999	25	6116	9	30.0	13.0-47.0	9	33.5	15.3-51.8	7	36.4	15.7-57.1	0		0.0-0.0
\$50,000- 74,999	35	7351	10	26.9	11.8-42.1	16	44.0	26.7-61.4	8	26.1	9.6-42.6	1	2.9	0.0-8.5
\$75,000+	21	6110	11	43.6	22.5-64.7	3	10.0	0.0-20.3	6	41.2	17.6-64.7	1	5.2	0.0-14.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 18: FAMILY PLANNING**

TABLE 15: HOW SOON WOULD YOU WANT TO HAVE A CHILD? (FPCHLDHS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents that report being 45 years of age or older

Denominator excludes: Female respondents that report being pregnant

Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	130	29532	41	25.6	18.2-33.0	37	24.5	16.8-32.1	41	37.8	28.2-47.4	11	12.1	5.0-19.3
RACE														
Native	3	1013	0		0.0-0.0	0		0.0-0.0	2	84.5	52.2-100.0	1	15.5	0.0-47.8
Non-Native	126	28256	41	26.8	19.1-34.5	37	25.6	17.7-33.5	38	35.5	25.9-45.1	10	12.1	4.7-19.5
AGE														
18-24	53	17253	8	13.0	4.5-21.4	9	16.0	6.2-25.9	26	51.1	36.9-65.3	10	19.8	8.2-31.5
25-34	63	10087	23	37.3	25.0-49.7	25	40.1	27.6-52.5	14	21.0	10.9-31.1	1	1.6	0.0-4.6
35-44	14	2192	10	71.0	46.4-95.5	3	19.4	0.0-39.4	1	9.7	0.0-27.5	0		0.0-0.0
EDUCATION														
Less Than H.S.	5	1368	2	23.0	0.0-54.9	0		0.0-0.0	1	19.3	0.0-54.1	2	57.8	13.4-100.0
H.S. or G.E.D.	20	4264	4	15.8	1.8-29.9	5	26.5	6.1-46.9	7	30.8	11.4-50.3	4	26.8	3.3-50.4
Some Post-H.S.	42	11516	12	21.4	9.1-33.7	7	11.0	2.7-19.3	19	55.0	39.0-71.0	4	12.6	0.8-24.3
College Graduate	63	12385	23	33.2	21.1-45.2	25	39.0	26.0-52.1	14	26.2	13.6-38.8	1	1.6	0.0-4.7
HOUSEHOLD INCOME														
Less than \$15,000	12	4186	0		0.0-0.0	1	5.6	0.0-16.5	8	69.2	40.8-97.6	3	25.2	0.0-52.4
\$15,000- 24,999	18	4711	5	24.6	3.4-45.7	3	20.1	0.0-41.5	7	38.5	13.9-63.2	3	16.8	0.0-35.7
\$25,000- 34,999	22	4954	5	21.7	4.0-39.5	6	26.5	6.3-46.7	9	43.3	20.6-65.9	2	8.5	0.0-20.2
\$35,000- 49,999	25	5431	11	39.0	19.1-59.0	9	31.4	12.7-50.0	5	29.6	8.3-50.8	0		0.0-0.0
\$50,000- 74,999	33	6032	12	33.5	16.9-50.1	13	36.0	19.1-52.9	7	23.9	7.5-40.4	1	6.5	0.0-18.8
\$75,000+	14	2783	7	39.8	12.3-67.3	4	21.4	0.9-42.0	1	5.6	0.0-16.7	2	33.1	0.0-66.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 19: DISABILITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	202
2	MALES ONLY	203
3	FEMALES ONLY	204
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? INCLUDE OCCASIONAL USE OR USE IN CERTAIN CIRCUMSTANCES. (USEEQUIP)	
4	MALES AND FEMALES	205
5	MALES ONLY	206
6	FEMALES ONLY	207

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 19: DISABILITY**

TABLE 1: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2978	476456	503	14.8	13.5-16.2	2475	85.2	83.8-86.6
SEX								
Male	1273	234881	204	13.9	11.9-15.9	1069	86.1	84.1-88.1
Female	1705	241576	299	15.7	13.9-17.5	1406	84.3	82.4-86.1
RACE								
Native	78	17110	18	18.6	9.5-27.7	60	81.4	72.2-90.6
Non-Native	2874	456056	477	14.5	13.2-15.9	2397	85.5	84.1-86.8
AGE								
18-24	195	73761	11	4.6	1.7-7.5	184	95.4	92.5-98.3
25-34	417	75348	31	7.1	4.5-9.6	386	92.9	90.4-95.5
35-44	561	86415	54	9.0	6.5-11.6	507	91.0	88.4-93.5
45-54	649	87627	103	15.5	12.5-18.5	546	84.5	81.5-87.5
55-64	449	58419	106	22.8	18.7-26.8	343	77.3	73.2-81.3
65+	693	93086	196	29.1	25.3-32.8	497	70.9	67.2-74.7
EDUCATION								
Less Than H.S.	252	39172	61	22.4	16.6-28.1	191	77.6	71.8-83.5
H.S. or G.E.D.	879	140927	140	14.3	11.8-16.8	739	85.7	83.2-88.2
Some Post-H.S.	974	160310	167	14.5	12.2-16.8	807	85.5	83.1-87.8
College Graduate	867	135315	133	13.5	11.1-15.9	734	86.5	84.1-88.9
HOUSEHOLD INCOME								
Less than \$15,000	256	39020	87	23.7	18.2-29.2	169	76.3	70.7-81.9
\$15,000- 24,999	483	74075	104	20.3	16.3-24.2	379	79.7	75.8-83.7
\$25,000- 34,999	443	70417	69	14.5	10.9-18.0	374	85.5	82.0-89.1
\$35,000- 49,999	560	87954	75	13.2	10.1-16.3	485	86.8	83.7-89.9
\$50,000- 74,999	496	82794	49	8.4	6.0-10.9	447	91.6	89.1-94.0
\$75,000+	385	63566	52	12.0	8.7-15.3	333	88.0	84.6-91.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 19: DISABILITY**

TABLE 2: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1273	234881	204	13.9	11.9-15.9	1069	86.1	84.1-88.1
RACE								
Native	34	9705	6	12.5	1.9-23.2	28	87.4	76.4-98.5
Non-Native	1227	223796	195	13.9	11.9-15.9	1032	86.1	84.0-88.2
AGE								
18-24	85	38794	4	4.3	0.0-8.7	81	95.7	91.3-100.0
25-34	185	39415	16	7.5	3.7-11.3	169	92.5	88.7-96.3
35-44	247	43020	19	7.1	3.8-10.5	228	92.8	89.4-96.3
45-54	288	44832	35	11.8	7.7-15.8	253	88.2	84.2-92.3
55-64	212	28772	53	24.9	18.8-31.0	159	75.1	69.0-81.3
65+	252	39425	77	31.6	25.4-37.8	175	68.4	62.2-74.6
EDUCATION								
Less Than H.S.	107	19883	26	23.0	14.1-32.0	81	77.0	68.0-86.0
H.S. or G.E.D.	398	74535	58	12.6	9.1-16.2	340	87.3	83.8-90.9
Some Post-H.S.	398	75434	66	14.0	10.5-17.5	332	86.0	82.5-89.6
College Graduate	368	64716	54	12.5	9.1-16.0	314	87.5	84.0-90.9
HOUSEHOLD INCOME								
Less than \$15,000	66	11640	21	18.3	8.9-27.6	45	81.7	72.3-91.2
\$15,000- 24,999	196	35292	53	23.9	17.5-30.4	143	76.1	69.6-82.5
\$25,000- 34,999	189	35820	28	13.0	8.1-17.8	161	87.0	82.2-91.9
\$35,000- 49,999	282	48915	36	13.2	8.8-17.6	246	86.8	82.4-91.2
\$50,000- 74,999	247	44318	18	5.5	2.9-8.1	229	94.5	91.9-97.1
\$75,000+	184	34665	23	10.8	6.3-15.4	161	89.2	84.5-93.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 19: DISABILITY**

TABLE 3: THE FOLLOWING QUESTIONS ARE ABOUT HEALTH PROBLEMS OR IMPAIRMENTS YOU MAY HAVE. ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1705	241576	299	15.7	13.9-17.5	1406	84.3	82.4-86.1
RACE								
Native	44	7405	12	26.5	12.1-40.9	32	73.5	59.1-87.9
Non-Native	1647	232259	282	15.1	13.3-17.0	1365	84.8	83.0-86.7
AGE								
18-24	110	34967	7	4.9	1.2-8.6	103	95.1	91.4-98.8
25-34	232	35933	15	6.5	3.1-10.0	217	93.4	90.0-96.9
35-44	314	43395	35	10.9	7.1-14.7	279	89.1	85.3-92.9
45-54	361	42795	68	19.4	15.0-23.9	293	80.6	76.1-85.0
55-64	237	29647	53	20.7	15.4-26.0	184	79.3	73.9-84.7
65+	441	53661	119	27.2	22.7-31.8	322	72.8	68.2-77.4
EDUCATION								
Less Than H.S.	145	19288	35	21.7	14.4-29.0	110	78.3	71.0-85.7
H.S. or G.E.D.	481	66392	82	16.1	12.6-19.7	399	83.8	80.3-87.4
Some Post-H.S.	576	84875	101	15.0	12.0-18.0	475	85.0	81.9-88.0
College Graduate	499	70599	79	14.4	11.1-17.6	420	85.6	82.3-88.9
HOUSEHOLD INCOME								
Less than \$15,000	190	27380	66	26.0	19.3-32.8	124	74.0	67.1-80.8
\$15,000- 24,999	287	38783	51	16.9	12.2-21.7	236	83.1	78.3-87.9
\$25,000- 34,999	254	34597	41	16.0	10.9-21.1	213	84.0	78.9-89.1
\$35,000- 49,999	278	39039	39	13.3	9.0-17.6	239	86.7	82.4-91.0
\$50,000- 74,999	249	38476	31	11.9	7.6-16.1	218	88.1	83.9-92.4
\$75,000+	201	28902	29	13.4	8.6-18.2	172	86.6	81.7-91.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 19: DISABILITY**

TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? INCLUDE OCCASIONAL USE OR USE IN CERTAIN CIRCUMSTANCES. (USEQUIP)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2987	477194	179	5.3	4.4-6.1	2808	94.7	93.9-95.6
SEX								
Male	1278	235376	68	4.6	3.4-5.8	1210	95.4	94.2-96.6
Female	1709	241818	111	6.0	4.7-7.2	1598	94.0	92.8-95.3
RACE								
Native	79	17227	8	8.0	1.9-14.1	71	92.0	85.9-98.1
Non-Native	2883	456890	167	5.1	4.2-5.9	2716	94.9	94.0-95.8
AGE								
18-24	194	73497	0		0.0-0.0	194	100.0	100.0-100.0
25-34	417	75348	4	0.9	0.0-1.8	413	99.1	98.2-100.0
35-44	561	86322	9	2.0	0.6-3.4	552	98.0	96.4-99.5
45-54	650	87804	26	3.0	1.8-4.2	624	97.0	95.8-98.2
55-64	453	58955	28	6.2	3.8-8.6	425	93.8	91.4-96.2
65+	698	93467	110	17.4	14.2-20.7	588	82.5	79.3-85.8
EDUCATION								
Less Than H.S.	254	39357	45	18.2	12.5-23.9	209	81.8	76.1-87.5
H.S. or G.E.D.	880	140956	52	5.1	3.6-6.6	828	94.9	93.4-96.4
Some Post-H.S.	977	160413	49	4.1	2.9-5.4	928	95.8	94.6-97.1
College Graduate	870	135736	31	3.0	1.9-4.1	839	97.0	95.9-98.1
HOUSEHOLD INCOME								
Less than \$15,000	258	39049	40	11.0	7.2-14.9	218	89.0	85.1-92.8
\$15,000- 24,999	487	74575	41	8.7	5.9-11.5	446	91.3	88.5-94.1
\$25,000- 34,999	443	70417	26	5.1	3.1-7.2	417	94.9	92.8-96.9
\$35,000- 49,999	561	88091	18	3.4	1.8-5.1	543	96.6	94.9-98.2
\$50,000- 74,999	496	82794	8	1.4	0.3-2.6	488	98.5	97.4-99.7
\$75,000+	386	63670	9	1.7	0.6-2.9	377	98.3	96.8-99.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 19: DISABILITY**

TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? INCLUDE OCCASIONAL USE OR USE IN CERTAIN CIRCUMSTANCES. (USEQUIP)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1278	235376	68	4.6	3.4-5.8	1210	95.4	94.2-96.6
RACE								
Native	35	9822	3	7.3	0.0-16.1	32	92.7	83.9-100.0
Non-Native	1231	224175	64	4.4	3.3-5.6	1167	95.5	94.4-96.7
AGE								
18-24	85	38794	0		0.0-0.0	85	100.0	100.0-100.0
25-34	185	39415	3	1.3	0.0-2.9	182	98.6	97.1-100.0
35-44	247	42927	5	2.6	0.2-5.0	242	97.4	94.7-100.0
45-54	288	44832	11	2.8	1.0-4.5	277	97.2	95.5-99.0
55-64	214	29046	12	5.1	2.1-8.0	202	94.9	92.0-97.9
65+	255	39740	37	16.1	11.0-21.2	218	83.9	78.8-89.0
EDUCATION								
Less Than H.S.	108	19961	19	18.1	9.7-26.4	89	81.9	73.6-90.3
H.S. or G.E.D.	398	74535	20	3.9	2.0-5.8	378	96.1	94.2-98.0
Some Post-H.S.	401	75734	17	3.3	1.7-4.9	384	96.7	94.9-98.5
College Graduate	369	64833	12	2.7	1.1-4.3	357	97.3	95.7-98.9
HOUSEHOLD INCOME								
Less than \$15,000	67	11718	13	12.5	4.4-20.6	54	87.5	79.4-95.6
\$15,000- 24,999	198	35548	19	9.3	5.0-13.7	179	90.7	86.3-95.0
\$25,000- 34,999	189	35820	11	4.8	1.9-7.8	178	95.2	92.2-98.1
\$35,000- 49,999	283	49052	11	4.2	1.6-6.8	272	95.8	93.2-98.4
\$50,000- 74,999	247	44318	4	1.3	0.0-2.5	243	98.7	97.5-100.0
\$75,000+	184	34572	2	0.6	0.0-1.5	182	99.4	97.6-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 19: DISABILITY**

TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? INCLUDE OCCASIONAL USE OR USE IN CERTAIN CIRCUMSTANCES. (USEEQUIP)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1709	241818	111	6.0	4.7-7.2	1598	94.0	92.8-95.3
RACE								
Native	44	7405	5	8.9	0.7-17.0	39	91.1	83.0-99.3
Non-Native	1652	232715	103	5.7	4.5-6.9	1549	94.3	93.1-95.5
AGE								
18-24	109	34703	0		0.0-0.0	109	100.0	100.0-100.0
25-34	232	35933	1	0.4	0.0-1.3	231	99.6	98.7-100.0
35-44	314	43395	4	1.5	0.0-2.9	310	98.5	97.1-100.0
45-54	362	42972	15	3.2	1.5-4.9	347	96.8	95.1-98.5
55-64	239	29909	16	7.3	3.6-11.1	223	92.7	88.9-96.4
65+	443	53727	73	18.4	14.2-22.7	370	81.6	77.3-85.8
EDUCATION								
Less Than H.S.	146	19395	26	18.3	10.5-26.2	120	81.7	73.8-89.5
H.S. or G.E.D.	482	66421	32	6.4	4.0-8.8	450	93.6	91.2-96.0
Some Post-H.S.	576	84679	32	4.9	3.1-6.7	544	95.1	93.3-96.9
College Graduate	501	70902	19	3.2	1.7-4.7	482	96.8	95.3-98.3
HOUSEHOLD INCOME								
Less than \$15,000	191	27330	27	10.4	6.1-14.6	164	89.6	85.4-93.9
\$15,000- 24,999	289	39026	22	8.1	4.5-11.7	267	91.9	88.3-95.5
\$25,000- 34,999	254	34597	15	5.4	2.6-8.2	239	94.6	91.8-97.4
\$35,000- 49,999	278	39039	7	2.4	0.5-4.4	271	97.6	95.6-99.5
\$50,000- 74,999	249	38476	4	1.7	0.0-3.6	245	98.3	96.4-100.0
\$75,000+	202	29098	7	3.0	0.7-5.3	195	97.0	94.7-99.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 20: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THE NEXT FEW QUESTIONS ARE ABOUT THE NATIONAL HEALTH PROBLEM OF HIV, THE VIRUS THAT CAUSES AIDS. PLEASE REMEMBER THAT YOUR ANSWERS ARE STRICTLY CONFIDENTIAL AND THAT YOU DO NOT HAVE TO ANSWER EVERY QUESTION IF YOU DO NOT WANT TO. I AM GOING TO READ TWO STATEMENTS ABOUT HIV, THE VIRUS THAT CAUSES AIDS. AFTER I READ EACH ONE, PLEASE TELL ME WHETHER YOU THINK IT IS TRUE OR FALSE, OR IF YOU DO NOT KNOW. A PREGNANT WOMAN WITH HIV CAN GET TREATMENT TO HELP REDUCE THE CHANCES THAT SHE WILL PASS THE VIRUS ON TO HER BABY. (HIVTF1A)	
1	MALES AND FEMALES	211
2	MALES ONLY	212
3	FEMALES ONLY	213
	I AM GOING TO READ TWO STATEMENTS ABOUT HIV, THE VIRUS THAT CAUSES AIDS. AFTER I READ EACH ONE, PLEASE TELL ME WHETHER YOU THINK IT IS TRUE OR FALSE, OR IF YOU DO NOT KNOW. THERE ARE MEDICAL TREATMENTS AVAILABLE THAT ARE INTENDED TO HELP A PERSON WHO IS INFECTED WITH HIV TO LIVE LONGER. (HIVTF1B)	
4	MALES AND FEMALES	214
5	MALES ONLY	215
6	FEMALES ONLY	216
	HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. (HIVTST4)	
7	MALES AND FEMALES	217
8	MALES ONLY	218
9	FEMALES ONLY	219
	IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU BEEN TESTED FOR HIV, INCLUDING TIMES YOU DID NOT GET YOUR RESULTS? (HIVTSTNM)	
10	MALES AND FEMALES	220
11	MALES ONLY	221
12	FEMALES ONLY	222
	NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVTSTD2)	
13	MALES AND FEMALES	223
14	MALES ONLY	224
15	FEMALES ONLY	225
	I AM GOING TO READ YOU A LIST OF REASONS WHY SOME PEOPLE HAVE BEEN TESTED FOR HIV. NOT INCLUDING BLOOD DONATIONS, WHICH OF THESE WOULD YOU SAY WAS THE MAIN REASON FOR YOUR LAST HIV TEST? (RSNTST4)	
16	MALES AND FEMALES	226
17	MALES ONLY	227
18	FEMALES ONLY	228
	WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)	
19	MALES AND FEMALES	229
20	MALES ONLY	230
21	FEMALES ONLY	231
	WHAT TYPE OF CLINIC DID YOU GO TO FOR YOUR LAST HIV TEST? (HIVTSTCL)	
22	MALES AND FEMALES	232

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 20: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
23 MALES ONLY	233
24 FEMALES ONLY	234
25 MALES AND FEMALES	235
26 MALES ONLY	236
27 FEMALES ONLY	237
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)	
28 MALES AND FEMALES	238
29 MALES ONLY	239
30 FEMALES ONLY	240
THE NEXT QUESTION IS ABOUT SEXUALLY TRANSMITTED DISEASES OTHER THAN HIV SUCH AS SYPHILIS, GONORRHEA, CHLAMYDIA, OR GENITAL HERPES. IN THE PAST 12 MONHTS HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TALKED TO YOU ABOUT PREVENTING SEXUALLY TRANSMITTED DISEASES THROUGH CONDOM USE? (PCSAIDS2)	
31 MALES AND FEMALES	241
32 MALES ONLY	242
33 FEMALES ONLY	243

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 1: THE NEXT FEW QUESTIONS ARE ABOUT THE NATIONAL HEALTH PROBLEM OF HIV, THE VIRUS THAT CAUSES AIDS. PLEASE REMEMBER THAT YOUR ANSWERS ARE STRICTLY CONFIDENTIAL AND THAT YOU DO NOT HAVE TO ANSWER EVERY QUESTION IF YOU DO NOT WANT TO. I AM GOING TO READ TWO STATEMENTS ABOUT HIV, THE VIRUS THAT CAUSES AIDS. AFTER I READ EACH ONE, PLEASE TELL ME WHETHER YOU THINK IT IS TRUE OR FALSE, OR IF YOU DO NOT KNOW. A PREGNANT WOMAN WITH HIV CAN GET TREATMENT TO HELP REDUCE THE CHANCES THAT SHE WILL PASS THE VIRUS ON TO HER BABY. (HIVTF1A)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		True			False		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1463	252661	1098	73.4	71.0-75.9	365	26.5	24.6-28.5
SEX								
Male	626	125465	409	65.4	61.7-69.0	217	34.6	31.5-37.8
Female	837	127196	689	81.4	78.3-84.6	148	18.6	16.3-20.9
RACE								
Native	57	13343	40	60.0	44.1-75.8	17	40.0	23.1-56.9
Non-Native	1399	238571	1053	74.2	71.8-76.7	346	25.8	23.9-27.7
AGE								
18-24	145	55185	105	69.3	61.4-77.3	40	30.7	23.6-37.7
25-34	307	55037	241	77.4	72.3-82.5	66	22.6	18.7-26.5
35-44	362	54729	258	72.0	67.5-76.4	104	28.0	24.7-31.4
45-54	412	56229	304	71.6	67.4-75.8	108	28.4	25.0-31.8
55-64	237	31480	190	79.7	74.8-84.6	47	20.3	17.1-23.4
EDUCATION								
Less Than H.S.	47	10563	31	57.5	42.9-72.1	16	42.5	25.9-59.1
H.S. or G.E.D.	374	66702	256	66.2	61.6-70.7	118	33.8	29.8-37.9
Some Post-H.S.	503	89668	376	74.0	69.9-78.2	127	26.0	22.9-29.1
College Graduate	538	85610	434	80.5	76.5-84.4	104	19.5	16.7-22.4
HOUSEHOLD INCOME								
Less than \$15,000	110	21143	89	80.4	70.2-90.6	21	19.6	11.7-27.5
\$15,000- 24,999	206	35207	156	75.3	68.5-82.0	50	24.8	19.8-29.7
\$25,000- 34,999	214	38547	144	61.9	55.5-68.3	70	38.1	31.8-44.4
\$35,000- 49,999	301	48243	231	76.1	71.1-81.1	70	23.9	20.2-27.6
\$50,000- 74,999	294	49320	228	76.9	72.0-81.8	66	23.1	19.5-26.7
\$75,000+	223	36923	169	76.8	70.9-82.8	54	23.2	19.2-27.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 2: THE NEXT FEW QUESTIONS ARE ABOUT THE NATIONAL HEALTH PROBLEM OF HIV, THE VIRUS THAT CAUSES AIDS. PLEASE REMEMBER THAT YOUR ANSWERS ARE STRICTLY CONFIDENTIAL AND THAT YOU DO NOT HAVE TO ANSWER EVERY QUESTION IF YOU DO NOT WANT TO. I AM GOING TO READ TWO STATEMENTS ABOUT HIV, THE VIRUS THAT CAUSES AIDS. AFTER I READ EACH ONE, PLEASE TELL ME WHETHER YOU THINK IT IS TRUE OR FALSE, OR IF YOU DO NOT KNOW. A PREGNANT WOMAN WITH HIV CAN GET TREATMENT TO HELP REDUCE THE CHANCES THAT SHE WILL PASS THE VIRUS ON TO HER BABY. (HIVTF1A)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		True			False		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	626	125465	409	65.4	61.7-69.0	217	34.6	31.5-37.8
RACE								
Native	22	7197	12	43.8	22.8-64.7	10	56.2	31.7-80.7
Non-Native	600	117787	395	66.7	63.0-70.3	205	33.3	30.3-36.3
AGE								
18-24	60	27989	40	65.2	53.4-77.0	20	34.8	24.1-45.6
25-34	135	28328	89	66.5	58.8-74.2	46	33.5	26.9-40.1
35-44	150	26288	91	62.1	55.6-68.5	59	37.9	32.4-43.5
45-54	174	28063	108	62.0	55.8-68.1	66	38.0	32.6-43.5
55-64	107	14797	81	75.9	68.9-82.9	26	24.1	19.3-28.8
EDUCATION								
Less Than H.S.	21	6018	12	46.6	25.8-67.3	9	53.4	28.6-78.2
H.S. or G.E.D.	189	38670	116	61.9	55.5-68.3	73	38.1	32.4-43.8
Some Post-H.S.	209	42708	129	64.1	57.8-70.4	80	35.9	30.8-41.0
College Graduate	207	38070	152	73.3	67.1-79.5	55	26.7	21.8-31.7
HOUSEHOLD INCOME								
Less than \$15,000	31	6650	21	73.6	54.0-93.2	10	26.4	10.1-42.8
\$15,000- 24,999	89	17944	58	65.1	54.9-75.4	31	34.9	26.4-43.3
\$25,000- 34,999	85	18838	49	54.3	44.5-64.1	36	45.7	35.9-55.5
\$35,000- 49,999	136	24466	88	65.6	58.5-72.7	48	34.4	28.6-40.2
\$50,000- 74,999	144	26191	101	71.6	64.6-78.5	43	28.4	23.2-33.6
\$75,000+	94	18145	64	69.9	61.4-78.5	30	30.1	24.1-36.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 3: THE NEXT FEW QUESTIONS ARE ABOUT THE NATIONAL HEALTH PROBLEM OF HIV, THE VIRUS THAT CAUSES AIDS. PLEASE REMEMBER THAT YOUR ANSWERS ARE STRICTLY CONFIDENTIAL AND THAT YOU DO NOT HAVE TO ANSWER EVERY QUESTION IF YOU DO NOT WANT TO. I AM GOING TO READ TWO STATEMENTS ABOUT HIV, THE VIRUS THAT CAUSES AIDS. AFTER I READ EACH ONE, PLEASE TELL ME WHETHER YOU THINK IT IS TRUE OR FALSE, OR IF YOU DO NOT KNOW. A PREGNANT WOMAN WITH HIV CAN GET TREATMENT TO HELP REDUCE THE CHANCES THAT SHE WILL PASS THE VIRUS ON TO HER BABY. (HIVTF1A)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		True			False		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	837	127196	689	81.4	78.3-84.6	148	18.6	16.3-20.9
RACE								
Native	35	6146	28	79.0	62.9-95.1	7	21.0	5.7-36.3
Non-Native	799	120784	658	81.5	78.3-84.7	141	18.5	16.2-20.8
AGE								
18-24	85	27197	65	73.6	63.3-84.0	20	26.4	17.5-35.2
25-34	172	26709	152	89.0	82.6-95.3	20	11.0	7.4-14.6
35-44	212	28441	167	81.1	75.2-87.0	45	18.9	15.2-22.5
45-54	238	28166	196	81.1	75.6-86.7	42	18.8	15.0-22.7
55-64	130	16683	109	83.1	76.3-89.9	21	16.9	12.7-21.1
EDUCATION								
Less Than H.S.	26	4545	19	72.0	53.7-90.3	7	28.0	12.3-43.7
H.S. or G.E.D.	185	28032	140	72.1	65.7-78.4	45	27.9	22.3-33.6
Some Post-H.S.	294	46961	247	83.0	77.7-88.3	47	17.0	13.4-20.6
College Graduate	331	47540	282	86.2	81.3-91.1	49	13.8	10.7-16.8
HOUSEHOLD INCOME								
Less than \$15,000	79	14493	68	83.5	71.6-95.4	11	16.5	7.8-25.1
\$15,000- 24,999	117	17262	98	85.8	77.2-94.3	19	14.3	9.3-19.2
\$25,000- 34,999	129	19709	95	69.2	60.9-77.4	34	30.8	22.8-38.8
\$35,000- 49,999	165	23777	143	86.9	80.2-93.7	22	13.1	9.0-17.2
\$50,000- 74,999	150	23130	127	82.9	76.0-89.9	23	17.1	12.2-21.9
\$75,000+	129	18778	105	83.5	76.0-91.0	24	16.5	11.8-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 4: I AM GOING TO READ TWO STATEMENTS ABOUT HIV, THE VIRUS THAT CAUSES AIDS. AFTER I READ EACH ONE, PLEASE TELL ME WHETHER YOU THINK IT IS TRUE OR FALSE, OR IF YOU DO NOT KNOW. THERE ARE MEDICAL TREATMENTS AVAILABLE THAT ARE INTENDED TO HELP A PERSON WHO IS INFECTED WITH HIV TO LIVE LONGER. (HIVTF1B)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		True			False		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2074	350029	2033	97.2	95.6-98.7	41	2.8	1.7-4.0
SEX								
Male	917	178520	896	96.8	94.4-99.2	21	3.2	1.4-5.0
Female	1157	171509	1137	97.6	95.5-99.6	20	2.4	1.2-3.7
RACE								
Native	60	13183	55	84.2	67.6-100.0	5	15.8	0.2-31.5
Non-Native	2006	335849	1970	97.7	96.2-99.1	36	2.3	1.4-3.2
AGE								
18-24	181	68944	172	92.6	86.8-98.4	9	7.4	2.4-12.5
25-34	395	71232	387	97.8	95.3-100.0	8	2.1	0.6-3.7
35-44	512	78957	503	98.3	95.6-100.0	9	1.7	0.6-2.9
45-54	600	80563	589	98.0	95.4-100.0	11	2.0	0.8-3.2
55-64	386	50332	382	99.3	95.9-100.0	4	0.7	0.1-1.3
EDUCATION								
Less Than H.S.	62	12359	53	76.7	60.5-92.9	9	23.3	6.5-40.1
H.S. or G.E.D.	532	93314	516	95.7	92.2-99.3	16	4.3	1.9-6.7
Some Post-H.S.	752	129870	739	98.0	96.0-100.0	13	2.0	0.8-3.2
College Graduate	727	114367	724	99.5	97.7-100.0	3	0.5	0.0-1.0
HOUSEHOLD INCOME								
Less than \$15,000	137	25398	134	97.8	93.0-100.0	3	2.2	0.0-5.1
\$15,000- 24,999	281	47505	270	96.0	92.2-99.9	11	4.0	1.5-6.4
\$25,000- 34,999	290	48731	281	93.8	88.3-99.2	9	6.2	1.8-10.7
\$35,000- 49,999	438	69515	430	97.8	95.1-100.0	8	2.2	0.7-3.7
\$50,000- 74,999	438	73642	434	99.3	97.1-100.0	4	0.6	0.0-1.3
\$75,000+	327	54656	324	98.3	94.9-100.0	3	1.7	0.0-3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 5: I AM GOING TO READ TWO STATEMENTS ABOUT HIV, THE VIRUS THAT CAUSES AIDS. AFTER I READ EACH ONE, PLEASE TELL ME WHETHER YOU THINK IT IS TRUE OR FALSE, OR IF YOU DO NOT KNOW. THERE ARE MEDICAL TREATMENTS AVAILABLE THAT ARE INTENDED TO HELP A PERSON WHO IS INFECTED WITH HIV TO LIVE LONGER. (HIVTF1B)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		True			False		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	917	178520	896	96.8	94.4-99.2	21	3.2	1.4-5.0
RACE								
Native	25	7712	24	82.8	57.5-100.0	1	17.2	0.0-42.7
Non-Native	889	170482	869	97.4	95.3-99.5	20	2.6	1.3-3.9
AGE								
18-24	82	37731	77	91.3	82.8-99.8	5	8.7	0.6-16.8
25-34	173	36869	168	97.1	93.1-100.0	5	2.9	0.4-5.4
35-44	221	38779	217	98.1	93.8-100.0	4	1.9	0.0-3.8
45-54	262	40718	258	98.9	95.1-100.0	4	1.1	0.1-2.2
55-64	179	24422	176	99.2	94.1-100.0	3	0.8	0.0-1.6
EDUCATION								
Less Than H.S.	27	6730	22	67.2	42.8-91.6	5	32.8	6.0-59.6
H.S. or G.E.D.	265	53908	255	95.9	91.1-100.0	10	4.1	1.2-7.1
Some Post-H.S.	323	63885	318	98.3	95.5-100.0	5	1.7	0.0-3.5
College Graduate	302	53997	301	99.6	97.0-100.0	1	0.4	0.0-1.1
HOUSEHOLD INCOME								
Less than \$15,000	37	7655	36	99.1	89.2-100.0	1	0.9	0.0-2.5
\$15,000- 24,999	122	24083	117	96.8	91.4-100.0	5	3.2	0.2-6.2
\$25,000- 34,999	117	23795	114	94.7	86.5-100.0	3	5.3	0.0-11.5
\$35,000- 49,999	207	36668	201	96.6	92.4-100.0	6	3.4	0.8-5.9
\$50,000- 74,999	218	39875	216	99.4	96.6-100.0	2	0.6	0.0-1.4
\$75,000+	153	29547	151	97.3	91.7-100.0	2	2.7	0.0-6.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 6: I AM GOING TO READ TWO STATEMENTS ABOUT HIV, THE VIRUS THAT CAUSES AIDS. AFTER I READ EACH ONE, PLEASE TELL ME WHETHER YOU THINK IT IS TRUE OR FALSE, OR IF YOU DO NOT KNOW. THERE ARE MEDICAL TREATMENTS AVAILABLE THAT ARE INTENDED TO HELP A PERSON WHO IS INFECTED WITH HIV TO LIVE LONGER. (HIVTF1B)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		True			False		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1157	171509	1137	97.6	95.5-99.6	20	2.4	1.2-3.7
RACE								
Native	35	5471	31	86.1	67.4-100.0	4	13.9	1.6-26.2
Non-Native	1117	165367	1101	97.9	95.9-99.9	16	2.1	0.9-3.3
AGE								
18-24	99	31213	95	94.1	86.4-100.0	4	5.9	0.3-11.5
25-34	222	34363	219	98.6	95.7-100.0	3	1.4	0.0-3.0
35-44	291	40178	286	98.5	95.2-100.0	5	1.5	0.2-2.9
45-54	338	39845	331	97.2	93.4-100.0	7	2.8	0.7-5.0
55-64	207	25910	206	99.5	94.9-100.0	1	0.5	0.0-1.4
EDUCATION								
Less Than H.S.	35	5629	31	88.0	72.0-100.0	4	12.0	0.3-23.6
H.S. or G.E.D.	267	39407	261	95.5	90.2-100.0	6	4.5	0.6-8.4
Some Post-H.S.	429	65985	421	97.8	94.8-100.0	8	2.2	0.6-3.8
College Graduate	425	60370	423	99.5	97.0-100.0	2	0.5	0.0-1.3
HOUSEHOLD INCOME								
Less than \$15,000	100	17743	98	97.3	91.9-100.0	2	2.7	0.0-6.9
\$15,000- 24,999	159	23422	153	95.3	89.7-100.0	6	4.7	0.8-8.7
\$25,000- 34,999	173	24935	167	92.9	85.6-100.0	6	7.1	0.8-13.5
\$35,000- 49,999	231	32848	229	99.1	96.0-100.0	2	0.9	0.0-2.1
\$50,000- 74,999	220	33767	218	99.3	95.7-100.0	2	0.7	0.0-1.7
\$75,000+	174	25109	173	99.4	96.5-100.0	1	0.6	0.0-1.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

**TABLE 7: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. (HIVTST4)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2209	371880	579	26.8	24.7-28.9	1630	73.2	71.0-75.3
SEX								
Male	994	191065	233	24.3	21.2-27.5	761	75.6	72.5-78.8
Female	1215	180814	346	29.4	26.5-32.3	869	70.6	67.7-73.5
RACE								
Native	70	15542	33	39.8	25.3-54.3	37	60.2	45.7-74.7
Non-Native	2129	355118	543	26.2	24.1-28.3	1586	73.8	71.6-76.0
AGE								
18-24	189	72026	65	30.3	23.3-37.3	124	69.7	62.7-76.8
25-34	404	73105	188	45.9	40.8-51.0	216	54.1	48.9-59.2
35-44	549	84802	171	30.2	26.2-34.2	378	69.8	65.7-73.9
45-54	631	85350	111	15.5	12.7-18.3	520	84.5	81.5-87.5
55-64	436	56597	44	9.7	6.8-12.6	392	90.3	87.0-93.6
EDUCATION								
Less Than H.S.	73	14052	20	28.0	15.2-40.8	53	72.0	59.1-84.9
H.S. or G.E.D.	613	106032	126	22.8	18.9-26.7	487	77.2	73.2-81.2
Some Post-H.S.	778	134065	220	27.7	24.1-31.3	558	72.3	68.6-76.0
College Graduate	744	117613	213	29.3	25.6-33.0	531	70.7	67.0-74.4
HOUSEHOLD INCOME								
Less than \$15,000	151	27047	50	28.5	19.5-37.5	101	71.5	62.5-80.5
\$15,000- 24,999	301	50526	83	30.0	23.6-36.4	218	70.0	63.5-76.4
\$25,000- 34,999	318	53553	96	32.3	26.2-38.4	222	67.7	61.5-73.8
\$35,000- 49,999	460	72379	125	27.7	23.2-32.2	335	72.3	67.7-77.0
\$50,000- 74,999	455	76542	106	23.9	19.7-28.1	349	76.1	71.8-80.3
\$75,000+	341	57200	75	21.7	17.1-26.3	266	78.3	73.5-83.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 8: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. (HIVTST4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	994	191065	233	24.3	21.2-27.5	761	75.6	72.5-78.8
RACE								
Native	30	8917	11	31.7	11.4-52.0	19	68.3	48.0-88.6
Non-Native	959	181598	221	24.0	20.8-27.1	738	76.0	72.8-79.2
AGE								
18-24	85	38706	25	27.2	17.0-37.5	60	72.8	62.5-83.0
25-34	178	38036	61	34.7	27.3-42.1	117	65.3	57.8-72.7
35-44	246	42927	73	29.6	23.6-35.7	173	70.4	64.3-76.4
45-54	281	43823	53	16.3	12.0-20.6	228	83.7	79.2-88.2
55-64	204	27574	21	10.6	6.1-15.0	183	89.4	84.2-94.6
EDUCATION								
Less Than H.S.	34	7664	7	21.7	4.7-38.7	27	78.3	61.0-95.7
H.S. or G.E.D.	313	61834	64	21.7	16.5-27.0	249	78.3	72.9-83.6
Some Post-H.S.	337	66048	87	26.3	20.8-31.8	250	73.7	68.1-79.3
College Graduate	310	55520	75	25.3	19.6-31.0	235	74.7	68.9-80.5
HOUSEHOLD INCOME								
Less than \$15,000	43	8524	11	25.9	7.5-44.4	32	74.1	55.6-92.5
\$15,000- 24,999	135	26218	36	29.8	19.9-39.6	99	70.2	60.3-80.1
\$25,000- 34,999	131	26757	35	30.6	21.0-40.1	96	69.4	59.9-79.0
\$35,000- 49,999	222	38602	55	25.6	19.2-32.0	167	74.4	67.8-81.0
\$50,000- 74,999	228	41552	51	22.3	16.6-27.9	177	77.7	72.0-83.4
\$75,000+	166	31849	30	17.6	11.5-23.8	136	82.3	76.0-88.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 9: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. (HIVTST4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1215	180814	346	29.4	26.5-32.3	869	70.6	67.7-73.5
RACE								
Native	40	6624	22	50.6	32.1-69.1	18	49.4	30.9-67.9
Non-Native	1170	173520	322	28.5	25.6-31.4	848	71.5	68.5-74.4
AGE								
18-24	104	33320	40	33.8	24.4-43.2	64	66.2	56.7-75.7
25-34	226	35069	127	58.0	51.4-64.7	99	42.0	35.3-48.6
35-44	303	41875	98	30.7	25.4-36.0	205	69.3	63.8-74.7
45-54	350	41526	58	14.7	11.0-18.3	292	85.3	81.3-89.4
55-64	232	29024	23	8.9	5.2-12.6	209	91.1	87.1-95.1
EDUCATION								
Less Than H.S.	39	6388	13	35.6	17.6-53.5	26	64.4	46.5-82.4
H.S. or G.E.D.	300	44199	62	24.2	18.5-29.9	238	75.8	69.9-81.6
Some Post-H.S.	441	68016	133	29.1	24.4-33.7	308	70.9	66.1-75.7
College Graduate	434	62093	138	32.9	28.1-37.7	296	67.1	62.3-72.0
HOUSEHOLD INCOME								
Less than \$15,000	108	18523	39	29.7	19.5-39.8	69	70.3	60.1-80.5
\$15,000- 24,999	166	24308	47	30.3	22.3-38.4	119	69.7	61.4-77.9
\$25,000- 34,999	187	26796	61	34.1	26.4-41.7	126	65.9	58.2-73.7
\$35,000- 49,999	238	33777	70	30.0	23.7-36.3	168	70.0	63.6-76.4
\$50,000- 74,999	227	34990	55	25.9	19.7-32.1	172	74.1	67.8-80.4
\$75,000+	175	25351	45	26.8	20.0-33.6	130	73.2	66.2-80.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 10: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU BEEN TESTED FOR HIV, INCLUDING TIMES YOU DID NOT GET YOUR RESULTS? (HIVTSTNM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			6-10 Times			11-20 Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	164	32054	149	89.9	85.4-94.4	11	8.1	6.3-9.9	3	1.4	0.8-1.9	1	0.7	0.2-1.1
SEX														
Male	69	15943	61	87.2	80.1-94.3	7	11.5	8.0-14.9	0		0.0-0.0	1	1.3	0.4-2.2
Female	95	16111	88	92.6	87.0-98.1	4	4.7	3.3-6.1	3	2.7	1.7-3.7	0		0.0-0.0
RACE														
Native	12	2416	11	93.5	73.7-100.0	1	6.5	1.5-11.5	0		0.0-0.0	0		0.0-0.0
Non-Native	150	29316	136	89.5	84.9-94.1	10	8.3	6.4-10.2	3	1.5	0.9-2.1	1	0.7	0.3-1.2
AGE														
18-24	36	12388	32	87.7	74.2-100.0	4	12.3	5.2-19.4	0		0.0-0.0	0		0.0-0.0
25-34	63	10693	57	89.4	82.5-96.2	4	6.4	4.4-8.5	1	2.2	0.8-3.6	1	2.0	0.7-3.2
35-44	32	4903	28	90.9	84.7-97.1	3	7.6	6.0-9.3	1	1.4	0.9-2.0	0		0.0-0.0
45-54	27	3442	27	100.0	90.9-100.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0
55-64	6	629	5	79.1	71.1-87.2	0		0.0-0.0	1	20.9	16.2-25.5	0		0.0-0.0
EDUCATION														
Less Than H.S.	6	1763	6	100.0	72.9-100.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0
H.S. or G.E.D.	42	8571	36	83.1	74.1-92.2	6	16.9	11.5-22.2	0		0.0-0.0	0		0.0-0.0
Some Post-H.S.	66	12923	60	90.4	82.8-98.1	4	8.0	4.8-11.2	2	1.6	0.8-2.3	0		0.0-0.0
College Graduate	50	8798	47	93.7	87.0-100.0	1	1.2	0.6-1.8	1	2.7	1.3-4.0	1	2.4	1.2-3.6
HOUSEHOLD INCOME														
Less than \$15,000	17	3874	15	88.8	70.2-100.0	1	5.1	0.1-10.1	1	6.1	0.2-12.0	0		0.0-0.0
\$15,000- 24,999	28	5940	27	95.6	82.5-100.0	1	4.4	1.1-7.8	0		0.0-0.0	0		0.0-0.0
\$25,000- 34,999	30	6097	29	97.4	85.8-100.0	1	2.6	0.8-4.4	0		0.0-0.0	0		0.0-0.0
\$35,000- 49,999	30	4910	26	88.9	80.7-97.2	3	8.4	5.9-10.8	1	2.7	1.4-3.9	0		0.0-0.0
\$50,000- 74,999	29	5475	25	88.4	79.0-97.8	2	6.4	3.7-9.2	1	1.3	0.5-2.1	1	3.9	1.6-6.2
\$75,000+	16	2857	15	95.0	84.6-100.0	1	4.9	2.7-7.2	0		0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 11: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU BEEN TESTED FOR HIV, INCLUDING TIMES YOU DID NOT GET YOUR RESULTS? (HIVTSTNM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			6-10 Times			11-20 Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	69	15943	61	87.2	80.1-94.3	7	11.5	8.0-14.9			0.0-0.0	1	1.3	0.4-2.2
RACE														
Native	3	966	3	100.0	65.4-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
Non-Native	66	14977	58	86.4	79.1-93.7	7	12.2	8.5-15.9			0.0-0.0	1	1.4	0.5-2.4
AGE														
18-24	13	5934	11	82.1	60.5-100.0	2	17.9	4.6-31.2			0.0-0.0	0		0.0-0.0
25-34	23	4668	19	84.1	72.1-96.1	3	11.4	6.7-16.0			0.0-0.0	1	4.5	1.4-7.7
35-44	18	3030	16	92.3	82.3-100.0	2	7.7	5.1-10.3			0.0-0.0	0		0.0-0.0
45-54	13	2174	13	100.0	86.1-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
55-64	2	137	2	100.0	93.4-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
EDUCATION														
Less Than H.S.	4	1104	4	100.0	63.7-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
H.S. or G.E.D.	21	4746	18	81.4	69.0-93.7	3	18.6	10.4-26.9			0.0-0.0	0		0.0-0.0
Some Post-H.S.	25	6174	22	86.4	74.0-98.9	3	13.5	7.2-19.9			0.0-0.0	0		0.0-0.0
College Graduate	19	3919	17	91.9	80.3-100.0	1	2.7	1.2-4.2			0.0-0.0	1	5.4	2.5-8.4
HOUSEHOLD INCOME														
Less than \$15,000	2	1240	2	100.0	61.4-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
\$15,000- 24,999	9	2359	9	100.0	81.5-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
\$25,000- 34,999	12	3482	12	100.0	80.4-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0
\$35,000- 49,999	14	2385	11	82.7	71.1-94.3	3	17.3	12.3-22.3			0.0-0.0	0		0.0-0.0
\$50,000- 74,999	16	2876	13	80.4	68.1-92.6	2	12.2	6.9-17.5			0.0-0.0	1	7.4	2.9-11.8
\$75,000+	9	1816	9	100.0	81.4-100.0	0		0.0-0.0			0.0-0.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

**TABLE 12: IN THE PAST 12 MONTHS, HOW MANY TIMES HAVE YOU BEEN TESTED FOR HIV, INCLUDING TIMES YOU DID NOT GET YOUR RESULTS? (HIVTSTNM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Times			1-5 Times			6-10 Times			11-20 Times		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	95	16111	88	92.6	87.0-98.1	4	4.7	3.3-6.1	3	2.7	1.7-3.7			0.0-0.0
RACE														
Native	9	1450	8	89.2	67.0-100.0	1	10.8	1.9-19.8	0		0.0-0.0			0.0-0.0
Non-Native	84	14339	78	92.8	87.0-98.5	3	4.2	2.8-5.6	3	3.0	2.0-4.1			0.0-0.0
AGE														
18-24	23	6453	21	92.9	76.3-100.0	2	7.1	1.5-12.8	0		0.0-0.0			0.0-0.0
25-34	40	6025	38	93.5	85.3-100.0	1	2.6	1.1-4.1	1	3.9	1.7-6.2			0.0-0.0
35-44	14	1874	12	88.7	81.4-96.0	1	7.5	5.4-9.7	1	3.8	2.7-4.9			0.0-0.0
45-54	14	1268	14	100.0	89.6-100.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0
55-64	4	492	3	73.3	58.5-88.2	0		0.0-0.0	1	26.7	17.0-36.4			0.0-0.0
EDUCATION														
Less Than H.S.	2	658	2	100.0	65.8-100.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0
H.S. or G.E.D.	21	3825	18	85.3	72.1-98.6	3	14.7	8.7-20.7	0		0.0-0.0			0.0-0.0
Some Post-H.S.	41	6749	38	94.1	84.7-100.0	1	2.9	1.0-4.9	2	3.0	1.5-4.5			0.0-0.0
College Graduate	31	4879	30	95.2	87.1-100.0	0		0.0-0.0	1	4.8	2.6-7.1			0.0-0.0
HOUSEHOLD INCOME														
Less than \$15,000	15	2634	13	83.6	64.8-100.0	1	7.5	0.6-14.4	1	8.9	0.7-17.2			0.0-0.0
\$15,000- 24,999	19	3581	18	92.6	75.7-100.0	1	7.4	0.5-14.2	0		0.0-0.0			0.0-0.0
\$25,000- 34,999	18	2615	17	94.0	82.0-100.0	1	6.0	2.6-9.4	0		0.0-0.0			0.0-0.0
\$35,000- 49,999	16	2525	15	94.8	83.1-100.0	0		0.0-0.0	1	5.2	2.7-7.7			0.0-0.0
\$50,000- 74,999	13	2599	12	97.3	83.1-100.0	0		0.0-0.0	1	2.7	1.2-4.3			0.0-0.0
\$75,000+	7	1041	6	86.4	76.1-96.7	1	13.6	9.6-17.6	0		0.0-0.0			0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 13: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVSTD2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2003		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	425	70988	28	4.9	2.9-6.8	68	14.0	10.6-17.4	134	30.3	25.5-35.2	195	50.8	45.3-56.2
SEX														
Male	160	31430	9	3.9	1.3-6.6	22	11.8	6.8-16.9	46	26.4	18.7-34.0	83	57.9	49.2-66.6
Female	265	39558	19	5.6	2.9-8.3	46	15.8	11.2-20.3	88	33.5	27.3-39.8	112	45.1	38.4-51.8
RACE														
Native	21	3737	1	1.6	0.0-4.7	2	4.1	0.0-10.0	6	47.6	20.8-74.5	12	46.7	21.0-72.5
Non-Native	403	67192	27	5.0	3.0-7.1	66	14.6	11.0-18.1	128	29.4	24.6-34.3	182	50.9	45.4-56.5
AGE														
18-24	36	11836	0		0.0-0.0	0		0.0-0.0	5	13.0	1.9-24.2	31	87.0	75.8-98.1
25-34	144	25823	2	1.2	0.0-2.9	25	17.1	10.7-23.5	45	31.8	23.4-40.2	72	49.8	41.0-58.7
35-44	134	19916	12	9.1	3.9-14.2	20	14.0	7.9-20.1	51	38.5	29.7-47.3	51	38.4	29.6-47.3
45-54	77	9158	7	7.0	1.4-12.5	16	20.8	11.2-30.4	23	30.3	19.3-41.3	31	41.9	29.9-54.0
55-64	34	4254	7	16.3	4.3-28.3	7	19.8	5.0-34.6	10	31.6	14.3-48.9	10	32.3	14.0-50.7
EDUCATION														
Less Than H.S.	11	1774	2	8.7	0.0-21.2	3	22.8	0.0-49.4	2	19.5	0.0-44.5	4	49.0	14.9-83.2
H.S. or G.E.D.	84	15879	4	4.2	0.1-8.3	8	8.9	2.4-15.4	30	33.0	22.2-43.8	42	53.9	42.1-65.7
Some Post-H.S.	169	28139	12	5.2	2.1-8.4	24	11.6	6.8-16.5	60	34.5	26.3-42.7	73	48.7	40.0-57.3
College Graduate	161	25196	10	4.6	1.6-7.6	33	19.3	12.9-25.7	42	24.8	17.6-32.1	76	51.3	42.3-60.2
HOUSEHOLD INCOME														
Less than \$15,000	36	4822	1	3.9	0.0-11.3	7	10.7	2.3-19.1	10	22.7	7.5-37.9	18	62.8	43.9-81.6
\$15,000- 24,999	61	10606	5	4.6	0.3-9.0	6	8.4	1.5-15.3	17	23.9	12.0-35.8	33	63.1	48.9-77.2
\$25,000- 34,999	69	12082	5	4.3	0.2-8.3	10	13.9	5.3-22.6	26	35.5	23.1-48.0	28	46.3	33.0-59.6
\$35,000- 49,999	100	16285	6	4.1	0.5-7.8	22	21.6	12.9-30.2	32	32.1	21.6-42.7	40	42.1	31.1-53.1
\$50,000- 74,999	79	13461	6	5.9	1.0-10.8	11	13.2	5.7-20.7	24	31.5	20.5-42.6	38	49.3	37.6-61.0
\$75,000+	58	9643	4	5.9	0.1-11.7	9	13.5	4.7-22.4	19	32.9	20.2-45.7	26	47.6	34.1-61.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 14: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVSTD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2003		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY														
SEX														
Male	160	31430	9	3.9	1.3-6.6	22	11.8	6.8-16.9	46	26.4	18.7-34.0	83	57.9	49.1-66.6
RACE														
Native	4	1328	0		0.0-0.0	1	7.0	0.0-22.1	2	69.0	22.0-100.0	1	24.0	0.0-68.0
Non-Native	156	30102	9	4.1	1.3-6.9	21	12.0	6.8-17.3	44	24.5	17.3-31.7	82	59.4	50.8-67.9
AGE														
18-24	13	5580	0		0.0-0.0	0		0.0-0.0	2	11.1	0.0-26.5	11	88.9	73.5-100.0
25-34	46	10026	0		0.0-0.0	8	15.9	5.3-26.4	8	21.7	7.1-36.3	30	62.4	46.6-78.2
35-44	53	9275	5	8.0	0.9-15.2	8	14.1	4.4-23.8	19	37.7	23.8-51.6	21	40.2	26.2-54.2
45-54	33	4425	3	8.8	0.0-18.7	3	7.0	0.0-15.3	11	28.1	12.6-43.6	16	56.1	38.3-73.9
55-64	15	2124	1	4.8	0.0-14.3	3	24.2	0.0-48.9	6	35.5	9.8-61.1	5	35.5	7.1-63.9
EDUCATION														
Less Than H.S.	3	532	0		0.0-0.0	0		0.0-0.0	2	64.9	10.1-100.0	1	35.0	0.0-89.9
H.S. or G.E.D.	41	8712	1	1.8	0.0-5.3	2	6.9	0.0-16.0	15	30.8	16.0-45.5	23	60.6	44.5-76.7
Some Post-H.S.	63	12437	5	6.0	0.6-11.4	8	10.6	3.2-18.0	17	26.5	13.7-39.3	33	56.9	42.9-71.0
College Graduate	53	9748	3	3.4	0.0-7.5	12	18.6	7.7-29.4	12	20.2	8.2-32.2	26	57.8	42.0-73.7
HOUSEHOLD INCOME														
Less than \$15,000	9	1602	1	11.6	0.0-34.6	2	10.7	0.0-27.4	2	16.1	0.0-40.5	4	61.6	20.8-100.0
\$15,000- 24,999	24	5180	0		0.0-0.0	2	6.1	0.0-15.1	10	30.6	9.6-51.6	12	63.3	40.4-86.2
\$25,000- 34,999	23	5276	2	4.7	0.0-11.5	3	13.3	0.0-27.7	5	17.5	0.5-34.4	13	64.5	43.7-85.3
\$35,000- 49,999	42	7538	1	1.0	0.0-3.1	10	22.2	8.6-35.8	12	30.4	13.2-47.6	19	46.4	29.0-63.8
\$50,000- 74,999	37	6781	3	6.4	0.0-13.8	3	8.2	0.0-17.2	10	27.3	12.2-42.4	21	58.1	41.5-74.8
\$75,000+	20	3880	2	7.4	0.0-18.0	2	7.7	0.0-18.8	6	30.8	9.2-52.4	10	54.0	31.0-77.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 15: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? INCLUDE SALIVA TESTS. (HIVSTD2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2003		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY														
SEX														
Female	265	39558	19	5.6	2.9-8.3	46	15.8	11.2-20.3	88	33.5	27.3-39.8	112	45.1	38.4-51.8
RACE														
Native	17	2409	1	2.4	0.0-7.3	1	2.4	0.0-7.3	4	35.8	9.1-62.6	11	59.3	32.8-85.7
Non-Native	247	37090	18	5.8	2.9-8.7	45	16.6	11.8-21.4	84	33.4	27.0-39.9	100	44.1	37.2-51.1
AGE														
18-24	23	6256	0		0.0-0.0	0		0.0-0.0	3	14.7	0.0-30.5	20	85.3	69.5-100.0
25-34	98	15797	2	2.0	0.0-4.7	17	17.9	9.9-25.9	37	38.3	28.1-48.4	42	41.9	31.6-52.1
35-44	81	10641	7	10.0	2.7-17.3	12	13.9	6.2-21.7	32	39.2	27.9-50.5	30	36.9	25.7-48.1
45-54	44	4733	4	5.3	0.0-10.7	13	33.6	18.4-48.9	12	32.4	16.9-47.9	15	28.7	15.3-42.0
55-64	19	2130	6	27.7	7.1-48.3	4	15.4	0.0-31.1	4	27.7	4.0-51.4	5	29.2	6.6-51.9
EDUCATION														
Less Than H.S.	8	1242	2	12.4	0.0-30.8	3	32.6	0.0-69.5	0		0.0-0.0	3	55.0	14.6-95.5
H.S. or G.E.D.	43	7167	3	7.1	0.0-15.1	6	11.4	2.1-20.6	15	35.8	20.0-51.5	19	45.7	28.6-62.8
Some Post-H.S.	106	15702	7	4.6	1.0-8.3	16	12.5	6.1-18.8	43	40.8	30.3-51.2	40	42.1	31.4-52.8
College Graduate	108	15447	7	5.3	1.1-9.6	21	19.8	11.8-27.7	30	27.8	18.8-36.8	50	47.1	37.0-57.3
HOUSEHOLD INCOME														
Less than \$15,000	27	3220	0		0.0-0.0	5	10.7	1.2-20.2	8	26.0	7.7-44.3	14	63.3	43.5-83.2
\$15,000- 24,999	37	5426	5	9.0	0.7-17.3	4	10.5	0.2-20.8	7	17.6	4.4-30.8	21	62.9	45.8-79.9
\$25,000- 34,999	46	6806	3	3.9	0.0-8.9	7	14.4	3.8-25.0	21	49.5	33.6-65.5	15	32.2	17.1-47.3
\$35,000- 49,999	58	8747	5	6.8	0.4-13.3	12	21.0	9.9-32.1	20	33.7	20.5-46.8	21	38.5	24.3-52.6
\$50,000- 74,999	42	6681	3	5.4	0.0-11.8	8	18.3	6.4-30.3	14	35.8	19.9-51.8	17	40.4	24.7-56.1
\$75,000+	38	5763	2	4.9	0.0-11.6	7	17.4	4.9-30.0	13	34.4	18.7-50.1	16	43.3	26.9-59.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 16: I AM GOING TO READ YOU A LIST OF REASONS WHY SOME PEOPLE HAVE BEEN TESTED FOR HIV. NOT INCLUDING BLOOD DONATIONS, WHICH OF THESE WOULD YOU SAY WAS THE MAIN REASON FOR YOUR LAST HIV TEST? (RSNTST4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Was Required			Someone Suggested			My Choice			Pregnant			Part of check-up			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	572	98496	136	23.7	19.7-27.7	20	2.7	1.4-4.0	62	9.1	6.5-11.6	122	21.0	17.3-24.7	140	26.7	22.5-31.0	92	16.8	12.9-20.6
SEX																				
Male	231	46194	75	31.9	25.0-38.9	8	2.8	0.6-4.9	29	10.9	6.4-15.4	0		0.0-0.0	80	34.1	27.2-41.1	39	20.2	13.5-27.0
Female	341	52301	61	16.5	12.3-20.7	12	2.6	1.1-4.2	33	7.4	4.7-10.1	122	39.5	33.7-45.4	60	20.2	15.1-25.3	53	13.7	9.8-17.7
RACE																				
Native	33	6182	5	12.0	0.6-23.3	1	0.9	0.0-2.9	4	19.8	0.1-39.4	11	30.1	13.2-47.1	5	14.1	1.8-26.4	7	23.1	4.6-41.5
Non-Native	536	91837	130	24.5	20.3-28.7	19	2.8	1.4-4.2	56	8.0	5.7-10.3	111	20.5	16.7-24.3	135	27.7	23.3-32.2	85	16.4	12.5-20.4
AGE																				
18-24	62	21097	11	19.8	8.4-31.2	1	1.7	0.0-5.0	4	4.2	0.0-8.6	12	16.5	7.0-26.1	22	34.0	21.3-46.7	12	23.8	11.0-36.7
25-34	188	33559	32	18.2	12.2-24.2	5	2.3	0.3-4.4	20	11.3	5.9-16.8	70	34.1	27.1-41.2	42	23.3	16.7-29.9	19	10.6	5.8-15.5
35-44	169	25380	49	29.1	21.7-36.5	6	3.0	0.5-5.5	12	6.8	2.9-10.7	37	21.2	14.8-27.5	34	21.7	14.9-28.5	31	18.2	11.9-24.5
45-54	109	12959	30	28.4	19.3-37.6	7	5.2	1.2-9.3	18	13.3	7.0-19.6	3	2.7	0.0-5.8	29	31.0	21.3-40.8	22	19.3	11.6-27.0
55-64	44	5501	14	36.6	20.7-52.4	1	1.2	0.0-3.5	8	14.6	4.5-24.6	0		0.0-0.0	13	32.8	17.0-48.6	8	14.9	4.2-25.6
EDUCATION																				
Less Than H.S.	19	3793	3	20.5	0.0-45.4	0		0.0-0.0	6	26.7	5.6-47.8	3	13.8	0.0-29.4	4	24.1	0.6-47.6	3	14.9	0.0-34.5
H.S. or G.E.D.	122	23291	29	20.7	13.2-28.2	6	4.2	0.4-8.0	13	8.7	3.7-13.7	18	14.6	7.4-21.8	36	34.4	24.6-44.3	20	17.4	9.5-25.3
Some Post-H.S.	219	37022	46	22.6	15.7-29.5	5	1.1	0.1-2.2	21	8.2	3.8-12.6	56	25.2	18.8-31.5	52	25.8	19.0-32.7	39	17.0	11.3-22.8
College Graduate	212	34391	58	27.4	20.7-34.0	9	3.6	1.2-6.1	22	8.3	4.6-12.0	45	21.6	15.6-27.7	48	22.8	16.4-29.1	30	16.3	9.2-23.4
HOUSEHOLD INCOME																				
Less than \$15,000	50	7709	8	29.0	9.6-48.3	2	1.9	0.0-4.6	11	15.6	5.3-25.9	12	19.5	7.9-31.1	8	17.9	4.7-31.1	9	16.1	3.7-28.5
\$15,000- 24,999	82	15044	15	14.2	6.4-21.9	2	2.1	0.0-5.2	15	14.3	6.4-22.1	15	19.6	9.6-29.6	24	31.0	19.0-43.0	11	18.8	4.6-33.1
\$25,000- 34,999	96	17308	18	20.8	10.4-31.1	4	4.0	0.0-8.6	9	6.6	2.0-11.1	19	18.5	10.3-26.7	30	32.3	21.5-43.0	16	17.9	8.6-27.2
\$35,000- 49,999	123	19743	38	31.1	22.0-40.2	5	2.4	0.1-4.8	13	11.2	3.8-18.7	23	21.4	13.2-29.6	23	16.1	9.5-22.8	21	17.7	10.1-25.2
\$50,000- 74,999	104	18106	31	29.3	20.1-38.5	4	3.5	0.1-7.0	7	5.7	1.2-10.1	25	21.7	13.7-29.6	23	25.1	15.8-34.5	14	14.6	7.0-22.3
\$75,000+	75	12426	21	25.7	15.5-35.8	2	2.4	0.0-5.7	4	5.9	0.0-12.0	17	21.6	12.0-31.2	15	23.7	12.9-34.6	16	20.8	11.1-30.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 17: I AM GOING TO READ YOU A LIST OF REASONS WHY SOME PEOPLE HAVE BEEN TESTED FOR HIV. NOT INCLUDING BLOOD DONATIONS, WHICH OF THESE WOULD YOU SAY WAS THE MAIN REASON FOR YOUR LAST HIV TEST? (RSNTST4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Was Required			Someone Suggested			My Choice			Pregnant			Part of check-up			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY																				
SEX																				
Male	231	46194	75	31.9	25.0-38.9	8	2.8	0.6-4.9	29	10.9	6.4-15.4				80	34.1	27.2-41.1	39	20.2	13.5-27.0
RACE																				
Native	11	2829	1	3.3	0.0-10.0	0		0.0-0.0	3	34.8	0.0-70.9				3	20.2	0.0-43.7	4	41.6	6.5-76.8
Non-Native	219	43210	73	33.5	26.3-40.8	8	3.0	0.6-5.3	26	9.4	5.5-13.3				77	35.2	27.9-42.4	35	18.9	12.1-25.7
AGE																				
18-24	24	10363	6	28.2	8.0-48.4	1	3.4	0.0-10.1	1	3.4	0.0-10.1				10	34.2	14.5-53.9	6	30.8	9.1-52.5
25-34	61	13209	16	26.1	14.5-37.7	2	2.4	0.0-5.9	11	19.3	7.6-31.0				23	35.7	23.0-48.4	9	16.5	6.4-26.6
35-44	73	12724	27	37.0	25.3-48.7	2	2.9	0.0-6.9	7	9.9	2.9-16.9				19	25.3	14.7-35.9	18	24.9	14.4-35.4
45-54	52	6987	19	37.8	23.8-51.8	3	3.3	0.0-7.1	7	7.8	2.0-13.5				17	39.4	24.9-54.0	6	11.7	2.6-20.7
55-64	21	2911	7	35.3	12.8-57.8	0		0.0-0.0	3	11.8	0.0-25.1				11	52.9	29.5-76.4	0		0.0-0.0
EDUCATION																				
Less Than H.S.	7	1662	2	41.5	0.0-86.3	0		0.0-0.0	3	35.2	0.0-72.0				2	23.3	0.0-58.0	0		0.0-0.0
H.S. or G.E.D.	62	13103	17	22.8	12.0-33.5	2	4.1	0.0-10.0	9	10.9	3.2-18.7				23	41.7	27.8-55.7	11	20.4	8.5-32.4
Some Post-H.S.	87	17376	28	34.0	22.0-46.1	2	0.9	0.0-2.1	7	9.5	1.2-17.8				34	36.2	24.8-47.7	16	19.4	9.7-29.0
College Graduate	75	14053	28	36.8	24.3-49.2	4	4.1	0.0-8.5	10	9.8	3.3-16.3				21	25.8	14.7-36.9	12	23.5	9.1-37.9
HOUSEHOLD INCOME																				
Less than \$15,000	11	2211	4	67.3	35.7-98.9	1	3.5	0.0-10.8	3	15.0	0.0-35.3				2	9.9	0.0-24.8	1	4.2	0.0-12.9
\$15,000- 24,999	36	7801	7	14.7	3.1-26.3	2	4.1	0.0-10.0	7	14.1	2.4-25.7				17	42.6	22.9-62.4	3	24.5	0.0-49.0
\$25,000- 34,999	35	8179	11	33.6	14.8-52.4	2	5.3	0.0-13.8	3	5.8	0.0-12.8				12	32.2	15.1-49.3	7	23.1	6.4-39.8
\$35,000- 49,999	54	9728	21	39.0	24.4-53.6	2	2.7	0.0-6.8	7	15.0	1.8-28.3				16	23.7	12.1-35.3	8	19.5	6.9-32.2
\$50,000- 74,999	51	9261	19	37.4	23.5-51.3	1	2.0	0.0-5.9	5	9.4	1.2-17.7				16	31.9	18.4-45.4	10	19.2	8.1-30.3
\$75,000+	30	5621	11	29.7	13.5-45.9	0		0.0-0.0	2	8.1	0.0-19.6				8	33.5	14.4-52.5	9	28.7	11.5-45.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 18: I AM GOING TO READ YOU A LIST OF REASONS WHY SOME PEOPLE HAVE BEEN TESTED FOR HIV. NOT INCLUDING BLOOD DONATIONS, WHICH OF THESE WOULD YOU SAY WAS THE MAIN REASON FOR YOUR LAST HIV TEST? (RSNTST4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Was Required			Someone Suggested			My Choice			Pregnant			Part of check-up			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY																				
SEX																				
Female	341	52301	61	16.5	12.3-20.7	12	2.6	1.1-4.2	33	7.4	4.7-10.2	122	39.5	33.7-45.4	60	20.2	15.1-25.3	53	13.7	9.8-17.7
RACE																				
Native	22	3352	4	19.3	0.7-38.0	1	1.8	0.0-5.2	1	7.0	0.0-20.2	11	55.6	33.2-78.0	2	8.9	0.0-20.8	3	7.4	0.0-15.9
Non-Native	317	48627	57	16.4	12.1-20.7	11	2.7	1.0-4.4	30	6.8	4.2-9.4	111	38.7	32.6-44.7	58	21.1	15.7-26.5	50	14.3	10.1-18.5
AGE																				
18-24	38	10734	5	11.7	1.8-21.5	0		0.0-0.0	3	4.9	0.0-10.7	12	32.5	16.3-48.7	12	33.7	17.5-50.0	6	17.2	4.4-30.0
25-34	127	20350	16	13.1	6.8-19.4	3	2.3	0.0-4.9	9	6.2	1.9-10.5	70	56.3	47.2-65.5	19	15.2	8.3-22.2	10	6.8	2.6-11.1
35-44	96	12656	22	21.2	12.7-29.8	4	3.1	0.0-6.2	5	3.6	0.3-6.9	37	42.5	31.9-53.0	15	18.2	9.6-26.7	13	11.4	5.3-17.6
45-54	57	5972	11	17.5	7.3-27.8	4	7.4	0.0-14.9	11	19.8	8.4-31.1	3	5.9	0.0-12.4	12	21.2	9.8-32.7	16	28.1	15.7-40.6
55-64	23	2589	7	38.0	15.9-60.0	1	2.5	0.0-7.5	5	17.7	2.6-32.9	0		0.0-0.0	2	10.1	0.0-23.4	8	31.6	11.4-51.9
EDUCATION																				
Less Than H.S.	12	2130	1	4.1	0.0-12.5	0		0.0-0.0	3	20.1	0.0-44.7	3	24.6	0.0-51.0	2	24.7	0.0-56.6	3	26.5	0.0-58.1
H.S. or G.E.D.	60	10188	12	18.0	7.8-28.3	4	4.3	0.0-8.7	4	5.7	0.0-11.4	18	33.4	19.3-47.4	13	25.1	12.1-38.1	9	13.5	4.5-22.6
Some Post-H.S.	132	19645	18	12.5	6.5-18.6	3	1.3	0.0-2.9	14	7.1	3.1-11.0	56	47.4	37.8-57.0	18	16.6	8.7-24.6	23	15.0	8.3-21.6
College Graduate	137	20338	30	20.9	13.6-28.2	5	3.3	0.3-6.3	12	7.3	2.8-11.7	45	36.6	27.7-45.5	27	20.6	13.0-28.2	18	11.3	6.0-16.7
HOUSEHOLD INCOME																				
Less than \$15,000	39	5497	4	13.5	0.4-26.7	1	1.3	0.0-3.8	8	15.8	3.9-27.7	12	27.4	12.3-42.5	6	21.1	4.4-37.9	8	20.9	4.8-37.0
\$15,000- 24,999	46	7243	8	13.6	3.3-24.0	0		0.0-0.0	8	14.5	4.0-24.9	15	40.7	23.8-57.6	7	18.5	3.6-33.3	8	12.8	2.9-22.6
\$25,000- 34,999	61	9129	7	9.3	1.7-16.9	2	2.9	0.0-6.9	6	7.2	1.2-13.3	19	35.1	21.8-48.4	18	32.3	18.9-45.7	9	13.2	4.5-22.0
\$35,000- 49,999	69	10016	17	23.3	12.5-34.2	3	2.2	0.0-4.7	6	7.6	0.9-14.2	23	42.2	29.1-55.3	7	8.8	2.1-15.5	13	15.8	7.4-24.3
\$50,000- 74,999	53	8845	12	20.8	9.6-32.0	3	5.1	0.0-10.9	2	1.7	0.0-4.2	25	44.4	30.0-58.7	7	18.1	5.1-31.1	4	9.8	0.0-20.2
\$75,000+	45	6804	10	22.3	9.5-35.2	2	4.3	0.0-10.3	2	4.0	0.0-9.6	17	39.5	24.5-54.4	7	15.6	4.7-26.6	7	14.2	4.3-24.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS

TABLE 19: WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 19: WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital, Drug Treatment Facility			Clinic			Jail or Prison			Home			Somewhere Else		
	TOTAL	WEIGHTED D	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	511	86927	117	20.6	16.8-24.3	15	2.7	1.0-4.4	340	66.9	62.1-71.7	7	1.9	0.1-3.7	2	0.5	0.0-1.3	30	7.4	4.2-10.7			0.0-0.0
SEX																							
Male	189	37438	38	16.9	11.3-22.5	10	5.1	1.3-9.0	119	61.9	53.5-70.4	5	3.8	0.0-7.9	1	0.8	0.0-2.5	16	11.4	4.6-18.1			0.0-0.0
Female	322	49489	79	23.3	18.4-28.3	5	0.8	0.0-1.7	221	70.7	65.3-76.0	2	0.4	0.0-1.1	1	0.3	0.0-0.9	14	4.4	2.1-6.8			0.0-0.0
RACE																							
Native	32	6065	5	15.5	2.2-28.8	0		0.0-0.0	26	79.9	64.6-95.3	1	4.6	0.0-13.4	0		0.0-0.0	0		0.0-0.0			0.0-0.0
Non-Native	478	80599	112	21.0	17.1-24.9	15	2.9	1.0-4.8	313	65.8	60.8-70.8	6	1.7	0.0-3.6	2	0.6	0.0-1.4	30	8.0	4.5-11.5			0.0-0.0
AGE																							
18-24	53	17824	7	10.8	2.4-19.1	2	5.0	0.0-11.8	41	71.4	56.3-86.4	1	4.0	0.0-11.5	0		0.0-0.0	2	8.9	0.0-21.1			0.0-0.0
25-34	169	29598	42	23.8	17.1-30.5	4	2.3	0.0-4.7	117	70.1	62.8-77.4	1	0.5	0.0-1.6	1	1.1	0.0-3.2	4	2.1	0.0-4.3			0.0-0.0
35-44	155	23267	27	17.4	11.1-23.7	2	0.6	0.0-1.5	102	63.6	55.4-71.8	5	3.3	0.1-6.5	1	0.6	0.0-1.8	18	14.5	8.1-20.8			0.0-0.0
45-54	94	11181	26	27.9	18.1-37.7	6	5.0	0.8-9.2	57	61.1	50.5-71.7	0		0.0-0.0	0		0.0-0.0	5	5.9	0.8-11.0			0.0-0.0
55-64	40	5058	15	34.3	18.8-49.9	1	1.3	0.0-3.8	23	60.5	44.3-76.7	0		0.0-0.0	0		0.0-0.0	1	3.9	0.0-11.3			0.0-0.0
EDUCATION																							
Less Than H.S.	19	3793	4	10.4	0.0-21.2	0		0.0-0.0	11	58.1	31.5-84.7	2	9.1	0.0-21.6	1	8.4	0.0-24.1	1	14.0	0.0-38.5			0.0-0.0
H.S. or G.E.D.	105	19764	19	14.2	7.6-20.9	3	3.0	0.0-6.8	75	76.3	67.8-84.8	2	2.1	0.0-5.2	1	0.7	0.0-2.1	5	3.7	0.4-7.0			0.0-0.0
Some Post-H.S.	202	33631	49	22.8	16.4-29.2	8	3.6	0.2-7.1	131	65.4	57.7-73.1	3	2.6	0.0-6.7	0		0.0-0.0	11	5.6	2.3-9.0			0.0-0.0
College Graduate	185	29741	45	23.5	16.9-30.2	4	1.8	0.0-3.7	123	63.5	55.1-72.0	0		0.0-0.0	0		0.0-0.0	13	11.1	3.6-18.7			0.0-0.0
HOUSEHOLD INCOME																							
Less than \$15,000	48	7287	17	29.8	14.8-44.7	1	1.1	0.0-3.2	27	51.2	32.6-69.8	2	10.7	0.0-28.1	0		0.0-0.0	1	7.3	0.0-20.8			0.0-0.0
\$15,000- 24,999	75	13592	16	15.7	7.3-24.0	4	5.6	0.0-13.3	47	60.9	46.0-75.7	3	4.6	0.0-9.9	1	2.3	0.0-6.9	4	10.9	0.0-25.2			0.0-0.0
\$25,000- 34,999	84	14709	20	20.9	11.8-30.1	5	5.5	0.0-11.1	57	72.1	61.8-82.4	1	0.6	0.0-1.9	0		0.0-0.0	1	0.8	0.0-2.4			0.0-0.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 19: WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital, Drug Treatment Facility			Clinic			Jail or Prison			Home			Somewhere Else		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
\$35,000- 49,999	110	17426	21	18.4	10.7-26.1	2	1.7	0.0-4.2	81	73.2	64.1-82.2	1	0.8	0.0-2.4	0	0.0	0.0-0.0	5	6.0	0.8-11.2			0.0-0.0
\$50,000- 74,999	93	16262	17	16.8	9.0-24.6	2	2.0	0.0-4.9	63	68.3	58.4-78.3	0	0.0	0.0-0.0	1	0.9	0.0-2.6	10	12.0	4.8-19.2			0.0-0.0
\$75,000+	64	10464	16	24.6	13.6-35.5	1	0.7	0.0-2.0	39	63.4	51.2-75.7	0	0.0	0.0-0.0	0	0.0	0.0-0.0	8	11.4	3.6-19.1			0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS

TABLE 20: WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 20: WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital, Drug Treatment Facility			Clinic			Jail or Prison			Home			Somewhere Else			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY																								
SEX																								
Male	189	37438	38	16.9	11.2-22.5	10	5.1	1.3-8.9	119	61.9	53.5-70.4	5	3.8	0.0-7.9	1	0.8	0.0-2.5	16	11.4	4.6-18.1			0.0-0.0	
RACE																								
Native	10	2713	2	12.9	0.0-31.2	0		0.0-0.0	7	76.8	50.7-100.0	1	10.3	0.0-29.9	0		0.0-0.0	0		0.0-0.0			0.0-0.0	
Non-Native	179	34726	36	17.2	11.3-23.1	10	5.5	1.4-9.6	112	60.8	52.1-69.5	4	3.3	0.0-7.5	1	0.9	0.0-2.7	16	12.3	5.1-19.5			0.0-0.0	
AGE																								
18-24	17	7617	2	10.5	0.0-25.1	2	11.6	0.0-27.3	10	47.7	22.2-73.1	1	9.3	0.0-26.5	0		0.0-0.0	2	20.9	0.0-46.5			0.0-0.0	
25-34	49	10503	8	13.6	4.4-22.9	3	5.0	0.0-10.9	36	76.8	64.8-88.7	1	1.5	0.0-4.5	1	3.0	0.0-8.9	0		0.0-0.0			0.0-0.0	
35-44	62	11000	8	12.7	4.1-21.4	0		0.0-0.0	40	61.9	48.9-74.8	3	5.1	0.0-11.1	0		0.0-0.0	11	20.3	9.3-31.4			0.0-0.0	
45-54	43	5784	14	33.6	18.4-48.7	5	8.7	0.9-16.5	21	50.3	34.3-66.4	0		0.0-0.0	0		0.0-0.0	3	7.4	0.0-15.5			0.0-0.0	
55-64	18	2535	6	29.7	7.8-51.7	0		0.0-0.0	12	70.3	48.3-92.2	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	
EDUCATION																								
Less Than H.S.	7	1662	0		0.0-0.0	0		0.0-0.0	3	28.1	0.0-60.9	2	20.8	0.0-49.4	1	19.1	0.0-53.2	1	32.0	0.0-78.8			0.0-0.0	
H.S. or G.E.D.	51	10447	11	17.4	7.0-27.8	3	5.6	0.0-12.8	34	71.3	58.2-84.5	1	2.7	0.0-7.9	0		0.0-0.0	2	3.0	0.0-7.1			0.0-0.0	
Some Post-H.S.	75	14689	14	17.6	7.8-27.3	5	6.9	0.0-14.5	47	61.0	47.7-74.3	2	5.5	0.0-14.6	0		0.0-0.0	7	9.0	2.3-15.7			0.0-0.0	
College Graduate	56	10640	13	18.1	7.8-28.4	2	3.0	0.0-7.3	35	59.3	42.3-76.2	0		0.0-0.0	0		0.0-0.0	6	19.6	1.6-37.6			0.0-0.0	
HOUSEHOLD INCOME																								
Less than \$15,000	10	2025	3	13.7	0.0-32.2	1	3.8	0.0-11.8	4	21.2	0.0-46.4	1	35.0	0.0-84.1	0		0.0-0.0	1	26.2	0.0-68.9			0.0-0.0	
\$15,000- 24,999	32	6828	8	19.8	5.3-34.2	2	9.3	0.0-24.0	17	41.5	20.7-62.4	3	9.2	0.0-19.7	1	4.7	0.0-13.7	1	15.6	0.0-42.0			0.0-0.0	
\$25,000- 34,999	29	6515	4	7.7	0.0-15.8	3	9.0	0.0-20.4	21	81.9	68.0-95.7	1	1.4	0.0-4.3	0		0.0-0.0	0		0.0-0.0			0.0-0.0	
\$35,000- 49,999	43	7669	8	16.1	4.9-27.2	2	3.8	0.0-9.5	29	69.6	54.8-84.5	0		0.0-0.0	0		0.0-0.0	4	10.5	0.4-20.7			0.0-0.0	
\$50,000- 74,999	41	7558	8	18.9	6.6-31.3	2	4.3	0.0-10.5	24	57.4	41.5-73.3	0		0.0-0.0	0		0.0-0.0	7	19.3	6.2-32.4			0.0-0.0	
\$75,000+	23	4296	3	11.7	0.0-24.7	0		0.0-0.0	17	79.0	62.9-95.1	0		0.0-0.0	0		0.0-0.0	3	9.2	0.0-19.9			0.0-0.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS

TABLE 20: WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS

TABLE 21: WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 21: WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital, Drug Treatment Facility			Clinic			Jail or Prison			Home			Somewhere Else			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY																								
SEX																								
Female	322	49489	79	23.3	18.4-28.3	5	0.8	0.0-1.7	221	70.7	65.3-76.0	2	0.4	0.0-1.1	1	0.3	0.0-0.9	14	4.4	2.1-6.8			0.0-0.0	
RACE																								
Native	22	3352	3	17.6	0.0-36.1	0		0.0-0.0	19	82.4	63.9-100.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	
Non-Native	299	45873	76	23.9	18.7-29.1	5	0.9	0.0-1.8	201	69.6	64.0-75.2	2	0.5	0.0-1.1	1	0.3	0.0-0.9	14	4.8	2.2-7.3			0.0-0.0	
AGE																								
18-24	36	10207	5	11.0	1.4-20.5	0		0.0-0.0	31	89.0	79.5-98.6	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	
25-34	120	19094	34	29.4	20.7-38.1	1	0.8	0.0-2.4	81	66.5	57.5-75.5	0		0.0-0.0	0		0.0-0.0	4	3.3	0.0-6.7			0.0-0.0	
35-44	93	12267	19	21.6	12.6-30.7	2	1.1	0.0-2.8	62	65.1	54.7-75.5	2	1.7	0.0-4.2	1	1.1	0.0-3.4	7	9.2	2.6-15.8			0.0-0.0	
45-54	51	5397	12	21.9	9.9-33.8	1	1.1	0.0-3.2	36	72.7	59.8-85.5	0		0.0-0.0	0		0.0-0.0	2	4.4	0.0-10.3			0.0-0.0	
55-64	22	2524	9	39.0	17.4-60.6	1	2.6	0.0-7.7	11	50.6	28.3-73.0	0		0.0-0.0	0		0.0-0.0	1	7.8	0.0-22.3			0.0-0.0	
EDUCATION																								
Less Than H.S.	12	2130	4	18.5	0.0-37.9	0		0.0-0.0	8	81.5	62.1-100.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	
H.S. or G.E.D.	54	9317	8	10.7	2.9-18.5	0		0.0-0.0	41	81.8	71.8-91.8	1	1.5	0.0-4.5	1	1.5	0.0-4.5	3	4.5	0.0-9.8			0.0-0.0	
Some Post-H.S.	127	18942	35	26.8	18.4-35.3	3	1.1	0.0-2.3	84	68.8	60.0-77.5	1	0.4	0.0-1.1	0		0.0-0.0	4	2.9	0.1-5.8			0.0-0.0	
College Graduate	129	19100	32	26.6	18.2-34.9	2	1.2	0.0-2.9	88	65.9	57.0-74.8	0		0.0-0.0	0		0.0-0.0	7	6.4	1.7-11.1			0.0-0.0	
HOUSEHOLD INCOME																								
Less than \$15,000	38	5262	14	35.9	18.3-53.5	0		0.0-0.0	23	62.8	45.1-80.4	1	1.3	0.0-4.0	0		0.0-0.0	0		0.0-0.0			0.0-0.0	
\$15,000- 24,999	43	6764	8	11.5	3.0-20.0	2	1.9	0.0-4.6	30	80.4	69.0-91.8	0		0.0-0.0	0		0.0-0.0	3	6.2	0.0-13.4			0.0-0.0	
\$25,000- 34,999	55	8194	16	31.5	17.8-45.2	2	2.7	0.0-6.8	36	64.4	50.4-78.3	0		0.0-0.0	0		0.0-0.0	1	1.4	0.0-4.3			0.0-0.0	
\$35,000- 49,999	67	9756	13	20.2	9.6-30.7	0		0.0-0.0	52	76.0	64.7-87.3	1	1.4	0.0-4.3	0		0.0-0.0	1	2.4	0.0-7.1			0.0-0.0	
\$50,000- 74,999	52	8704	9	14.9	5.2-24.6	0		0.0-0.0	39	77.9	66.4-89.3	0		0.0-0.0	1	1.6	0.0-4.8	3	5.6	0.0-12.0			0.0-0.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 21: WHERE DID YOU HAVE YOUR LAST HIV TEST-AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT HOME, OR SOMEWHERE ELSE? (WHRTST6)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital, Drug Treatment Facility			Clinic			Jail or Prison			Home			Somewhere Else			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
GROUPS																								
\$75,000+	41	6168	13	33.5	18.3-48.7	1	1.1	0.0-3.4	22	52.5	36.6-68.4	0	0.0	0.0-0.0	0	0.0	0.0-0.0	5	12.9	2.2-23.6			0.0-0.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS

TABLE 22: WHAT TYPE OF CLINIC DID YOU GO TO FOR YOUR LAST HIV TEST? (HIVTSTCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

Denominator excludes: Respondents that did not report having been tested at a clinic

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 22: WHAT TYPE OF CLINIC DID YOU GO TO FOR YOUR LAST HIV TEST? (HIVTSTCL)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV
Denominator excludes: Respondents that did not report having been tested at a clinic

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Family Planning			STD			Prenatal			Public Health			Community Health			Hospital			Other		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	196	33864	38	20.2	14.4-25.9	1	0.2	0.0-0.6	20	9.4	5.6-13.2	35	17.1	12.1-22.0	27	15.8	10.4-21.2	69	34.2	27.5-41.0	6	3.1	0.7-5.5
SEX																							
Male	50	9541	9	21.0	10.8-31.2	0		0.0-0.0	0		0.0-0.0	14	26.9	16.6-37.3	6	16.4	5.9-26.8	20	32.3	21.5-43.2	1	3.3	0.0-8.3
Female	146	24323	29	19.9	12.9-26.8	1	0.3	0.0-0.8	20	13.1	7.6-18.5	21	13.2	7.8-18.6	21	15.6	9.3-21.9	49	35.0	26.6-43.3	5	3.0	0.5-5.5
RACE																							
Native	10	1793	0		0.0-0.0	0		0.0-0.0	1	5.9	0.0-14.5	4	45.2	15.5-74.8	1	13.1	0.0-31.2	4	35.8	10.6-61.0	0		0.0-0.0
Non-Native	185	31807	38	21.5	15.4-27.6	1	0.2	0.0-0.6	19	9.7	5.7-13.7	30	14.8	10.0-19.6	26	16.1	10.4-21.8	65	34.4	27.4-41.4	6	3.3	0.8-5.8
AGE																							
18-24	26	8154	11	36.9	19.1-54.8	0		0.0-0.0	1	4.8	0.0-13.2	3	8.9	0.0-17.9	4	19.4	3.6-35.3	7	29.9	12.0-47.8	0		0.0-0.0
25-34	77	12797	14	15.6	8.4-22.8	0		0.0-0.0	11	13.2	6.7-19.7	15	21.2	12.4-30.0	13	18.6	10.5-26.8	21	26.4	17.4-35.4	3	4.9	0.0-9.9
35-44	58	8090	6	11.3	3.0-19.5	1	0.9	0.0-2.4	8	13.5	5.4-21.7	13	21.7	11.7-31.7	4	7.5	1.2-13.9	24	40.7	28.4-52.9	2	4.4	0.0-9.7
45-54	27	3536	6	22.1	7.4-36.9	0		0.0-0.0	0		0.0-0.0	4	16.6	2.9-30.3	5	12.2	2.6-21.8	12	49.1	30.0-68.2	0		0.0-0.0
55-64	8	1287	1	10.2	0.0-25.3	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	26.6	0.0-60.5	5	58.1	25.6-90.6	1	5.1	0.0-13.0
EDUCATION																							
Less Than H.S.	8	1439	2	25.5	0.0-58.6	1	4.9	0.0-14.9	0		0.0-0.0	2	31.3	0.0-68.0	2	33.6	0.0-75.2	1	4.8	0.0-14.4	0		0.0-0.0
H.S. or G.E.D.	42	8905	11	27.0	13.5-40.5	0		0.0-0.0	3	8.6	0.0-17.5	5	7.6	1.3-14.0	7	18.0	5.6-30.4	14	32.8	18.1-47.5	2	6.0	0.0-13.3
Some Post-H.S.	76	12738	16	23.6	13.5-33.7	0		0.0-0.0	7	8.8	3.2-14.4	16	21.2	12.5-29.8	7	11.5	3.6-19.4	27	32.1	21.5-42.6	3	2.9	0.0-5.8
College Graduate	70	10781	9	9.8	3.9-15.8	0		0.0-0.0	10	12.0	5.7-18.3	12	18.1	9.2-26.9	11	16.8	8.7-24.8	27	41.9	30.4-53.4	1	1.5	0.0-3.9
HOUSEHOLD INCOME																							
Less than \$15,000	21	3211	4	15.5	1.0-30.0	0		0.0-0.0	2	16.0	0.0-37.7	6	23.6	4.2-43.1	4	24.8	0.7-48.8	5	20.1	2.9-37.4	0		0.0-0.0
\$15,000- 24,999	28	4890	10	41.3	21.2-61.4	0		0.0-0.0	1	4.3	0.0-11.8	9	28.8	12.8-44.8	3	9.0	0.0-18.4	5	16.5	3.4-29.7	0		0.0-0.0
\$25,000- 34,999	36	6176	10	33.4	17.5-49.3	1	1.1	0.0-3.0	5	12.5	3.2-21.7	4	13.0	2.4-23.6	3	8.3	0.4-16.2	11	25.5	12.9-38.2	2	6.2	0.0-14.5
\$35,000- 49,999	42	6702	4	7.8	1.5-14.0	0		0.0-0.0	1	1.1	0.0-2.7	10	25.5	13.8-37.3	4	11.1	2.7-19.5	22	52.4	37.2-67.6	1	2.1	0.0-5.3
\$50,000- 74,999	36	6618	5	15.8	3.1-28.5	0		0.0-0.0	8	17.5	6.2-28.8	2	4.3	0.0-10.6	8	24.8	9.0-40.5	10	29.7	13.0-46.3	3	7.9	0.0-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 22: WHAT TYPE OF CLINIC DID YOU GO TO FOR YOUR LAST HIV TEST? (HIVTSTCL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

Denominator excludes: Respondents that did not report having been tested at a clinic

DEMOGRAPHIC	RESPONDENT		Family Planning			STD			Prenatal			Public Health			Community Health			Hospital			Other			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
GROUPS																								
\$75,000+	19	3225	4	19.0	3.8-34.2	0		0.0-0.0	3	14.1	1.0-27.2	2	11.3	0.0-24.1	3	16.5	1.2-31.9	7	39.0	18.4-59.7	0		0.0-0.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 23: WHAT TYPE OF CLINIC DID YOU GO TO FOR YOUR LAST HIV TEST? (HIVTSTCL)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV
Denominator excludes: Respondents that did not report having been tested at a clinic

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Family Planning			STD			Prenatal			Public Health			Community Health			Hospital			Other			
	TOTAL	WEIGHTED D	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY																								
SEX																								
Male	50	9541	9	21.0	11.0-31.0			0.0-0.0			0.0-0.0	14	26.9	16.4-37.5	6	16.4	6.0-26.8	20	32.3	21.4-43.3	1	3.3	0.0-8.3	
RACE																								
Non-Native	50	9541	9	21.0	10.5-31.5			0.0-0.0			0.0-0.0	14	26.9	16.1-37.8	6	16.4	5.5-27.3	20	32.3	21.0-43.7	1	3.3	0.0-8.5	
AGE																								
18-24	3	1240	2	57.1	7.8-100.0			0.0-0.0			0.0-0.0	0	0.0-0.0	1	42.9	0.0-93.6	0	0.0-0.0	0	0.0-0.0	0	0.0-0.0		
25-34	15	3024	2	14.0	2.1-26.0			0.0-0.0			0.0-0.0	6	40.3	20.3-60.4	2	14.0	2.1-26.0	4	21.0	7.9-34.2	1	10.5	0.0-23.6	
35-44	15	2610	3	21.4	1.9-40.9			0.0-0.0			0.0-0.0	6	42.9	19.8-65.9	1	7.1	0.0-18.4	5	28.6	7.9-49.2	0	0.0-0.0		
45-54	12	1708	2	18.2	0.0-41.4			0.0-0.0			0.0-0.0	2	13.6	0.0-32.8	1	4.5	0.0-13.6	7	63.6	35.0-92.2	0	0.0-0.0		
55-64	5	959	0		0.0-0.0			0.0-0.0			0.0-0.0	0	0.0-0.0	1	35.7	0.0-76.3	4	64.3	26.1-100.0	0	0.0-0.0			
EDUCATION																								
Less Than H.S.	2	255	0		0.0-0.0			0.0-0.0			0.0-0.0	1	73.1	18.1-100.0	0	0.0-0.0	1	26.9	0.0-81.9	0	0.0-0.0	0	0.0-0.0	
H.S. or G.E.D.	13	3255	4	32.5	9.0-56.1			0.0-0.0			0.0-0.0	3	16.3	0.9-31.8	1	16.3	0.0-40.6	4	25.0	5.5-44.6	1	9.8	0.0-25.2	
Some Post-H.S.	21	3750	4	20.2	5.5-34.9			0.0-0.0			0.0-0.0	4	20.4	6.9-34.0	3	16.9	2.6-31.1	10	42.5	23.6-61.4	0	0.0-0.0		
College Graduate	14	2281	1	8.2	0.0-19.6			0.0-0.0			0.0-0.0	6	47.6	23.1-72.2	2	17.5	0.8-34.1	5	26.7	9.3-44.1	0	0.0-0.0		
HOUSEHOLD INCOME																								
Less than \$15,000	2	233	1	66.7	6.4-100.0			0.0-0.0			0.0-0.0	0	0.0-0.0	1	33.3	0.0-76.7	0	0.0-0.0	0	0.0-0.0	0	0.0-0.0		
\$15,000- 24,999	8	1409	2	31.8	0.0-65.9			0.0-0.0			0.0-0.0	3	27.8	1.6-54.0	1	15.1	0.0-38.0	2	25.3	0.0-55.3	0	0.0-0.0		
\$25,000- 34,999	8	1975	3	42.9	15.6-70.1			0.0-0.0			0.0-0.0	2	25.6	2.2-49.0	0	0.0-0.0	2	15.5	0.3-30.6	1	16.1	0.0-36.7		
\$35,000- 49,999	15	2553	1	7.3	0.0-18.4			0.0-0.0			0.0-0.0	6	42.7	18.2-67.2	1	8.3	0.0-20.8	7	41.7	17.8-65.6	0	0.0-0.0		
\$50,000- 74,999	9	1615	1	9.6	0.0-26.0			0.0-0.0			0.0-0.0	1	13.1	0.0-34.8	2	32.8	0.0-66.4	5	44.5	13.1-75.9	0	0.0-0.0		
\$75,000+	5	971	1	21.9	0.0-50.0			0.0-0.0			0.0-0.0	1	19.2	0.0-44.5	0	0.0-0.0	3	58.9	21.3-96.6	0	0.0-0.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 24: WHAT TYPE OF CLINIC DID YOU GO TO FOR YOUR LAST HIV TEST? (HIVTSTCL)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older
Denominator excludes: Respondents that did not report having been tested for HIV
Denominator excludes: Respondents that did not report having been tested at a clinic

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Family Planning			STD			Prenatal			Public Health			Community Health			Hospital			Other			
	TOTAL	WEIGHTED D	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY																								
SEX																								
Female	146	24323	29	19.9	12.9-26.8	1	0.3	0.0-0.8	20	13.1	7.6-18.5	21	13.2	7.8-18.6	21	15.6	9.3-21.9	49	35.0	26.6-43.3	5	3.0	0.5-5.5	
RACE																								
Native	10	1793	0		0.0-0.0	0		0.0-0.0	1	5.9	0.0-17.2	4	45.2	13.5-76.8	1	13.1	0.0-36.3	4	35.8	6.8-64.8	0		0.0-0.0	
Non-Native	135	22266	29	21.7	14.2-29.2	1	0.3	0.0-0.9	19	13.8	8.0-19.6	16	9.6	5.0-14.2	20	16.0	9.4-22.6	45	35.3	26.6-44.1	5	3.3	0.5-6.0	
AGE																								
18-24	23	6914	9	33.3	14.4-52.3	0		0.0-0.0	1	5.7	0.0-15.9	3	10.5	0.0-21.3	3	15.2	0.1-30.3	7	35.2	14.6-55.9	0		0.0-0.0	
25-34	62	9773	12	16.1	7.2-24.9	0		0.0-0.0	11	17.3	8.1-26.4	9	15.3	6.0-24.5	11	20.1	9.8-30.4	17	28.1	16.9-39.3	2	3.2	0.0-7.4	
35-44	43	5479	3	6.4	0.0-13.2	1	1.3	0.0-3.6	8	20.0	8.1-31.9	7	11.6	3.6-19.6	3	7.7	0.0-15.5	19	46.4	31.6-61.3	2	6.4	0.0-14.5	
45-54	15	1829	4	25.8	6.6-45.0	0		0.0-0.0	0		0.0-0.0	2	19.3	0.2-38.5	4	19.3	4.3-34.4	5	35.5	13.6-57.4	0		0.0-0.0	
55-64	3	328	1	40.0	0.0-98.9	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	0		0.0-0.0	1	40.0	0.0-98.9	1	20.0	0.0-58.6	
EDUCATION																								
Less Than H.S.	6	1184	2	30.9	0.0-71.0	1	6.0	0.0-18.3	0		0.0-0.0	1	22.3	0.0-60.6	2	40.8	0.0-88.4	0		0.0-0.0	0		0.0-0.0	
H.S. or G.E.D.	29	5650	7	23.8	7.5-40.1	0		0.0-0.0	3	13.5	0.0-27.6	2	2.6	0.0-6.1	6	19.0	5.3-32.6	10	37.3	17.6-57.0	1	3.8	0.0-10.4	
Some Post-H.S.	55	8989	12	25.0	11.8-38.1	0		0.0-0.0	7	12.5	3.9-21.1	12	21.5	10.4-32.6	4	9.3	0.0-18.7	17	27.7	14.9-40.5	3	4.0	0.0-8.6	
College Graduate	56	8500	8	10.3	3.3-17.3	0		0.0-0.0	10	15.2	7.0-23.4	6	10.1	2.4-17.8	9	16.6	7.3-25.8	22	46.0	32.5-59.4	1	1.8	0.0-5.1	
HOUSEHOLD INCOME																								
Less than \$15,000	19	2978	3	11.5	0.0-24.6	0		0.0-0.0	2	17.2	0.0-41.2	6	25.5	3.9-47.1	3	24.1	0.0-50.5	5	21.7	2.4-41.0	0		0.0-0.0	
\$15,000- 24,999	20	3481	8	45.1	20.7-69.6	0		0.0-0.0	1	6.1	0.0-16.9	6	29.2	9.1-49.4	2	6.6	0.0-15.2	3	13.0	0.0-26.2	0		0.0-0.0	
\$25,000- 34,999	28	4202	7	28.9	10.0-47.8	1	1.7	0.0-4.8	5	18.3	3.8-32.8	2	7.1	0.0-16.0	3	12.1	0.0-24.7	9	30.3	12.9-47.6	1	1.6	0.0-4.4	
\$35,000- 49,999	27	4149	3	8.0	0.6-15.5	0		0.0-0.0	1	1.7	0.0-4.3	4	14.9	3.3-26.6	3	12.9	1.7-24.0	15	59.0	40.6-77.4	1	3.4	0.0-8.6	
\$50,000- 74,999	27	5004	4	17.8	1.7-33.9	0		0.0-0.0	8	23.1	7.9-38.4	1	1.4	0.0-4.2	6	22.2	4.7-39.7	5	24.9	5.0-44.8	3	10.5	0.0-22.1	
\$75,000+	14	2254	3	17.8	0.0-35.7	0		0.0-0.0	3	20.2	0.4-40.0	1	7.8	0.0-21.9	3	23.7	0.9-46.4	4	30.5	6.4-54.5	0		0.0-0.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 25: WAS THIS TEST DONE BY A NURSE OR OTHER HEALTH WORKER, OR WITH A HOME TESTING KIT? (HIVTSTBY)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

Denominator excludes: Respondents that did not report having been tested at a clinic

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Nurse or Health Worker			A Test Kit		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	30	6450	28	94.9	87.9-100.0	2	5.1	0.0-12.1
SEX								
Male	16	4258	15	95.6	86.9-100.0	1	4.4	0.0-13.1
Female	14	2192	13	93.5	81.1-100.0	1	6.4	0.0-18.9
RACE								
Non-Native	30	6450	28	94.9	87.9-100.0	2	5.1	0.0-12.1
AGE								
18-24	2	1594	2	100.0	100.0-100.0	0		0.0-0.0
25-34	4	628	4	100.0	100.0-100.0	0		0.0-0.0
35-44	18	3368	16	90.3	77.1-100.0	2	9.7	0.0-22.9
45-54	5	663	5	100.0	100.0-100.0	0		0.0-0.0
55-64	1	197	1	100.0	100.0-100.0	0		0.0-0.0
EDUCATION								
Less Than H.S.	1	531	1	100.0	100.0-100.0	0		0.0-0.0
H.S. or G.E.D.	5	727	4	80.5	45.3-100.0	1	19.4	0.0-54.7
Some Post-H.S.	11	1886	10	90.1	71.3-100.0	1	9.9	0.0-28.7
College Graduate	13	3305	13	100.0	100.0-100.0	0		0.0-0.0
HOUSEHOLD INCOME								
Less than \$15,000	1	531	1	100.0	100.0-100.0	0		0.0-0.0
\$15,000- 24,999	4	1479	4	100.0	100.0-100.0	0		0.0-0.0
\$25,000- 34,999	1	118	1	100.0	100.0-100.0	0		0.0-0.0
\$35,000- 49,999	5	1043	5	100.0	100.0-100.0	0		0.0-0.0
\$50,000- 74,999	10	1947	9	90.4	72.1-100.0	1	9.6	0.0-27.9
\$75,000+	8	1189	7	88.1	65.6-100.0	1	11.9	0.0-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 26: WAS THIS TEST DONE BY A NURSE OR OTHER HEALTH WORKER, OR WITH A HOME TESTING KIT? (HIVTSTBY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

Denominator excludes: Respondents that did not report having been tested at a clinic

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Nurse or Health Worker			A Test Kit		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	16	4258	15	95.6	86.9-100.0	1	4.4	0.0-13.1
RACE								
Non-Native	16	4258	15	95.6	86.9-100.0	1	4.4	0.0-13.1
AGE								
18-24	2	1594	2	100.0	100.0-100.0	0		0.0-0.0
35-44	11	2237	10	91.7	75.4-100.0	1	8.3	0.0-24.6
45-54	3	427	3	100.0	100.0-100.0	0		0.0-0.0
EDUCATION								
Less Than H.S.	1	531	1	100.0	100.0-100.0	0		0.0-0.0
H.S. or G.E.D.	2	311	2	100.0	100.0-100.0	0		0.0-0.0
Some Post-H.S.	7	1328	6	86.0	59.3-100.0	1	14.0	0.0-40.7
College Graduate	6	2088	6	100.0	100.0-100.0	0		0.0-0.0
HOUSEHOLD INCOME								
Less than \$15,000	1	531	1	100.0	100.0-100.0	0		0.0-0.0
\$15,000- 24,999	1	1063	1	100.0	100.0-100.0	0		0.0-0.0
\$35,000- 49,999	4	808	4	100.0	100.0-100.0	0		0.0-0.0
\$50,000- 74,999	7	1460	6	87.2	62.6-100.0	1	12.8	0.0-37.4
\$75,000+	3	396	3	100.0	100.0-100.0	0		0.0-0.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 27: WAS THIS TEST DONE BY A NURSE OR OTHER HEALTH WORKER, OR WITH A HOME TESTING KIT? (HIVTSTBY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

Denominator excludes: Respondents that did not report having been tested at a clinic

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Nurse or Health Worker			A Test Kit		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	14	2192	13	93.5	80.9-100.0	1	6.4	0.0-19.1
RACE								
Non-Native	14	2192	13	93.5	80.9-100.0	1	6.4	0.0-19.1
AGE								
25-34	4	628	4	100.0	100.0-100.0	0		0.0-0.0
35-44	7	1131	6	87.5	63.6-100.0	1	12.5	0.0-36.4
45-54	2	236	2	100.0	100.0-100.0	0		0.0-0.0
55-64	1	197	1	100.0	100.0-100.0	0		0.0-0.0
EDUCATION								
H.S. or G.E.D.	3	417	2	66.0	9.5-100.0	1	33.9	0.0-90.5
Some Post-H.S.	4	558	4	100.0	100.0-100.0	0		0.0-0.0
College Graduate	7	1217	7	100.0	100.0-100.0	0		0.0-0.0
HOUSEHOLD INCOME								
\$15,000- 24,999	3	417	3	100.0	100.0-100.0	0		0.0-0.0
\$25,000- 34,999	1	118	1	100.0	100.0-100.0	0		0.0-0.0
\$35,000- 49,999	1	235	1	100.0	100.0-100.0	0		0.0-0.0
\$50,000- 74,999	3	487	3	100.0	100.0-100.0	0		0.0-0.0
\$75,000+	5	793	4	82.2	48.3-100.0	1	17.8	0.0-51.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 28: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2250	377668	54	2.9	1.9-3.9	2196	97.1	96.1-98.1
SEX								
Male	1011	193593	24	2.8	1.4-4.1	987	97.3	95.9-98.6
Female	1239	184075	30	3.1	1.7-4.4	1209	96.9	95.6-98.3
RACE								
Native	69	15449	4	11.5	0.2-22.9	65	88.5	77.1-99.8
Non-Native	2171	361000	48	2.4	1.6-3.3	2123	97.5	96.7-98.4
AGE								
18-24	189	72244	15	7.7	3.6-11.8	174	92.3	88.2-96.4
25-34	411	74134	13	3.5	1.3-5.7	398	96.5	94.3-98.8
35-44	554	85546	13	1.9	0.8-3.0	541	98.1	96.9-99.3
45-54	647	87391	9	0.9	0.3-1.5	638	99.1	98.5-99.7
55-64	449	58353	4	0.7	0.0-1.4	445	99.3	98.6-100.0
EDUCATION								
Less Than H.S.	72	13861	4	7.0	0.0-14.3	68	92.9	85.7-100.0
H.S. or G.E.D.	626	107860	12	2.0	0.7-3.3	614	98.0	96.6-99.4
Some Post-H.S.	796	136607	19	3.8	1.7-5.9	777	96.2	94.1-98.3
College Graduate	755	119222	19	2.2	1.1-3.4	736	97.8	96.6-98.9
HOUSEHOLD INCOME								
Less than \$15,000	151	27085	11	11.1	3.5-18.8	140	88.8	81.2-96.5
\$15,000- 24,999	309	51426	7	2.2	0.5-3.9	302	97.8	96.0-99.6
\$25,000- 34,999	320	53801	4	1.1	0.0-2.5	316	98.9	97.4-100.0
\$35,000- 49,999	473	74499	19	4.9	2.1-7.6	454	95.1	92.4-97.9
\$50,000- 74,999	460	77090	6	1.2	0.2-2.2	454	98.8	97.8-99.8
\$75,000+	349	58358	4	1.2	0.0-2.4	345	98.8	97.6-100.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 29: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1011	193593	24	2.8	1.4-4.1	987	97.3	95.9-98.6
RACE								
Native	29	8824	2	9.0	0.0-22.9	27	91.0	77.1-100.0
Non-Native	977	184219	21	2.4	1.1-3.7	956	97.6	96.3-98.9
AGE								
18-24	84	38528	6	6.4	1.1-11.8	78	93.6	88.1-99.0
25-34	182	38673	6	4.3	0.4-8.1	176	95.8	91.9-99.6
35-44	245	42787	6	1.7	0.3-3.2	239	98.3	96.7-99.8
45-54	288	44832	4	0.7	0.0-1.4	284	99.3	98.6-100.0
55-64	212	28772	2	0.5	0.0-1.1	210	99.5	98.9-100.0
EDUCATION								
Less Than H.S.	34	7614	1	2.4	0.0-7.3	33	97.5	92.7-100.0
H.S. or G.E.D.	317	62569	5	1.7	0.1-3.3	312	98.3	96.6-100.0
Some Post-H.S.	343	66832	10	4.6	1.3-8.0	333	95.3	91.9-98.8
College Graduate	317	56578	8	1.7	0.3-3.2	309	98.3	96.8-99.8
HOUSEHOLD INCOME								
Less than \$15,000	42	8431	3	13.5	0.0-30.3	39	86.5	69.7-100.0
\$15,000- 24,999	136	26271	5	3.2	0.3-6.1	131	96.8	93.6-99.9
\$25,000- 34,999	131	26605	2	1.6	0.0-4.2	129	98.4	95.6-100.0
\$35,000- 49,999	231	40019	8	4.6	0.5-8.8	223	95.4	91.2-99.5
\$50,000- 74,999	229	41707	4	1.2	0.0-2.5	225	98.8	97.5-100.0
\$75,000+	170	32483	1	0.8	0.0-2.4	169	99.2	97.6-100.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 30: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1239	184075	30	3.1	1.7-4.4	1209	96.9	95.6-98.3
RACE								
Native	40	6624	2	14.9	0.0-33.4	38	85.1	66.6-100.0
Non-Native	1194	176781	27	2.5	1.4-3.6	1167	97.5	96.4-98.7
AGE								
18-24	105	33715	9	9.2	2.9-15.4	96	90.8	84.6-97.1
25-34	229	35462	7	2.7	0.7-4.7	222	97.3	95.2-99.5
35-44	309	42759	7	2.1	0.5-3.7	302	97.9	96.1-99.8
45-54	359	42559	5	1.1	0.1-2.1	354	98.9	97.9-99.9
55-64	237	29581	2	0.9	0.0-2.1	235	99.1	97.9-100.0
EDUCATION								
Less Than H.S.	38	6247	3	12.6	0.0-26.8	35	87.3	73.2-100.0
H.S. or G.E.D.	309	45291	7	2.4	0.3-4.6	302	97.6	95.2-99.9
Some Post-H.S.	453	69775	9	3.0	0.5-5.5	444	97.0	94.5-99.5
College Graduate	438	62645	11	2.7	1.0-4.4	427	97.3	95.6-99.0
HOUSEHOLD INCOME								
Less than \$15,000	109	18654	8	10.1	2.0-18.1	101	89.9	81.9-98.0
\$15,000- 24,999	173	25155	2	1.1	0.0-2.9	171	98.9	97.1-100.0
\$25,000- 34,999	189	27196	2	0.6	0.0-1.5	187	99.4	98.5-100.0
\$35,000- 49,999	242	34480	11	5.2	1.8-8.6	231	94.8	91.4-98.2
\$50,000- 74,999	231	35383	2	1.1	0.0-2.7	229	98.9	97.3-100.0
\$75,000+	179	25875	3	1.6	0.0-3.4	176	98.4	96.6-100.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 31: THE NEXT QUESTION IS ABOUT SEXUALLY TRANSMITTED DISEASES OTHER THAN HIV SUCH AS SYPHILIS, GONORRHEA, CHLAMYDIA, OR GENITAL HERPES. IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TALKED TO YOU ABOUT PREVENTING SEXUALLY TRANSMITTED DISEASES THROUGH CONDOM USE? (PCSAIDS2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2242	376346	144	9.4	7.7-11.2	2098	90.6	88.8-92.3
SEX								
Male	1007	192768	46	6.9	4.6-9.2	961	93.1	90.8-95.5
Female	1235	183579	98	12.1	9.4-14.7	1137	87.9	85.3-90.6
RACE								
Native	69	15449	12	24.9	10.3-39.5	57	75.1	60.5-89.7
Non-Native	2163	359678	131	8.8	7.1-10.5	2032	91.2	89.5-93.0
AGE								
18-24	188	72067	56	31.5	24.0-38.9	132	68.5	61.1-76.0
25-34	409	73763	55	11.7	8.5-14.9	354	88.3	85.1-91.5
35-44	553	85335	23	3.6	2.0-5.2	530	96.4	94.8-98.0
45-54	645	87096	8	1.0	0.2-1.7	637	99.0	98.1-100.0
55-64	447	58085	2	0.4	0.0-1.0	445	99.6	99.0-100.0
EDUCATION								
Less Than H.S.	71	13730	4	7.4	0.0-15.1	67	92.6	84.9-100.0
H.S. or G.E.D.	621	107158	41	10.6	6.9-14.2	580	89.4	85.7-93.1
Some Post-H.S.	796	136467	54	9.9	6.9-12.8	742	90.1	87.2-93.1
College Graduate	753	118873	45	8.1	5.3-10.9	708	91.9	89.1-94.7
HOUSEHOLD INCOME								
Less than \$15,000	151	27085	20	21.4	11.6-31.2	131	78.6	68.8-88.4
\$15,000- 24,999	306	50900	31	14.6	8.7-20.6	275	85.3	79.3-91.4
\$25,000- 34,999	320	53882	26	10.0	5.6-14.5	294	90.0	85.5-94.4
\$35,000- 49,999	473	74499	27	7.2	4.2-10.1	446	92.8	89.9-95.8
\$50,000- 74,999	459	76878	20	5.8	3.0-8.6	439	94.2	91.4-97.0
\$75,000+	349	58358	7	2.8	0.6-5.1	342	97.2	94.9-99.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 32: THE NEXT QUESTION IS ABOUT SEXUALLY TRANSMITTED DISEASES OTHER THAN HIV SUCH AS SYPHILIS, GONORRHEA, CHLAMYDIA, OR GENITAL HERPES. IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TALKED TO YOU ABOUT PREVENTING SEXUALLY TRANSMITTED DISEASES THROUGH CONDOM USE? (PCSAIDS2)

**Denominator excludes: Respondents who are female or respondents who do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1007	192768	46	6.9	4.6-9.2	961	93.1	90.8-95.5
RACE								
Native	29	8824	4	19.1	0.0-39.6	25	80.9	60.4-100.0
Non-Native	973	183394	42	6.3	4.1-8.5	931	93.7	91.5-95.9
AGE								
18-24	83	38351	18	22.4	12.5-32.3	65	77.6	67.7-87.5
25-34	180	38301	13	6.6	3.0-10.3	167	93.3	89.6-97.1
35-44	245	42647	10	3.4	1.1-5.6	235	96.6	94.4-98.9
45-54	288	44832	4	1.2	0.0-2.5	284	98.8	97.5-100.0
55-64	211	28635	1	0.5	0.0-1.4	210	99.5	98.6-100.0
EDUCATION								
Less Than H.S.	34	7614	1	4.6	0.0-13.6	33	95.3	86.4-100.0
H.S. or G.E.D.	315	62233	14	7.2	2.9-11.5	301	92.8	88.4-97.1
Some Post-H.S.	343	66692	20	7.0	3.5-10.5	323	93.0	89.5-96.5
College Graduate	315	56228	11	6.6	2.0-11.2	304	93.4	88.8-98.0
HOUSEHOLD INCOME								
Less than \$15,000	42	8431	4	12.7	0.0-26.8	38	87.3	73.2-100.0
\$15,000- 24,999	135	26112	10	14.8	5.0-24.5	125	85.3	75.5-95.1
\$25,000- 34,999	132	26745	6	4.6	0.5-8.7	126	95.4	91.3-99.5
\$35,000- 49,999	231	40019	9	4.5	1.4-7.7	222	95.4	92.3-98.6
\$50,000- 74,999	228	41495	7	3.0	0.7-5.4	221	97.0	94.6-99.3
\$75,000+	170	32483	3	2.5	0.0-5.4	167	97.5	94.6-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 20: HIV/AIDS**

TABLE 33: THE NEXT QUESTION IS ABOUT SEXUALLY TRANSMITTED DISEASES OTHER THAN HIV SUCH AS SYPHILIS, GONORRHEA, CHLAMYDIA, OR GENITAL HERPES. IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL TALKED TO YOU ABOUT PREVENTING SEXUALLY TRANSMITTED DISEASES THROUGH CONDOM USE? (PCSAIDS2)

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1235	183579	98	12.1	9.5-14.7	1137	87.9	85.3-90.6
RACE								
Native	40	6624	8	32.7	13.4-52.0	32	67.3	48.0-86.6
Non-Native	1190	176284	89	11.3	8.7-13.9	1101	88.7	86.1-91.3
AGE								
18-24	105	33715	38	41.8	31.3-52.3	67	58.2	47.7-68.7
25-34	229	35462	42	17.1	11.9-22.3	187	82.9	77.7-88.1
35-44	308	42688	13	3.8	1.7-6.0	295	96.2	93.8-98.6
45-54	357	42264	4	0.7	0.0-1.4	353	99.3	98.0-100.0
55-64	236	29450	1	0.3	0.0-1.0	235	99.7	99.0-100.0
EDUCATION								
Less Than H.S.	37	6116	3	10.8	0.0-23.8	34	89.2	76.2-100.0
H.S. or G.E.D.	306	44925	27	15.2	9.0-21.4	279	84.8	78.6-91.1
Some Post-H.S.	453	69775	34	12.5	7.9-17.2	419	87.4	82.8-92.1
College Graduate	438	62645	34	9.5	6.1-12.9	404	90.5	87.1-94.0
HOUSEHOLD INCOME								
Less than \$15,000	109	18654	16	25.3	12.9-37.7	93	74.7	62.3-87.1
\$15,000- 24,999	171	24788	21	14.5	7.8-21.3	150	85.5	78.5-92.4
\$25,000- 34,999	188	27137	20	15.4	7.9-22.9	168	84.6	77.1-92.1
\$35,000- 49,999	242	34480	18	10.2	5.2-15.2	224	89.8	84.8-94.8
\$50,000- 74,999	231	35383	13	9.0	3.7-14.4	218	91.0	85.6-96.3
\$75,000+	179	25875	4	3.2	0.0-6.7	175	96.8	93.3-100.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

SECTION 21: FIREARMS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ARE ANY FIREARMS KEPT IN OR AROUND YOUR HOME? (FIREARM4)	
1	MALES AND FEMALES	245
2	MALES ONLY	246
3	FEMALES ONLY	247
	ARE ANY OF THESE FIREARMS NOW LOADED? (GUNLOAD)	
4	MALES AND FEMALES	248
5	MALES ONLY	249
6	FEMALES ONLY	250
	ARE ANY OF THESE LOADED FIREARMS ALSO UNLOCKED? BY "UNLOCKED" WE MEAN YOU DO NOT NEED A KEY OR A COMBINATION TO GET THE GUN OR TO FIRE IT. WE DON'T COUNT SAFETY AS A LOCK (LOADULK2)	
7	MALES AND FEMALES	251
8	MALES ONLY	252
9	FEMALES ONLY	253

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 21: FIREARMS**

**TABLE 1: ARE ANY FIREARMS KEPT IN OR AROUND YOUR HOME? (FIREARM4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2887	461099	1545	56.2	54.1-58.3	1342	43.8	41.7-45.9
SEX								
Male	1228	226984	818	65.3	62.1-68.5	410	34.7	31.5-37.9
Female	1659	234115	727	47.4	44.7-50.2	932	52.5	49.8-55.3
RACE								
Native	77	16920	29	35.3	22.2-48.3	48	64.7	51.5-77.9
Non-Native	2786	441190	1507	57.2	55.0-59.3	1279	42.8	40.7-44.9
AGE								
18-24	189	72244	78	43.5	35.6-51.4	111	56.5	48.6-64.4
25-34	405	73105	217	55.7	50.6-60.9	188	44.3	39.1-49.4
35-44	547	84231	323	63.7	59.5-68.0	224	36.3	32.1-40.5
45-54	630	84639	393	66.5	62.5-70.5	237	33.5	29.6-37.5
55-64	434	56316	275	68.4	63.9-73.0	159	31.5	27.1-36.0
65+	673	89642	257	42.8	38.7-46.8	416	57.2	53.2-61.3
EDUCATION								
Less Than H.S.	243	37629	89	41.4	34.0-48.8	154	58.6	51.1-66.1
H.S. or G.E.D.	846	135079	474	58.4	54.5-62.3	372	41.6	37.7-45.5
Some Post-H.S.	950	156273	533	57.7	54.0-61.4	417	42.3	38.6-46.0
College Graduate	843	131540	448	56.6	52.9-60.3	395	43.4	39.7-47.0
HOUSEHOLD INCOME								
Less than \$15,000	254	38490	54	22.1	15.6-28.7	200	77.9	71.2-84.5
\$15,000- 24,999	470	71747	180	41.2	35.9-46.4	290	58.8	53.5-64.1
\$25,000- 34,999	433	68849	227	57.3	51.9-62.7	206	42.7	37.3-48.0
\$35,000- 49,999	550	86412	337	64.3	60.0-68.7	213	35.7	31.3-40.0
\$50,000- 74,999	482	80375	331	69.8	65.3-74.2	151	30.2	25.8-34.6
\$75,000+	373	61737	265	70.9	65.5-76.3	108	29.1	23.7-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 21: FIREARMS**

TABLE 2: ARE ANY FIREARMS KEPT IN OR AROUND YOUR HOME? (FIREARM4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	1228	226984	818	65.3	62.1-68.5	410	34.7	31.6-37.9
RACE								
Native	34	9729	16	40.3	19.7-60.9	18	59.7	39.1-80.3
Non-Native	1182	215876	795	66.4	63.3-69.6	387	33.6	30.4-36.7
AGE								
18-24	84	38528	46	52.2	40.3-64.1	38	47.8	35.9-59.7
25-34	179	38036	107	59.1	51.5-66.8	72	40.9	33.3-48.5
35-44	243	42321	164	68.6	62.4-74.8	79	31.4	25.2-37.6
45-54	280	43319	199	71.7	65.8-77.5	81	28.3	22.6-34.0
55-64	200	27128	147	77.1	71.0-83.3	53	22.8	17.2-28.5
65+	241	37496	154	65.1	58.8-71.4	87	34.9	28.8-41.0
EDUCATION								
Less Than H.S.	101	18730	57	56.3	44.3-68.3	44	43.7	31.5-55.9
H.S. or G.E.D.	385	72517	262	66.3	60.6-71.9	123	33.8	28.1-39.4
Some Post-H.S.	387	73384	278	69.2	63.4-75.0	109	30.8	25.0-36.6
College Graduate	354	62196	220	62.1	56.6-67.7	134	37.9	32.3-43.4
HOUSEHOLD INCOME								
Less than \$15,000	64	11231	25	35.6	20.8-50.3	39	64.4	49.4-79.5
\$15,000- 24,999	192	34621	104	53.3	45.0-61.6	88	46.7	38.4-54.9
\$25,000- 34,999	183	34785	123	65.5	57.5-73.6	60	34.5	26.5-42.4
\$35,000- 49,999	277	48232	190	69.9	64.0-75.8	87	30.1	24.3-35.9
\$50,000- 74,999	237	42590	175	72.6	66.4-78.9	62	27.3	21.3-33.4
\$75,000+	175	33214	136	76.2	68.2-84.1	39	23.8	16.0-31.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 21: FIREARMS**

TABLE 3: ARE ANY FIREARMS KEPT IN OR AROUND YOUR HOME? (FIREARM4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	1659	234115	727	47.4	44.7-50.2	932	52.5	49.8-55.3
RACE								
Native	43	7191	13	28.5	14.2-42.8	30	71.5	56.6-86.4
Non-Native	1604	225314	712	48.3	45.5-51.0	892	51.7	49.0-54.5
AGE								
18-24	105	33715	32	33.6	23.6-43.6	73	66.4	56.4-76.4
25-34	226	35069	110	52.0	45.2-58.9	116	48.0	41.1-54.8
35-44	304	41910	159	58.8	53.0-64.6	145	41.2	35.5-47.0
45-54	350	41320	194	61.0	55.6-66.4	156	39.0	33.6-44.4
55-64	234	29188	128	60.4	53.7-67.0	106	39.6	33.1-46.2
65+	432	52146	103	26.7	22.1-31.3	329	73.3	68.6-78.0
EDUCATION								
Less Than H.S.	142	18899	32	26.7	18.0-35.4	110	73.3	64.6-82.0
H.S. or G.E.D.	461	62562	212	49.3	44.1-54.5	249	50.7	45.5-55.9
Some Post-H.S.	563	82889	255	47.5	42.8-52.2	308	52.5	47.8-57.2
College Graduate	489	69344	228	51.7	46.8-56.5	261	48.3	43.5-53.2
HOUSEHOLD INCOME								
Less than \$15,000	190	27259	29	16.6	9.8-23.4	161	83.4	76.6-90.2
\$15,000- 24,999	278	37126	76	29.8	23.7-36.0	202	70.2	63.9-76.4
\$25,000- 34,999	250	34064	104	48.9	41.8-56.1	146	51.1	43.9-58.2
\$35,000- 49,999	273	38181	147	57.3	51.0-63.7	126	42.7	36.3-49.0
\$50,000- 74,999	245	37785	156	66.5	60.2-72.9	89	33.5	27.1-39.8
\$75,000+	198	28524	129	64.8	57.6-72.0	69	35.2	28.1-42.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 21: FIREARMS**

TABLE 4: ARE ANY OF THESE FIREARMS NOW LOADED? (GUNLOAD)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting not having firearms in the house

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1528	256161	110	6.7	5.4-8.0	1418	93.3	91.8-94.8
SEX								
Male	814	147141	87	9.3	7.2-11.3	727	90.7	88.6-92.9
Female	714	109021	23	3.3	1.8-4.7	691	96.7	95.0-98.5
RACE								
Native	29	5972	1	3.5	0.0-10.4	28	96.4	89.6-100.0
Non-Native	1490	249102	108	6.8	5.4-8.1	1382	93.2	91.7-94.7
AGE								
18-24	76	30507	5	4.6	0.6-8.7	71	95.3	89.7-100.0
25-34	216	40587	15	7.0	3.3-10.8	201	93.0	89.1-96.8
35-44	320	53184	18	6.1	3.1-9.1	302	93.9	90.7-97.0
45-54	390	55916	29	7.0	4.4-9.7	361	93.0	90.3-95.7
55-64	272	38218	26	8.7	5.4-12.1	246	91.3	87.8-94.7
65+	252	37476	17	6.4	3.4-9.4	235	93.6	90.0-97.2
EDUCATION								
Less Than H.S.	88	15437	8	6.3	1.7-11.0	80	93.7	88.7-98.7
H.S. or G.E.D.	466	77420	42	9.0	6.2-11.9	424	91.0	87.9-94.1
Some Post-H.S.	528	89071	30	5.5	3.4-7.6	498	94.5	92.1-96.9
College Graduate	445	74078	30	5.8	3.6-8.0	415	94.2	91.9-96.5
HOUSEHOLD INCOME								
Less than \$15,000	52	8003	4	4.5	0.2-8.7	48	95.5	85.6-100.0
\$15,000- 24,999	178	29168	11	6.2	2.1-10.3	167	93.8	89.3-98.3
\$25,000- 34,999	226	39300	24	9.7	5.6-13.8	202	90.3	86.1-94.5
\$35,000- 49,999	331	54767	27	7.1	4.4-9.9	304	92.9	89.9-95.9
\$50,000- 74,999	330	55867	18	5.3	2.7-8.0	312	94.6	91.9-97.4
\$75,000+	264	43247	17	6.6	3.3-9.8	247	93.4	89.5-97.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 21: FIREARMS**

TABLE 5: ARE ANY OF THESE FIREARMS NOW LOADED? (GUNLOAD)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having firearms in the house

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
MALES ONLY									
SEX									
Male	814	147141	87	9.3	7.2-11.3	727	90.7	88.5-92.9	
RACE									
Native	16	3922	1	5.4	0.0-15.9	15	94.6	84.1-100.0	
Non-Native	791	142380	85	9.4	7.3-11.5	706	90.6	88.4-92.9	
AGE									
18-24	45	19575	5	7.2	0.9-13.5	40	92.8	84.8-100.0	
25-34	107	22493	11	9.2	3.3-15.1	96	90.8	84.9-96.7	
35-44	164	29038	14	8.5	3.9-13.1	150	91.5	86.9-96.1	
45-54	199	31053	21	9.3	5.2-13.3	178	90.8	86.7-94.8	
55-64	147	20928	22	13.6	8.0-19.2	125	86.4	80.8-92.0	
65+	151	23898	14	8.2	3.9-12.6	137	91.8	86.9-96.6	
EDUCATION									
Less Than H.S.	56	10390	6	6.5	1.0-12.0	50	93.5	87.3-99.7	
H.S. or G.E.D.	260	47690	34	12.3	8.0-16.6	226	87.7	83.3-92.1	
Some Post-H.S.	277	50255	25	8.1	4.7-11.5	252	91.9	88.0-95.8	
College Graduate	220	38649	22	7.8	4.4-11.2	198	92.2	88.8-95.6	
HOUSEHOLD INCOME									
Less than \$15,000	25	3993	4	9.0	0.0-18.3	21	91.0	81.7-100.0	
\$15,000- 24,999	103	18223	10	9.6	3.1-16.1	93	90.4	83.5-97.3	
\$25,000- 34,999	122	22637	16	9.7	4.7-14.7	106	90.3	85.1-95.5	
\$35,000- 49,999	190	33702	21	9.2	5.1-13.2	169	90.8	86.8-94.9	
\$50,000- 74,999	175	30942	16	8.8	4.3-13.3	159	91.2	86.7-95.7	
\$75,000+	135	24770	13	9.5	4.3-14.7	122	90.5	84.1-96.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 21: FIREARMS**

TABLE 6: ARE ANY OF THESE FIREARMS NOW LOADED? (GUNLOAD)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting not having firearms in the house

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
FEMALES ONLY									
SEX									
Female	714	109021	23	3.3	1.8-4.7	691	96.7	95.0-98.5	
RACE									
Native	13	2050	0		0.0-0.0	13	100.0	100.0-100.0	
Non-Native	699	106722	23	3.3	1.9-4.8	676	96.7	94.8-98.5	
AGE									
18-24	31	10932	0		0.0-0.0	31	100.0	93.3-100.0	
25-34	109	18094	4	4.3	0.1-8.5	105	95.7	91.2-100.0	
35-44	156	24146	4	3.2	0.0-6.9	152	96.8	92.5-100.0	
45-54	191	24863	8	4.3	1.3-7.2	183	95.7	92.3-99.1	
55-64	125	17290	4	2.8	0.1-5.6	121	97.2	93.7-100.0	
65+	101	13578	3	3.2	0.0-6.8	98	96.8	91.9-100.0	
EDUCATION									
Less Than H.S.	32	5047	2	5.9	0.0-14.4	30	94.1	85.6-100.0	
H.S. or G.E.D.	206	29730	8	3.8	1.2-6.4	198	96.2	92.2-100.0	
Some Post-H.S.	251	38815	5	2.2	0.2-4.2	246	97.8	95.4-100.0	
College Graduate	225	35428	8	3.6	0.7-6.5	217	96.4	93.2-99.6	
HOUSEHOLD INCOME									
Less than \$15,000	27	4009	0		0.0-0.0	27	100.0	83.4-100.0	
\$15,000- 24,999	75	10944	1	0.5	0.0-1.6	74	99.5	96.9-100.0	
\$25,000- 34,999	104	16664	8	9.7	2.7-16.7	96	90.3	83.3-97.3	
\$35,000- 49,999	141	21065	6	3.9	0.8-6.9	135	96.1	91.8-100.0	
\$50,000- 74,999	155	24925	2	1.1	0.0-2.6	153	98.9	96.7-100.0	
\$75,000+	129	18477	4	2.6	0.1-5.2	125	97.4	94.8-99.9	

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 21: FIREARMS**

TABLE 7: ARE ANY OF THESE LOADED FIREARMS ALSO UNLOCKED? BY "UNLOCKED" WE MEAN YOU DO NOT NEED A KEY OR A COMBINATION TO GET THE GUN OR TO FIRE IT. WE DON'T COUNT SAFETY AS A LOCK (LOADULK2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having firearms in the house
Denominator excludes: Respondents reporting no firearms currently loaded**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	110	17191	81	75.7	67.2-84.2	29	24.3	15.8-32.8
SEX								
Male	87	13641	64	75.3	65.5-85.1	23	24.7	14.9-34.5
Female	23	3550	17	77.2	60.0-94.5	6	22.8	5.5-40.0
RACE								
Native	1	212	1	100.0	100.0-100.0	0		0.0-0.0
Non-Native	108	16901	79	75.3	66.6-83.9	29	24.8	16.1-33.4
AGE								
18-24	5	1417	3	56.3	11.1-100.0	2	43.8	0.0-88.9
25-34	15	2854	13	90.8	77.9-100.0	2	9.2	0.0-22.1
35-44	18	3248	13	80.5	63.2-97.9	5	19.4	2.1-36.8
45-54	29	3934	22	77.7	62.1-93.4	7	22.3	6.6-37.9
55-64	26	3335	18	67.5	48.8-86.1	8	32.5	13.9-51.2
65+	17	2403	12	70.5	47.3-93.8	5	29.4	6.2-52.7
EDUCATION								
Less Than H.S.	8	974	6	79.7	52.8-100.0	2	20.3	0.0-47.2
H.S. or G.E.D.	42	6992	31	76.0	62.1-89.9	11	24.0	10.1-37.9
Some Post-H.S.	30	4923	19	65.5	47.2-83.8	11	34.5	16.2-52.8
College Graduate	30	4302	25	85.9	73.6-98.2	5	14.1	1.8-26.4
HOUSEHOLD INCOME								
Less than \$15,000	4	358	3	70.4	22.7-100.0	1	29.6	0.0-77.3
\$15,000- 24,999	11	1810	7	56.6	21.3-91.9	4	43.4	8.1-78.7
\$25,000- 34,999	24	3815	20	86.2	73.0-99.3	4	13.8	0.7-27.0
\$35,000- 49,999	27	3906	18	71.1	53.7-88.4	9	28.9	11.6-46.3
\$50,000- 74,999	18	2991	13	74.0	52.2-95.8	5	26.0	4.2-47.8
\$75,000+	17	2836	12	75.4	55.4-95.3	5	24.6	4.7-44.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 21: FIREARMS**

TABLE 8: ARE ANY OF THESE LOADED FIREARMS ALSO UNLOCKED? BY "UNLOCKED" WE MEAN YOU DO NOT NEED A KEY OR A COMBINATION TO GET THE GUN OR TO FIRE IT. WE DON'T COUNT SAFETY AS A LOCK (LOADULK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having firearms in the house
Denominator excludes: Respondents reporting no firearms currently loaded

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
MALES ONLY								
SEX								
Male	87	13641	64	75.3	65.5-85.1	23	24.7	14.9-34.5
RACE								
Native	1	212	1	100.0	100.0-100.0	0		0.0-0.0
Non-Native	85	13351	62	74.7	64.7-84.7	23	25.3	15.3-35.3
AGE								
18-24	5	1417	3	56.3	11.1-100.0	2	43.8	0.0-88.9
25-34	11	2069	10	94.9	84.7-100.0	1	5.1	0.0-15.3
35-44	14	2470	11	83.0	63.8-100.0	3	17.0	0.0-36.2
45-54	21	2873	15	75.7	57.1-94.3	6	24.3	5.7-42.9
55-64	22	2843	16	71.1	51.4-90.8	6	28.9	9.2-48.6
65+	14	1969	9	64.1	37.4-90.8	5	35.9	9.2-62.6
EDUCATION								
Less Than H.S.	6	675	4	70.8	33.7-100.0	2	29.2	0.0-66.3
H.S. or G.E.D.	34	5865	25	76.6	61.6-91.7	9	23.3	8.3-38.4
Some Post-H.S.	25	4075	15	61.8	40.8-82.7	10	38.3	17.3-59.2
College Graduate	22	3026	20	91.8	80.4-100.0	2	8.2	0.0-19.6
HOUSEHOLD INCOME								
Less than \$15,000	4	358	3	70.4	22.7-100.0	1	29.6	0.0-77.3
\$15,000- 24,999	10	1751	6	55.1	18.6-91.6	4	44.9	8.4-81.4
\$25,000- 34,999	16	2197	13	83.1	64.7-100.0	3	16.9	0.0-35.3
\$35,000- 49,999	21	3091	16	80.3	63.6-96.9	5	19.7	3.1-36.4
\$50,000- 74,999	16	2719	11	71.4	47.6-95.2	5	28.6	4.8-52.4
\$75,000+	13	2351	9	75.8	53.8-97.9	4	24.1	2.1-46.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004
SECTION 21: FIREARMS**

TABLE 9: ARE ANY OF THESE LOADED FIREARMS ALSO UNLOCKED? BY "UNLOCKED" WE MEAN YOU DO NOT NEED A KEY OR A COMBINATION TO GET THE GUN OR TO FIRE IT. WE DON'T COUNT SAFETY AS A LOCK (LOADULK2)

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having firearms in the house
Denominator excludes: Respondents reporting no firearms currently loaded**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
FEMALES ONLY								
SEX								
Female	23	3550	17	77.2	59.9-94.6	6	22.8	5.4-40.1
RACE								
Non-Native	23	3550	17	77.2	59.9-94.6	6	22.8	5.4-40.1
AGE								
25-34	4	785	3	80.0	43.7-100.0	1	20.0	0.0-56.3
35-44	4	778	2	72.7	30.4-100.0	2	27.3	0.0-69.6
45-54	8	1062	7	83.3	53.8-100.0	1	16.7	0.0-46.2
55-64	4	492	2	46.7	0.0-96.8	2	53.3	3.2-100.0
65+	3	434	3	100.0	100.0-100.0	0		0.0-0.0
EDUCATION								
Less Than H.S.	2	298	2	100.0	100.0-100.0	0		0.0-0.0
H.S. or G.E.D.	8	1127	6	72.7	39.2-100.0	2	27.3	0.0-60.8
Some Post-H.S.	5	848	4	83.3	52.4-100.0	1	16.7	0.0-47.6
College Graduate	8	1276	5	71.9	40.1-100.0	3	28.1	0.0-59.9
HOUSEHOLD INCOME								
\$15,000- 24,999	1	59	1	100.0	100.0-100.0	0		0.0-0.0
\$25,000- 34,999	8	1618	7	90.3	71.8-100.0	1	9.7	0.0-28.2
\$35,000- 49,999	6	815	2	36.2	0.0-78.9	4	63.8	21.1-100.0
\$50,000- 74,999	2	273	2	100.0	100.0-100.0	0		0.0-0.0
\$75,000+	4	485	3	73.0	26.8-100.0	1	27.0	0.0-73.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CORE QUESTIONS DATA REPORT, 2004**

End of Core Data Report