

NORTH DAKOTA

2009 Calculated Variables Report

Behavioral Risk Factor Surveillance System

March 10, 2010



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4756	496,800	4024	88.4	87.4-89.4	732	11.6	10.6-12.6
Male	1897	248,283	1592	88.1	86.5-89.7	305	11.9	10.3-13.5
Female	2859	248,517	2432	88.7	87.3-90.1	427	11.3	09.9-12.7
Native	131	23,036	87	75.2	65.8-84.6	44	24.8	15.4-34.2
Non-Native	4555	467,137	3887	89.3	88.3-90.3	668	10.7	09.7-11.7
18-24	150	81,057	146	98.0	95.8-100	4	2.0	00.0-04.2
25-34	432	81,506	410	93.7	90.8-96.6	22	6.3	03.4-09.2
35-44	642	74,670	598	92.5	90.1-94.9	44	7.5	05.1-09.9
45-54	1025	91,167	899	88.7	86.7-90.7	126	11.3	09.3-13.3
55-64	993	70,589	829	84.3	81.9-86.7	164	15.7	13.3-18.1
65+	1462	94,690	1098	75.3	72.9-77.7	364	24.7	22.3-27.1
Less Than H.S.	361	41,596	234	77.5	72.2-82.8	127	22.5	17.2-27.8
H.S. or G.E.D.	1418	141,141	1107	82.9	80.5-85.3	311	17.1	14.7-19.5
Some Post-H.S.	1481	156,567	1291	90.1	88.3-91.9	190	9.9	08.1-11.7
College Graduate	1493	157,354	1389	94.5	93.1-95.9	104	5.5	04.1-06.9
Less than \$15,000	333	31,289	191	64.6	57.0-72.2	142	35.4	27.8-43.0
\$15,000- 24,999	672	57,166	499	80.6	77.3-83.9	173	19.4	16.1-22.7
\$25,000- 34,999	539	50,592	434	83.5	79.6-87.4	105	16.5	12.6-20.4
\$35,000- 49,999	708	75,761	621	89.0	86.5-91.5	87	11.0	08.5-13.5
\$50,000- 74,999	786	84,116	727	93.1	91.1-95.1	59	6.9	04.9-08.9
\$75,000+	1034	119,151	981	96.2	95.0-97.4	53	3.8	02.6-05.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1897	248,283	1592	88.1	86.5-89.7	305	11.9	10.3-13.5
Non-Native	1815	232,381	1535	88.9	87.3-90.5	280	11.1	09.5-12.7
18-24	74	43,289	72	98.2	95.5-0100	2	1.8	00.0-04.5
25-34	178	43,663	169	93.0	88.1-97.9	9	7.0	02.1-11.9
35-44	269	37,994	251	92.7	89.2-96.2	18	7.3	03.8-10.8
45-54	452	45,157	396	89.0	86.1-91.9	56	11.0	08.1-13.9
55-64	432	37,046	351	82.0	78.1-85.9	81	18.0	14.1-21.9
65+	482	40,301	343	71.8	67.5-76.1	139	28.2	23.9-32.5
Less Than H.S.	149	20,605	94	77.2	69.4-85.0	55	22.8	15.0-30.6
H.S. or G.E.D.	570	74,946	446	83.8	80.3-87.3	124	16.2	12.7-19.7
Some Post-H.S.	559	74,370	478	89.5	86.6-92.4	81	10.5	07.6-13.4
College Graduate	619	78,361	574	93.7	91.3-96.1	45	6.3	03.9-08.7
\$15,000- 24,999	208	25,676	148	81.1	75.4-86.8	60	18.9	13.2-24.6
\$25,000- 34,999	192	23,604	144	82.6	76.7-88.5	48	17.4	11.5-23.3
\$35,000- 49,999	302	37,506	251	86.6	82.7-90.5	51	13.4	09.5-17.3
\$50,000- 74,999	355	45,202	324	92.0	88.9-95.1	31	8.0	04.9-11.1
\$75,000+	535	69,500	502	95.6	94.0-97.2	33	4.4	02.8-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2859	248,517	2432	88.7	87.3-90.1	427	11.3	09.9-12.7
Non-Native	2740	234,756	2352	89.7	88.5-90.9	388	10.3	09.1-11.5
18-24	76	37,768	74	97.8	94.7-0100	2	2.2	00.0-05.3
25-34	254	37,843	241	94.5	91.4-97.6	13	5.5	02.4-08.6
35-44	373	36,676	347	92.3	89.0-95.6	26	7.7	04.4-11.0
45-54	573	46,010	503	88.4	85.7-91.1	70	11.6	08.9-14.3
55-64	561	33,542	478	86.8	83.9-89.7	83	13.2	10.3-16.1
65+	980	54,389	755	77.8	75.1-80.5	225	22.2	19.5-24.9
Less Than H.S.	212	20,991	140	77.8	70.9-84.7	72	22.2	15.3-29.1
H.S. or G.E.D.	848	66,195	661	82.0	79.1-84.9	187	18.0	15.1-20.9
Some Post-H.S.	922	82,197	813	90.7	88.3-93.1	109	9.3	06.9-11.7
College Graduate	874	78,993	815	95.2	93.8-96.6	59	4.8	03.4-06.2
Less than \$15,000	222	18,489	129	70.8	63.0-78.6	93	29.2	21.4-37.0
\$15,000- 24,999	464	31,491	351	80.1	76.0-84.2	113	19.9	15.8-24.0
\$25,000- 34,999	347	26,988	290	84.3	79.2-89.4	57	15.7	10.6-20.8
\$35,000- 49,999	406	38,255	370	91.3	88.0-94.6	36	8.7	05.4-12.0
\$50,000- 74,999	431	38,914	403	94.3	91.9-96.7	28	5.7	03.3-08.1
\$75,000+	499	49,651	479	97.0	95.6-98.4	20	3.0	01.6-04.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3238	395,835	2897	87.0	85.0-89.0	341	13.0	11.0-15.0
Male	1403	205,090	1226	84.8	81.9-87.7	177	15.2	12.3-18.1
Female	1835	190,745	1671	89.4	87.0-91.8	164	10.6	08.2-13.0
Non-Native	3096	369,977	2791	88.4	86.6-90.2	305	11.6	09.8-13.4
18-24	145	77,840	116	77.3	69.5-85.1	29	22.7	14.9-30.5
25-34	433	81,724	392	88.2	84.3-92.1	41	11.8	07.9-15.7
35-44	641	74,530	572	89.1	86.4-91.8	69	10.9	08.2-13.6
45-54	1025	91,138	913	89.2	87.0-91.4	112	10.8	08.6-13.0
55-64	994	70,602	904	91.4	89.6-93.2	90	8.6	06.8-10.4
H.S. or G.E.D.	804	100,265	664	77.2	72.3-82.1	140	22.8	17.9-27.7
Some Post-H.S.	1117	133,491	992	89.1	86.6-91.6	125	10.9	08.4-13.4
College Graduate	1200	138,171	1153	95.5	93.7-97.3	47	4.5	02.7-06.3
Less than \$15,000	178	23,255	126	75.1	65.9-84.3	52	24.9	15.7-34.1
\$15,000- 24,999	309	34,059	220	62.2	54.0-70.4	89	37.8	29.6-46.0
\$25,000- 34,999	309	35,926	268	84.2	77.9-90.5	41	15.8	09.5-22.1
\$35,000- 49,999	515	62,295	479	93.1	90.4-95.8	36	6.9	04.2-09.6
\$50,000- 74,999	658	74,840	619	93.2	90.3-96.1	39	6.8	03.9-09.7
\$75,000+	931	111,160	891	94.6	92.2-97.0	40	5.4	03.0-07.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1403	205,090	1226	84.8	81.9-87.7	177	15.2	12.3-18.1
Non-Native	1346	191,090	1185	86.8	84.1-89.5	161	13.2	10.5-15.9
25-34	178	43,663	153	82.9	76.2-89.6	25	17.1	10.4-23.8
35-44	268	37,854	238	88.8	84.7-92.9	30	11.2	07.1-15.3
45-54	453	45,206	393	87.5	84.2-90.8	60	12.5	09.2-15.8
55-64	433	37,092	386	89.6	86.7-92.5	47	10.4	07.5-13.3
H.S. or G.E.D.	393	58,639	311	73.8	66.9-80.7	82	26.2	19.3-33.1
Some Post-H.S.	463	66,224	410	88.9	85.0-92.8	53	11.1	07.2-15.0
College Graduate	498	68,250	466	92.8	89.5-96.1	32	7.2	03.9-10.5
\$35,000- 49,999	220	30,516	200	92.2	88.5-95.9	20	7.8	04.1-11.5
\$50,000- 74,999	288	39,423	262	90.5	85.4-95.6	26	9.5	04.4-14.6
\$75,000+	473	63,798	447	94.7	92.5-96.9	26	5.3	03.1-07.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1835	190,745	1671	89.4	87.0-91.8	164	10.6	08.2-13.0
Non-Native	1750	178,887	1606	90.2	87.8-92.6	144	9.8	07.4-12.2
25-34	255	38,061	239	94.3	91.4-97.2	16	5.7	02.8-08.6
35-44	373	36,676	334	89.4	86.1-92.7	39	10.6	07.3-13.9
45-54	572	45,933	520	90.9	88.4-93.4	52	9.1	06.6-11.6
55-64	561	33,510	518	93.4	91.2-95.6	43	6.6	04.4-08.8
H.S. or G.E.D.	411	41,626	353	82.0	75.1-88.9	58	18.0	11.1-24.9
Some Post-H.S.	654	67,267	582	89.2	85.9-92.5	72	10.8	07.5-14.1
College Graduate	702	69,921	687	98.1	97.1-99.1	15	1.9	00.9-02.9
\$15,000- 24,999	199	17,251	149	72.8	64.0-81.6	50	27.2	18.4-36.0
\$25,000- 34,999	191	18,404	172	89.4	84.1-94.7	19	10.6	05.3-15.9
\$35,000- 49,999	295	31,779	279	93.9	90.0-97.8	16	6.1	02.2-10.0
\$50,000- 74,999	370	35,416	357	96.1	93.7-98.5	13	3.9	01.5-06.3
\$75,000+	458	47,362	444	94.5	89.6-99.4	14	5.5	00.6-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 5: EXERCISE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 5: EXERCISE**

**TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4760	496,514	3336	73.2	71.4-75.0	1424	26.8	25.0-28.6
Male	1898	247,749	1319	73.6	71.1-76.1	579	26.4	23.9-28.9
Female	2862	248,765	2017	72.8	70.6-75.0	845	27.2	25.0-29.4
Non-Native	4559	466,851	3206	73.3	71.5-75.1	1353	26.7	24.9-28.5
18-24	149	80,482	121	81.1	74.2-88.0	28	18.9	12.0-25.8
25-34	434	81,870	350	81.1	77.0-85.2	84	18.9	14.8-23.0
35-44	642	74,670	482	74.2	70.5-77.9	160	25.8	22.1-29.5
45-54	1024	91,051	745	72.8	69.9-75.7	279	27.2	24.3-30.1
55-64	993	70,433	681	68.5	65.4-71.6	312	31.5	28.4-34.6
65+	1466	94,888	924	63.1	60.4-65.8	542	36.9	34.2-39.6
Less Than H.S.	366	42,022	180	55.3	46.7-63.9	186	44.7	36.1-53.3
H.S. or G.E.D.	1414	140,796	898	66.5	63.0-70.0	516	33.5	30.0-37.0
Some Post-H.S.	1482	156,056	1041	74.0	71.3-76.7	441	26.0	23.3-28.7
College Graduate	1495	157,498	1215	83.2	81.0-85.4	280	16.8	14.6-19.0
Less than \$15,000	335	31,276	190	60.0	52.0-68.0	145	40.0	32.0-48.0
\$15,000- 24,999	671	57,103	415	66.9	62.2-71.6	256	33.1	28.4-37.8
\$25,000- 34,999	542	50,896	367	73.3	68.6-78.0	175	26.7	22.0-31.4
\$35,000- 49,999	706	75,070	490	71.4	67.1-75.7	216	28.6	24.3-32.9
\$50,000- 74,999	788	84,342	600	77.6	74.1-81.1	188	22.4	18.9-25.9
\$75,000+	1034	119,151	816	80.2	77.5-82.9	218	19.8	17.1-22.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 5: EXERCISE**

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1898	247,749	1319	73.6	71.1-76.1	579	26.4	23.9-28.9
Non-Native	1816	231,848	1267	73.5	71.0-76.0	549	26.5	24.0-29.0
18-24	73	42,714	62	84.7	75.5-93.9	11	15.3	06.1-24.5
25-34	178	43,663	146	83.2	77.1-89.3	32	16.8	10.7-22.9
35-44	269	37,994	193	71.9	66.2-77.6	76	28.1	22.4-33.8
45-54	452	45,157	305	68.0	63.3-72.7	147	32.0	27.3-36.7
55-64	432	36,955	289	66.5	61.8-71.2	143	33.5	28.8-38.2
65+	484	40,435	317	66.0	61.5-70.5	167	34.0	29.5-38.5
H.S. or G.E.D.	568	74,760	353	67.2	61.9-72.5	215	32.8	27.5-38.1
Some Post-H.S.	559	73,848	393	74.8	70.5-79.1	166	25.2	20.9-29.5
College Graduate	621	78,456	498	82.7	79.6-85.8	123	17.3	14.2-20.4
\$15,000- 24,999	208	25,676	133	71.6	64.0-79.2	75	28.4	20.8-36.0
\$25,000- 34,999	192	23,604	129	75.9	68.3-83.5	63	24.1	16.5-31.7
\$35,000- 49,999	301	36,931	196	65.5	58.8-72.2	105	34.5	27.8-41.2
\$50,000- 74,999	356	45,282	267	78.3	73.2-83.4	89	21.7	16.6-26.8
\$75,000+	535	69,500	403	77.2	73.3-81.1	132	22.8	18.9-26.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 5: EXERCISE**

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	248,765	2017	72.8	70.6-75.0	845	27.2	25.0-29.4
Non-Native	2743	235,003	1939	73.2	71.0-75.4	804	26.8	24.6-29.0
18-24	76	37,768	59	77.0	67.0-87.0	17	23.0	13.0-33.0
25-34	256	38,207	204	78.8	73.5-84.1	52	21.2	15.9-26.5
35-44	373	36,676	289	76.6	71.9-81.3	84	23.4	18.7-28.1
45-54	572	45,894	440	77.5	73.8-81.2	132	22.5	18.8-26.2
55-64	561	33,478	392	70.8	66.7-74.9	169	29.2	25.1-33.3
65+	982	54,453	607	60.9	57.6-64.2	375	39.1	35.8-42.4
H.S. or G.E.D.	846	66,036	545	65.6	61.1-70.1	301	34.4	29.9-38.9
Some Post-H.S.	923	82,208	648	73.3	69.8-76.8	275	26.7	23.2-30.2
College Graduate	874	79,042	717	83.8	80.7-86.9	157	16.2	13.1-19.3
\$15,000- 24,999	463	31,427	282	63.0	57.3-68.7	181	37.0	31.3-42.7
\$25,000- 34,999	350	27,291	238	71.0	65.1-76.9	112	29.0	23.1-34.9
\$35,000- 49,999	405	38,139	294	77.2	72.3-82.1	111	22.8	17.9-27.7
\$50,000- 74,999	432	39,060	333	76.8	72.1-81.5	99	23.2	18.5-27.9
\$75,000+	499	49,651	413	84.4	80.9-87.9	86	15.6	12.1-19.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 7: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4761	497,182	3069	73.2	71.6-74.8	1692	26.8	25.2-28.4
Male	1899	248,333	1216	72.2	69.7-74.7	683	27.8	25.3-30.3
Female	2862	248,849	1853	74.2	72.4-76.0	1009	25.8	24.0-27.6
Native	131	23,036	81	74.7	65.9-83.5	50	25.3	16.5-34.1
Non-Native	4561	467,605	2951	73.4	71.8-75.0	1610	26.6	25.0-28.2
18-24	150	81,057	137	91.8	86.9-96.7	13	8.2	03.3-13.1
25-34	434	81,870	399	92.3	89.8-94.8	35	7.7	05.2-10.2
35-44	642	74,670	549	84.7	81.6-87.8	93	15.3	12.2-18.4
45-54	1026	91,216	763	74.1	71.2-77.0	263	25.9	23.0-28.8
55-64	992	70,446	564	57.0	53.7-60.3	428	43.0	39.7-46.3
65+	1465	94,802	622	43.2	40.5-45.9	843	56.8	54.1-59.5
Less Than H.S.	366	42,022	182	64.8	57.0-72.6	184	35.2	27.4-43.0
H.S. or G.E.D.	1417	141,076	804	67.5	64.4-70.6	613	32.5	29.4-35.6
Some Post-H.S.	1481	156,481	979	74.2	71.5-76.9	502	25.8	23.1-28.5
College Graduate	1494	157,461	1103	79.7	77.5-81.9	391	20.3	18.1-22.5
Less than \$15,000	336	31,413	178	65.5	58.2-72.8	158	34.5	27.2-41.8
\$15,000- 24,999	671	57,124	351	62.4	57.5-67.3	320	37.6	32.7-42.5
\$25,000- 34,999	542	50,896	334	70.0	65.1-74.9	208	30.0	25.1-34.9
\$35,000- 49,999	708	75,761	444	71.1	67.4-74.8	264	28.9	25.2-32.6
\$50,000- 74,999	787	84,277	562	76.2	72.7-79.7	225	23.8	20.3-27.3
\$75,000+	1033	119,087	793	81.4	78.9-83.9	240	18.6	16.1-21.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1899	248,333	1216	72.2	69.7-74.7	683	27.8	25.3-30.3
Non-Native	1818	232,518	1171	72.4	69.9-74.9	647	27.6	25.1-30.1
18-24	74	43,289	64	86.9	78.5-95.3	10	13.1	04.7-21.5
25-34	178	43,663	161	91.5	87.4-95.6	17	8.5	04.4-12.6
35-44	269	37,994	217	80.9	75.8-86.0	52	19.1	14.0-24.2
45-54	453	45,206	316	70.4	65.9-74.9	137	29.6	25.1-34.1
55-64	432	37,000	233	54.7	49.8-59.6	199	45.3	40.4-50.2
65+	483	40,349	218	45.6	40.9-50.3	265	54.4	49.7-59.1
H.S. or G.E.D.	570	74,946	341	70.1	65.6-74.6	229	29.9	25.4-34.4
Some Post-H.S.	559	74,337	362	71.7	67.2-76.2	197	28.3	23.8-32.8
College Graduate	620	78,364	425	76.4	72.9-79.9	195	23.6	20.1-27.1
\$15,000- 24,999	208	25,676	109	64.8	56.6-73.0	99	35.2	27.0-43.4
\$25,000- 34,999	192	23,604	118	69.7	61.3-78.1	74	30.3	21.9-38.7
\$35,000- 49,999	302	37,506	187	69.3	63.6-75.0	115	30.7	25.0-36.4
\$50,000- 74,999	356	45,282	235	72.0	66.5-77.5	121	28.0	22.5-33.5
\$75,000+	535	69,500	379	77.7	74.2-81.2	156	22.3	18.8-25.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 7: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2862	248,849	1853	74.2	72.4-76.0	1009	25.8	24.0-27.6
Non-Native	2743	235,088	1780	74.4	72.6-76.2	963	25.6	23.8-27.4
18-24	76	37,768	73	97.3	94.0-100.0	3	2.7	0.0-06.0
25-34	256	38,207	238	93.2	90.1-96.3	18	6.8	03.7-09.9
35-44	373	36,676	332	88.7	85.2-92.2	41	11.3	07.8-14.8
45-54	573	46,010	447	77.7	74.0-81.4	126	22.3	18.6-26.0
55-64	560	33,446	331	59.6	55.3-63.9	229	40.4	36.1-44.7
65+	982	54,453	404	41.4	38.1-44.7	578	58.6	55.3-61.9
Less Than H.S.	216	21,337	94	63.5	53.9-73.1	122	36.5	26.9-46.1
H.S. or G.E.D.	847	66,130	463	64.5	60.6-68.4	384	35.5	31.6-39.4
Some Post-H.S.	922	82,144	617	76.5	73.6-79.4	305	23.5	20.6-26.4
College Graduate	874	79,096	678	83.0	80.5-85.5	196	17.0	14.5-19.5
Less than \$15,000	224	18,563	116	66.6	57.8-75.4	108	33.4	24.6-42.2
\$15,000- 24,999	463	31,448	242	60.4	54.9-65.9	221	39.6	34.1-45.1
\$25,000- 34,999	350	27,291	216	70.3	64.8-75.8	134	29.7	24.2-35.2
\$35,000- 49,999	406	38,255	257	72.8	67.9-77.7	149	27.2	22.3-32.1
\$50,000- 74,999	431	38,996	327	81.1	77.4-84.8	104	18.9	15.2-22.6
\$75,000+	498	49,587	414	86.6	83.5-89.7	84	13.4	10.3-16.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 8: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	19
2	MALES ONLY	20
3	FEMALES ONLY	21
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	22
5	MALES ONLY	23
6	FEMALES ONLY	24

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

**TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4659	482,213	3920	75.6	73.6-77.6	201	3.9	03.3-04.5	538	20.5	18.5-22.5
Male	1863	241,641	1510	73.1	70.0-76.2	87	4.0	03.0-05.0	266	22.9	19.8-26.0
Female	2796	240,573	2410	78.0	75.5-80.5	114	3.8	03.0-04.6	272	18.2	15.7-20.7
Native	127	22,661				4	1.6	00.0-03.4			
Non-Native	4462	452,926	3778	76.6	74.4-78.8	195	4.0	03.4-04.6	489	19.4	17.4-21.4
18-24	142	74,957	62	43.8	35.0-52.6	1	0.7	00.0-02.1	79	55.5	46.7-64.3
25-34	421	79,291	267	63.2	58.1-68.3	15	3.3	01.5-05.1	139	33.5	28.6-38.4
35-44	622	72,505	461	72.7	68.8-76.6	41	6.5	04.5-08.5	120	20.8	17.3-24.3
45-54	1013	90,163	855	84.3	81.9-86.7	51	5.2	03.6-06.8	107	10.5	08.5-12.5
55-64	983	69,803	896	91.0	89.0-93.0	48	5.0	03.4-06.6	39	3.9	02.5-05.3
65+	1428	92,501	1338	93.8	92.4-95.2	42	2.7	01.7-03.7	48	3.5	02.5-04.5
Less Than H.S.	347	38,747	290	68.1	58.5-77.7	9	1.9	00.5-03.3	48	30.1	20.3-39.9
H.S. or G.E.D.	1384	136,344	1154	72.2	68.1-76.3	50	3.2	02.2-04.2	180	24.6	20.5-28.7
Some Post-H.S.	1456	153,090	1219	75.7	72.2-79.2	73	4.7	03.3-06.1	164	19.6	16.3-22.9
College Graduate	1470	153,967	1255	80.3	77.4-83.2	69	4.3	03.1-05.5	146	15.4	12.5-18.3
Less than \$15,000	324	30,511	254	62.9	53.9-71.9	12	2.5	00.9-04.1	58	34.7	25.5-43.9
\$15,000- 24,999	662	56,357	559	74.6	69.1-80.1	28	4.7	02.5-06.9	75	20.7	15.4-26.0
\$25,000- 34,999	528	49,685	438	71.7	64.4-79.0	24	3.9	02.1-05.7	66	24.5	17.1-31.9
\$35,000- 49,999	697	74,161	588	78.8	74.3-83.3	32	4.1	02.1-06.1	77	17.1	12.8-21.4
\$50,000- 74,999	775	82,751	653	78.0	73.9-82.1	32	4.2	02.6-05.8	90	17.8	13.7-21.9
\$75,000+	1020	115,752	878	81.0	77.5-84.5	43	3.9	02.7-05.1	99	15.1	11.8-18.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1863	241,641	1510	73.1	70.0-76.2	87	4.0	03.0-05.0	266	22.9	19.8-26.0
Non-Native	1781	225,739	1450	74.0	70.9-77.1	85	4.2	03.2-05.2	246	21.8	18.7-24.9
25-34	173	42,068	105	61.8	54.0-69.6	7	3.8	00.9-06.7	61	34.4	26.8-42.0
35-44	259	36,731	177	67.2	61.1-73.3	17	6.5	03.4-09.6	65	26.4	20.5-32.3
45-54	446	44,618	364	82.5	78.8-86.2	26	5.9	03.5-08.3	56	11.6	08.5-14.7
55-64	428	36,680	378	88.9	85.8-92.0	27	6.3	03.8-08.8	23	4.9	02.7-07.1
65+	476	39,819	445	93.8	91.4-96.2	9	1.8	00.4-03.2	22	4.3	02.3-06.3
Less Than H.S.	144	20,138				6	3.0	00.3-05.7			
H.S. or G.E.D.	558	73,031	436	67.3	60.8-73.8	20	3.0	01.4-04.6	102	29.7	23.2-36.2
Some Post-H.S.	554	72,503	441	72.0	66.5-77.5	29	4.4	02.6-06.2	84	23.6	18.1-29.1
College Graduate	607	75,969	516	80.3	76.0-84.6	32	4.9	03.1-06.7	59	14.8	10.7-18.9
Less than \$15,000	107	12,427				5	3.3	00.2-06.4			
\$15,000- 24,999	204	25,200	162	66.7	56.9-76.5	8	5.0	00.7-09.3	34	28.2	18.6-37.8
\$25,000- 34,999	188	23,157				9	3.6	01.1-06.1			
\$35,000- 49,999	295	36,306	236	77.0	70.7-83.3	15	4.0	01.8-06.2	44	19.0	12.9-25.1
\$50,000- 74,999	350	44,379	292	75.4	68.9-81.9	15	4.3	01.9-06.7	43	20.3	14.0-26.6
\$75,000+	528	67,705	442	79.9	75.4-84.4	25	4.5	02.5-06.5	61	15.6	11.3-19.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2796	240,573	2410	78.0	75.5-80.5	114	3.8	03.0-04.6	272	18.2	15.7-20.7
Native	83	11,437				3	1.9	00.0-04.6			
Non-Native	2681	227,187	2328	79.2	76.7-81.7	110	3.8	03.0-04.6	243	17.0	14.5-19.5
18-24	71	34,065				1	1.6	00.0-04.7			
25-34	248	37,224	162	64.9	58.6-71.2	8	2.7	00.7-04.7	78	32.4	26.1-38.7
35-44	363	35,773	284	78.4	73.9-82.9	24	6.5	04.0-09.0	55	15.1	11.2-19.0
45-54	567	45,545	491	86.1	83.0-89.2	25	4.5	02.7-06.3	51	9.4	06.7-12.1
55-64	555	33,123	518	93.4	91.0-95.8	21	3.7	02.1-05.3	16	2.9	01.3-04.5
65+	952	52,682	893	93.7	91.9-95.5	33	3.4	02.2-04.6	26	2.9	01.7-04.1
Less Than H.S.	203	18,609				3	0.6	00.0-01.2			
H.S. or G.E.D.	826	63,314	718	77.8	72.9-82.7	30	3.3	01.9-04.7	78	18.8	13.9-23.7
Some Post-H.S.	902	80,587	778	79.0	74.7-83.3	44	4.9	02.9-06.9	80	16.0	11.9-20.1
College Graduate	863	77,998	739	80.4	76.5-84.3	37	3.6	02.4-04.8	87	16.0	12.1-19.9
Less than \$15,000	217	18,084				7	1.9	00.3-03.5			
\$15,000- 24,999	458	31,157	397	81.0	75.7-86.3	20	4.4	02.2-06.6	41	14.7	09.6-19.8
\$25,000- 34,999	340	26,528	289	72.9	64.5-81.3	15	4.1	01.7-06.5	36	23.0	14.4-31.6
\$35,000- 49,999	402	37,855	352	80.5	74.0-87.0	17	4.3	01.2-07.4	33	15.3	09.2-21.4
\$50,000- 74,999	425	38,372	361	81.0	76.1-85.9	17	4.1	02.1-06.1	47	14.9	10.2-19.6
\$75,000+	492	48,048	436	82.6	77.1-88.1	18	3.0	01.6-04.4	38	14.4	08.9-19.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3889	362,316	2244	64.1	62.3-65.9	1645	35.9	34.1-37.7
Male	1498	175,716	844	63.3	60.4-66.2	654	36.7	33.8-39.6
Female	2391	186,600	1400	64.8	62.6-67.0	991	35.2	33.0-37.4
Non-Native	3749	344,880	2156	63.8	62.0-65.6	1593	36.2	34.4-38.0
18-24	62	32,812	57	92.2	85.1-99.3	5	7.8	00.7-14.9
25-34	266	50,034	222	85.3	80.6-90.0	44	14.7	10.0-19.4
35-44	459	52,528	344	75.0	70.9-79.1	115	25.0	20.9-29.1
45-54	853	75,887	556	64.3	60.8-67.8	297	35.7	32.2-39.2
55-64	889	63,106	414	45.9	42.4-49.4	475	54.1	50.6-57.6
65+	1319	85,484	623	47.5	44.6-50.4	696	52.5	49.6-55.4
Less Than H.S.	287	26,245	148	61.1	52.7-69.5	139	38.9	30.5-47.3
H.S. or G.E.D.	1140	97,388	608	60.4	56.9-63.9	532	39.6	36.1-43.1
Some Post-H.S.	1210	115,339	702	64.2	60.9-67.5	508	35.8	32.5-39.1
College Graduate	1250	123,280	784	67.6	64.7-70.5	466	32.4	29.5-35.3
Less than \$15,000	251	18,943	118	55.9	46.9-64.9	133	44.1	35.1-53.1
\$15,000- 24,999	556	41,837	295	60.5	55.2-65.8	261	39.5	34.2-44.8
\$25,000- 34,999	431	35,296	227	58.4	52.7-64.1	204	41.6	35.9-47.3
\$35,000- 49,999	585	58,168	338	65.1	60.6-69.6	247	34.9	30.4-39.4
\$50,000- 74,999	648	64,049	383	63.8	59.7-67.9	265	36.2	32.1-40.3
\$75,000+	877	93,662	579	69.9	66.6-73.2	298	30.1	26.8-33.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked in the past five years
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1498	175,716	844	63.3	60.4-66.2	654	36.7	33.8-39.6
Non-Native	1438	166,096	808	63.3	60.4-66.2	630	36.7	33.8-39.6
25-34	104	25,886	88	85.6	78.2-93.0	16	14.4	07.0-21.8
35-44	177	24,667	126	71.4	64.5-78.3	51	28.6	21.7-35.5
45-54	362	36,662	212	58.7	53.2-64.2	150	41.3	35.8-46.8
55-64	375	32,417	165	44.3	39.0-49.6	210	55.7	50.4-61.0
65+	439	36,823	220	50.6	45.7-55.5	219	49.4	44.5-54.3
H.S. or G.E.D.	430	48,629	238	63.8	58.5-69.1	192	36.2	30.9-41.5
Some Post-H.S.	438	51,990	247	62.3	56.6-68.0	191	37.7	32.0-43.4
College Graduate	513	60,755	290	63.1	58.4-67.8	223	36.9	32.2-41.6
\$15,000- 24,999	161	16,775	91	65.2	56.2-74.2	70	34.8	25.8-43.8
\$25,000- 34,999	147	16,179	79	60.7	50.9-70.5	68	39.3	29.5-49.1
\$35,000- 49,999	234	27,771	131	64.7	57.8-71.6	103	35.3	28.4-42.2
\$50,000- 74,999	290	33,235	152	58.6	52.1-65.1	138	41.4	34.9-47.9
\$75,000+	441	53,965	276	67.9	63.2-72.6	165	32.1	27.4-36.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 8: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2391	186,600	1400	64.8	62.6-67.0	991	35.2	33.0-37.4
Non-Native	2311	178,783	1348	64.4	62.0-66.8	963	35.6	33.2-38.0
25-34	162	24,148	134	84.9	79.4-90.4	28	15.1	09.6-20.6
35-44	282	27,860	218	78.3	73.4-83.2	64	21.7	16.8-26.6
45-54	491	39,225	344	69.4	65.1-73.7	147	30.6	26.3-34.9
55-64	514	30,689	249	47.5	43.0-52.0	265	52.5	48.0-57.0
65+	880	48,661	403	45.1	41.6-48.6	477	54.9	51.4-58.4
H.S. or G.E.D.	710	48,759	370	57.0	52.7-61.3	340	43.0	38.7-47.3
Some Post-H.S.	772	63,349	455	65.8	61.9-69.7	317	34.2	30.3-38.1
College Graduate	737	62,524	494	71.9	68.4-75.4	243	28.1	24.6-31.6
Less than \$15,000	175	11,155	83	61.1	51.5-70.7	92	38.9	29.3-48.5
\$15,000- 24,999	395	25,062	204	57.3	51.0-63.6	191	42.7	36.4-49.0
\$25,000- 34,999	284	19,117	148	56.4	49.9-62.9	136	43.6	37.1-50.1
\$35,000- 49,999	351	30,397	207	65.5	59.4-71.6	144	34.5	28.4-40.6
\$50,000- 74,999	358	30,813	231	69.5	64.4-74.6	127	30.5	25.4-35.6
\$75,000+	436	39,697	303	72.5	68.2-76.8	133	27.5	23.2-31.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 10: ASTHMA CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1	MALES AND FEMALES	26
2	MALES ONLY	27
3	FEMALES ONLY	28
	ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4	MALES AND FEMALES	29
5	MALES ONLY	30
6	FEMALES ONLY	31
	COMPUTED ASTHMA STATUS (_ASTHMST)	
7	MALES AND FEMALES	32
8	MALES ONLY	33
9	FEMALES ONLY	34

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 10: ASTHMA**

**TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4752	496,328	4232	88.0	86.6-89.4	520	12.0	10.6-13.4
Male	1894	247,703	1716	90.8	89.2-92.4	178	9.2	07.6-10.8
Female	2858	248,626	2516	85.3	83.1-87.5	342	14.7	12.5-16.9
Native	131	23,036	111	87.3	79.7-94.9	20	12.7	05.1-20.3
Non-Native	4551	466,665	4061	88.0	86.6-89.4	490	12.0	10.6-13.4
18-24	150	81,057	124	83.1	76.8-89.4	26	16.9	10.6-23.2
25-34	433	81,797	374	87.4	84.1-90.7	59	12.6	09.3-15.9
35-44	642	74,670	570	88.1	85.4-90.8	72	11.9	09.2-14.6
45-54	1021	90,551	918	89.6	87.6-91.6	103	10.4	08.4-12.4
55-64	993	70,511	895	90.5	88.5-92.5	98	9.5	07.5-11.5
65+	1461	94,621	1306	89.4	87.6-91.2	155	10.6	08.8-12.4
Less Than H.S.	365	41,991	311	88.4	84.3-92.5	54	11.6	07.5-15.7
H.S. or G.E.D.	1410	140,507	1255	88.1	85.7-90.5	155	11.9	09.5-14.3
Some Post-H.S.	1479	156,185	1308	87.1	84.6-89.6	171	12.9	10.4-15.4
College Graduate	1495	157,503	1356	88.8	86.4-91.2	139	11.2	08.8-13.6
Less than \$15,000	334	31,309	271	81.3	75.2-87.4	63	18.7	12.6-24.8
\$15,000- 24,999	667	56,758	587	88.4	85.3-91.5	80	11.6	08.5-14.7
\$25,000- 34,999	540	50,746	482	90.1	87.2-93.0	58	9.9	07.0-12.8
\$35,000- 49,999	707	75,663	629	85.6	81.5-89.7	78	14.4	10.3-18.5
\$50,000- 74,999	787	84,250	718	89.8	86.9-92.7	69	10.2	07.3-13.1
\$75,000+	1033	118,906	941	89.5	86.8-92.2	92	10.5	07.8-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1894	247,703	1716	90.8	89.2-92.4	178	9.2	07.6-10.8
Non-Native	1812	231,801	1646	90.7	88.9-92.5	166	9.3	07.5-11.1
18-24	74	43,289	70	94.9	89.6-0100	4	5.1	00.0-10.4
25-34	178	43,663	160	90.6	86.1-95.1	18	9.4	04.9-13.9
35-44	269	37,994	238	87.6	83.3-91.9	31	12.4	08.1-16.7
45-54	449	44,618	407	89.7	86.6-92.8	42	10.3	07.2-13.4
55-64	432	37,000	397	91.9	89.2-94.6	35	8.1	05.4-10.8
65+	482	40,306	435	89.7	86.8-92.6	47	10.3	07.4-13.2
Less Than H.S.	150	20,686	130	90.1	85.0-95.2	20	9.9	04.8-15.0
H.S. or G.E.D.	566	74,561	505	90.2	87.3-93.1	61	9.8	06.9-12.7
Some Post-H.S.	558	74,092	509	92.3	89.9-94.7	49	7.7	05.3-10.1
College Graduate	620	78,364	572	90.1	86.6-93.6	48	9.9	06.4-13.4
Less than \$15,000	112	12,850	95	86.0	78.6-93.4	17	14.0	06.6-21.4
\$15,000- 24,999	205	25,388	186	92.2	88.1-96.3	19	7.8	03.7-11.9
\$25,000- 34,999	191	23,518	171	90.6	85.9-95.3	20	9.4	04.7-14.1
\$35,000- 49,999	301	37,408	274	91.7	88.4-95.0	27	8.3	05.0-11.6
\$50,000- 74,999	355	45,190	326	91.0	87.1-94.9	29	9.0	05.1-12.9
\$75,000+	534	69,255	486	89.6	85.9-93.3	48	10.4	06.7-14.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2858	248,626	2516	85.3	83.1-87.5	342	14.7	12.5-16.9
Non-Native	2739	234,864	2415	85.4	83.2-87.6	324	14.6	12.4-16.8
25-34	255	38,134	214	83.8	78.9-88.7	41	16.2	11.3-21.1
35-44	373	36,676	332	88.7	85.2-92.2	41	11.3	07.8-14.8
45-54	572	45,933	511	89.4	86.7-92.1	61	10.6	07.9-13.3
55-64	561	33,510	498	88.9	86.2-91.6	63	11.1	08.4-13.8
65+	979	54,316	871	89.3	87.3-91.3	108	10.7	08.7-12.7
Less Than H.S.	215	21,305	181	86.7	80.2-93.2	34	13.3	06.8-19.8
H.S. or G.E.D.	844	65,947	750	85.8	81.9-89.7	94	14.2	10.3-18.1
Some Post-H.S.	921	82,093	799	82.5	78.2-86.8	122	17.5	13.2-21.8
College Graduate	875	79,139	784	87.5	84.2-90.8	91	12.5	09.2-15.8
Less than \$15,000	222	18,459	176	78.0	69.4-86.6	46	22.0	13.4-30.6
\$15,000- 24,999	462	31,371	401	85.2	80.9-89.5	61	14.8	10.5-19.1
\$25,000- 34,999	349	27,228	311	89.7	86.2-93.2	38	10.3	06.8-13.8
\$35,000- 49,999	406	38,255	355	79.6	72.3-86.9	51	20.4	13.1-27.7
\$50,000- 74,999	432	39,060	392	88.5	84.2-92.8	40	11.5	07.2-15.8
\$75,000+	499	49,651	455	89.3	85.2-93.4	44	10.7	06.6-14.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4736	494,847	4352	91.2	90.0-92.4	384	8.8	07.6-10.0
Male	1885	246,504	1771	94.1	92.7-95.5	114	5.9	04.5-07.3
Female	2851	248,342	2581	88.3	86.3-90.3	270	11.7	09.7-13.7
Native	131	23,036	115	89.5	82.2-96.8	16	10.5	03.2-17.8
Non-Native	4538	465,386	4177	91.2	90.0-92.4	361	8.8	07.6-10.0
18-24	150	81,057	129	86.9	81.4-92.4	21	13.1	07.6-18.6
25-34	433	81,797	395	91.2	88.3-94.1	38	8.8	05.9-11.7
35-44	639	74,109	589	92.1	89.7-94.5	50	7.9	05.5-10.3
45-54	1018	90,159	943	92.5	90.7-94.3	75	7.5	05.7-09.3
55-64	989	70,366	916	92.8	91.0-94.6	73	7.2	05.4-09.0
65+	1456	94,311	1334	91.7	90.1-93.3	122	8.3	06.7-09.9
Less Than H.S.	363	41,807	319	91.0	87.3-94.7	44	9.0	05.3-12.7
H.S. or G.E.D.	1404	139,798	1285	90.9	88.7-93.1	119	9.1	06.9-11.3
Some Post-H.S.	1474	155,750	1350	90.2	87.7-92.7	124	9.8	07.3-12.3
College Graduate	1492	157,349	1396	92.5	90.5-94.5	96	7.5	05.5-09.5
Less than \$15,000	334	31,309	289	86.6	81.1-92.1	45	13.4	07.9-18.9
\$15,000- 24,999	664	56,452	601	90.9	88.2-93.6	63	9.1	06.4-11.8
\$25,000- 34,999	537	50,456	490	92.0	89.5-94.5	47	8.0	05.5-10.5
\$35,000- 49,999	706	75,467	653	90.2	86.5-93.9	53	9.8	06.1-13.5
\$50,000- 74,999	785	84,055	737	93.2	90.7-95.7	48	6.8	04.3-09.3
\$75,000+	1032	118,820	962	92.0	89.6-94.4	70	8.0	05.6-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)
Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1885	246,504	1771	94.1	92.7-95.5	114	5.9	04.5-07.3
Non-Native	1805	230,762	1697	94.0	92.6-95.4	108	6.0	04.6-07.4
18-24	74	43,289	71	96.9	93.2-0100	3	3.1	00.0-06.8
25-34	178	43,663	167	93.5	89.4-97.6	11	6.5	02.4-10.6
35-44	266	37,433	250	93.5	90.4-96.6	16	6.5	03.4-09.6
45-54	446	44,226	423	94.0	91.5-96.5	23	6.0	03.5-08.5
55-64	432	37,000	407	94.4	92.2-96.6	25	5.6	03.4-07.8
65+	480	40,133	444	92.0	89.3-94.7	36	8.0	05.3-10.7
Less Than H.S.	148	20,501	135	94.1	90.4-97.8	13	5.9	02.2-09.6
H.S. or G.E.D.	562	73,916	519	93.0	90.5-95.5	43	7.0	04.5-09.5
Some Post-H.S.	556	73,796	527	95.2	93.2-97.2	29	4.8	02.8-06.8
College Graduate	619	78,291	590	94.1	91.4-96.8	29	5.9	03.2-08.6
Less than \$15,000	112	12,850	102	91.6	85.7-97.5	10	8.4	02.5-14.3
\$15,000- 24,999	204	25,177	190	94.5	91.2-97.8	14	5.5	02.2-08.8
\$25,000- 34,999	190	23,307	175	93.0	89.1-96.9	15	7.0	03.1-10.9
\$35,000- 49,999	300	37,212	286	96.0	93.8-98.2	14	4.0	01.8-06.2
\$50,000- 74,999	353	44,994	336	94.5	91.2-97.8	17	5.5	02.2-08.8
\$75,000+	533	69,169	501	93.2	90.5-95.9	32	6.8	04.1-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2851	248,342	2581	88.3	86.3-90.3	270	11.7	09.7-13.7
Non-Native	2733	234,624	2480	88.6	86.6-90.6	253	11.4	09.4-13.4
25-34	255	38,134	228	88.5	84.2-92.8	27	11.5	07.2-15.8
35-44	373	36,676	339	90.6	87.3-93.9	34	9.4	06.1-12.7
45-54	572	45,933	520	91.1	88.6-93.6	52	8.9	06.4-11.4
55-64	557	33,365	509	91.2	88.7-93.7	48	8.8	06.3-11.3
65+	976	54,177	890	91.5	89.7-93.3	86	8.5	06.7-10.3
Less Than H.S.	215	21,305	184	88.0	81.7-94.3	31	12.0	05.7-18.3
H.S. or G.E.D.	842	65,882	766	88.5	85.0-92.0	76	11.5	08.0-15.0
Some Post-H.S.	918	81,955	823	85.7	81.6-89.8	95	14.3	10.2-18.4
College Graduate	873	79,058	806	91.0	88.3-93.7	67	9.0	06.3-11.7
Less than \$15,000	222	18,459	187	83.1	75.1-91.1	35	16.9	08.9-24.9
\$15,000- 24,999	460	31,275	411	88.0	83.9-92.1	49	12.0	07.9-16.1
\$25,000- 34,999	347	27,148	315	91.2	87.9-94.5	32	8.8	05.5-12.1
\$35,000- 49,999	406	38,255	367	84.7	78.0-91.4	39	15.3	08.6-22.0
\$50,000- 74,999	432	39,060	401	91.7	88.0-95.4	31	8.3	04.6-12.0
\$75,000+	499	49,651	461	90.2	86.1-94.3	38	9.8	05.7-13.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4736	494,847	384	8.8	07.6-10.0	120	2.9	02.1-03.7	4232	88.3	86.9-89.7
Male	1885	246,504	114	5.9	04.5-07.3	55	2.9	01.9-03.9	1716	91.2	89.6-92.8
Female	2851	248,342	270	11.7	09.7-13.7	65	2.9	01.9-03.9	2516	85.4	83.2-87.6
Native	131	23,036	16	10.5	03.2-17.8	4	2.2	00.0-04.6	111	87.3	79.7-94.9
Non-Native	4538	465,386	361	8.8	07.6-10.0	116	3.0	02.2-03.8	4061	88.3	86.9-89.7
18-24	150	81,057	21	13.1	07.6-18.6	5	3.8	00.5-07.1	124	83.1	76.8-89.4
25-34	433	81,797	38	8.8	05.9-11.7	21	3.8	02.0-05.6	374	87.4	84.1-90.7
35-44	639	74,109	50	7.9	05.5-10.3	19	3.3	01.7-04.9	570	88.8	86.1-91.5
45-54	1018	90,159	75	7.5	05.7-09.3	25	2.5	01.5-03.5	918	90.0	88.0-92.0
55-64	989	70,366	73	7.2	05.4-09.0	21	2.2	01.2-03.2	895	90.7	88.7-92.7
65+	1456	94,311	122	8.3	06.7-09.9	28	2.0	01.2-02.8	1306	89.7	87.9-91.5
Less Than H.S.	363	41,807	44	9.0	05.3-12.7	8	2.3	00.5-04.1	311	88.8	84.7-92.9
H.S. or G.E.D.	1404	139,798	119	9.1	06.9-11.3	30	2.3	01.1-03.5	1255	88.6	86.2-91.0
Some Post-H.S.	1474	155,750	124	9.8	07.3-12.3	42	2.8	01.8-03.8	1308	87.4	84.9-89.9
College Graduate	1492	157,349	96	7.5	05.5-09.5	40	3.7	02.1-05.3	1356	88.9	86.5-91.3
Less than \$15,000	334	31,309	45	13.4	07.9-18.9	18	5.3	02.6-08.0	271	81.3	75.2-87.4
\$15,000- 24,999	664	56,452	63	9.1	06.4-11.8	14	2.1	00.9-03.3	587	88.8	85.9-91.7
\$25,000- 34,999	537	50,456	47	8.0	05.5-10.5	8	1.4	00.4-02.4	482	90.6	87.9-93.3
\$35,000- 49,999	706	75,467	53	9.8	06.1-13.5	24	4.4	02.0-06.8	629	85.8	81.7-89.9
\$50,000- 74,999	785	84,055	48	6.8	04.3-09.3	19	3.1	01.5-04.7	718	90.1	87.2-93.0
\$75,000+	1032	118,820	70	8.0	05.6-10.4	21	2.5	00.9-04.1	941	89.5	86.8-92.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1885	246,504	114	5.9	04.5-07.3	55	2.9	01.9-03.9	1716	91.2	89.6-92.8
Non-Native	1805	230,762	108	6.0	04.6-07.4	51	2.8	01.8-03.8	1646	91.1	89.3-92.9
18-24	74	43,289	3	3.1	00.0-06.8	1	2.0	00.0-05.9	70	94.9	89.6-0100
25-34	178	43,663	11	6.5	02.4-10.6	7	2.9	00.5-05.3	160	90.6	86.1-95.1
35-44	266	37,433	16	6.5	03.4-09.6	12	4.6	01.9-07.3	238	88.9	84.8-93.0
45-54	446	44,226	23	6.0	03.5-08.5	16	3.5	01.7-05.3	407	90.5	87.6-93.4
55-64	432	37,000	25	5.6	03.4-07.8	10	2.5	00.9-04.1	397	91.9	89.2-94.6
65+	480	40,133	36	8.0	05.3-10.7	9	1.9	00.5-03.3	435	90.1	87.2-93.0
Less Than H.S.	148	20,501	13	5.9	02.2-09.6	5	3.3	00.2-06.4	130	90.9	86.0-95.8
H.S. or G.E.D.	562	73,916	43	7.0	04.5-09.5	14	2.0	00.8-03.2	505	90.9	88.2-93.6
Some Post-H.S.	556	73,796	29	4.8	02.8-06.8	18	2.5	01.1-03.9	509	92.7	90.3-95.1
College Graduate	619	78,291	29	5.9	03.2-08.6	18	3.9	01.4-06.4	572	90.2	86.7-93.7
Less than \$15,000	112	12,850	10	8.4	02.5-14.3	7	5.6	00.9-10.3	95	86.0	78.6-93.4
\$15,000- 24,999	204	25,177	14	5.5	02.2-08.8	4	1.5	00.0-03.3	186	93.0	89.3-96.7
\$25,000- 34,999	190	23,307	15	7.0	03.1-10.9	4	1.6	00.0-03.2	171	91.4	87.1-95.7
\$35,000- 49,999	300	37,212	14	4.0	01.8-06.2	12	3.7	01.5-05.9	274	92.2	89.1-95.3
\$50,000- 74,999	353	44,994	17	5.5	02.2-08.8	10	3.1	00.9-05.3	326	91.4	87.5-95.3
\$75,000+	533	69,169	32	6.8	04.1-09.5	15	3.6	00.9-06.3	486	89.7	86.0-93.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 10: ASTHMA**

TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2851	248,342	270	11.7	09.7-13.7	65	2.9	01.9-03.9	2516	85.4	83.2-87.6
Non-Native	2733	234,624	253	11.4	09.4-13.4	65	3.1	01.9-04.3	2415	85.5	83.3-87.7
18-24	76	37,768				4	5.9	00.2-11.6			
25-34	255	38,134	27	11.5	07.2-15.8	14	4.8	02.3-07.3	214	83.8	78.9-88.7
35-44	373	36,676	34	9.4	06.1-12.7	7	1.9	00.5-03.3	332	88.7	85.2-92.2
45-54	572	45,933	52	8.9	06.4-11.4	9	1.6	00.4-02.8	511	89.4	86.7-92.1
55-64	557	33,365	48	8.8	06.3-11.3	11	1.8	00.6-03.0	498	89.3	86.6-92.0
65+	976	54,177	86	8.5	06.7-10.3	19	2.0	01.0-03.0	871	89.5	87.5-91.5
Less Than H.S.	215	21,305	31	12.0	05.7-18.3	3	1.3	00.0-02.9	181	86.7	80.2-93.2
H.S. or G.E.D.	842	65,882	76	11.5	08.0-15.0	16	2.6	00.2-05.0	750	85.9	82.0-89.8
Some Post-H.S.	918	81,955	95	14.3	10.2-18.4	24	3.1	01.7-04.5	799	82.6	78.3-86.9
College Graduate	873	79,058	67	9.0	06.3-11.7	22	3.5	01.3-05.7	784	87.5	84.2-90.8
Less than \$15,000	222	18,459	35	16.9	08.9-24.9	11	5.1	01.6-08.6	176	78.0	69.4-86.6
\$15,000- 24,999	460	31,275	49	12.0	07.9-16.1	10	2.5	00.7-04.3	401	85.5	81.2-89.8
\$25,000- 34,999	347	27,148	32	8.8	05.5-12.1	4	1.2	00.0-02.4	311	90.0	86.5-93.5
\$35,000- 49,999	406	38,255	39	15.3	08.6-22.0	12	5.1	01.0-09.2	355	79.6	72.3-86.9
\$50,000- 74,999	432	39,060	31	8.3	04.6-12.0	9	3.1	00.7-05.5	392	88.5	84.2-92.8
\$75,000+	499	49,651	38	9.8	05.7-13.9	6	0.9	00.1-01.7	455	89.3	85.2-93.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 11: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	36
2	MALES ONLY	37
3	FEMALES ONLY	38
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	39
5	MALES ONLY	40
6	FEMALES ONLY	41

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 11: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4748	496,281	602	13.4	12.0-14.8	208	5.2	04.2-06.2	1355	24.0	22.4-25.6	2583	57.4	55.4-59.4
Male	1891	247,853	272	13.8	11.4-16.2	89	5.5	03.9-07.1	649	27.5	25.1-29.9	881	53.1	50.0-56.2
Female	2857	248,428	330	12.9	11.1-14.7	119	4.9	03.7-06.1	706	20.5	18.7-22.3	1702	61.6	59.2-64.0
Native	131	23,036				21	17.1	07.9-26.3	30	16.8	08.8-24.8			
Non-Native	4550	466,746	554	12.2	10.8-13.6	183	4.6	03.6-05.6	1301	24.3	22.7-25.9	2512	58.9	56.9-60.9
18-24	150	81,057	19	12.9	06.6-19.2	10	6.5	02.2-10.8	6	4.3	00.8-07.8	115	76.2	68.6-83.8
25-34	432	81,651	63	15.2	11.3-19.1	31	8.6	05.1-12.1	75	17.7	13.8-21.6	263	58.5	53.2-63.8
35-44	642	74,670	97	16.1	13.0-19.2	41	6.2	04.2-08.2	115	19.0	15.7-22.3	389	58.6	54.5-62.7
45-54	1024	91,012	172	16.1	13.7-18.5	51	4.1	02.9-05.3	254	25.0	22.1-27.9	547	54.8	51.5-58.1
55-64	988	70,250	142	14.8	12.3-17.3	32	3.3	02.1-04.5	333	34.6	31.5-37.7	481	47.4	44.1-50.7
65+	1461	94,551	102	6.3	04.9-07.7	39	2.9	01.9-03.9	562	41.6	38.9-44.3	758	49.2	46.5-51.9
Less Than H.S.	365	41,969	59	19.7	12.3-27.1	22	7.0	02.5-11.5	126	26.6	19.9-33.3	158	46.7	37.7-55.7
H.S. or G.E.D.	1411	140,772	225	18.2	15.1-21.3	69	6.5	04.1-08.9	461	26.3	23.6-29.0	656	49.1	45.2-53.0
Some Post-H.S.	1477	156,168	220	15.3	12.8-17.8	75	6.3	04.3-08.3	425	24.4	21.9-26.9	757	54.1	50.6-57.6
College Graduate	1492	157,230	98	5.5	04.3-06.7	42	2.6	01.6-03.6	342	20.9	18.5-23.3	1010	71.0	68.3-73.7
Less than \$15,000	332	31,157	74	22.9	16.4-29.4	27	13.3	06.2-20.4	91	19.3	14.2-24.4	140	44.5	36.1-52.9
\$15,000- 24,999	668	57,003	115	21.1	16.4-25.8	48	6.6	04.4-08.8	205	26.6	22.1-31.1	300	45.7	40.2-51.2
\$25,000- 34,999	542	50,896	75	18.5	12.0-25.0	26	6.0	03.1-08.9	170	24.4	20.1-28.7	271	51.1	44.8-57.4
\$35,000- 49,999	708	75,761	94	13.3	10.2-16.4	25	4.7	02.0-07.4	204	25.5	21.6-29.4	385	56.4	51.5-61.3
\$50,000- 74,999	785	84,180	84	10.4	08.0-12.8	24	3.6	01.8-05.4	239	28.2	24.5-31.9	438	57.8	53.7-61.9
\$75,000+	1031	118,835	95	9.2	07.0-11.4	38	4.3	02.5-06.1	276	23.5	20.6-26.4	622	63.1	59.6-66.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 11: TOBACCO USE**

**TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	247,853	272	13.8	11.4-16.2	89	5.5	03.9-07.1	649	27.5	25.1-29.9	881	53.1	50.0-56.2
Non-Native	1810	231,973	256	12.8	10.6-15.0	79	4.9	03.3-06.5	619	27.9	25.4-30.4	856	54.4	51.3-57.5
18-24	74	43,289	7	13.1	03.3-22.9	5	5.3	00.0-10.8	4	6.4	00.1-12.7			
25-34	178	43,663	18	11.5	05.8-17.2	11	9.7	03.6-15.8	31	17.9	11.8-24.0	118	61.0	52.8-69.2
35-44	269	37,994	48	17.4	12.5-22.3	18	6.6	03.5-09.7	55	22.0	16.7-27.3	148	54.1	47.8-60.4
45-54	452	45,157	90	17.8	14.1-21.5	24	4.2	02.4-06.0	113	24.9	20.6-29.2	225	53.1	48.2-58.0
55-64	428	36,772	70	16.7	12.8-20.6	16	3.2	01.6-04.8	175	40.5	35.6-45.4	167	39.5	34.6-44.4
65+	480	40,146	38	6.7	04.5-08.9	14	3.6	01.4-05.8	268	57.0	52.3-61.7	160	32.7	28.2-37.2
Less Than H.S.	149	20,632				10	7.0	01.1-12.9						
H.S. or G.E.D.	567	74,826	117	20.7	15.4-26.0	27	6.8	03.1-10.5	214	27.9	23.6-32.2	209	44.6	38.7-50.5
Some Post-H.S.	557	74,240	88	14.1	10.4-17.8	31	6.5	03.6-09.4	192	27.1	22.8-31.4	246	52.3	46.8-57.8
College Graduate	618	78,155	44	5.5	03.7-07.3	21	2.9	01.3-04.5	172	24.8	20.9-28.7	381	66.7	62.4-71.0
Less than \$15,000	110	12,751	29	19.7	11.5-27.9				37	22.3	13.7-30.9			
\$15,000- 24,999	206	25,576	43	22.4	14.0-30.8	15	5.5	02.2-08.8	68	28.1	20.1-36.1	80	44.0	34.4-53.6
\$25,000- 34,999	192	23,604				13	6.2	02.1-10.3	67	24.4	17.3-31.5			
\$35,000- 49,999	302	37,506	46	13.9	09.4-18.4	9	5.9	00.8-11.0	113	32.5	26.2-38.8	134	47.8	40.7-54.9
\$50,000- 74,999	353	45,120	35	9.2	05.9-12.5	15	3.9	01.7-06.1	125	30.7	25.0-36.4	178	56.2	49.9-62.5
\$75,000+	533	69,248	60	9.7	07.0-12.4	21	5.1	02.4-07.8	174	27.7	23.4-32.0	278	57.5	52.4-62.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 11: TOBACCO USE**

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2857	248,428	330	12.9	11.1-14.7	119	4.9	03.7-06.1	706	20.5	18.7-22.3	1702	61.6	59.2-64.0
Native	87	11,812							19	15.2	07.2-23.2			
Non-Native	2740	234,773	298	11.6	10.0-13.2	104	4.4	03.2-05.6	682	20.8	19.0-22.6	1656	63.3	60.9-65.7
18-24	76	37,768	12	12.7	05.3-20.1	5	7.8	01.1-14.5	2	2.0	00.0-04.7	57	77.5	67.9-87.1
25-34	254	37,988	45	19.5	14.2-24.8	20	7.4	04.1-10.7	44	17.5	12.6-22.4	145	55.7	49.2-62.2
35-44	373	36,676	49	14.8	10.7-18.9	23	5.9	03.4-08.4	60	15.9	12.0-19.8	241	63.3	58.0-68.6
45-54	572	45,855	82	14.3	11.2-17.4	27	3.9	02.3-05.5	141	25.2	21.5-28.9	322	56.6	52.3-60.9
55-64	560	33,478	72	12.7	09.8-15.6	16	3.3	01.5-05.1	158	28.0	24.1-31.9	314	56.0	51.7-60.3
65+	981	54,405	64	6.0	04.4-07.6	25	2.4	01.4-03.4	294	30.2	27.1-33.3	598	61.4	58.1-64.7
Less Than H.S.	216	21,337	36	19.9	11.5-28.3	12	7.1	00.2-14.0	55	15.6	10.3-20.9			
H.S. or G.E.D.	844	65,947	108	15.3	12.0-18.6	42	6.1	03.4-08.8	247	24.4	21.1-27.7	447	54.2	49.5-58.9
Some Post-H.S.	920	81,928	132	16.3	13.0-19.6	44	6.1	03.7-08.5	233	22.0	18.9-25.1	511	55.6	51.3-59.9
College Graduate	874	79,075	54	5.5	03.7-07.3	21	2.3	01.3-03.3	170	17.0	14.3-19.7	629	75.2	71.9-78.5
Less than \$15,000	222	18,407	45	25.0	15.8-34.2	18	13.0	04.6-21.4	54	17.2	11.1-23.3			
\$15,000- 24,999	462	31,426	72	20.0	14.7-25.3	33	7.6	04.7-10.5	137	25.3	20.8-29.8	220	47.1	41.0-53.2
\$25,000- 34,999	350	27,291	41	14.9	09.8-20.0	13	5.8	01.5-10.1	103	24.5	19.2-29.8	193	54.8	47.7-61.9
\$35,000- 49,999	406	38,255	48	12.8	08.5-17.1	16	3.6	01.6-05.6	91	18.6	14.3-22.9	251	64.9	58.8-71.0
\$50,000- 74,999	432	39,060	49	11.8	08.3-15.3	9	3.2	00.3-06.1	114	25.3	20.8-29.8	260	59.6	54.3-64.9
\$75,000+	498	49,586	35	8.4	05.1-11.7	17	3.1	01.5-04.7	102	17.6	14.1-21.1	344	70.9	66.2-75.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4748	496,281	3938	81.4	79.8-83.0	810	18.6	17.0-20.2
Male	1891	247,853	1530	80.7	78.0-83.4	361	19.3	16.6-22.0
Female	2857	248,428	2408	82.1	80.1-84.1	449	17.9	15.9-19.9
Non-Native	4550	466,746	3813	83.2	81.6-84.8	737	16.8	15.2-18.4
18-24	150	81,057	121	80.6	73.5-87.7	29	19.4	12.3-26.5
25-34	432	81,651	338	76.2	71.3-81.1	94	23.8	18.9-28.7
35-44	642	74,670	504	77.7	74.2-81.2	138	22.3	18.8-25.8
45-54	1024	91,012	801	79.9	77.4-82.4	223	20.1	17.6-22.6
55-64	988	70,250	814	81.9	79.2-84.6	174	18.1	15.4-20.8
65+	1461	94,551	1320	90.8	89.2-92.4	141	9.2	07.6-10.8
Less Than H.S.	365	41,969	284	73.3	65.3-81.3	81	26.7	18.7-34.7
H.S. or G.E.D.	1411	140,772	1117	75.4	71.7-79.1	294	24.6	20.9-28.3
Some Post-H.S.	1477	156,168	1182	78.5	75.6-81.4	295	21.5	18.6-24.4
College Graduate	1492	157,230	1352	91.9	90.3-93.5	140	8.1	06.5-09.7
Less than \$15,000	332	31,157	231	63.8	55.6-72.0	101	36.2	28.0-44.4
\$15,000- 24,999	668	57,003	505	72.3	67.4-77.2	163	27.7	22.8-32.6
\$25,000- 34,999	542	50,896	441	75.5	68.8-82.2	101	24.5	17.8-31.2
\$35,000- 49,999	708	75,761	589	81.9	78.0-85.8	119	18.1	14.2-22.0
\$50,000- 74,999	785	84,180	677	86.0	83.1-88.9	108	14.0	11.1-16.9
\$75,000+	1031	118,835	898	86.6	83.9-89.3	133	13.4	10.7-16.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	247,853	1530	80.7	78.2-83.2	361	19.3	16.8-21.8
Non-Native	1810	231,973	1475	82.3	79.8-84.8	335	17.7	15.2-20.2
25-34	178	43,663	149	78.9	71.5-86.3	29	21.1	13.7-28.5
35-44	269	37,994	203	76.1	70.6-81.6	66	23.9	18.4-29.4
45-54	452	45,157	338	78.0	74.1-81.9	114	22.0	18.1-25.9
55-64	428	36,772	342	80.0	75.9-84.1	86	20.0	15.9-24.1
65+	480	40,146	428	89.7	86.8-92.6	52	10.3	07.4-13.2
H.S. or G.E.D.	567	74,826	423	72.5	66.6-78.4	144	27.5	21.6-33.4
Some Post-H.S.	557	74,240	438	79.4	74.9-83.9	119	20.6	16.1-25.1
College Graduate	618	78,155	553	91.6	89.2-94.0	65	8.4	06.0-10.8
\$15,000- 24,999	206	25,576	148	72.1	63.5-80.7	58	27.9	19.3-36.5
\$35,000- 49,999	302	37,506	247	80.3	74.0-86.6	55	19.7	13.4-26.0
\$50,000- 74,999	353	45,120	303	86.9	83.0-90.8	50	13.1	09.2-17.0
\$75,000+	533	69,248	452	85.2	81.5-88.9	81	14.8	11.1-18.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2857	248,428	2408	82.1	80.1-84.1	449	17.9	15.9-19.9
Non-Native	2740	234,773	2338	84.0	82.0-86.0	402	16.0	14.0-18.0
18-24	76	37,768	59	79.4	70.0-88.8	17	20.6	11.2-30.0
25-34	254	37,988	189	73.2	67.3-79.1	65	26.8	20.9-32.7
35-44	373	36,676	301	79.3	74.8-83.8	72	20.7	16.2-25.2
45-54	572	45,855	463	81.8	78.3-85.3	109	18.2	14.7-21.7
55-64	560	33,478	472	84.0	80.7-87.3	88	16.0	12.7-19.3
65+	981	54,405	892	91.6	89.8-93.4	89	8.4	06.6-10.2
Less Than H.S.	216	21,337	168	73.0	63.0-83.0	48	27.0	17.0-37.0
H.S. or G.E.D.	844	65,947	694	78.6	74.5-82.7	150	21.4	17.3-25.5
Some Post-H.S.	920	81,928	744	77.6	73.7-81.5	176	22.4	18.5-26.3
College Graduate	874	79,075	799	92.2	90.2-94.2	75	7.8	05.8-09.8
\$15,000- 24,999	462	31,426	357	72.5	66.8-78.2	105	27.5	21.8-33.2
\$25,000- 34,999	350	27,291	296	79.3	73.0-85.6	54	20.7	14.4-27.0
\$35,000- 49,999	406	38,255	342	83.5	78.8-88.2	64	16.5	11.8-21.2
\$50,000- 74,999	432	39,060	374	84.9	80.6-89.2	58	15.1	10.8-19.4
\$75,000+	498	49,586	446	88.5	84.8-92.2	52	11.5	07.8-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	45
2 MALES ONLY	46
3 FEMALES ONLY	47
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	48
5 MALES ONLY	49
6 FEMALES ONLY	50
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	51
8 MALES ONLY	52
9 FEMALES ONLY	53
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	54
11 MALES ONLY	55
12 FEMALES ONLY	56
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	57
14 MALES ONLY	58
15 FEMALES ONLY	59
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	60
17 MALES ONLY	61
18 FEMALES ONLY	62

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009**

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19 MALES AND FEMALES	63
20 MALES ONLY	64
21 FEMALES ONLY	65
ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22 MALES AND FEMALES	66
23 MALES ONLY	67
24 FEMALES ONLY	68
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25 MALES AND FEMALES	69
26 MALES ONLY	70
27 FEMALES ONLY	71
REPORTED HEIGHT IN INCHES (HTIN3).	
28 MALES AND FEMALES	72
29 MALES ONLY	73
30 FEMALES ONLY	74
REPORTED HEIGHT IN METERS (HTM3).	
31 MALES AND FEMALES	75
32 MALES ONLY	76
33 FEMALES ONLY	77
REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34 MALES AND FEMALES	78
35 MALES ONLY	79
36 FEMALES ONLY	80
BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37 MALES AND FEMALES	81
38 MALES ONLY	82
39 FEMALES ONLY	83

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	84
41	MALES ONLY	85
42	FEMALES ONLY	86
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	87
44	MALES ONLY	88
45	FEMALES ONLY	89

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 1: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	493,150	4529	92.8	91.4-94.2	20	0.8	00.2-01.4	12	0.5	00.1-00.9	5	0.2	00.0-00.4	153	5.5	04.3-06.7	8	0.2	00.0-00.4
Male	1876	245,555	1797	93.1	90.9-95.3	16	1.3	00.5-02.1	8	0.4	00.0-00.8				52	5.1	03.1-07.1	3	0.1	00.0-00.3
Female	2851	247,595	2732	92.6	90.8-94.4	4	0.4	00.0-01.0	4	0.5	00.0-01.1	5	0.4	00.0-00.8	101	5.9	04.3-07.5	5	0.2	00.0-00.4
18-24	148	79,926	124	83.6	76.9-90.3	5	3.0	00.3-05.7	2	1.4	00.0-03.4	1	0.5	00.0-01.5	16	11.5	05.6-17.4			
25-34	432	81,382	391	89.3	85.6-93.0	3	0.7	00.0-01.5	3	0.7	00.0-01.5	1	0.3	00.0-00.9	32	8.9	05.4-12.4	2	0.2	00.0-00.6
35-44	640	74,059	596	91.5	89.0-94.0	4	0.7	00.0-01.5	2	0.3	00.0-00.7	2	0.3	00.0-00.7	35	7.0	04.6-09.4	1	0.1	00.0-00.3
45-54	1024	91,044	979	95.5	94.1-96.9	5	0.5	00.1-00.9	4	0.4	00.0-00.8				34	3.4	02.2-04.6	2	0.2	00.0-00.4
55-64	986	70,107	966	97.8	96.6-99.0	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	17	1.9	00.9-02.9			
65+	1447	93,679	1425	98.5	97.7-99.3	2	0.2	00.0-00.4							18	1.1	00.5-01.7	2	0.2	00.0-00.4
Less Than H.S.	357	41,403	329	83.4	75.2-91.6	2	2.0	00.0-04.9							26	14.6	06.8-22.4			
H.S. or G.E.D.	1401	139,094	1353	92.7	89.8-95.6	4	0.6	00.0-01.4	1	0.2	00.0-00.6	2	0.3	00.0-00.9	37	5.9	03.2-08.6	4	0.3	00.0-00.7
Some Post-H.S.	1475	155,300	1405	92.9	90.7-95.1	6	0.5	00.1-00.9	3	0.8	00.0-01.8	1	0.1	00.0-00.3	57	5.5	03.7-07.3	3	0.2	00.0-00.4
College Graduate	1491	157,211	1439	95.4	93.8-97.0	8	1.1	00.0-02.3	8	0.6	00.2-01.0	2	0.1	00.0-00.3	33	2.7	01.7-03.7	1	0.0	00.0-00.0
Less than \$15,000	330	30,540	288	75.8	67.6-84.0	2	0.6	00.0-01.4				1	0.3	00.0-00.9	39	23.3	15.1-31.5			
\$15,000- 24,999	666	56,611	620	88.4	84.3-92.5	6	2.5	00.0-05.0	2	0.4	00.0-01.0	2	0.6	00.0-01.6	35	7.9	04.6-11.2	1	0.2	00.0-00.6
\$25,000- 34,999	538	50,647	518	94.5	91.8-97.2	3	1.2	00.0-02.6	1	0.5	00.0-01.3				14	3.4	01.4-05.4	2	0.4	00.0-01.0
\$35,000- 49,999	704	74,722	685	96.0	94.0-98.0	2	0.3	00.0-00.7							16	3.6	01.6-05.6	1	0.1	00.0-00.3
\$50,000- 74,999	782	83,595	761	96.2	94.4-98.0	3	0.6	00.0-01.4	1	0.3	00.0-00.9				16	2.8	01.2-04.4	1	0.1	00.0-00.3
\$75,000+	1031	118,902	1002	96.3	94.3-98.3	3	0.9	00.0-02.3	8	1.4	00.0-02.8	1	0.1	00.0-00.3	14	1.1	00.5-01.7	3	0.2	00.0-00.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1876	245,555	1797	93.1	90.9-95.3	16	1.3	00.5-02.1	8	0.4	00.0-00.8	52	5.1	03.1-07.1	3	0.1	00.0-00.3
18-24	73	42,714	63	85.6	76.2-95.0	3	3.6	00.0-08.1				7	10.8	02.2-19.4			
25-34	177	43,321	162	89.5	83.8-95.2	3	1.3	00.0-02.9	3	1.3	00.0-02.9	9	7.9	02.4-13.4			
35-44	268	37,573	244	90.1	86.0-94.2	3	1.2	00.0-02.6	1	0.3	00.0-00.9	19	8.1	04.4-11.8	1	0.3	00.0-00.9
45-54	451	45,034	435	96.8	95.2-98.4	4	0.7	00.0-01.5	4	0.9	00.1-01.7	7	1.4	00.2-02.6	1	0.2	00.0-00.6
55-64	428	36,726	420	98.1	96.5-99.7	1	0.2	00.0-00.6				7	1.7	00.3-03.1			
65+	470	39,428	464	98.8	97.8-99.8	2	0.5	00.0-01.1				3	0.4	00.0-01.0	1	0.3	00.0-00.9
H.S. or G.E.D.	560	73,922	537	92.2	87.9-96.5	4	1.1	00.0-02.5	1	0.3	00.0-00.9	16	6.0	01.9-10.1	2	0.3	00.0-00.7
Some Post-H.S.	555	73,242	531	95.1	92.9-97.3	4	0.8	00.0-01.6				19	4.0	01.8-06.2	1	0.1	00.0-00.3
College Graduate	617	78,104	594	94.7	92.0-97.4	8	2.3	00.0-04.7	7	1.1	00.3-01.9	8	1.9	00.3-03.5			
Less than \$15,000	109	12,114				1	0.9	00.0-02.7									
\$15,000- 24,999	206	25,531	192	89.9	83.4-96.4	5	3.4	00.0-07.1	2	0.9	00.0-02.1	7	5.8	00.5-11.1			
\$25,000- 34,999	189	23,398	182	94.2	89.7-98.7	2	1.5	00.0-03.7	1	1.0	00.0-03.0	3	3.0	00.0-06.5	1	0.4	00.0-01.4
\$35,000- 49,999	300	37,118	292	96.1	93.0-99.2	1	0.3	00.0-00.9				7	3.6	00.7-06.5			
\$50,000- 74,999	350	44,535	340	96.2	93.7-98.7	3	1.2	00.0-02.6	1	0.5	00.0-01.5	6	2.1	00.1-04.1			
\$75,000+	533	69,316	519	97.0	94.5-99.5	3	1.5	00.0-03.9	4	0.6	00.0-01.2	5	0.6	00.0-01.2	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2851	247,595	2732	92.6	90.8-94.4	4	0.4	00.0-01.0	4	0.5	00.0-01.1	5	0.4	00.0-00.8	101	5.9	04.3-07.5	5	0.2	00.0-00.4
18-24	75	37,213	61	81.3	72.1-90.5	2	2.2	00.0-05.5	2	3.0	00.0-07.1	1	1.0	00.0-03.0	9	12.4	04.4-20.4			
25-34	255	38,061	229	89.0	84.7-93.3							1	0.6	00.0-01.8	23	10.0	05.9-14.1	2	0.5	00.0-01.1
35-44	372	36,486	352	92.9	89.6-96.2	1	0.2	00.0-00.6	1	0.4	00.0-01.2	2	0.7	00.0-01.7	16	5.9	02.8-09.0			
45-54	573	46,010	544	94.2	91.8-96.6	1	0.3	00.0-00.9							27	5.4	03.2-07.6	1	0.2	00.0-00.6
55-64	558	33,381	546	97.4	95.8-99.0				1	0.2	00.0-00.6	1	0.2	00.0-00.6	10	2.2	00.6-03.8			
65+	977	54,251	961	98.3	97.3-99.3										15	1.5	00.5-02.5	1	0.2	00.0-00.6
Less Than H.S.	213	21,116	194	84.6	75.8-93.4	2	3.9	00.0-09.6							17	11.5	04.2-18.8			
H.S. or G.E.D.	841	65,172	816	93.2	89.7-96.7							2	0.7	00.0-01.9	21	5.8	02.3-09.3	2	0.3	00.0-00.7
Some Post-H.S.	920	82,057	874	91.0	87.7-94.3	2	0.2	00.0-00.6	3	1.4	00.0-03.2	1	0.3	00.0-00.9	38	6.8	03.9-09.7	2	0.2	00.0-00.4
College Graduate	874	79,107	845	96.0	94.4-97.6				1	0.2	00.0-00.6	2	0.3	00.0-00.7	25	3.5	01.9-05.1	1	0.1	00.0-00.3
Less than \$15,000	221	18,426				1	0.4	00.0-01.2				1	0.5	00.0-01.5						
\$15,000- 24,999	460	31,080	428	87.1	81.8-92.4	1	1.8	00.0-05.3				2	1.2	00.0-02.8	28	9.6	05.7-13.5	1	0.4	00.0-01.2
\$25,000- 34,999	349	27,249	336	94.9	91.8-98.0	1	1.0	00.0-03.0							11	3.7	01.3-06.1	1	0.4	00.0-01.2
\$35,000- 49,999	404	37,603	393	95.9	93.2-98.6	1	0.3	00.0-00.9							9	3.6	01.1-06.1	1	0.2	00.0-00.6
\$50,000- 74,999	432	39,060	421	96.1	93.7-98.5										10	3.7	01.3-06.1	1	0.2	00.0-00.6
\$75,000+	498	49,586	483	95.4	92.1-98.7				4	2.7	00.0-05.8	1	0.1	00.0-00.3	9	1.7	00.5-02.9	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	493,150	4509	92.3	90.9-93.7	19	0.7	00.3-01.1	9	0.2	00.0-00.4	5	0.2	00.0-00.4	141	5.1	03.9-06.3	44	1.5	00.9-02.1
Male	1876	245,555	1790	92.7	90.5-94.9	15	0.9	00.3-01.5	7	0.3	00.1-00.5				49	5.0	03.0-07.0	15	1.1	00.3-01.9
Female	2851	247,595	2719	92.0	90.2-93.8	4	0.4	00.0-01.0	2	0.1	00.0-00.3	5	0.4	00.0-00.8	92	5.3	03.9-06.7	29	1.9	00.9-02.9
18-24	148	79,926	123	83.3	76.6-90.0	4	1.9	00.0-03.9				1	0.5	00.0-01.5	14	10.3	04.6-16.0	6	4.1	00.6-07.6
25-34	432	81,382	386	88.0	84.3-91.7	3	0.7	00.0-01.5	2	0.4	00.0-01.0	1	0.3	00.0-00.9	31	8.6	05.1-12.1	9	2.0	00.6-03.4
35-44	640	74,059	596	91.5	89.0-94.0	4	0.7	00.0-01.5	2	0.3	00.0-00.7	2	0.3	00.0-00.7	34	6.8	04.4-09.2	2	0.3	00.0-00.7
45-54	1024	91,044	969	94.3	92.7-95.9	5	0.5	00.1-00.9	4	0.4	00.0-00.8				31	3.2	02.0-04.4	15	1.6	00.6-02.6
55-64	986	70,107	963	97.5	96.3-98.7	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	15	1.8	00.8-02.8	5	0.4	00.0-00.8
65+	1447	93,679	1425	98.5	97.7-99.3	2	0.2	00.0-00.4							15	0.9	00.3-01.5	5	0.3	00.0-00.7
Less Than H.S.	357	41,403	326	82.8	74.6-91.0	2	2.0	00.0-04.9							26	14.6	06.8-22.4	3	0.6	00.0-01.4
H.S. or G.E.D.	1401	139,094	1346	92.1	89.2-95.0	4	0.6	00.0-01.4				2	0.3	00.0-00.9	31	5.0	02.5-07.5	18	2.0	00.6-03.4
Some Post-H.S.	1475	155,300	1401	92.6	90.4-94.8	6	0.5	00.1-00.9	1	0.0	00.0-00.0	1	0.1	00.0-00.3	53	5.3	03.5-07.1	13	1.5	00.3-02.7
College Graduate	1491	157,211	1433	94.8	93.0-96.6	7	0.6	00.2-01.0	8	0.6	00.2-01.0	2	0.1	00.0-00.3	31	2.7	01.7-03.7	10	1.2	00.0-02.4
Less than \$15,000	330	30,540	284	74.8	66.6-83.0	2	0.6	00.0-01.4				1	0.3	00.0-00.9	37	22.4	14.2-30.6	6	2.0	00.2-03.8
\$15,000- 24,999	666	56,611	617	87.5	83.4-91.6	6	2.5	00.0-05.0	2	0.4	00.0-01.0	2	0.6	00.0-01.6	32	7.5	04.4-10.6	7	1.4	00.2-02.6
\$25,000- 34,999	538	50,647	513	93.3	90.4-96.2	3	1.2	00.0-02.6							13	3.3	01.3-05.3	9	2.1	00.5-03.7
\$35,000- 49,999	704	74,722	682	95.5	93.3-97.7	2	0.3	00.0-00.7							14	3.4	01.4-05.4	6	0.8	00.0-01.6
\$50,000- 74,999	782	83,595	760	95.9	94.1-97.7	3	0.6	00.0-01.4	1	0.3	00.0-00.9				15	2.5	01.1-03.9	3	0.7	00.0-01.5
\$75,000+	1031	118,902	1001	96.2	94.2-98.2	2	0.2	00.0-00.4	6	0.5	00.1-00.9	1	0.1	00.0-00.3	13	1.1	00.5-01.7	8	2.0	00.0-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1876	245,555	1790	92.7	90.5-94.9	15	0.9	00.3-01.5	7	0.3	00.1-00.5	49	5.0	03.0-07.0	15	1.1	00.3-01.9
18-24	73	42,714	63	85.6	76.2-95.0	2	1.6	00.0-03.8				7	10.8	02.2-19.4	1	2.0	00.0-05.9
25-34	177	43,321	161	89.0	83.1-94.9	3	1.3	00.0-02.9	2	0.8	00.0-02.0	8	7.5	02.0-13.0	3	1.4	00.0-03.0
35-44	268	37,573	244	90.1	86.0-94.2	3	1.2	00.0-02.6	1	0.3	00.0-00.9	19	8.1	04.4-11.8	1	0.3	00.0-00.9
45-54	451	45,034	430	95.4	93.2-97.6	4	0.7	00.0-01.5	4	0.9	00.1-01.7	6	1.3	00.1-02.5	7	1.7	00.3-03.1
55-64	428	36,726	419	97.8	96.2-99.4	1	0.2	00.0-00.6				7	1.7	00.3-03.1	1	0.2	00.0-00.6
65+	470	39,428	464	98.8	97.8-99.8	2	0.5	00.0-01.1				2	0.3	00.0-00.7	2	0.4	00.0-01.0
Less Than H.S.	144	20,287													1	0.5	00.0-01.5
H.S. or G.E.D.	560	73,922	534	91.7	87.4-96.0	4	1.1	00.0-02.5				14	5.9	01.8-10.0	8	1.3	00.3-02.3
Some Post-H.S.	555	73,242	529	94.8	92.4-97.2	4	0.8	00.0-01.6				18	3.8	01.8-05.8	4	0.6	00.0-01.2
College Graduate	617	78,104	593	94.5	91.6-97.4	7	1.2	00.2-02.2	7	1.1	00.3-01.9	8	1.9	00.3-03.5	2	1.4	00.0-03.6
Less than \$15,000	109	12,114				1	0.9	00.0-02.7							3	3.4	00.0-07.3
\$15,000- 24,999	206	25,531	192	89.9	83.4-96.4	5	3.4	00.0-07.1	2	0.9	00.0-02.1	6	5.6	00.3-10.9	1	0.2	00.0-00.6
\$25,000- 34,999	189	23,398	181	93.9	89.4-98.4	2	1.5	00.0-03.7				3	3.0	00.0-06.5	3	1.6	00.0-03.8
\$35,000- 49,999	300	37,118	290	95.2	91.9-98.5	1	0.3	00.0-00.9				6	3.5	00.6-06.4	3	1.0	00.0-02.4
\$50,000- 74,999	350	44,535	339	95.7	93.0-98.4	3	1.2	00.0-02.6	1	0.5	00.0-01.5	6	2.1	00.1-04.1	1	0.5	00.0-01.5
\$75,000+	533	69,316	519	97.0	94.5-99.5	2	0.3	00.0-00.7	4	0.6	00.0-01.2	5	0.6	00.0-01.2	3	1.5	00.0-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2851	247,595	2719	92.0	90.2-93.8	4	0.4	00.0-01.0	2	0.1	00.0-00.3	5	0.4	00.0-00.8	92	5.3	03.9-06.7	29	1.9	00.9-02.9
18-24	75	37,213	60	80.6	71.2-90.0	2	2.2	00.0-05.5				1	1.0	00.0-03.0	7	9.7	02.6-16.8	5	6.5	00.6-12.4
25-34	255	38,061	225	86.9	82.2-91.6							1	0.6	00.0-01.8	23	10.0	05.9-14.1	6	2.6	00.4-04.8
35-44	372	36,486	352	92.9	89.6-96.2	1	0.2	00.0-00.6	1	0.4	00.0-01.2	2	0.7	00.0-01.7	15	5.5	02.6-08.4	1	0.4	00.0-01.2
45-54	573	46,010	539	93.3	90.9-95.7	1	0.3	00.0-00.9							25	5.0	02.8-07.2	8	1.4	00.2-02.6
55-64	558	33,381	544	97.2	95.6-98.8				1	0.2	00.0-00.6	1	0.2	00.0-00.6	8	1.9	00.5-03.3	4	0.5	00.0-01.1
65+	977	54,251	961	98.3	97.3-99.3										13	1.4	00.4-02.4	3	0.3	00.0-00.7
Less Than H.S.	213	21,116	192	83.8	75.0-92.6	2	3.9	00.0-09.6							17	11.5	04.2-18.8	2	0.7	00.0-01.7
H.S. or G.E.D.	841	65,172	812	92.6	88.9-96.3							2	0.7	00.0-01.9	17	4.0	01.5-06.5	10	2.7	00.2-05.2
Some Post-H.S.	920	82,057	872	90.6	87.3-93.9	2	0.2	00.0-00.6	1	0.1	00.0-00.3	1	0.3	00.0-00.9	35	6.6	03.7-09.5	9	2.3	00.3-04.3
College Graduate	874	79,107	840	95.1	93.3-96.9				1	0.2	00.0-00.6	2	0.3	00.0-00.7	23	3.4	01.8-05.0	8	1.0	00.0-02.0
Less than \$15,000	221	18,426				1	0.4	00.0-01.2				1	0.5	00.0-01.5				3	1.0	00.0-02.4
\$15,000- 24,999	460	31,080	425	85.6	80.1-91.1	1	1.8	00.0-05.3				2	1.2	00.0-02.8	26	9.0	05.1-12.9	6	2.4	00.2-04.6
\$25,000- 34,999	349	27,249	332	92.8	89.1-96.5	1	1.0	00.0-03.0							10	3.6	01.2-06.0	6	2.6	00.2-05.0
\$35,000- 49,999	404	37,603	392	95.8	93.1-98.5	1	0.3	00.0-00.9							8	3.4	00.9-05.9	3	0.5	00.0-01.1
\$50,000- 74,999	432	39,060	421	96.1	93.7-98.5										9	3.0	01.0-05.0	2	0.9	00.0-02.3
\$75,000+	498	49,586	482	95.2	91.9-98.5				2	0.4	00.0-01.0	1	0.1	00.0-00.3	8	1.6	00.4-02.8	5	2.6	00.0-05.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4632	480,930	4431	92.9	91.5-94.3	18	0.6	00.2-01.0	9	0.2	00.0-00.4	4	0.1	00.0-00.3	131	4.8	03.6-06.0	39	1.4	00.8-02.0
Male	1841	240,555	1762	93.1	90.9-95.3	14	0.8	00.4-01.2	7	0.3	00.1-00.5				44	4.7	02.7-06.7	14	1.0	00.2-01.8
Female	2791	240,375	2669	92.6	90.8-94.4	4	0.4	00.0-01.0	2	0.1	00.0-00.3	4	0.3	00.0-00.7	87	4.9	03.5-06.3	25	1.7	00.7-02.7
18-24	139	75,239	119	84.9	78.2-91.6	3	1.5	00.0-03.3				1	0.5	00.0-01.5	11	9.2	03.5-14.9	5	4.0	00.5-07.5
25-34	423	79,877	382	89.0	85.3-92.7	3	0.7	00.0-01.5	2	0.4	00.0-01.0				29	8.1	04.8-11.4	7	1.7	00.3-03.1
35-44	628	72,498	587	91.7	89.2-94.2	4	0.7	00.0-01.5	2	0.3	00.0-00.7	2	0.3	00.0-00.7	32	6.7	04.2-09.2	1	0.2	00.0-00.6
45-54	1014	90,159	960	94.4	92.8-96.0	5	0.5	00.1-00.9	4	0.4	00.0-00.8				31	3.2	02.0-04.4	14	1.5	00.7-02.3
55-64	972	69,296	950	97.6	96.4-98.8	1	0.1	00.0-00.3	1	0.1	00.0-00.3	1	0.1	00.0-00.3	14	1.7	00.7-02.7	5	0.4	00.0-00.8
65+	1410	91,228	1389	98.7	98.1-99.3	2	0.2	00.0-00.6							14	0.8	00.4-01.2	5	0.3	00.0-00.7
Less Than H.S.	336	38,722	308	82.6	74.0-91.2	2	2.2	00.0-05.3							23	14.6	06.2-23.0	3	0.7	00.0-01.5
H.S. or G.E.D.	1369	135,738	1319	92.9	90.2-95.6	3	0.3	00.0-00.7				2	0.3	00.0-00.9	29	4.6	02.1-07.1	16	1.7	00.3-03.1
Some Post-H.S.	1447	150,544	1380	93.4	91.4-95.4	6	0.5	00.1-00.9	1	0.0	00.0-00.0				49	4.7	03.1-06.3	11	1.4	00.2-02.6
College Graduate	1477	155,784	1421	94.8	93.0-96.6	7	0.6	00.2-01.0	8	0.6	00.2-01.0	2	0.1	00.0-00.3	30	2.6	01.6-03.6	9	1.2	00.0-02.4
Less than \$15,000	319	29,044	278	77.1	68.9-85.3	2	0.6	00.0-01.4				1	0.3	00.0-00.9	32	19.9	11.7-28.1	6	2.1	00.3-03.9
\$15,000- 24,999	640	52,830	594	88.4	84.3-92.5	5	2.0	00.0-04.4	2	0.4	00.0-01.0	1	0.3	00.0-00.9	31	7.4	04.1-10.7	7	1.5	00.1-02.9
\$25,000- 34,999	529	49,444	506	93.7	90.8-96.6	3	1.3	00.0-02.9							13	3.4	01.2-05.6	7	1.7	00.1-03.3
\$35,000- 49,999	695	73,873	673	95.4	93.2-97.6	2	0.3	00.0-00.7							14	3.5	01.5-05.5	6	0.8	00.0-01.6
\$50,000- 74,999	773	82,674	753	96.3	94.5-98.1	3	0.6	00.0-01.4	1	0.3	00.0-00.9				15	2.5	01.1-03.9	1	0.3	00.0-00.9
\$75,000+	1020	117,506	991	96.3	94.1-98.5	2	0.2	00.0-00.4	6	0.5	00.1-00.9	1	0.1	00.0-00.3	13	1.1	00.5-01.7	7	1.9	00.0-03.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1841	240,555	1762	93.1	90.9-95.3	14	0.8	00.4-01.2	7	0.3	00.1-00.5	44	4.7	02.7-06.7	14	1.0	00.2-01.8
18-24	69	40,988	62	87.8	78.4-97.2	1	0.7	00.0-02.1				5	9.4	00.8-18.0	1	2.1	00.0-06.2
25-34	175	43,017	159	88.9	83.0-94.8	3	1.3	00.0-02.9	2	0.8	00.0-02.0	8	7.5	02.0-13.0	3	1.5	00.0-03.1
35-44	259	36,416	238	90.6	86.5-94.7	3	1.3	00.0-02.7	1	0.3	00.0-00.9	17	7.9	04.0-11.8			
45-54	449	44,692	428	95.3	93.1-97.5	4	0.7	00.0-01.5	4	0.9	00.1-01.7	6	1.3	00.1-02.5	7	1.8	00.4-03.2
55-64	423	36,398	415	98.0	96.4-99.6	1	0.3	00.0-00.9				6	1.5	00.1-02.9	1	0.3	00.0-00.9
65+	459	38,506	453	98.8	97.8-99.8	2	0.5	00.0-01.3				2	0.3	00.0-00.7	2	0.4	00.0-01.0
Less Than H.S.	136	19,460													1	0.5	00.0-01.5
H.S. or G.E.D.	549	71,894	527	93.0	88.9-97.1	3	0.6	00.0-01.4				12	5.2	01.3-09.1	7	1.2	00.2-02.2
Some Post-H.S.	546	72,045	521	94.8	92.4-97.2	4	0.8	00.0-01.6				17	3.7	01.5-05.9	4	0.6	00.0-01.2
College Graduate	610	77,156	587	94.5	91.6-97.4	7	1.2	00.2-02.2	7	1.1	00.3-01.9	7	1.8	00.2-03.4	2	1.4	00.0-03.6
Less than \$15,000	106	11,712				1	0.9	00.0-02.7							3	3.5	00.0-07.6
\$15,000- 24,999	198	24,024	185	90.9	84.6-97.2	4	2.1	00.0-04.6	2	0.9	00.0-02.1	6	6.0	00.3-11.7	1	0.2	00.0-00.6
\$25,000- 34,999	186	23,133	179	94.3	89.8-98.8	2	1.5	00.0-03.7				3	3.0	00.0-06.5	2	1.2	00.0-03.2
\$35,000- 49,999	295	36,493	285	95.1	91.8-98.4	1	0.3	00.0-00.9				6	3.6	00.5-06.7	3	1.1	00.0-02.5
\$50,000- 74,999	347	44,217	336	95.6	92.9-98.3	3	1.2	00.0-02.6	1	0.5	00.0-01.5	6	2.1	00.1-04.1	1	0.5	00.0-01.5
\$75,000+	527	68,462	513	96.9	94.4-99.4	2	0.3	00.0-00.7	4	0.6	00.0-01.2	5	0.6	00.0-01.2	3	1.6	00.0-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2791	240,375	2669	92.6	90.8-94.4	4	0.4	00.0-01.0	2	0.1	00.0-00.3	4	0.3	00.0-00.7	87	4.9	03.5-06.3	25	1.7	00.7-02.7
18-24	70	34,251	57	81.4	71.8-91.0	2	2.4	00.0-05.9				1	1.1	00.0-03.3	6	8.9	01.8-16.0	4	6.2	00.1-12.3
25-34	248	36,859	223	89.1	84.8-93.4										21	8.8	05.1-12.5	4	2.1	00.0-04.3
35-44	369	36,082	349	92.8	89.5-96.1	1	0.2	00.0-00.6	1	0.4	00.0-01.2	2	0.7	00.0-01.7	15	5.5	02.4-08.6	1	0.4	00.0-01.2
45-54	565	45,468	532	93.4	91.0-95.8	1	0.3	00.0-00.9							25	5.1	02.9-07.3	7	1.2	00.2-02.2
55-64	549	32,897	535	97.2	95.6-98.8				1	0.2	00.0-00.6	1	0.2	00.0-00.6	8	1.9	00.3-03.5	4	0.5	00.0-01.1
65+	951	52,722	936	98.6	97.8-99.4										12	1.1	00.5-01.7	3	0.3	00.0-00.7
Less Than H.S.	200	19,263	181	83.3	73.9-92.7	2	4.3	00.0-10.4							15	11.5	03.7-19.3	2	0.8	00.0-02.0
H.S. or G.E.D.	820	63,844	792	92.9	89.2-96.6							2	0.7	00.0-01.9	17	4.0	01.3-06.7	9	2.4	00.0-04.9
Some Post-H.S.	901	78,499	859	92.1	89.0-95.2	2	0.2	00.0-00.6	1	0.1	00.0-00.3				32	5.5	03.0-08.0	7	2.1	00.1-04.1
College Graduate	867	78,628	834	95.2	93.4-97.0				1	0.2	00.0-00.6	2	0.3	00.0-00.7	23	3.4	01.8-05.0	7	0.9	00.0-01.9
Less than \$15,000	213	17,332	189	80.6	70.8-90.4	1	0.4	00.0-01.2				1	0.5	00.0-01.5	19	17.4	07.6-27.2	3	1.1	00.0-02.5
\$15,000- 24,999	442	28,806	409	86.3	81.0-91.6	1	1.9	00.0-05.6				1	0.5	00.0-01.5	25	8.6	04.9-12.3	6	2.6	00.2-05.0
\$25,000- 34,999	343	26,311	327	93.1	89.4-96.8	1	1.1	00.0-03.1							10	3.7	01.3-06.1	5	2.1	00.0-04.3
\$35,000- 49,999	400	37,380	388	95.8	93.1-98.5	1	0.3	00.0-00.9							8	3.4	00.9-05.9	3	0.5	00.0-01.1
\$50,000- 74,999	426	38,457	417	97.0	95.0-99.0										9	3.0	01.0-05.0			
\$75,000+	493	49,044	478	95.3	92.0-98.6				2	0.4	00.0-01.0	1	0.1	00.0-00.3	8	1.6	00.4-02.8	4	2.5	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4697	490,968	4431	91.0	89.4-92.6	266	9.0	07.4-10.6
Male	1863	243,833	1762	91.9	89.7-94.1	101	8.1	05.9-10.3
Female	2834	247,135	2669	90.1	88.1-92.1	165	9.9	07.9-11.9
18-24	148	79,907	119	79.9	72.8-87.0	29	20.1	13.0-27.2
25-34	431	81,237	382	87.5	83.8-91.2	49	12.5	08.8-16.2
35-44	638	73,863	587	90.0	87.3-92.7	51	10.0	07.3-12.7
45-54	1022	90,889	960	93.6	91.8-95.4	62	6.4	04.6-08.2
55-64	982	69,909	950	96.8	95.6-98.0	32	3.2	02.0-04.4
65+	1429	92,463	1389	97.4	96.4-98.4	40	2.6	01.6-03.6
Less Than H.S.	348	40,633	308	78.7	69.9-87.5	40	21.3	12.5-30.1
H.S. or G.E.D.	1390	138,427	1319	91.1	88.2-94.0	71	8.9	06.0-11.8
Some Post-H.S.	1467	154,807	1380	90.9	88.4-93.4	87	9.1	06.6-11.6
College Graduate	1489	156,959	1421	94.1	92.3-95.9	68	5.9	04.1-07.7
Less than \$15,000	327	30,335	278	73.9	65.7-82.1	49	26.1	17.9-34.3
\$15,000- 24,999	660	56,390	594	82.8	77.7-87.9	66	17.2	12.1-22.3
\$25,000- 34,999	536	50,448	506	91.8	88.3-95.3	30	8.2	04.7-11.7
\$35,000- 49,999	702	74,954	673	94.1	91.6-96.6	29	5.9	03.4-08.4
\$50,000- 74,999	782	83,595	753	95.2	93.2-97.2	29	4.8	02.8-06.8
\$75,000+	1028	118,575	991	95.4	93.2-97.6	37	4.6	02.4-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1863	243,833	1762	91.9	89.7-94.1	101	8.1	05.9-10.3
18-24	72	42,139	62	85.4	75.8-95.0	10	14.6	05.0-24.2
25-34	177	43,321	159	88.3	82.4-94.2	18	11.7	05.8-17.6
35-44	265	37,187	238	88.7	84.4-93.0	27	11.3	07.0-15.6
45-54	451	45,034	428	94.6	92.2-97.0	23	5.4	03.0-07.8
55-64	427	36,657	415	97.3	95.5-99.1	12	2.7	00.9-04.5
65+	464	38,956	453	97.6	96.2-99.0	11	2.4	01.0-03.8
H.S. or G.E.D.	556	72,998	527	91.6	87.3-95.9	29	8.4	04.1-12.7
Some Post-H.S.	552	73,072	521	93.5	90.8-96.2	31	6.5	03.8-09.2
College Graduate	615	77,852	587	93.7	90.8-96.6	28	6.3	03.4-09.2
\$15,000- 24,999	204	25,381	185	86.0	78.4-93.6	19	14.0	06.4-21.6
\$25,000- 34,999	188	23,345	179	93.5	88.8-98.2	9	6.5	01.8-11.2
\$35,000- 49,999	297	36,795	285	94.3	90.8-97.8	12	5.7	02.2-09.2
\$50,000- 74,999	350	44,535	336	95.0	92.1-97.9	14	5.0	02.1-07.9
\$75,000+	532	69,169	513	96.0	93.3-98.7	19	4.0	01.3-06.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2834	247,135	2669	90.1	88.1-92.1	165	9.9	07.9-11.9
25-34	254	37,916	223	86.6	81.9-91.3	31	13.4	08.7-18.1
35-44	373	36,676	349	91.3	87.8-94.8	24	8.7	05.2-12.2
45-54	571	45,855	532	92.6	90.1-95.1	39	7.4	04.9-09.9
55-64	555	33,252	535	96.2	94.4-98.0	20	3.8	02.0-05.6
65+	965	53,508	936	97.2	96.0-98.4	29	2.8	01.6-04.0
H.S. or G.E.D.	834	65,430	792	90.6	86.7-94.5	42	9.4	05.5-13.3
Some Post-H.S.	915	81,734	859	88.5	84.6-92.4	56	11.5	07.6-15.4
College Graduate	874	79,107	834	94.6	92.8-96.4	40	5.4	03.6-07.2
\$15,000- 24,999	456	31,009	409	80.2	73.5-86.9	47	19.8	13.1-26.5
\$25,000- 34,999	348	27,103	327	90.4	85.1-95.7	21	9.6	04.3-14.9
\$35,000- 49,999	405	38,159	388	93.8	90.1-97.5	17	6.2	02.5-09.9
\$50,000- 74,999	432	39,060	417	95.5	93.0-98.0	15	4.5	02.0-07.0
\$75,000+	496	49,405	478	94.6	91.3-97.9	18	5.4	02.1-08.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4697	490,968	4431	91.0	89.4-92.6	18	0.6	00.2-01.0	147	5.1	03.9-06.3	36	1.3	00.7-01.9	65	2.0	01.2-02.8
Male	1863	243,833	1762	91.9	89.7-94.1	14	0.8	00.4-01.2	53	5.0	03.0-07.0	12	0.9	00.1-01.7	22	1.3	00.5-02.1
Female	2834	247,135	2669	90.1	88.1-92.1	4	0.4	00.0-01.0	94	5.2	03.8-06.6	24	1.6	00.6-02.6	43	2.7	01.5-03.9
18-24	148	79,907	119	79.9	72.8-87.0	3	1.4	00.0-03.2	12	9.1	03.6-14.6	5	3.7	00.4-07.0	9	5.8	01.9-09.7
25-34	431	81,237	382	87.5	83.8-91.2	3	0.7	00.0-01.5	32	8.5	05.2-11.8	6	1.6	00.4-02.8	8	1.7	00.3-03.1
35-44	638	73,863	587	90.0	87.3-92.7	4	0.7	00.0-01.5	36	7.3	04.8-09.8	1	0.2	00.0-00.6	10	1.8	00.6-03.0
45-54	1022	90,889	960	93.6	91.8-95.4	5	0.5	00.1-00.9	36	3.7	02.3-05.1	13	1.4	00.6-02.2	8	0.8	00.2-01.4
55-64	982	69,909	950	96.8	95.6-98.0	1	0.1	00.0-00.3	16	1.9	00.9-02.9	5	0.4	00.0-00.8	10	0.9	00.3-01.5
65+	1429	92,463	1389	97.4	96.4-98.4	2	0.2	00.0-00.4	15	0.9	00.5-01.3	4	0.2	00.0-00.4	19	1.3	00.7-01.9
Less Than H.S.	348	40,633	308	78.7	69.9-87.5	2	2.1	00.0-05.0	23	13.9	05.9-21.9	3	0.6	00.0-01.4	12	4.7	00.4-09.0
H.S. or G.E.D.	1390	138,427	1319	91.1	88.2-94.0	3	0.3	00.0-00.7	33	5.1	02.6-07.6	14	1.6	00.4-02.8	21	1.9	00.7-03.1
Some Post-H.S.	1467	154,807	1380	90.9	88.4-93.4	6	0.5	00.1-00.9	51	4.6	03.0-06.2	10	1.3	00.1-02.5	20	2.8	01.2-04.4
College Graduate	1489	156,959	1421	94.1	92.3-95.9	7	0.6	00.2-01.0	40	3.4	02.2-04.6	9	1.2	00.0-02.4	12	0.7	00.3-01.1
Less than \$15,000	327	30,335	278	73.9	65.7-82.1	2	0.6	00.0-01.4	33	19.3	11.5-27.1	6	2.0	00.2-03.8	8	4.3	00.2-08.4
\$15,000- 24,999	660	56,390	594	82.8	77.7-87.9	5	1.9	00.0-04.1	35	7.8	04.7-10.9	6	1.2	00.0-02.4	20	6.3	02.4-10.2
\$25,000- 34,999	536	50,448	506	91.8	88.3-95.3	3	1.2	00.0-02.6	13	3.3	01.3-05.3	7	1.7	00.3-03.1	7	2.0	00.0-04.4
\$35,000- 49,999	702	74,954	673	94.1	91.6-96.6	2	0.3	00.0-00.7	14	3.4	01.4-05.4	6	0.8	00.0-01.6	7	1.4	00.0-03.0
\$50,000- 74,999	782	83,595	753	95.2	93.2-97.2	3	0.6	00.0-01.4	16	2.8	01.2-04.4	1	0.3	00.0-00.9	9	1.1	00.3-01.9
\$75,000+	1028	118,575	991	95.4	93.2-97.6	2	0.2	00.0-00.4	22	1.8	01.0-02.6	5	1.8	00.0-03.8	8	0.9	00.1-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1863	243,833	1762	91.9	89.7-94.1	14	0.8	00.4-01.2	53	5.0	03.0-07.0	12	0.9	00.1-01.7	22	1.3	00.5-02.1
18-24	72	42,139	62	85.4	75.8-95.0	1	0.7	00.0-02.1	5	9.1	00.7-17.5	1	2.0	00.0-05.9	3	2.7	00.0-06.0
25-34	177	43,321	159	88.3	82.4-94.2	3	1.3	00.0-02.9	10	8.3	02.8-13.8	3	1.4	00.0-03.0	2	0.7	00.0-01.9
35-44	265	37,187	238	88.7	84.4-93.0	3	1.2	00.0-02.6	18	8.0	04.3-11.7				6	2.1	00.3-03.9
45-54	451	45,034	428	94.6	92.2-97.0	4	0.7	00.0-01.5	11	2.4	01.0-03.8	6	1.5	00.1-02.9	2	0.8	00.0-01.8
55-64	427	36,657	415	97.3	95.5-99.1	1	0.2	00.0-00.6	6	1.5	00.1-02.9	1	0.2	00.0-00.6	4	0.7	00.0-01.5
65+	464	38,956	453	97.6	96.2-99.0	2	0.5	00.0-01.3	3	0.6	00.0-01.4	1	0.1	00.0-00.3	5	1.2	00.2-02.2
Less Than H.S.	140	19,911										1	0.5	00.0-01.5	4	2.3	00.0-04.8
H.S. or G.E.D.	556	72,998	527	91.6	87.3-95.9	3	0.6	00.0-01.4	13	5.3	01.4-09.2	6	1.0	00.0-02.0	7	1.5	00.1-02.9
Some Post-H.S.	552	73,072	521	93.5	90.8-96.2	4	0.8	00.0-01.6	18	3.8	01.6-06.0	3	0.5	00.0-01.1	6	1.4	00.0-03.0
College Graduate	615	77,852	587	93.7	90.8-96.6	7	1.2	00.2-02.2	14	2.8	01.0-04.6	2	1.4	00.0-03.6	5	0.9	00.1-01.7
Less than \$15,000	108	11,974				1	0.9	00.0-02.7				3	3.4	00.0-07.3	2	2.2	00.0-05.5
\$15,000- 24,999	204	25,381	185	86.0	78.4-93.6	4	2.0	00.0-04.4	8	6.5	01.0-12.0	1	0.2	00.0-00.6	6	5.3	00.0-10.6
\$25,000- 34,999	188	23,345	179	93.5	88.8-98.2	2	1.5	00.0-03.7	3	3.0	00.0-06.5	2	1.2	00.0-03.2	2	0.9	00.0-02.1
\$35,000- 49,999	297	36,795	285	94.3	90.8-97.8	1	0.3	00.0-00.9	6	3.5	00.6-06.4	3	1.0	00.0-02.4	2	0.8	00.0-02.0
\$50,000- 74,999	350	44,535	336	95.0	92.1-97.9	3	1.2	00.0-02.6	7	2.6	00.4-04.8	1	0.5	00.0-01.5	3	0.7	00.0-01.5
\$75,000+	532	69,169	513	96.0	93.3-98.7	2	0.3	00.0-00.7	11	1.5	00.5-02.5	1	1.2	00.0-03.6	5	1.0	00.0-02.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2834	247,135	2669	90.1	88.1-92.1	4	0.4	00.0-01.0	94	5.2	03.8-06.6	24	1.6	00.6-02.6	43	2.7	01.5-03.9
18-24	76	37,768				2	2.2	00.0-05.3	7	9.1	02.4-15.8	4	5.6	00.0-11.3	6	9.3	01.9-16.7
25-34	254	37,916	223	86.6	81.9-91.3				22	8.8	05.1-12.5	3	1.7	00.0-03.7	6	2.8	00.3-05.3
35-44	373	36,676	349	91.3	87.8-94.8	1	0.2	00.0-00.6	18	6.5	03.4-09.6	1	0.4	00.0-01.2	4	1.6	00.0-03.4
45-54	571	45,855	532	92.6	90.1-95.1	1	0.3	00.0-00.9	25	5.0	02.8-07.2	7	1.2	00.2-02.2	6	0.8	00.0-01.6
55-64	555	33,252	535	96.2	94.4-98.0				10	2.3	00.7-03.9	4	0.5	00.0-01.1	6	1.1	00.3-01.9
65+	965	53,508	936	97.2	96.0-98.4				12	1.1	00.5-01.7	3	0.3	00.0-00.7	14	1.5	00.7-02.3
Less Than H.S.	208	20,723				2	4.0	00.0-09.7	15	10.7	03.4-18.0	2	0.7	00.0-01.7	8	7.0	00.0-14.8
H.S. or G.E.D.	834	65,430	792	90.6	86.7-94.5				20	4.8	02.1-07.5	8	2.1	00.0-04.5	14	2.4	00.4-04.4
Some Post-H.S.	915	81,734	859	88.5	84.6-92.4	2	0.2	00.0-00.6	33	5.3	02.9-07.7	7	2.0	00.0-04.0	14	4.0	01.3-06.7
College Graduate	874	79,107	834	94.6	92.8-96.4				26	3.9	02.3-05.5	7	0.9	00.0-01.9	7	0.6	00.0-01.2
Less than \$15,000	219	18,361				1	0.4	00.0-01.2	20	16.9	07.5-26.3	3	1.0	00.0-02.4	6	5.6	00.0-11.9
\$15,000- 24,999	456	31,009	409	80.2	73.5-86.9	1	1.8	00.0-05.3	27	8.8	05.3-12.3	5	2.1	00.0-04.3	14	7.1	01.8-12.4
\$25,000- 34,999	348	27,103	327	90.4	85.1-95.7	1	1.0	00.0-03.0	10	3.6	01.2-06.0	5	2.1	00.0-04.3	5	2.9	00.0-06.8
\$35,000- 49,999	405	38,159	388	93.8	90.1-97.5	1	0.3	00.0-00.9	8	3.3	00.8-05.8	3	0.5	00.0-01.1	5	2.0	00.0-04.9
\$50,000- 74,999	432	39,060	417	95.5	93.0-98.0				9	3.0	01.0-05.0				6	1.5	00.0-03.1
\$75,000+	496	49,405	478	94.6	91.3-97.9				11	2.2	00.8-03.6	4	2.5	00.0-05.6	3	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4723	492,834	4686	98.7	98.1-99.3	34	1.2	00.6-01.8	3	0.1	00.0-00.3
Male	1873	245,245	1861	99.1	98.3-99.9	11	0.9	00.1-01.7	1	0.1	00.0-00.3
Female	2850	247,589	2825	98.3	97.3-99.3	23	1.6	00.6-02.6	2	0.1	00.0-00.3
18-24	148	79,926	142	95.9	92.4-99.4	6	4.1	00.6-07.6			
25-34	430	81,200	423	98.2	96.8-99.6	6	1.5	00.3-02.7	1	0.3	00.0-00.9
35-44	640	74,144	639	99.8	99.4-0100	1	0.2	00.0-00.6			
45-54	1022	90,869	1010	98.8	98.0-99.6	11	1.1	00.3-01.9	1	0.2	00.0-00.6
55-64	986	70,107	981	99.6	99.2-0100	5	0.4	00.0-00.8			
65+	1447	93,635	1443	99.8	99.6-0100	3	0.2	00.0-00.4	1	0.0	00.0-00.0
Less Than H.S.	357	41,403	354	99.4	98.6-0100	3	0.6	00.0-01.4			
H.S. or G.E.D.	1400	139,026	1386	98.3	96.9-99.7	13	1.6	00.4-02.8	1	0.1	00.0-00.3
Some Post-H.S.	1473	155,124	1462	98.6	97.4-99.8	11	1.4	00.2-02.6			
College Graduate	1490	157,138	1481	98.8	97.6-0100	7	1.0	00.0-02.2	2	0.2	00.0-00.4
Less than \$15,000	331	30,603	326	98.4	96.8-0100	5	1.6	00.0-03.2			
\$15,000- 24,999	666	56,692	660	98.8	97.6-0100	5	0.8	00.0-01.8	1	0.4	00.0-01.2
\$25,000- 34,999	537	50,542	529	98.1	96.5-99.7	8	1.9	00.3-03.5			
\$35,000- 49,999	704	74,722	698	99.2	98.4-0100	5	0.6	00.0-01.2	1	0.2	00.0-00.6
\$50,000- 74,999	781	83,518	779	99.4	98.6-0100	2	0.6	00.0-01.4			
\$75,000+	1028	118,625	1023	98.2	96.2-0100	5	1.8	00.0-03.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1873	245,245	1861	99.1	98.3-99.9	11	0.9	00.1-01.7	1	0.1	00.0-00.3
18-24	73	42,714	72	98.0	94.1-0100	1	2.0	00.0-05.9			
25-34	177	43,321	174	98.6	97.0-0100	3	1.4	00.0-03.0			
35-44	267	37,468	267	100.0	0100-0100						
45-54	450	44,936	444	98.5	97.1-99.9	5	1.2	00.0-02.4	1	0.3	00.0-00.9
55-64	428	36,726	427	99.8	99.4-0100	1	0.2	00.0-00.6			
65+	469	39,321	468	99.9	99.7-0100	1	0.1	00.0-00.3			
Less Than H.S.	144	20,287	143	99.5	98.5-0100	1	0.5	00.0-01.5			
H.S. or G.E.D.	558	73,710	552	99.0	98.0-0100	5	0.8	00.0-01.6	1	0.2	00.0-00.6
Some Post-H.S.	554	73,144	551	99.5	98.9-0100	3	0.5	00.0-01.1			
College Graduate	617	78,104	615	98.6	96.4-0100	2	1.4	00.0-03.6			
Less than \$15,000	109	12,114	106	96.6	92.7-0100	3	3.4	00.0-07.3			
\$15,000- 24,999	206	25,531	205	99.8	99.4-0100	1	0.2	00.0-00.6			
\$25,000- 34,999	188	23,293	186	98.8	96.8-0100	2	1.2	00.0-03.2			
\$35,000- 49,999	300	37,118	297	99.0	97.6-0100	2	0.6	00.0-01.6	1	0.4	00.0-01.2
\$50,000- 74,999	350	44,535	349	99.5	98.5-0100	1	0.5	00.0-01.5			
\$75,000+	531	69,111	530	98.8	96.4-0100	1	1.2	00.0-03.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2850	247,589	2825	98.3	97.3-99.3	23	1.6	00.6-02.6	2	0.1	00.0-00.3
18-24	75	37,213	70	93.5	87.6-99.4	5	6.5	00.6-12.4			
25-34	253	37,879	249	97.9	95.7-0100	3	1.5	00.0-03.3	1	0.6	00.0-01.8
35-44	373	36,676	372	99.6	98.8-0100	1	0.4	00.0-01.2			
45-54	572	45,933	566	99.0	98.0-0100	6	1.0	00.0-02.0			
55-64	558	33,381	554	99.5	98.9-0100	4	0.5	00.0-01.1			
65+	978	54,314	975	99.7	99.3-0100	2	0.2	00.0-00.6	1	0.1	00.0-00.3
Less Than H.S.	213	21,116	211	99.3	98.3-0100	2	0.7	00.0-01.7			
H.S. or G.E.D.	842	65,316	834	97.6	95.1-0100	8	2.4	00.0-04.9			
Some Post-H.S.	919	81,980	911	97.8	95.8-99.8	8	2.2	00.2-04.2			
College Graduate	873	79,034	866	99.1	98.1-0100	5	0.6	00.0-01.4	2	0.3	00.0-00.9
Less than \$15,000	222	18,489	220	99.6	99.0-0100	2	0.4	00.0-01.0			
\$15,000- 24,999	460	31,161	455	97.9	95.7-0100	4	1.4	00.0-03.0	1	0.7	00.0-02.1
\$25,000- 34,999	349	27,249	343	97.4	95.0-99.8	6	2.6	00.2-05.0			
\$35,000- 49,999	404	37,603	401	99.5	98.9-0100	3	0.5	00.0-01.1			
\$50,000- 74,999	431	38,983	430	99.3	97.9-0100	1	0.7	00.0-02.1			
\$75,000+	497	49,513	493	97.5	94.4-0100	4	2.5	00.0-05.6			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4723	492,834	4686	98.7	98.1-99.3	37	1.3	00.7-01.9
Male	1873	245,245	1861	99.1	98.3-99.9	12	0.9	00.1-01.7
Female	2850	247,589	2825	98.3	97.3-99.3	25	1.7	00.7-02.7
18-24	148	79,926	142	95.9	92.4-99.4	6	4.1	00.6-07.6
25-34	430	81,200	423	98.2	96.8-99.6	7	1.8	00.4-03.2
35-44	640	74,144	639	99.8	99.4-0100	1	0.2	00.0-00.6
45-54	1022	90,869	1010	98.8	98.0-99.6	12	1.2	00.4-02.0
55-64	986	70,107	981	99.6	99.2-0100	5	0.4	00.0-00.8
65+	1447	93,635	1443	99.8	99.6-0100	4	0.2	00.0-00.4
Less Than H.S.	357	41,403	354	99.4	98.6-0100	3	0.6	00.0-01.4
H.S. or G.E.D.	1400	139,026	1386	98.3	96.9-99.7	14	1.7	00.3-03.1
Some Post-H.S.	1473	155,124	1462	98.6	97.4-99.8	11	1.4	00.2-02.6
College Graduate	1490	157,138	1481	98.8	97.6-0100	9	1.2	00.0-02.4
Less than \$15,000	331	30,603	326	98.4	96.8-0100	5	1.6	00.0-03.2
\$15,000- 24,999	666	56,692	660	98.8	97.6-0100	6	1.2	00.0-02.4
\$25,000- 34,999	537	50,542	529	98.1	96.5-99.7	8	1.9	00.3-03.5
\$35,000- 49,999	704	74,722	698	99.2	98.4-0100	6	0.8	00.0-01.6
\$50,000- 74,999	781	83,518	779	99.4	98.6-0100	2	0.6	00.0-01.4
\$75,000+	1028	118,625	1023	98.2	96.2-0100	5	1.8	00.0-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1873	245,245	1861	99.1	98.3-99.9	12	0.9	00.1-01.7
18-24	73	42,714	72	98.0	94.1-0100	1	2.0	00.0-05.9
25-34	177	43,321	174	98.6	97.0-0100	3	1.4	00.0-03.0
35-44	267	37,468	267	100.0	0100-0100			
45-54	450	44,936	444	98.5	97.1-99.9	6	1.5	00.1-02.9
55-64	428	36,726	427	99.8	99.4-0100	1	0.2	00.0-00.6
65+	469	39,321	468	99.9	99.7-0100	1	0.1	00.0-00.3
Less Than H.S.	144	20,287	143	99.5	98.5-0100	1	0.5	00.0-01.5
H.S. or G.E.D.	558	73,710	552	99.0	98.0-0100	6	1.0	00.0-02.0
Some Post-H.S.	554	73,144	551	99.5	98.9-0100	3	0.5	00.0-01.1
College Graduate	617	78,104	615	98.6	96.4-0100	2	1.4	00.0-03.6
Less than \$15,000	109	12,114	106	96.6	92.7-0100	3	3.4	00.0-07.3
\$15,000- 24,999	206	25,531	205	99.8	99.4-0100	1	0.2	00.0-00.6
\$25,000- 34,999	188	23,293	186	98.8	96.8-0100	2	1.2	00.0-03.2
\$35,000- 49,999	300	37,118	297	99.0	97.6-0100	3	1.0	00.0-02.4
\$50,000- 74,999	350	44,535	349	99.5	98.5-0100	1	0.5	00.0-01.5
\$75,000+	531	69,111	530	98.8	96.4-0100	1	1.2	00.0-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2850	247,589	2825	98.3	97.3-99.3	25	1.7	00.7-02.7
18-24	75	37,213	70	93.5	87.6-99.4	5	6.5	00.6-12.4
25-34	253	37,879	249	97.9	95.7-0100	4	2.1	00.0-04.3
35-44	373	36,676	372	99.6	98.8-0100	1	0.4	00.0-01.2
45-54	572	45,933	566	99.0	98.0-0100	6	1.0	00.0-02.0
55-64	558	33,381	554	99.5	98.9-0100	4	0.5	00.0-01.1
65+	978	54,314	975	99.7	99.3-0100	3	0.3	00.0-00.7
Less Than H.S.	213	21,116	211	99.3	98.3-0100	2	0.7	00.0-01.7
H.S. or G.E.D.	842	65,316	834	97.6	95.1-0100	8	2.4	00.0-04.9
Some Post-H.S.	919	81,980	911	97.8	95.8-99.8	8	2.2	00.2-04.2
College Graduate	873	79,034	866	99.1	98.1-0100	7	0.9	00.0-01.9
Less than \$15,000	222	18,489	220	99.6	99.0-0100	2	0.4	00.0-01.0
\$15,000- 24,999	460	31,161	455	97.9	95.7-0100	5	2.1	00.0-04.3
\$25,000- 34,999	349	27,249	343	97.4	95.0-99.8	6	2.6	00.2-05.0
\$35,000- 49,999	404	37,603	401	99.5	98.9-0100	3	0.5	00.0-01.1
\$50,000- 74,999	431	38,983	430	99.3	97.9-0100	1	0.7	00.0-02.1
\$75,000+	497	49,513	493	97.5	94.4-0100	4	2.5	00.0-05.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4715	494,473	307	22.7	20.3-25.1	583	17.2	15.8-18.6	806	16.8	15.6-18.0	1082	17.5	16.3-18.7	837	11.3	10.5-12.1	1100	14.4	13.4-15.4
Male	1891	247,679	143	24.6	20.9-28.3	237	17.6	15.2-20.0	354	16.8	14.8-18.8	471	17.8	16.0-19.6	347	11.5	10.1-12.9	339	11.7	10.3-13.1
Female	2824	246,795	164	20.9	17.8-24.0	346	16.7	14.9-18.5	452	16.8	15.2-18.4	611	17.2	15.6-18.8	490	11.1	09.9-12.3	761	17.1	15.7-18.5
Native	131	23,036				33	21.5	13.3-29.7	31	17.8	10.5-25.1	25	8.2	04.3-12.1	9	2.9	00.5-05.3	8	1.8	00.4-03.2
Non-Native	4519	465,233	279	21.5	19.1-23.9	547	17.1	15.5-18.7	771	16.8	15.6-18.0	1046	18.1	16.9-19.3	811	11.7	10.7-12.7	1065	14.8	13.8-15.8
Less Than H.S.	364	41,942				18	6.6	03.3-09.9	25	5.8	03.1-08.5	28	5.0	02.8-07.2	49	7.9	05.4-10.4	216	35.3	28.4-42.2
H.S. or G.E.D.	1399	139,848	78	24.2	19.3-29.1	102	10.8	08.6-13.0	198	14.9	12.7-17.1	281	16.0	13.8-18.2	294	13.6	11.8-15.4	446	20.6	18.2-23.0
Some Post-H.S.	1468	155,813	94	22.9	18.6-27.2	193	17.6	15.1-20.1	275	18.5	16.1-20.9	408	20.7	18.5-22.9	252	10.7	09.1-12.3	246	9.7	08.3-11.1
College Graduate	1483	156,792	107	17.0	13.7-20.3	270	25.3	22.6-28.0	308	19.9	17.7-22.1	364	19.0	16.8-21.2	242	10.9	09.3-12.5	192	8.0	06.8-09.2
Less than \$15,000	331	31,236	31	36.2	26.4-46.0	29	11.0	06.5-15.5	36	10.8	06.7-14.9	51	10.5	07.2-13.8	51	8.9	06.0-11.8	133	22.6	17.7-27.5
\$15,000- 24,999	667	56,892	34	21.2	14.5-27.9	62	14.4	10.5-18.3	62	9.6	07.1-12.1	92	9.7	07.3-12.1	134	13.1	10.6-15.6	283	31.9	27.6-36.2
\$25,000- 34,999	541	50,799	38	25.1	17.3-32.9	47	11.7	08.2-15.2	63	12.4	09.1-15.7	114	16.1	12.8-19.4	97	12.1	09.4-14.8	182	22.7	18.8-26.6
\$35,000- 49,999	704	75,471	50	21.1	15.4-26.8	91	19.2	15.1-23.3	117	15.5	12.6-18.4	175	18.7	15.6-21.8	152	14.2	11.7-16.7	119	11.3	09.1-13.5
\$50,000- 74,999	784	84,132	40	13.6	09.1-18.1	122	21.5	18.0-25.0	186	23.2	19.9-26.5	229	23.5	20.4-26.6	141	12.5	10.3-14.7	66	5.7	04.3-07.1
\$75,000+	1026	118,615	52	14.9	10.4-19.4	187	24.0	20.7-27.3	285	26.3	23.4-29.2	311	22.8	20.1-25.5	132	8.4	06.8-10.0	59	3.7	02.7-04.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	247,679	143	24.6	20.9-28.3	237	17.6	15.2-20.0	354	16.8	14.8-18.8	471	17.8	16.0-19.6	347	11.5	10.1-12.9	339	11.7	10.3-13.1
Non-Native	1812	232,071	129	22.7	19.0-26.4	225	17.9	15.5-20.3	341	17.0	15.0-19.0	458	18.6	16.8-20.4	335	11.9	10.5-13.3	324	12.0	10.6-13.4
Less Than H.S.	150	20,686				8	6.5	01.8-11.2	7	4.2	00.7-07.7	15	6.6	02.7-10.5	19	7.3	03.6-11.0			
H.S. or G.E.D.	567	74,702	45	29.5	22.2-36.8	48	12.0	08.5-15.5	101	15.6	12.3-18.9	148	17.5	14.4-20.6	106	11.5	09.1-13.9	119	14.0	11.3-16.7
Some Post-H.S.	557	74,203	43	25.2	18.5-31.9	76	18.2	13.9-22.5	120	19.4	15.7-23.1	162	20.4	16.9-23.9	106	11.5	09.1-13.9	50	5.4	03.8-07.0
College Graduate	617	78,089	44	15.9	11.0-20.8	105	25.5	21.0-30.0	126	18.9	15.6-22.2	146	18.6	15.5-21.7	116	12.7	10.3-15.1	80	8.4	06.4-10.4
Less than \$15,000	112	12,850				14	17.5	08.1-26.9	12	9.4	03.3-15.5	29	15.9	09.0-22.8	18	10.7	05.0-16.4	31	17.2	10.1-24.3
\$15,000- 24,999	208	25,676				18	13.0	06.7-19.3	25	10.4	06.1-14.7	29	8.3	04.8-11.8	39	10.4	06.7-14.1	78	27.3	20.4-34.2
\$25,000- 34,999	192	23,604				16	10.0	04.7-15.3	26	12.1	06.8-17.4	40	14.0	08.9-19.1	33	10.3	06.4-14.2	59	20.6	14.3-26.9
\$35,000- 49,999	302	37,506	23	18.4	11.1-25.7	36	19.7	13.0-26.4	48	14.6	10.1-19.1	77	19.8	15.1-24.5	67	15.4	11.5-19.3	51	12.1	08.6-15.6
\$50,000- 74,999	355	45,233	20	16.1	09.0-23.2	48	18.9	13.8-24.0	79	21.4	16.5-26.3	102	23.1	18.6-27.6	71	14.0	10.7-17.3	35	6.5	04.3-08.7
\$75,000+	532	69,206	26	14.1	08.4-19.8	94	24.9	20.2-29.6	144	25.3	21.2-29.4	155	21.9	18.4-25.4	78	9.4	07.2-11.6	35	4.4	02.8-06.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2824	246,795	164	20.9	17.8-24.0	346	16.7	14.9-18.5	452	16.8	15.2-18.4	611	17.2	15.6-18.8	490	11.1	09.9-12.3	761	17.1	15.7-18.5
Native	87	11,812							21	21.3	11.5-31.1	16	9.9	04.2-15.6	7	3.1	00.6-05.6	7	3.1	00.6-05.6
Non-Native	2707	233,162	150	20.2	17.1-23.3	322	16.3	14.5-18.1	430	16.7	15.1-18.3	588	17.6	16.0-19.2	476	11.5	10.3-12.7	741	17.7	16.3-19.1
Less Than H.S.	214	21,256				10	6.8	02.3-11.3	18	7.4	03.3-11.5	13	3.5	01.3-05.7	30	8.5	04.8-12.2	126	32.5	24.1-40.9
H.S. or G.E.D.	832	65,147	33	18.1	12.0-24.2	54	9.5	07.0-12.0	97	14.1	11.2-17.0	133	14.2	11.7-16.7	188	16.0	13.5-18.5	327	28.2	24.7-31.7
Some Post-H.S.	911	81,611	51	20.7	15.2-26.2	117	17.0	13.9-20.1	155	17.6	14.9-20.3	246	21.1	18.4-23.8	146	10.0	08.2-11.8	196	13.6	11.4-15.8
College Graduate	866	78,704	63	18.0	13.3-22.7	165	25.2	21.7-28.7	182	20.9	18.0-23.8	218	19.4	16.7-22.1	126	9.1	07.3-10.9	112	7.6	06.0-09.2
Less than \$15,000	219	18,386				15	6.4	03.1-09.7	24	11.8	06.1-17.5	22	6.8	03.5-10.1	33	7.6	04.7-10.5	102	26.5	19.8-33.2
\$15,000- 24,999	459	31,217	15	13.3	06.2-20.4	44	15.6	10.9-20.3	37	9.0	05.9-12.1	63	11.0	08.1-13.9	95	15.3	12.0-18.6	205	35.8	30.5-41.1
\$25,000- 34,999	349	27,195	20	18.3	09.7-26.9	31	13.2	08.5-17.9	37	12.6	08.5-16.7	74	17.9	13.6-22.2	64	13.5	09.8-17.2	123	24.5	19.6-29.4
\$35,000- 49,999	402	37,965	27	23.8	15.4-32.2	55	18.6	13.7-23.5	69	16.5	12.4-20.6	98	17.6	13.7-21.5	85	12.9	09.8-16.0	68	10.5	07.8-13.2
\$50,000- 74,999	429	38,899	20	10.7	05.8-15.6	74	24.6	19.7-29.5	107	25.2	20.7-29.7	127	24.0	19.9-28.1	70	10.8	08.1-13.5	31	4.7	02.9-06.5
\$75,000+	494	49,409	26	16.0	09.1-22.9	93	22.6	18.3-26.9	141	27.8	23.3-32.3	156	24.1	20.2-28.0	54	6.9	04.9-08.9	24	2.6	01.4-03.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4715	494,473	3247	80.8	79.6-82.0	1468	19.2	18.0-20.4
Male	1891	247,679	1407	83.7	82.1-85.3	484	16.3	14.7-17.9
Female	2824	246,795	1840	77.9	76.3-79.5	984	22.1	20.5-23.7
Native	131	23,036	117	96.9	95.1-98.7	14	3.1	01.3-04.9
Non-Native	4519	465,233	3104	80.3	79.1-81.5	1415	19.7	18.5-20.9
Less Than H.S.	364	41,942	119	60.0	52.4-67.6	245	40.0	32.4-47.6
H.S. or G.E.D.	1399	139,848	807	72.8	70.3-75.3	592	27.2	24.7-29.7
Some Post-H.S.	1468	155,813	1119	86.1	84.3-87.9	349	13.9	12.1-15.7
College Graduate	1483	156,792	1201	88.2	86.6-89.8	282	11.8	10.2-13.4
Less than \$15,000	331	31,236	178	74.4	69.1-79.7	153	25.6	20.3-30.9
\$15,000- 24,999	667	56,892	311	61.1	56.4-65.8	356	38.9	34.2-43.6
\$25,000- 34,999	541	50,799	309	70.7	66.2-75.2	232	29.3	24.8-33.8
\$35,000- 49,999	704	75,471	516	82.6	79.9-85.3	188	17.4	14.7-20.1
\$50,000- 74,999	784	84,132	658	89.0	87.0-91.0	126	11.0	09.0-13.0
\$75,000+	1026	118,615	932	94.2	93.0-95.4	94	5.8	04.6-07.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1891	247,679	1407	83.7	82.1-85.3	484	16.3	14.7-17.9
Non-Native	1812	232,071	1350	83.3	81.5-85.1	462	16.7	14.9-18.5
H.S. or G.E.D.	567	74,702	396	80.6	77.3-83.9	171	19.4	16.1-22.7
Some Post-H.S.	557	74,203	464	90.0	87.8-92.2	93	10.0	07.8-12.2
College Graduate	617	78,089	498	87.4	85.0-89.8	119	12.6	10.2-15.0
Less than \$15,000	112	12,850	76	80.8	73.4-88.2	36	19.2	11.8-26.6
\$15,000- 24,999	208	25,676	111	67.7	60.3-75.1	97	32.3	24.9-39.7
\$25,000- 34,999	192	23,604	118	74.2	67.1-81.3	74	25.8	18.7-32.9
\$35,000- 49,999	302	37,506	220	81.4	77.1-85.7	82	18.6	14.3-22.9
\$50,000- 74,999	355	45,233	288	87.2	84.1-90.3	67	12.8	09.7-15.9
\$75,000+	532	69,206	474	93.0	91.0-95.0	58	7.0	05.0-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2824	246,795	1840	77.9	76.3-79.5	984	22.1	20.5-23.7
Native	87	11,812	75	95.1	92.0-98.2	12	4.9	01.8-08.0
Non-Native	2707	233,162	1754	77.3	75.7-78.9	953	22.7	21.1-24.3
Less Than H.S.	214	21,256	70	62.1	52.5-71.7	144	37.9	28.3-47.5
H.S. or G.E.D.	832	65,147	411	63.9	60.0-67.8	421	36.1	32.2-40.0
Some Post-H.S.	911	81,611	655	82.5	80.1-84.9	256	17.5	15.1-19.9
College Graduate	866	78,704	703	88.9	87.1-90.7	163	11.1	09.3-12.9
Less than \$15,000	219	18,386	102	70.0	62.7-77.3	117	30.0	22.7-37.3
\$15,000- 24,999	459	31,217	200	55.7	50.0-61.4	259	44.3	38.6-50.0
\$25,000- 34,999	349	27,195	191	67.7	62.0-73.4	158	32.3	26.6-38.0
\$35,000- 49,999	402	37,965	296	83.9	80.4-87.4	106	16.1	12.6-19.6
\$50,000- 74,999	429	38,899	370	91.0	88.6-93.4	59	9.0	06.6-11.4
\$75,000+	494	49,409	458	95.9	94.5-97.3	36	4.1	02.7-05.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4742	495,748	214	3.2	02.6-03.8	2222	38.6	36.6-40.6	1892	46.4	44.4-48.4	414	11.8	10.4-13.2
Male	1897	248,236	7	0.5	00.0-01.1	152	7.2	05.6-08.8	1329	69.0	66.1-71.9	409	23.4	20.9-25.9
Female	2845	247,512	207	6.0	05.0-07.0	2070	70.2	67.7-72.7	563	23.7	21.3-26.1	5	0.2	00.0-00.4
Native	130	22,989	4	1.1	00.0-02.3							11	14.3	05.3-23.3
Non-Native	4543	466,206	202	3.3	02.7-03.9	2131	38.8	36.8-40.8	1812	46.4	44.4-48.4	398	11.5	10.1-12.9
18-24	149	80,779	4	2.4	00.0-04.8	47	30.7	22.9-38.5	78	54.5	45.9-63.1	20	12.4	06.7-18.1
25-34	434	81,870	7	1.3	00.3-02.3	175	32.7	28.2-37.2	188	46.7	41.4-52.0	64	19.2	14.7-23.7
35-44	642	74,670	21	3.0	01.6-04.4	266	35.2	31.5-38.9	298	50.9	46.8-55.0	57	10.9	08.0-13.8
45-54	1024	91,022	27	2.1	01.3-02.9	455	40.8	37.7-43.9	432	45.3	42.0-48.6	110	11.7	09.5-13.9
55-64	989	70,266	35	2.9	01.9-03.9	455	40.3	37.2-43.4	405	45.3	42.0-48.6	94	11.5	09.1-13.9
65+	1457	94,319	116	6.9	05.5-08.3	794	49.3	46.6-52.0	478	37.7	35.0-40.4	69	6.1	04.5-07.7
Less Than H.S.	363	41,670	25	4.7	01.8-07.6	184	45.5	36.7-54.3	135	41.3	32.5-50.1	19	8.4	02.7-14.1
H.S. or G.E.D.	1407	140,404	88	4.5	03.1-05.9	682	38.7	35.2-42.2	549	47.8	43.9-51.7	88	8.9	06.4-11.4
Some Post-H.S.	1478	156,349	59	2.5	01.7-03.3	715	39.6	36.3-42.9	571	45.9	42.4-49.4	133	11.9	09.5-14.3
College Graduate	1492	157,260	41	2.3	01.3-03.3	640	35.8	32.9-38.7	637	46.9	43.8-50.0	174	15.0	12.5-17.5
Less than \$15,000	336	31,413	27	4.6	02.4-06.8	171	42.4	34.4-50.4	117	42.0	33.6-50.4	21	11.0	04.7-17.3
\$15,000- 24,999	667	56,826	47	5.3	03.5-07.1	377	45.8	40.5-51.1	211	40.7	35.2-46.2	32	8.2	04.5-11.9
\$25,000- 34,999	540	50,570	38	4.5	02.9-06.1	276	44.3	38.2-50.4	185	40.4	33.9-46.9	41	10.8	06.5-15.1
\$35,000- 49,999	708	75,761	28	3.5	01.7-05.3	309	38.7	33.8-43.6	313	47.9	43.0-52.8	58	9.9	07.0-12.8
\$50,000- 74,999	787	84,226	18	2.2	01.0-03.4	353	38.3	34.2-42.4	350	49.3	45.0-53.6	66	10.2	07.7-12.7
\$75,000+	1031	118,941	17	1.1	00.5-01.7	383	31.1	27.8-34.4	471	50.3	46.4-54.2	160	17.5	14.6-20.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1897	248,236	7	0.5	00.0-01.1	152	7.2	05.6-08.8	1329	69.0	66.1-71.9	409	23.4	20.9-25.9
Non-Native	1816	232,408	7	0.5	00.0-01.1	145	6.9	05.5-08.3	1271	69.7	67.0-72.4	393	22.9	20.4-25.4
18-24	74	43,289	1	1.3	00.0-03.8	2	4.7	00.0-11.0				20	23.1	13.1-33.1
25-34	178	43,663				11	6.3	02.6-10.0	104	58.0	50.2-65.8	63	35.8	28.2-43.4
35-44	269	37,994	2	0.7	00.0-01.9	13	3.8	01.6-06.0	198	74.2	68.7-79.7	56	21.3	16.0-26.6
45-54	453	45,206				28	6.2	03.8-08.6	316	70.5	66.0-75.0	109	23.4	19.3-27.5
55-64	432	37,046	2	0.4	00.0-01.0	38	9.0	06.3-11.7	300	69.1	64.4-73.8	92	21.6	17.5-25.7
65+	483	40,328	2	0.5	00.0-01.3	60	13.8	10.3-17.3	352	71.4	66.9-75.9	69	14.2	10.9-17.5
Less Than H.S.	150	20,686				24	16.1	06.9-25.3						
H.S. or G.E.D.	568	74,791	4	1.3	00.0-02.9	57	9.8	06.1-13.5	419	72.1	66.6-77.6	88	16.8	12.3-21.3
Some Post-H.S.	559	74,350	2	0.2	00.0-00.6	39	5.5	03.5-07.5	386	69.4	64.3-74.5	132	24.9	20.2-29.6
College Graduate	620	78,410	1	0.1	00.0-00.3	32	4.0	02.4-05.6	416	66.0	61.5-70.5	171	29.9	25.4-34.4
Less than \$15,000	112	12,850	3	3.0	00.0-06.7	10	7.6	02.5-12.7						
\$15,000- 24,999	207	25,569				29	12.2	06.9-17.5	146	69.5	60.9-78.1	32	18.3	10.5-26.1
\$25,000- 34,999	192	23,604	1	0.2	00.0-00.6	24	10.1	05.6-14.6	126	66.5	56.9-76.1	41	23.2	14.4-32.0
\$35,000- 49,999	302	37,506	1	0.2	00.0-00.6	22	7.2	03.7-10.7	223	72.8	66.5-79.1	56	19.8	14.1-25.5
\$50,000- 74,999	356	45,282				23	6.7	02.6-10.8	268	74.7	69.0-80.4	65	18.6	13.9-23.3
\$75,000+	534	69,451				29	4.8	03.0-06.6	345	65.3	60.4-70.2	160	29.9	25.2-34.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2845	247,512	207	6.0	05.0-07.0	2070	70.2	67.7-72.7	563	23.7	21.3-26.1	5	0.2	00.0-00.4
Native	86	11,765	4	2.1	00.0-04.5									
Non-Native	2727	233,798	195	6.0	04.8-07.2	1986	70.5	68.0-73.0	541	23.3	20.9-25.7	5	0.2	00.0-00.4
18-24	75	37,490	3	3.7	00.0-08.0									
25-34	256	38,207	7	2.9	00.7-05.1	164	62.9	56.6-69.2	84	33.8	27.7-39.9	1	0.4	00.0-01.2
35-44	373	36,676	19	5.4	03.0-07.8	253	67.7	62.6-72.8	100	26.7	22.0-31.4	1	0.2	00.0-00.6
45-54	571	45,816	27	4.3	02.5-06.1	427	75.1	71.4-78.8	116	20.5	17.0-24.0	1	0.1	00.0-00.3
55-64	557	33,220	33	5.8	03.8-07.8	417	75.2	71.5-78.9	105	18.8	15.3-22.3	2	0.3	00.0-00.7
65+	974	53,991	114	11.6	09.4-13.8	734	75.9	73.0-78.8	126	12.5	10.3-14.7			
Less Than H.S.	213	20,985	25	9.4	03.5-15.3	160	74.6	64.6-84.6	27	15.9	07.3-24.5	1	0.2	00.0-00.6
H.S. or G.E.D.	839	65,613	84	8.2	06.2-10.2	625	71.7	66.8-76.6	130	20.2	15.3-25.1			
Some Post-H.S.	919	81,999	57	4.6	03.2-06.0	676	70.6	66.3-74.9	185	24.7	20.4-29.0	1	0.2	00.0-00.6
College Graduate	872	78,850	40	4.6	02.6-06.6	608	67.3	63.4-71.2	221	27.8	23.9-31.7	3	0.2	00.0-00.4
Less than \$15,000	224	18,563	24	5.7	03.2-08.2							1	0.2	00.0-00.6
\$15,000- 24,999	460	31,257	47	9.7	06.6-12.8	348	73.2	67.9-78.5	65	17.2	12.3-22.1			
\$25,000- 34,999	348	26,966	37	8.3	05.4-11.2	252	74.2	68.5-79.9	59	17.6	12.5-22.7			
\$35,000- 49,999	406	38,255	27	6.7	03.2-10.2	287	69.5	63.4-75.6	90	23.4	17.9-28.9	2	0.3	00.0-00.7
\$50,000- 74,999	431	38,944	18	4.9	02.5-07.3	330	74.9	70.2-79.6	82	19.8	15.5-24.1	1	0.4	00.0-01.2
\$75,000+	497	49,489	17	2.6	01.2-04.0	354	68.1	62.0-74.2	126	29.2	23.1-35.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 31: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4742	495,748	214	3.2	02.6-03.8	2222	38.6	36.6-40.6	1892	46.4	44.4-48.4	414	11.8	10.4-13.2
Male	1897	248,236	7	0.5	00.0-01.1	152	7.2	05.6-08.8	1329	69.0	66.1-71.9	409	23.4	20.9-25.9
Female	2845	247,512	207	6.0	05.0-07.0	2070	70.2	67.7-72.7	563	23.7	21.3-26.1	5	0.2	00.0-00.4
Native	130	22,989	4	1.1	00.0-02.3							11	14.3	05.3-23.3
Non-Native	4543	466,206	202	3.3	02.7-03.9	2131	38.8	36.8-40.8	1812	46.4	44.4-48.4	398	11.5	10.1-12.9
18-24	149	80,779	4	2.4	00.0-04.8	47	30.7	22.9-38.5	78	54.5	45.9-63.1	20	12.4	06.7-18.1
25-34	434	81,870	7	1.3	00.3-02.3	175	32.7	28.2-37.2	188	46.7	41.4-52.0	64	19.2	14.7-23.7
35-44	642	74,670	21	3.0	01.6-04.4	266	35.2	31.5-38.9	298	50.9	46.8-55.0	57	10.9	08.0-13.8
45-54	1024	91,022	27	2.1	01.3-02.9	455	40.8	37.7-43.9	432	45.3	42.0-48.6	110	11.7	09.5-13.9
55-64	989	70,266	35	2.9	01.9-03.9	455	40.3	37.2-43.4	405	45.3	42.0-48.6	94	11.5	09.1-13.9
65+	1457	94,319	116	6.9	05.5-08.3	794	49.3	46.6-52.0	478	37.7	35.0-40.4	69	6.1	04.5-07.7
Less Than H.S.	363	41,670	25	4.7	01.8-07.6	184	45.5	36.7-54.3	135	41.3	32.5-50.1	19	8.4	02.7-14.1
H.S. or G.E.D.	1407	140,404	88	4.5	03.1-05.9	682	38.7	35.2-42.2	549	47.8	43.9-51.7	88	8.9	06.4-11.4
Some Post-H.S.	1478	156,349	59	2.5	01.7-03.3	715	39.6	36.3-42.9	571	45.9	42.4-49.4	133	11.9	09.5-14.3
College Graduate	1492	157,260	41	2.3	01.3-03.3	640	35.8	32.9-38.7	637	46.9	43.8-50.0	174	15.0	12.5-17.5
Less than \$15,000	336	31,413	27	4.6	02.4-06.8	171	42.4	34.4-50.4	117	42.0	33.6-50.4	21	11.0	04.7-17.3
\$15,000- 24,999	667	56,826	47	5.3	03.5-07.1	377	45.8	40.5-51.1	211	40.7	35.2-46.2	32	8.2	04.5-11.9
\$25,000- 34,999	540	50,570	38	4.5	02.9-06.1	276	44.3	38.2-50.4	185	40.4	33.9-46.9	41	10.8	06.5-15.1
\$35,000- 49,999	708	75,761	28	3.5	01.7-05.3	309	38.7	33.8-43.6	313	47.9	43.0-52.8	58	9.9	07.0-12.8
\$50,000- 74,999	787	84,226	18	2.2	01.0-03.4	353	38.3	34.2-42.4	350	49.3	45.0-53.6	66	10.2	07.7-12.7
\$75,000+	1031	118,941	17	1.1	00.5-01.7	383	31.1	27.8-34.4	471	50.3	46.4-54.2	160	17.5	14.6-20.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1897	248,236	7	0.5	00.0-01.1	152	7.2	05.6-08.8	1329	69.0	66.1-71.9	409	23.4	20.9-25.9
Non-Native	1816	232,408	7	0.5	00.0-01.1	145	6.9	05.5-08.3	1271	69.7	67.0-72.4	393	22.9	20.4-25.4
18-24	74	43,289	1	1.3	00.0-03.8	2	4.7	00.0-11.0				20	23.1	13.1-33.1
25-34	178	43,663				11	6.3	02.6-10.0	104	58.0	50.2-65.8	63	35.8	28.2-43.4
35-44	269	37,994	2	0.7	00.0-01.9	13	3.8	01.6-06.0	198	74.2	68.7-79.7	56	21.3	16.0-26.6
45-54	453	45,206				28	6.2	03.8-08.6	316	70.5	66.0-75.0	109	23.4	19.3-27.5
55-64	432	37,046	2	0.4	00.0-01.0	38	9.0	06.3-11.7	300	69.1	64.4-73.8	92	21.6	17.5-25.7
65+	483	40,328	2	0.5	00.0-01.3	60	13.8	10.3-17.3	352	71.4	66.9-75.9	69	14.2	10.9-17.5
Less Than H.S.	150	20,686				24	16.1	06.9-25.3						
H.S. or G.E.D.	568	74,791	4	1.3	00.0-02.9	57	9.8	06.1-13.5	419	72.1	66.6-77.6	88	16.8	12.3-21.3
Some Post-H.S.	559	74,350	2	0.2	00.0-00.6	39	5.5	03.5-07.5	386	69.4	64.3-74.5	132	24.9	20.2-29.6
College Graduate	620	78,410	1	0.1	00.0-00.3	32	4.0	02.4-05.6	416	66.0	61.5-70.5	171	29.9	25.4-34.4
Less than \$15,000	112	12,850	3	3.0	00.0-06.7	10	7.6	02.5-12.7						
\$15,000- 24,999	207	25,569				29	12.2	06.9-17.5	146	69.5	60.9-78.1	32	18.3	10.5-26.1
\$25,000- 34,999	192	23,604	1	0.2	00.0-00.6	24	10.1	05.6-14.6	126	66.5	56.9-76.1	41	23.2	14.4-32.0
\$35,000- 49,999	302	37,506	1	0.2	00.0-00.6	22	7.2	03.7-10.7	223	72.8	66.5-79.1	56	19.8	14.1-25.5
\$50,000- 74,999	356	45,282				23	6.7	02.6-10.8	268	74.7	69.0-80.4	65	18.6	13.9-23.3
\$75,000+	534	69,451				29	4.8	03.0-06.6	345	65.3	60.4-70.2	160	29.9	25.2-34.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2845	247,512	207	6.0	05.0-07.0	2070	70.2	67.7-72.7	563	23.7	21.3-26.1	5	0.2	00.0-00.4
Native	86	11,765	4	2.1	00.0-04.5									
Non-Native	2727	233,798	195	6.0	04.8-07.2	1986	70.5	68.0-73.0	541	23.3	20.9-25.7	5	0.2	00.0-00.4
18-24	75	37,490	3	3.7	00.0-08.0									
25-34	256	38,207	7	2.9	00.7-05.1	164	62.9	56.6-69.2	84	33.8	27.7-39.9	1	0.4	00.0-01.2
35-44	373	36,676	19	5.4	03.0-07.8	253	67.7	62.6-72.8	100	26.7	22.0-31.4	1	0.2	00.0-00.6
45-54	571	45,816	27	4.3	02.5-06.1	427	75.1	71.4-78.8	116	20.5	17.0-24.0	1	0.1	00.0-00.3
55-64	557	33,220	33	5.8	03.8-07.8	417	75.2	71.5-78.9	105	18.8	15.3-22.3	2	0.3	00.0-00.7
65+	974	53,991	114	11.6	09.4-13.8	734	75.9	73.0-78.8	126	12.5	10.3-14.7			
Less Than H.S.	213	20,985	25	9.4	03.5-15.3	160	74.6	64.6-84.6	27	15.9	07.3-24.5	1	0.2	00.0-00.6
H.S. or G.E.D.	839	65,613	84	8.2	06.2-10.2	625	71.7	66.8-76.6	130	20.2	15.3-25.1			
Some Post-H.S.	919	81,999	57	4.6	03.2-06.0	676	70.6	66.3-74.9	185	24.7	20.4-29.0	1	0.2	00.0-00.6
College Graduate	872	78,850	40	4.6	02.6-06.6	608	67.3	63.4-71.2	221	27.8	23.9-31.7	3	0.2	00.0-00.4
Less than \$15,000	224	18,563	24	5.7	03.2-08.2							1	0.2	00.0-00.6
\$15,000- 24,999	460	31,257	47	9.7	06.6-12.8	348	73.2	67.9-78.5	65	17.2	12.3-22.1			
\$25,000- 34,999	348	26,966	37	8.3	05.4-11.2	252	74.2	68.5-79.9	59	17.6	12.5-22.7			
\$35,000- 49,999	406	38,255	27	6.7	03.2-10.2	287	69.5	63.4-75.6	90	23.4	17.9-28.9	2	0.3	00.0-00.7
\$50,000- 74,999	431	38,944	18	4.9	02.5-07.3	330	74.9	70.2-79.6	82	19.8	15.5-24.1	1	0.4	00.0-01.2
\$75,000+	497	49,489	17	2.6	01.2-04.0	354	68.1	62.0-74.2	126	29.2	23.1-35.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4533	477,825	37	0.8	00.4-01.2	1376	28.4	26.4-30.4	2051	44.5	42.5-46.5	842	20.6	19.0-22.2	198	5.0	04.0-06.0	29	0.7	00.3-01.1
Male	1886	247,086				119	9.2	06.7-11.7	962	50.1	47.0-53.2	627	31.9	29.2-34.6	152	7.5	06.1-08.9	26	1.3	00.7-01.9
Female	2647	230,739	37	1.6	00.8-02.4	1257	48.9	46.2-51.6	1089	38.6	36.1-41.1	215	8.5	07.1-09.9	46	2.3	01.3-03.3	3	0.1	00.1-00.1
Native	129	22,186							47	27.6	17.8-37.4				7	8.8	01.0-16.6	2	2.0	00.0-05.1
Non-Native	4339	449,358	36	0.8	00.4-01.2	1323	28.6	26.6-30.6	1976	45.3	43.3-47.3	789	19.9	18.3-21.5	188	4.7	03.9-05.5	27	0.7	00.5-00.9
18-24	146	79,113	4	2.2	00.0-04.4	61	42.7	33.9-51.5	52	36.6	28.2-45.0	21	14.3	08.2-20.4	7	3.9	00.8-07.0	1	0.2	00.0-00.6
25-34	416	78,869	1	0.2	00.0-00.6	122	24.6	20.5-28.7	174	41.6	36.3-46.9	95	26.0	21.1-30.9	20	6.3	03.4-09.2	4	1.3	00.0-02.7
35-44	616	72,035	5	0.7	00.1-01.3	172	23.8	20.5-27.1	266	44.1	40.0-48.2	138	25.2	21.5-28.9	33	5.9	03.7-08.1	2	0.3	00.0-00.7
45-54	973	87,079	6	0.4	00.0-00.8	236	21.8	19.1-24.5	456	48.4	45.1-51.7	201	21.6	18.9-24.3	68	7.2	05.4-09.0	6	0.7	00.1-01.3
55-64	935	67,014	3	0.3	00.0-00.7	230	20.9	18.4-23.4	444	48.8	45.3-52.3	206	23.8	20.9-26.7	42	4.8	03.2-06.4	10	1.4	00.4-02.4
65+	1415	91,830	18	0.9	00.5-01.3	536	34.0	31.5-36.5	648	47.5	44.6-50.4	179	14.7	12.5-16.9	28	2.3	01.3-03.3	6	0.5	00.1-00.9
Less Than H.S.	351	41,053	7	2.1	00.0-04.3	127	47.0	37.6-56.4	156	31.8	24.7-38.9	47	12.8	08.1-17.5	12	5.8	00.7-10.9	2	0.5	00.0-01.3
H.S. or G.E.D.	1348	135,567	10	1.2	00.0-02.4	416	26.5	23.0-30.0	627	46.7	42.8-50.6	228	19.9	16.6-23.2	58	5.3	03.5-07.1	9	0.5	00.1-00.9
Some Post-H.S.	1406	149,197	10	0.5	00.1-00.9	401	25.7	22.6-28.8	634	44.8	41.3-48.3	287	23.5	20.4-26.6	65	4.7	03.3-06.1	9	0.8	00.2-01.4
College Graduate	1426	151,898	10	0.4	00.2-00.6	431	27.6	24.7-30.5	633	45.8	42.5-49.1	280	20.5	18.0-23.0	63	4.9	03.5-06.3	9	0.8	00.2-01.4
Less than \$15,000	321	30,298	7	2.7	00.0-06.2	108	29.7	21.9-37.5	133	38.8	30.6-47.0	60	23.6	16.2-31.0	10	4.5	00.4-08.6	3	0.7	00.0-01.5
\$15,000- 24,999	653	55,953	10	1.5	00.1-02.9	227	28.8	24.3-33.3	303	51.0	45.5-56.5	83	13.5	10.2-16.8	26	4.6	02.4-06.8	4	0.5	00.0-01.1
\$25,000- 34,999	523	48,947	4	1.1	00.0-02.5	166	30.7	24.0-37.4	236	44.1	37.8-50.4	94	18.6	14.3-22.9	21	4.7	02.3-07.1	2	0.9	00.0-02.3
\$35,000- 49,999	683	73,358	2	0.2	00.0-00.4	166	23.5	19.0-28.0	328	45.8	40.9-50.7	135	23.0	18.5-27.5	45	6.5	04.3-08.7	7	1.1	00.1-02.1
\$50,000- 74,999	752	81,080	4	0.9	00.0-02.3	194	24.9	21.0-28.8	362	46.3	42.0-50.6	161	23.7	19.8-27.6	30	4.1	02.5-05.7	1	0.2	00.0-00.6
\$75,000+	996	115,488	3	0.2	00.0-00.4	261	23.8	20.7-26.9	449	48.4	44.5-52.3	225	21.4	18.5-24.3	49	5.0	03.4-06.6	9	1.1	00.3-01.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1886	247,086	119	9.2	06.7-11.7	962	50.1	47.0-53.2	627	31.9	29.2-34.6	152	7.5	06.1-08.9	26	1.3	00.7-01.9
Non-Native	1805	231,257	113	8.9	06.4-11.4	929	51.6	48.5-54.7	593	31.0	28.3-33.7	146	7.3	05.9-08.7	24	1.2	00.6-01.8
18-24	74	43,289							16	20.8	11.0-30.6	3	2.7	00.0-05.8	1	0.4	00.0-01.2
25-34	177	43,321	11	6.0	02.5-09.5	86	45.9	37.9-53.9	59	35.5	27.7-43.3	17	10.1	05.0-15.2	4	2.4	00.0-04.8
35-44	268	37,854	12	3.7	01.5-05.9	132	48.8	42.5-55.1	98	37.8	31.7-43.9	24	9.1	05.4-12.8	2	0.6	00.0-01.4
45-54	451	45,059	14	2.7	01.1-04.3	219	50.3	45.4-55.2	158	34.3	29.6-39.0	54	11.2	08.1-14.3	6	1.4	00.2-02.6
55-64	429	36,817	19	3.8	02.0-05.6	213	51.5	46.4-56.6	158	35.5	30.8-40.2	31	7.1	04.6-09.6	8	2.2	00.6-03.8
65+	481	40,232	44	8.4	05.9-10.9	273	57.4	52.7-62.1	136	28.4	24.1-32.7	23	4.8	02.8-06.8	5	1.0	00.0-02.0
Less Than H.S.	148	20,525							28	17.9	09.7-26.1	9	7.0	00.1-13.9	2	1.1	00.0-02.7
H.S. or G.E.D.	567	74,653	34	9.6	04.7-14.5	292	50.3	44.4-56.2	184	31.7	26.2-37.2	49	7.5	05.0-10.0	8	0.8	00.2-01.4
Some Post-H.S.	556	73,916	27	6.5	03.2-09.8	269	48.1	42.4-53.8	205	36.3	31.0-41.6	47	7.5	05.0-10.0	8	1.6	00.2-03.0
College Graduate	615	77,992	36	5.4	03.0-07.8	314	53.7	49.0-58.4	210	31.6	27.3-35.9	47	7.7	05.3-10.1	8	1.6	00.4-02.8
Less than \$15,000	111	12,804	9	6.9	02.0-11.8							4	2.2	00.0-04.7	2	1.3	00.0-03.1
\$15,000- 24,999	207	25,622	22	8.9	03.8-14.0	112	62.7	54.1-71.3	53	20.1	13.8-26.4	17	7.4	03.3-11.5	3	1.0	00.0-02.4
\$25,000- 34,999	191	23,497							56	25.5	17.5-33.5	15	7.5	02.8-12.2	2	1.9	00.0-04.8
\$35,000- 49,999	300	37,316	15	4.5	01.8-07.2	150	49.9	42.8-57.0	97	33.8	26.7-40.9	32	10.0	06.3-13.7	6	1.9	00.3-03.5
\$50,000- 74,999	356	45,282	15	9.1	03.4-14.8	190	49.7	43.2-56.2	126	35.1	29.0-41.2	24	5.8	03.3-08.3	1	0.3	00.0-00.9
\$75,000+	531	68,920	22	4.7	02.3-07.1	257	53.0	47.9-58.1	198	32.5	28.0-37.0	45	8.0	05.5-10.5	9	1.9	00.5-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2647	230,739	37	1.6	00.8-02.4	1257	48.9	46.2-51.6	1089	38.6	36.1-41.1	215	8.5	07.1-09.9	46	2.3	01.3-03.3	3	0.1	00.1-00.1
Native	85	10,963										18	18.6	09.0-28.2	3	7.8	00.0-18.0			
Non-Native	2534	218,101	36	1.7	00.9-02.5	1210	49.5	46.8-52.2	1047	38.7	36.2-41.2	196	8.0	06.6-09.4	42	2.0	01.0-03.0	3	0.1	00.0-00.3
18-24	72	35,824	4	4.9	00.0-09.8							5	6.5	00.8-12.2	4	5.4	00.0-11.1			
25-34	239	35,548	1	0.4	00.0-01.2	111	47.2	40.5-53.9	88	36.4	29.9-42.9	36	14.3	09.6-19.0	3	1.6	00.0-03.6			
35-44	348	34,181	5	1.4	00.2-02.6	160	46.1	40.6-51.6	134	38.8	33.5-44.1	40	11.3	07.8-14.8	9	2.4	00.8-04.0			
45-54	522	42,020	6	0.7	00.1-01.3	222	42.3	37.8-46.8	237	46.2	41.7-50.7	43	8.0	05.5-10.5	14	2.8	01.2-04.4			
55-64	506	30,197	3	0.6	00.0-01.4	211	41.9	37.4-46.4	231	45.5	40.8-50.2	48	9.5	06.8-12.2	11	2.0	00.6-03.4	2	0.4	00.0-01.0
65+	934	51,598	18	1.7	00.9-02.5	492	54.0	50.5-57.5	375	39.8	36.5-43.1	43	4.0	02.8-05.2	5	0.4	00.0-00.8	1	0.1	00.0-00.3
Less Than H.S.	203	20,528	7	4.2	00.0-08.7				69	21.3	14.4-28.2	19	7.6	03.3-11.9	3	4.5	00.0-12.1			
H.S. or G.E.D.	781	60,914	10	2.6	00.1-05.1	382	47.1	42.2-52.0	335	42.2	37.3-47.1	44	5.4	03.6-07.2	9	2.5	00.3-04.7	1	0.2	00.0-00.6
Some Post-H.S.	850	75,281	10	1.0	00.2-01.8	374	44.6	40.1-49.1	365	41.5	37.0-46.0	82	10.9	07.8-14.0	18	1.9	00.7-03.1	1	0.0	00.0-00.0
College Graduate	811	73,906	10	0.8	00.2-01.4	395	51.0	46.7-55.3	319	37.3	33.2-41.4	70	8.8	06.4-11.2	16	2.0	00.8-03.2	1	0.1	00.0-00.3
Less than \$15,000	210	17,494	7	4.7	00.0-10.8				77	31.2	22.2-40.2	20	11.2	03.9-18.5	6	6.2	00.0-13.1	1	0.2	00.0-00.6
\$15,000- 24,999	446	30,331	10	2.8	00.3-05.3	205	45.6	39.3-51.9	191	41.2	35.1-47.3	30	8.0	04.7-11.3	9	2.3	00.5-04.1	1	0.1	00.0-00.3
\$25,000- 34,999	332	25,450	4	2.1	00.0-04.5	148	45.1	37.7-52.5	136	38.6	31.7-45.5	38	12.2	08.1-16.3	6	2.0	00.2-03.8			
\$35,000- 49,999	383	36,042	2	0.4	00.0-01.0	151	43.1	35.8-50.4	178	41.5	34.8-48.2	38	11.8	07.3-16.3	13	2.9	01.1-04.7	1	0.3	00.0-00.9
\$50,000- 74,999	396	35,798	4	1.9	00.0-04.8	179	44.9	39.2-50.6	172	42.0	36.5-47.5	35	9.1	05.8-12.4	6	2.1	00.1-04.1			
\$75,000+	465	46,568	3	0.6	00.0-01.4	239	52.1	46.2-58.0	192	41.5	35.4-47.6	27	5.1	02.9-07.3	4	0.6	00.0-01.2			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4520	476,771	49	1.3	00.7-01.9	1353	32.6	30.4-34.8	1786	37.8	35.8-39.8	876	18.5	16.9-20.1	456	9.9	08.7-11.1
Male	1885	246,979	9	0.9	00.1-01.7	366	24.6	21.5-27.7	873	43.2	40.3-46.1	447	21.7	19.3-24.1	190	9.6	07.8-11.4
Female	2635	229,792	40	1.7	00.9-02.5	987	41.1	38.4-43.8	913	31.9	29.5-34.3	429	15.0	13.2-16.8	266	10.2	08.6-11.8
Native	128	22,139	1	1.7	00.0-05.0												
Non-Native	4327	448,352	47	1.3	00.7-01.9	1306	33.1	30.9-35.3	1717	38.1	36.1-40.1	839	18.4	16.8-20.0	418	9.1	07.9-10.3
18-24	145	78,835	8	4.3	01.2-07.4	73	53.4	44.6-62.2	37	26.0	18.4-33.6	14	7.9	03.6-12.2	13	8.4	03.5-13.3
25-34	416	78,869	2	0.5	00.0-01.1	155	35.1	30.2-40.0	129	31.4	26.5-36.3	82	22.6	17.7-27.5	48	10.4	07.3-13.5
35-44	616	72,035	6	0.8	00.2-01.4	176	26.3	22.8-29.8	249	42.1	38.0-46.2	117	19.7	16.4-23.0	68	11.2	08.5-13.9
45-54	972	87,002	8	0.5	00.1-00.9	260	24.8	22.1-27.5	382	41.5	38.2-44.8	201	21.0	18.3-23.7	121	12.1	09.9-14.3
55-64	932	66,789	2	0.2	00.0-00.4	223	23.3	20.4-26.2	402	44.4	40.9-47.9	200	21.6	18.7-24.5	105	10.5	08.3-12.7
65+	1407	91,357	23	1.3	00.7-01.9	449	31.0	28.5-33.5	577	41.9	39.2-44.6	258	18.6	16.4-20.8	100	7.2	05.6-08.8
Less Than H.S.	348	40,701	8	2.9	00.2-05.6	119	45.6	36.2-55.0	127	28.6	21.5-35.7	52	13.4	08.3-18.5	42	9.4	04.9-13.9
H.S. or G.E.D.	1341	135,124	16	2.3	00.7-03.9	381	29.3	25.4-33.2	554	39.5	35.6-43.4	261	18.1	15.4-20.8	129	10.8	08.3-13.3
Some Post-H.S.	1405	149,112	12	0.7	00.3-01.1	381	29.1	25.6-32.6	539	37.2	33.7-40.7	315	22.3	19.4-25.2	158	10.7	08.5-12.9
College Graduate	1425	151,801	13	0.5	00.1-00.9	472	35.4	32.1-38.7	566	39.3	36.2-42.4	247	16.5	14.1-18.9	127	8.4	06.8-10.0
Less than \$15,000	321	30,298	8	3.2	00.0-06.9	104	31.6	23.6-39.6	102	32.2	24.2-40.2	65	19.7	13.2-26.2	42	13.3	07.4-19.2
\$15,000- 24,999	649	55,644	10	1.6	00.2-03.0	186	30.8	25.5-36.1	265	39.7	34.2-45.2	114	16.1	12.2-20.0	74	11.9	08.8-15.0
\$25,000- 34,999	521	48,622	4	0.6	00.0-01.2	145	31.0	23.9-38.1	209	38.1	32.2-44.0	103	19.1	14.6-23.6	60	11.2	07.9-14.5
\$35,000- 49,999	683	73,358	2	0.2	00.0-00.4	177	30.2	25.1-35.3	265	36.5	31.8-41.2	149	20.7	16.8-24.6	90	12.4	09.5-15.3
\$50,000- 74,999	752	81,080	6	1.1	00.0-02.5	216	29.0	25.1-32.9	306	41.3	37.0-45.6	159	20.1	16.8-23.4	65	8.5	06.1-10.9
\$75,000+	995	115,391	4	0.4	00.0-00.8	312	33.9	30.0-37.8	409	40.7	36.8-44.6	198	18.4	15.7-21.1	72	6.5	04.9-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1885	246,979	9	0.9	00.1-01.7	366	24.6	21.5-27.7	873	43.2	40.3-46.1	447	21.7	19.3-24.1	190	9.6	07.8-11.4
Non-Native	1804	231,151	8	0.8	00.0-01.6	354	25.0	21.9-28.1	838	43.7	40.8-46.6	428	21.8	19.4-24.2	176	8.8	07.2-10.4
18-24	74	43,289	5	4.4	00.3-08.5							7	6.9	01.6-12.2	7	8.2	01.3-15.1
25-34	177	43,321				52	28.3	21.2-35.4	67	35.4	27.8-43.0	42	27.9	20.1-35.7	16	8.4	04.3-12.5
35-44	268	37,854	1	0.4	00.0-01.2	46	15.6	11.3-19.9	123	47.2	40.9-53.5	72	26.8	21.3-32.3	26	10.1	06.2-14.0
45-54	451	45,059				67	13.4	10.1-16.7	212	49.8	44.9-54.7	114	24.4	20.1-28.7	58	12.3	09.2-15.4
55-64	429	36,817	1	0.2	00.0-00.6	66	16.5	12.6-20.4	209	48.9	43.8-54.0	109	24.5	20.2-28.8	44	9.9	07.0-12.8
65+	480	40,125	2	0.3	00.0-00.7	101	20.8	17.1-24.5	237	49.9	45.2-54.6	102	20.9	17.0-24.8	38	8.2	05.7-10.7
Less Than H.S.	148	20,525	3	3.1	00.0-07.2							24	16.0	07.4-24.6	14	6.3	02.8-09.8
H.S. or G.E.D.	566	74,546	3	1.6	00.0-03.8	105	23.4	17.5-29.3	255	41.6	35.9-47.3	140	21.5	17.2-25.8	63	11.9	07.8-16.0
Some Post-H.S.	556	73,916	1	0.3	00.0-00.9	86	20.8	15.3-26.3	245	42.0	36.5-47.5	158	26.2	21.5-30.9	66	10.7	07.6-13.8
College Graduate	615	77,992	2	0.3	00.0-00.7	136	25.8	21.1-30.5	305	47.6	42.9-52.3	125	19.3	15.8-22.8	47	7.1	04.9-09.3
Less than \$15,000	111	12,804	1	1.5	00.0-04.4										10	7.4	02.3-12.5
\$15,000- 24,999	206	25,515	1	0.2	00.0-00.6	48	28.0	18.8-37.2	99	48.4	38.8-58.0	28	11.0	06.1-15.9	30	12.3	07.2-17.4
\$25,000- 34,999	191	23,497	1	0.2	00.0-00.6							42	19.2	12.1-26.3	17	8.9	04.0-13.8
\$35,000- 49,999	300	37,316				57	22.4	15.9-28.9	128	41.3	34.4-48.2	80	26.5	19.8-33.2	35	9.7	06.2-13.2
\$50,000- 74,999	356	45,282				68	22.7	16.8-28.6	173	47.0	40.5-53.5	85	22.2	17.3-27.1	30	8.0	04.9-11.1
\$75,000+	531	68,920	3	0.6	00.0-01.4	101	24.5	19.0-30.0	245	44.8	39.7-49.9	138	22.7	18.8-26.6	44	7.4	05.0-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2635	229,792	40	1.7	00.9-02.5	987	41.1	38.4-43.8	913	31.9	29.5-34.3	429	15.0	13.2-16.8	266	10.2	08.6-11.8
Non-Native	2523	217,201	39	1.8	01.0-02.6	952	41.8	39.1-44.5	879	32.2	29.8-34.6	411	14.8	13.0-16.6	242	9.5	07.9-11.1
18-24	71	35,546	3	4.2	00.0-08.9							7	9.1	02.2-16.0	6	8.6	01.5-15.7
25-34	239	35,548	2	1.0	00.0-02.4	103	43.4	36.7-50.1	62	26.4	20.5-32.3	40	16.2	11.3-21.1	32	12.9	08.4-17.4
35-44	348	34,181	5	1.3	00.1-02.5	130	38.2	32.7-43.7	126	36.4	31.1-41.7	45	11.8	08.5-15.1	42	12.3	08.6-16.0
45-54	521	41,943	8	1.1	00.3-01.9	193	37.0	32.7-41.3	170	32.5	28.2-36.8	87	17.4	13.9-20.9	63	12.0	09.1-14.9
55-64	503	29,971	1	0.2	00.0-00.6	157	31.6	27.3-35.9	193	38.8	34.3-43.3	91	18.1	14.4-21.8	61	11.3	08.4-14.2
65+	927	51,232	21	2.1	01.1-03.1	348	39.0	35.7-42.3	340	35.7	32.4-39.0	156	16.8	14.3-19.3	62	6.4	04.6-08.2
Less Than H.S.	200	20,176	5	2.8	00.0-06.5				59	19.9	12.5-27.3	28	10.8	05.7-15.9	28	12.6	04.4-20.8
H.S. or G.E.D.	775	60,579	13	3.1	00.6-05.6	276	36.5	31.6-41.4	299	37.0	32.1-41.9	121	14.0	11.1-16.9	66	9.4	06.5-12.3
Some Post-H.S.	849	75,196	11	1.2	00.4-02.0	295	37.2	32.7-41.7	294	32.5	28.4-36.6	157	18.4	14.7-22.1	92	10.8	07.9-13.7
College Graduate	810	73,809	11	0.7	00.3-01.1	336	45.5	41.2-49.8	261	30.5	26.8-34.2	122	13.5	10.8-16.2	80	9.7	07.3-12.1
Less than \$15,000	210	17,494	7	4.5	00.0-10.6				59	25.5	16.3-34.7	32	13.0	06.7-19.3	32	17.6	08.4-26.8
\$15,000- 24,999	443	30,129	9	2.7	00.2-05.2	138	33.2	27.1-39.3	166	32.2	26.9-37.5	86	20.4	14.7-26.1	44	11.5	07.6-15.4
\$25,000- 34,999	330	25,125	3	0.9	00.0-02.1	110	36.4	28.8-44.0	113	30.4	24.5-36.3	61	18.9	13.2-24.6	43	13.4	09.1-17.7
\$35,000- 49,999	383	36,042	2	0.4	00.0-01.0	120	38.2	30.8-45.6	137	31.4	25.3-37.5	69	14.7	10.8-18.6	55	15.2	10.3-20.1
\$50,000- 74,999	396	35,798	6	2.5	00.0-05.6	148	36.8	31.5-42.1	133	34.2	28.7-39.7	74	17.4	13.1-21.7	35	9.0	05.9-12.1
\$75,000+	464	46,471	1	0.2	00.0-00.6	211	47.9	42.0-53.8	164	34.6	28.7-40.5	60	12.2	08.9-15.5	28	5.1	03.1-07.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

**TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4520	476,771	1402	33.8	31.6-36.0	1785	37.8	35.8-39.8	1333	28.4	26.6-30.2
Male	1885	246,979	375	25.5	22.4-28.6	873	43.2	40.3-46.1	637	31.3	28.6-34.0
Female	2635	229,792	1027	42.8	40.1-45.5	912	31.9	29.5-34.3	696	25.3	23.1-27.5
Non-Native	4327	448,352	1353	34.4	32.2-36.6	1716	38.1	36.1-40.1	1258	27.5	25.7-29.3
18-24	145	78,835	81	57.7	49.1-66.3	37	26.0	18.4-33.6	27	16.3	10.0-22.6
25-34	416	78,869	157	35.6	30.7-40.5	129	31.4	26.5-36.3	130	33.1	27.8-38.4
35-44	616	72,035	182	27.1	23.4-30.8	249	42.1	38.0-46.2	185	30.8	26.9-34.7
45-54	972	87,002	268	25.3	22.4-28.2	382	41.5	38.2-44.8	322	33.2	30.1-36.3
55-64	932	66,789	225	23.5	20.6-26.4	402	44.4	40.9-47.9	305	32.2	29.1-35.3
65+	1407	91,357	472	32.3	29.8-34.8	576	41.9	39.2-44.6	359	25.8	23.3-28.3
Less Than H.S.	348	40,701	127	48.5	39.3-57.7	127	28.6	21.5-35.7	94	22.9	16.2-29.6
H.S. or G.E.D.	1341	135,124	397	31.6	27.7-35.5	553	39.5	35.6-43.4	391	28.9	25.4-32.4
Some Post-H.S.	1405	149,112	393	29.8	26.3-33.3	539	37.2	33.7-40.7	473	33.0	29.7-36.3
College Graduate	1425	151,801	485	35.9	32.6-39.2	566	39.3	36.2-42.4	374	24.8	22.3-27.3
Less than \$15,000	321	30,298	112	34.9	26.7-43.1	102	32.2	24.2-40.2	107	33.0	25.2-40.8
\$15,000- 24,999	649	55,644	196	32.4	27.1-37.7	265	39.7	34.2-45.2	188	27.9	23.2-32.6
\$25,000- 34,999	521	48,622	149	31.6	24.5-38.7	209	38.1	32.2-44.0	163	30.3	24.8-35.8
\$35,000- 49,999	683	73,358	179	30.4	25.3-35.5	264	36.4	31.7-41.1	240	33.2	28.7-37.7
\$50,000- 74,999	752	81,080	222	30.1	26.0-34.2	306	41.3	37.0-45.6	224	28.6	24.9-32.3
\$75,000+	995	115,391	316	34.3	30.4-38.2	409	40.7	36.8-44.6	270	24.9	21.8-28.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1885	246,979	375	25.5	22.4-28.6	873	43.2	40.3-46.1	637	31.3	28.6-34.0
Non-Native	1804	231,151	362	25.8	22.7-28.9	838	43.7	40.8-46.6	604	30.5	27.8-33.2
18-24	74	43,289							14	15.1	06.7-23.5
25-34	177	43,321	52	28.3	21.2-35.4	67	35.4	27.8-43.0	58	36.3	28.3-44.3
35-44	268	37,854	47	15.9	11.6-20.2	123	47.2	40.9-53.5	98	36.9	30.8-43.0
45-54	451	45,059	67	13.4	10.1-16.7	212	49.8	44.9-54.7	172	36.7	32.0-41.4
55-64	429	36,817	67	16.7	12.8-20.6	209	48.9	43.8-54.0	153	34.4	29.7-39.1
65+	480	40,125	103	21.1	17.4-24.8	237	49.9	45.2-54.6	140	29.0	24.7-33.3
Less Than H.S.	148	20,525							38	22.3	12.9-31.7
H.S. or G.E.D.	566	74,546	108	25.0	19.1-30.9	255	41.6	35.9-47.3	203	33.4	28.1-38.7
Some Post-H.S.	556	73,916	87	21.1	15.6-26.6	245	42.0	36.5-47.5	224	36.9	31.6-42.2
College Graduate	615	77,992	138	26.0	21.3-30.7	305	47.6	42.9-52.3	172	26.4	22.3-30.5
\$15,000- 24,999	206	25,515	49	28.2	19.0-37.4	99	48.4	38.8-58.0	58	23.3	16.4-30.2
\$25,000- 34,999	191	23,497							59	28.1	19.7-36.5
\$35,000- 49,999	300	37,316	57	22.4	15.9-28.9	128	41.3	34.4-48.2	115	36.2	29.3-43.1
\$50,000- 74,999	356	45,282	68	22.7	16.8-28.6	173	47.0	40.5-53.5	115	30.3	24.8-35.8
\$75,000+	531	68,920	104	25.1	19.6-30.6	245	44.8	39.7-49.9	182	30.1	25.8-34.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2635	229,792	1027	42.8	40.1-45.5	912	31.9	29.5-34.3	696	25.3	23.1-27.5
Non-Native	2523	217,201	991	43.5	40.8-46.2	878	32.2	29.8-34.6	654	24.3	22.1-26.5
18-24	71	35,546							13	17.7	08.5-26.9
25-34	239	35,548	105	44.5	37.8-51.2	62	26.4	20.5-32.3	72	29.1	23.0-35.2
35-44	348	34,181	135	39.5	34.0-45.0	126	36.4	31.1-41.7	87	24.1	19.4-28.8
45-54	521	41,943	201	38.1	33.6-42.6	170	32.5	28.2-36.8	150	29.4	25.1-33.7
55-64	503	29,971	158	31.8	27.5-36.1	193	38.8	34.3-43.3	152	29.4	25.1-33.7
65+	927	51,232	369	41.1	37.8-44.4	339	35.6	32.3-38.9	219	23.3	20.4-26.2
Less Than H.S.	200	20,176				59	19.9	12.5-27.3	56	23.4	14.0-32.8
H.S. or G.E.D.	775	60,579	289	39.6	34.5-44.7	298	36.9	32.0-41.8	188	23.5	19.6-27.4
Some Post-H.S.	849	75,196	306	38.3	33.8-42.8	294	32.5	28.4-36.6	249	29.2	24.9-33.5
College Graduate	810	73,809	347	46.2	41.9-50.5	261	30.5	26.8-34.2	202	23.2	19.9-26.5
Less than \$15,000	210	17,494				59	25.5	16.3-34.7	64	30.6	20.6-40.6
\$15,000- 24,999	443	30,129	147	35.9	29.8-42.0	166	32.2	26.9-37.5	130	31.8	25.7-37.9
\$25,000- 34,999	330	25,125	113	37.3	29.7-44.9	113	30.4	24.5-36.3	104	32.3	25.6-39.0
\$35,000- 49,999	383	36,042	122	38.6	31.3-45.9	136	31.3	25.2-37.4	125	30.0	24.1-35.9
\$50,000- 74,999	396	35,798	154	39.4	33.7-45.1	133	34.2	28.7-39.7	109	26.4	21.5-31.3
\$75,000+	464	46,471	212	48.1	42.2-54.0	164	34.6	28.7-40.5	88	17.3	13.4-21.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4520	476,771	1402	33.8	31.6-36.0	3118	66.2	64.0-68.4
Male	1885	246,979	375	25.5	22.4-28.6	1510	74.5	71.4-77.6
Female	2635	229,792	1027	42.8	40.1-45.5	1608	57.2	54.5-59.9
Non-Native	4327	448,352	1353	34.4	32.2-36.6	2974	65.6	63.4-67.8
18-24	145	78,835	81	57.7	49.1-66.3	64	42.3	33.7-50.9
25-34	416	78,869	157	35.6	30.7-40.5	259	64.4	59.5-69.3
35-44	616	72,035	182	27.1	23.4-30.8	434	72.9	69.2-76.6
45-54	972	87,002	268	25.3	22.4-28.2	704	74.7	71.8-77.6
55-64	932	66,789	225	23.5	20.6-26.4	707	76.5	73.6-79.4
65+	1407	91,357	472	32.3	29.8-34.8	935	67.7	65.2-70.2
Less Than H.S.	348	40,701	127	48.5	39.3-57.7	221	51.5	42.3-60.7
H.S. or G.E.D.	1341	135,124	397	31.6	27.7-35.5	944	68.4	64.5-72.3
Some Post-H.S.	1405	149,112	393	29.8	26.3-33.3	1012	70.2	66.7-73.7
College Graduate	1425	151,801	485	35.9	32.6-39.2	940	64.1	60.8-67.4
Less than \$15,000	321	30,298	112	34.9	26.7-43.1	209	65.1	56.9-73.3
\$15,000- 24,999	649	55,644	196	32.4	27.1-37.7	453	67.6	62.3-72.9
\$25,000- 34,999	521	48,622	149	31.6	24.5-38.7	372	68.4	61.3-75.5
\$35,000- 49,999	683	73,358	179	30.4	25.3-35.5	504	69.6	64.5-74.7
\$50,000- 74,999	752	81,080	222	30.1	26.0-34.2	530	69.9	65.8-74.0
\$75,000+	995	115,391	316	34.3	30.4-38.2	679	65.7	61.8-69.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1885	246,979	375	25.5	22.4-28.6	1510	74.5	71.4-77.6
Non-Native	1804	231,151	362	25.8	22.7-28.9	1442	74.2	71.1-77.3
25-34	177	43,321	52	28.3	21.2-35.4	125	71.7	64.6-78.8
35-44	268	37,854	47	15.9	11.6-20.2	221	84.1	79.8-88.4
45-54	451	45,059	67	13.4	10.1-16.7	384	86.6	83.3-89.9
55-64	429	36,817	67	16.7	12.8-20.6	362	83.3	79.4-87.2
65+	480	40,125	103	21.1	17.4-24.8	377	78.9	75.2-82.6
H.S. or G.E.D.	566	74,546	108	25.0	19.1-30.9	458	75.0	69.1-80.9
Some Post-H.S.	556	73,916	87	21.1	15.6-26.6	469	78.9	73.4-84.4
College Graduate	615	77,992	138	26.0	21.3-30.7	477	74.0	69.3-78.7
\$15,000- 24,999	206	25,515	49	28.2	19.0-37.4	157	71.8	62.6-81.0
\$35,000- 49,999	300	37,316	57	22.4	15.9-28.9	243	77.6	71.1-84.1
\$50,000- 74,999	356	45,282	68	22.7	16.8-28.6	288	77.3	71.4-83.2
\$75,000+	531	68,920	104	25.1	19.6-30.6	427	74.9	69.4-80.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 12: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2635	229,792	1027	42.8	40.1-45.5	1608	57.2	54.5-59.9
Non-Native	2523	217,201	991	43.5	40.8-46.2	1532	56.5	53.8-59.2
25-34	239	35,548	105	44.5	37.8-51.2	134	55.5	48.8-62.2
35-44	348	34,181	135	39.5	34.0-45.0	213	60.5	55.0-66.0
45-54	521	41,943	201	38.1	33.6-42.6	320	61.9	57.4-66.4
55-64	503	29,971	158	31.8	27.5-36.1	345	68.2	63.9-72.5
65+	927	51,232	369	41.1	37.8-44.4	558	58.9	55.6-62.2
H.S. or G.E.D.	775	60,579	289	39.6	34.5-44.7	486	60.4	55.3-65.5
Some Post-H.S.	849	75,196	306	38.3	33.8-42.8	543	61.7	57.2-66.2
College Graduate	810	73,809	347	46.2	41.9-50.5	463	53.8	49.5-58.1
\$15,000- 24,999	443	30,129	147	35.9	29.8-42.0	296	64.1	58.0-70.2
\$25,000- 34,999	330	25,125	113	37.3	29.7-44.9	217	62.7	55.1-70.3
\$35,000- 49,999	383	36,042	122	38.6	31.3-45.9	261	61.4	54.1-68.7
\$50,000- 74,999	396	35,798	154	39.4	33.7-45.1	242	60.6	54.9-66.3
\$75,000+	464	46,471	212	48.1	42.2-54.0	252	51.9	46.0-57.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009**

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
DRINK-OCCASIONS-PER-DAY (DROCDY2_)	
1 MALES AND FEMALES	92
2 MALES ONLY	93
3 FEMALES ONLY	94
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4 MALES AND FEMALES	95
5 MALES ONLY	96
6 FEMALES ONLY	97
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7 MALES AND FEMALES	98
8 MALES ONLY	99
9 FEMALES ONLY	100
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)	
10 MALES AND FEMALES	101
11 MALES ONLY	102
12 FEMALES ONLY	103
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13 MALES AND FEMALES	104
14 MALES ONLY	105
15 FEMALES ONLY	106

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
16	ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3) MALES ONLY	107
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	108

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 15: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	108

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 1: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4646	485,957	1754	40.8	38.8-42.8	483	11.6	10.2-13.0	158	3.4	02.6-04.2	189	3.8	03.2-04.4	2062	40.4	38.4-42.4
Male	1844	241,407	683	39.2	36.1-42.3	289	15.6	13.2-18.0	98	5.0	03.6-06.4	123	5.7	04.5-06.9	651	34.5	31.6-37.4
Female	2802	244,550	1071	42.4	39.9-44.9	194	7.6	06.2-09.0	60	1.8	01.2-02.4	66	1.9	01.3-02.5	1411	46.2	43.7-48.7
Native	131	23,036				5	2.9	00.0-06.2	2	0.7	00.0-01.7						
Non-Native	4446	456,367	1693	41.2	39.2-43.2	473	12.1	10.7-13.5	153	3.6	02.8-04.4	185	3.8	03.2-04.4	1942	39.3	37.3-41.3
18-24	147	79,437	59	40.1	31.5-48.7	16	10.3	04.8-15.8	3	2.5	00.0-05.4	3	1.8	00.0-04.0	66	45.3	36.7-53.9
25-34	430	80,927	220	51.0	45.7-56.3	67	16.2	12.5-19.9	11	2.7	00.7-04.7	6	1.9	00.3-03.5	126	28.2	23.5-32.9
35-44	628	73,023	310	49.3	45.2-53.4	80	13.2	10.5-15.9	19	3.4	01.8-05.0	14	2.8	01.2-04.4	205	31.3	27.4-35.2
45-54	1006	89,520	435	43.2	39.9-46.5	136	13.8	11.4-16.2	42	4.1	02.7-05.5	28	2.8	01.6-04.0	365	36.2	33.1-39.3
55-64	965	68,245	357	37.3	34.0-40.6	95	10.3	08.3-12.3	42	5.0	03.4-06.6	57	6.6	04.8-08.4	414	40.9	37.6-44.2
65+	1421	91,839	359	26.4	23.9-28.9	86	6.4	05.0-07.8	40	3.0	02.0-04.0	79	6.7	05.1-08.3	857	57.5	54.8-60.2
Less Than H.S.	348	40,811	81	30.4	21.2-39.6	17	4.3	01.2-07.4	10	3.8	00.0-07.9	13	2.7	01.1-04.3	227	58.9	49.5-68.3
H.S. or G.E.D.	1377	137,004	449	34.5	30.8-38.2	120	10.0	07.5-12.5	34	2.9	01.5-04.3	60	4.3	02.9-05.7	714	48.2	44.3-52.1
Some Post-H.S.	1446	152,427	570	41.5	38.0-45.0	159	11.3	09.1-13.5	42	2.5	01.7-03.3	59	3.9	02.7-05.1	616	40.9	37.4-44.4
College Graduate	1472	155,573	654	48.5	45.4-51.6	187	15.3	12.8-17.8	72	4.6	03.2-06.0	57	3.4	02.4-04.4	502	28.2	25.7-30.7
Less than \$15,000	327	30,683	72	28.6	20.6-36.6	16	8.7	02.0-15.4	4	0.7	00.1-01.3	6	2.9	00.0-06.6	229	59.2	50.4-68.0
\$15,000- 24,999	658	56,062	189	29.0	24.1-33.9	37	5.8	03.4-08.2	18	4.4	00.9-07.9	21	2.8	01.4-04.2	393	58.0	52.5-63.5
\$25,000- 34,999	530	49,153	189	40.3	34.0-46.6	43	12.0	05.7-18.3	14	2.2	00.8-03.6	18	2.7	01.3-04.1	266	42.8	36.9-48.7
\$35,000- 49,999	686	73,475	284	43.6	38.5-48.7	75	11.0	08.3-13.7	23	3.3	01.7-04.9	34	4.4	02.8-06.0	270	37.7	32.8-42.6
\$50,000- 74,999	776	82,719	355	46.1	41.8-50.4	96	13.6	10.7-16.5	27	4.7	02.2-07.2	37	4.1	02.5-05.7	261	31.5	27.6-35.4
\$75,000+	1023	118,010	470	47.3	43.4-51.2	174	17.3	14.4-20.2	61	4.8	03.4-06.2	45	4.5	02.9-06.1	273	26.1	22.6-29.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 2: DRINK-OCCASIONS-PER-DAY (DROCDY2_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1844	241,407	683	39.2	36.1-42.3	289	15.6	13.2-18.0	98	5.0	03.6-06.4	123	5.7	04.5-06.9	651	34.5	31.6-37.4
Non-Native	1763	225,578	658	39.1	36.0-42.2	282	16.4	14.0-18.8	96	5.3	03.7-06.9	119	5.7	04.5-06.9	608	33.5	30.6-36.4
18-24	72	41,947				11	13.7	04.7-22.7	3	4.8	00.0-10.3	2	2.7	00.0-06.4			
25-34	175	42,865	80	49.0	41.0-57.0	46	23.0	16.7-29.3	7	3.9	00.4-07.4	5	3.2	00.5-05.9	37	20.9	14.2-27.6
35-44	262	37,012	121	47.3	40.8-53.8	46	16.9	12.2-21.6	13	5.1	02.4-07.8	12	4.8	01.9-07.7	70	25.9	20.2-31.6
45-54	442	44,226	183	41.4	36.5-46.3	78	16.7	13.0-20.4	25	5.4	03.0-07.8	21	4.4	02.4-06.4	135	32.2	27.5-36.9
55-64	421	35,880	145	35.1	30.2-40.0	56	12.3	09.2-15.4	26	6.7	04.2-09.2	38	9.2	06.3-12.1	156	36.7	31.8-41.6
65+	464	38,767	130	29.9	25.4-34.4	50	9.8	07.1-12.5	24	4.6	02.6-06.6	45	10.6	07.5-13.7	215	45.2	40.3-50.1
Less Than H.S.	142	20,139				12	4.9	01.8-08.0	7	6.9	00.0-15.1	10	4.7	01.6-07.8			
H.S. or G.E.D.	547	72,076	183	34.0	28.5-39.5	76	13.6	09.1-18.1	24	4.6	02.1-07.1	39	6.0	03.6-08.4	225	41.8	35.7-47.9
Some Post-H.S.	547	72,104	204	39.6	33.9-45.3	94	15.6	11.9-19.3	25	3.7	02.1-05.3	34	5.7	03.3-08.1	190	35.4	29.9-40.9
College Graduate	608	77,087	258	45.5	40.6-50.4	107	20.4	16.1-24.7	42	6.2	03.7-08.7	40	5.5	03.5-07.5	161	22.4	18.9-25.9
Less than \$15,000	109	12,663							1	0.4	00.0-01.2	3	5.8	00.0-14.4			
\$15,000- 24,999	200	24,905	56	28.5	20.1-36.9	26	9.7	05.0-14.4	8	7.8	00.0-15.6	11	4.1	01.6-06.6	99	49.8	40.0-59.6
\$25,000- 34,999	185	22,202							6	2.7	00.2-05.2	14	5.1	02.2-08.0	77	35.2	26.0-44.4
\$35,000- 49,999	290	35,914	111	38.3	31.4-45.2	46	14.9	10.2-19.6	16	5.2	02.3-08.1	24	6.8	03.9-09.7	93	34.7	27.3-42.1
\$50,000- 74,999	351	44,247	145	44.0	37.5-50.5	66	19.5	14.8-24.2	22	7.4	03.1-11.7	22	5.0	02.8-07.2	96	24.0	19.1-28.9
\$75,000+	528	68,596	234	46.7	41.4-52.0	100	18.2	14.5-21.9	39	5.6	03.6-07.6	36	6.9	04.2-09.6	119	22.5	18.0-27.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION
TABLE 3: DRINK-OCCASIONS-PER-DAY (DROCDY2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2802	244,550	1071	42.4	39.9-44.9	194	7.6	06.2-09.0	60	1.8	01.2-02.4	66	1.9	01.3-02.5	1411	46.2	43.7-48.7
Native	87	11,812				3	2.5	00.0-05.6	1	0.7	00.0-02.1						
Non-Native	2683	230,789	1035	43.3	40.6-46.0	191	8.0	06.6-09.4	57	1.9	01.3-02.5	66	2.0	01.4-02.6	1334	44.9	42.4-47.4
18-24	75	37,490				5	6.4	00.5-12.3				1	0.7	00.0-02.1			
25-34	255	38,061	140	53.3	46.8-59.8	21	8.5	05.0-12.0	4	1.4	00.0-02.8	1	0.4	00.0-01.2	89	36.4	30.1-42.7
35-44	366	36,011	189	51.4	45.9-56.9	34	9.4	06.3-12.5	6	1.7	00.1-03.3	2	0.7	00.0-01.7	135	36.9	31.6-42.2
45-54	564	45,293	252	45.0	40.7-49.3	58	10.9	08.2-13.6	17	2.8	01.4-04.2	7	1.3	00.3-02.3	230	40.0	35.7-44.3
55-64	544	32,366	212	39.7	35.4-44.0	39	8.0	05.5-10.5	16	3.0	01.4-04.6	19	3.6	02.0-05.2	258	45.7	41.2-50.2
65+	957	53,072	229	23.8	20.9-26.7	36	3.9	02.5-05.3	16	1.9	00.9-02.9	34	3.9	02.5-05.3	642	66.5	63.4-69.6
Less Than H.S.	206	20,671				5	3.8	00.0-09.1	3	0.7	00.0-01.5	3	0.7	00.0-01.5			
H.S. or G.E.D.	830	64,928	266	35.2	30.3-40.1	44	6.0	03.8-08.2	10	1.1	00.3-01.9	21	2.4	01.2-03.6	489	55.3	50.4-60.2
Some Post-H.S.	899	80,323	366	43.2	38.7-47.7	65	7.4	05.2-09.6	17	1.5	00.7-02.3	25	2.2	01.2-03.2	426	45.8	41.3-50.3
College Graduate	864	78,486	396	51.4	47.3-55.5	80	10.3	07.6-13.0	30	3.1	01.9-04.3	17	1.4	00.6-02.2	341	33.8	30.1-37.5
Less than \$15,000	218	18,020				8	5.4	00.0-11.5	3	0.9	00.0-01.9	3	0.8	00.0-01.8			
\$15,000- 24,999	458	31,157	133	29.4	23.9-34.9	11	2.6	00.8-04.4	10	1.7	00.5-02.9	10	1.8	00.6-03.0	294	64.5	58.8-70.2
\$25,000- 34,999	345	26,951	126	42.9	35.5-50.3	18	5.5	02.0-09.0	8	1.8	00.4-03.2	4	0.8	00.0-01.6	189	49.0	41.9-56.1
\$35,000- 49,999	396	37,561	173	48.7	41.6-55.8	29	7.2	04.3-10.1	7	1.4	00.2-02.6	10	2.0	00.6-03.4	177	40.6	33.9-47.3
\$50,000- 74,999	425	38,472	210	48.6	43.1-54.1	30	6.8	04.3-09.3	5	1.5	00.1-02.9	15	3.1	01.1-05.1	165	40.0	34.5-45.5
\$75,000+	495	49,414	236	48.2	42.5-53.9	74	16.0	11.5-20.5	22	3.7	02.1-05.3	9	1.2	00.4-02.0	154	30.9	25.6-36.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4652	486,620	3945	78.6	76.6-80.6	707	21.4	19.4-23.4
Male	1848	241,767	1436	72.6	69.7-75.5	412	27.4	24.5-30.3
Female	2804	244,853	2509	84.5	82.1-86.9	295	15.5	13.1-17.9
Non-Native	4453	457,139	3783	78.8	76.8-80.8	670	21.2	19.2-23.2
18-24	147	79,139	99	66.0	57.4-74.6	48	34.0	25.4-42.6
25-34	432	81,615	304	68.1	63.2-73.0	128	31.9	27.0-36.8
35-44	628	73,186	464	71.4	67.5-75.3	164	28.6	24.7-32.5
45-54	1000	89,151	799	79.7	77.0-82.4	201	20.3	17.6-23.0
55-64	967	68,437	850	87.1	84.7-89.5	117	12.9	10.5-15.3
65+	1428	92,190	1382	96.6	95.6-97.6	46	3.4	02.4-04.4
Less Than H.S.	349	40,833	316	80.7	71.3-90.1	33	19.3	09.9-28.7
H.S. or G.E.D.	1384	138,114	1185	78.6	74.9-82.3	199	21.4	17.7-25.1
Some Post-H.S.	1443	152,442	1195	78.3	75.2-81.4	248	21.7	18.6-24.8
College Graduate	1473	155,089	1246	78.3	75.2-81.4	227	21.7	18.6-24.8
Less than \$15,000	327	30,353	296	80.3	71.9-88.7	31	19.7	11.3-28.1
\$15,000- 24,999	654	55,807	592	86.2	81.5-90.9	62	13.8	09.1-18.5
\$25,000- 34,999	531	49,295	472	80.5	73.4-87.6	59	19.5	12.4-26.6
\$35,000- 49,999	692	74,328	565	76.1	71.4-80.8	127	23.9	19.2-28.6
\$50,000- 74,999	774	82,746	635	78.2	74.5-81.9	139	21.8	18.1-25.5
\$75,000+	1020	117,848	785	70.9	67.0-74.8	235	29.1	25.2-33.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1848	241,767	1436	72.6	69.7-75.5	412	27.4	24.5-30.3
Non-Native	1767	225,938	1375	73.0	70.1-75.9	392	27.0	24.1-29.9
25-34	178	43,663	104	59.0	51.2-66.8	74	41.0	33.2-48.8
35-44	263	37,222	168	62.5	56.2-68.8	95	37.5	31.2-43.8
45-54	440	44,128	322	74.3	69.8-78.8	118	25.7	21.2-30.2
55-64	423	36,040	351	82.8	79.1-86.5	72	17.2	13.5-20.9
65+	465	38,730	437	94.6	92.4-96.8	28	5.4	03.2-07.6
H.S. or G.E.D.	556	73,101	427	73.5	67.8-79.2	129	26.5	20.8-32.2
Some Post-H.S.	541	71,887	402	70.8	65.5-76.1	139	29.2	23.9-34.5
College Graduate	610	76,735	488	73.0	68.1-77.9	122	27.0	22.1-31.9
\$15,000- 24,999	200	24,884	164	77.5	68.3-86.7	36	22.5	13.3-31.7
\$35,000- 49,999	294	36,655	222	73.5	67.2-79.8	72	26.5	20.2-32.8
\$50,000- 74,999	349	44,254	252	68.7	62.6-74.8	97	31.3	25.2-37.4
\$75,000+	528	68,666	382	65.7	60.2-71.2	146	34.3	28.8-39.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2804	244,853	2509	84.5	82.1-86.9	295	15.5	13.1-17.9
Native	86	11,703	71	82.3	72.9-91.7	15	17.7	08.3-27.1
Non-Native	2686	231,201	2408	84.5	82.1-86.9	278	15.5	13.1-17.9
25-34	254	37,952	200	78.5	73.2-83.8	54	21.5	16.2-26.8
35-44	365	35,963	296	80.6	76.3-84.9	69	19.4	15.1-23.7
45-54	560	45,022	477	85.1	81.8-88.4	83	14.9	11.6-18.2
55-64	544	32,398	499	91.8	89.4-94.2	45	8.2	05.8-10.6
65+	963	53,460	945	98.0	97.0-99.0	18	2.0	01.0-03.0
H.S. or G.E.D.	828	65,014	758	84.3	79.4-89.2	70	15.7	10.8-20.6
Some Post-H.S.	902	80,555	793	85.0	81.5-88.5	109	15.0	11.5-18.5
College Graduate	863	78,354	758	83.5	79.8-87.2	105	16.5	12.8-20.2
Less than \$15,000	219	18,265	202	82.5	72.7-92.3	17	17.5	07.7-27.3
\$15,000- 24,999	454	30,922	428	93.2	89.9-96.5	26	6.8	03.5-10.1
\$25,000- 34,999	345	26,929	312	83.6	76.2-91.0	33	16.4	09.0-23.8
\$35,000- 49,999	398	37,673	343	78.7	71.8-85.6	55	21.3	14.4-28.2
\$50,000- 74,999	425	38,492	383	89.2	85.7-92.7	42	10.8	07.3-14.3
\$75,000+	492	49,182	403	78.1	72.4-83.8	89	21.9	16.2-27.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4605	481,657	2188	49.2	47.2-51.2	245	6.5	05.3-07.7	93	2.8	02.0-03.6	13	0.6	00.2-01.0	4	0.2	00.0-00.4	2062	40.8	38.8-42.8
Male	1827	239,761	911	49.1	46.0-52.2	168	9.7	07.5-11.9	82	5.2	03.6-06.8	11	0.9	00.1-01.7	4	0.3	00.0-00.7	651	34.7	31.6-37.8
Female	2778	241,896	1277	49.4	46.9-51.9	77	3.2	02.2-04.2	11	0.3	00.1-00.5	2	0.2	00.0-00.6				1411	46.7	44.2-49.2
Native	129	22,879				4	7.8	00.0-18.8												
Non-Native	4410	452,381	2123	50.3	48.3-52.3	236	6.4	05.2-07.6	93	3.0	02.2-03.8	13	0.6	00.2-01.0	3	0.1	00.1-00.1	1942	39.6	37.6-41.6
18-24	144	78,141	56	37.3	28.9-45.7	10	8.4	02.7-14.1	9	6.0	01.7-10.3	2	1.4	00.0-03.4	1	0.7	00.0-02.1	66	46.1	37.3-54.9
25-34	429	80,817	263	61.9	56.8-67.0	28	6.6	04.1-09.1	11	2.4	00.8-04.0	1	0.8	00.0-02.4				126	28.2	23.5-32.9
35-44	625	72,833	352	56.4	52.3-60.5	47	8.5	06.1-10.9	16	3.0	01.4-04.6	3	0.5	00.0-01.3	2	0.2	00.0-00.4	205	31.4	27.5-35.3
45-54	999	88,741	541	54.4	51.1-57.7	61	6.4	04.8-08.0	30	2.6	01.6-03.6	2	0.2	00.0-00.4				365	36.5	33.4-39.6
55-64	954	67,557	464	49.5	46.2-52.8	51	6.0	04.4-07.6	20	2.4	01.2-03.6	4	0.5	00.0-01.1	1	0.1	00.0-00.3	414	41.4	38.1-44.7
65+	1406	90,749	494	37.6	34.9-40.3	47	3.6	02.4-04.8	7	0.6	00.2-01.0	1	0.1	00.0-00.3				857	58.2	55.5-60.9
Less Than H.S.	346	39,892	101	29.4	21.4-37.4	12	6.0	00.0-12.5	5	3.0	00.0-07.3	1	1.4	00.0-04.1				227	60.2	51.0-69.4
H.S. or G.E.D.	1357	135,284	539	40.5	36.6-44.4	69	6.9	04.4-09.4	28	2.9	01.5-04.3	5	0.9	00.0-01.9	2	0.1	00.0-00.3	714	48.8	44.9-52.7
Some Post-H.S.	1433	151,416	688	48.5	45.0-52.0	94	7.4	05.6-09.2	32	2.4	01.2-03.6	2	0.2	00.0-00.4	1	0.4	00.0-01.2	616	41.2	37.7-44.7
College Graduate	1466	154,923	860	62.8	59.7-65.9	70	5.3	03.7-06.9	28	3.0	01.2-04.8	5	0.5	00.0-01.3	1	0.0	00.0-00.0	502	28.3	25.8-30.8
Less than \$15,000	326	30,618	85	30.7	22.5-38.9	5	3.5	00.0-08.4	3	0.7	00.0-01.5	2	3.7	00.0-08.6	2	2.1	00.0-05.8	229	59.3	50.5-68.1
\$15,000- 24,999	650	55,537	225	34.2	29.1-39.3	20	3.2	01.6-04.8	9	2.7	00.0-05.6	3	1.4	00.0-03.8				393	58.5	53.0-64.0
\$25,000- 34,999	527	48,836	232	46.5	40.2-52.8	20	8.8	02.3-15.3	7	1.0	00.2-01.8	2	0.7	00.0-01.7				266	43.0	37.1-48.9
\$35,000- 49,999	680	72,930	357	53.7	48.6-58.8	30	4.6	02.6-06.6	19	3.2	01.4-05.0	3	0.3	00.0-00.7	1	0.1	00.0-00.3	270	38.0	33.1-42.9
\$50,000- 74,999	771	82,211	435	56.6	52.3-60.9	46	6.6	04.4-08.8	26	4.8	02.3-07.3	2	0.3	00.0-00.7	1	0.1	00.0-00.3	261	31.7	27.8-35.6
\$75,000+	1017	117,365	620	60.7	56.8-64.6	99	9.6	07.4-11.8	24	3.4	01.4-05.4	1	0.1	00.0-00.3				273	26.2	22.7-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	239,761	911	49.1	46.0-52.2	168	9.7	07.5-11.9	82	5.2	03.6-06.8	11	0.9	00.1-01.7	4	0.3	00.0-00.7	651	34.7	31.6-37.8
Non-Native	1748	224,047	881	49.9	46.8-53.0	163	9.7	07.7-11.7	82	5.6	03.8-07.4	11	1.0	00.2-01.8	3	0.1	00.0-00.3	608	33.7	30.6-36.8
18-24	72	41,947				7	12.1	02.3-21.9	9	11.2	03.6-18.8	1	1.4	00.0-04.1	1	1.4	00.0-04.1			
25-34	175	42,865	108	63.9	56.1-71.7	19	9.3	05.0-13.6	10	4.3	01.6-07.0	1	1.6	00.0-04.7				37	20.9	14.2-27.6
35-44	262	37,012	141	54.9	48.4-61.4	34	12.7	08.6-16.8	13	5.2	02.3-08.1	2	0.9	00.0-02.3	2	0.4	00.0-01.0	70	25.9	20.2-31.6
45-54	440	43,835	232	52.4	47.3-57.5	44	9.9	07.0-12.8	27	4.9	02.9-06.9	2	0.3	00.0-00.7				135	32.5	27.8-37.2
55-64	416	35,513	204	49.2	44.1-54.3	33	8.0	05.3-10.7	18	4.5	02.3-06.7	4	1.0	00.0-02.0	1	0.3	00.0-00.9	156	37.0	32.1-41.9
65+	455	38,026	204	46.8	41.9-51.7	30	6.0	03.8-08.2	5	0.9	00.0-01.9	1	0.2	00.0-00.6				215	46.0	41.1-50.9
Less Than H.S.	142	20,139							5	5.9	00.0-14.1									
H.S. or G.E.D.	540	71,467	233	41.4	35.5-47.3	49	9.5	05.0-14.0	26	5.1	02.6-07.6	5	1.7	00.0-03.7	2	0.2	00.0-00.6	225	42.1	36.0-48.2
Some Post-H.S.	541	71,544	262	47.8	42.1-53.5	60	11.0	07.9-14.1	26	4.4	02.2-06.6	2	0.3	00.0-00.7	1	0.8	00.0-02.4	190	35.7	30.0-41.4
College Graduate	604	76,611	365	62.1	57.2-67.0	48	8.3	05.4-11.2	25	5.9	02.6-09.2	4	1.0	00.0-02.6	1	0.1	00.0-00.3	161	22.6	18.9-26.3
Less than \$15,000	109	12,663				2	6.4	00.0-17.6	3	1.7	00.0-03.7	1	4.5	00.0-13.1	2	5.1	00.0-13.7			
\$15,000- 24,999	198	24,750	77	35.6	26.8-44.4	12	5.4	02.1-08.7	8	5.9	00.0-12.2	2	2.9	00.0-08.2				99	50.1	40.3-59.9
\$25,000- 34,999	183	22,070							6	2.0	00.2-03.8	2	1.6	00.0-03.8				77	35.4	26.2-44.6
\$35,000- 49,999	286	35,549	153	51.7	44.3-59.1	20	6.6	03.3-09.9	16	5.7	02.4-09.0	3	0.7	00.0-01.5	1	0.3	00.0-00.9	93	35.1	27.7-42.5
\$50,000- 74,999	349	44,112	189	56.3	50.0-62.6	39	10.6	07.1-14.1	22	8.2	03.7-12.7	2	0.5	00.0-01.3	1	0.2	00.0-00.6	96	24.1	19.2-29.0
\$75,000+	525	68,125	315	59.6	54.3-64.9	67	11.8	08.9-14.7	23	5.8	02.5-09.1	1	0.1	00.0-00.3				119	22.7	18.2-27.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2778	241,896	1277	49.4	46.9-51.9	77	3.2	02.2-04.2	11	0.3	00.1-00.5	2	0.2	00.0-00.6	1411	46.7	44.2-49.2
Native	85	11,656				2	2.5	00.0-06.0									
Non-Native	2662	228,334	1242	50.7	48.2-53.2	73	3.2	02.2-04.2	11	0.4	00.2-00.6	2	0.3	00.0-00.7	1334	45.4	42.9-47.9
18-24	72	36,195				3	4.1	00.0-08.8				1	1.5	00.0-04.4			
25-34	254	37,952	155	59.6	53.3-65.9	9	3.6	01.2-06.0	1	0.4	00.0-01.2				89	36.5	30.2-42.8
35-44	363	35,821	211	57.9	52.6-63.2	13	4.1	01.7-06.5	3	0.8	00.0-01.8	1	0.1	00.0-00.3	135	37.0	31.7-42.3
45-54	559	44,906	309	56.3	52.0-60.6	17	2.9	01.5-04.3	3	0.4	00.0-01.0				230	40.4	36.1-44.7
55-64	538	32,043	260	49.8	45.3-54.3	18	3.8	02.0-05.6	2	0.2	00.0-00.4				258	46.1	41.6-50.6
65+	951	52,723	290	30.9	27.8-34.0	17	1.9	00.9-02.9	2	0.3	00.0-00.7				642	66.9	63.8-70.0
Less Than H.S.	204	19,753				1	0.3	00.0-00.9				1	2.8	00.0-08.3			
H.S. or G.E.D.	817	63,817	306	39.4	34.5-44.3	20	4.0	01.6-06.4	2	0.4	00.0-01.0				489	56.3	51.4-61.2
Some Post-H.S.	892	79,872	426	49.2	44.7-53.7	34	4.2	02.4-06.0	6	0.6	00.0-01.2				426	46.1	41.6-50.6
College Graduate	862	78,313	495	63.5	59.8-67.2	22	2.4	01.4-03.4	3	0.2	00.0-00.4	1	0.1	00.0-00.3	341	33.9	30.2-37.6
Less than \$15,000	217	17,955				3	1.4	00.0-03.2				1	3.1	00.0-09.0			
\$15,000- 24,999	452	30,786	148	33.0	27.3-38.7	8	1.5	00.5-02.5	1	0.1	00.0-00.3	1	0.2	00.0-00.6	294	65.2	59.5-70.9
\$25,000- 34,999	344	26,766	148	47.5	40.2-54.8	6	3.0	00.0-06.1	1	0.1	00.0-00.3				189	49.3	42.0-56.6
\$35,000- 49,999	394	37,381	204	55.7	48.8-62.6	10	2.7	00.7-04.7	3	0.8	00.0-01.8				177	40.8	34.1-47.5
\$50,000- 74,999	422	38,099	246	56.8	51.3-62.3	7	1.9	00.5-03.3	4	0.9	00.0-01.9				165	40.4	34.9-45.9
\$75,000+	492	49,241	305	62.4	56.9-67.9	32	6.5	03.6-09.4	1	0.1	00.0-00.3				154	31.0	25.7-36.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4605	481,657	1064	22.5	20.9-24.1	666	16.2	14.6-17.8	458	10.6	09.4-11.8	245	6.5	05.3-07.7	110	3.5	02.5-04.5	2062	40.8	38.8-42.8
Male	1827	239,761	358	18.9	16.5-21.3	282	15.7	13.5-17.9	271	14.4	12.4-16.4	168	9.7	07.5-11.9	97	6.5	04.7-08.3	651	34.7	31.6-37.8
Female	2778	241,896	706	26.0	23.8-28.2	384	16.7	14.5-18.9	187	6.8	05.4-08.2	77	3.2	02.2-04.2	13	0.6	00.0-01.2	1411	46.7	44.2-49.2
Native	129	22,879	18	15.4	06.8-24.0	18	10.5	04.8-16.2	11	8.2	01.3-15.1	4	7.8	00.0-18.8						
Non-Native	4410	452,381	1039	23.0	21.4-24.6	641	16.6	15.0-18.2	443	10.8	09.6-12.0	236	6.4	05.2-07.6	109	3.6	02.6-04.6	1942	39.6	37.6-41.6
18-24	144	78,141	26	16.6	10.3-22.9	22	15.3	08.8-21.8	8	5.4	01.5-09.3	10	8.4	02.7-14.1	12	8.2	03.3-13.1	66	46.1	37.3-54.9
25-34	429	80,817	114	25.7	21.2-30.2	88	20.5	16.4-24.6	61	15.8	11.9-19.7	28	6.6	04.1-09.1	12	3.3	01.1-05.5	126	28.2	23.5-32.9
35-44	625	72,833	149	23.3	19.8-26.8	138	22.0	18.5-25.5	65	11.0	08.3-13.7	47	8.5	06.1-10.9	21	3.8	02.0-05.6	205	31.4	27.5-35.3
45-54	999	88,741	245	24.5	21.8-27.2	180	18.1	15.6-20.6	116	11.7	09.5-13.9	61	6.4	04.8-08.0	32	2.8	01.8-03.8	365	36.5	33.4-39.6
55-64	954	67,557	229	23.6	20.7-26.5	139	15.3	12.8-17.8	96	10.7	08.5-12.9	51	6.0	04.4-07.6	25	3.1	01.7-04.5	414	41.4	38.1-44.7
65+	1406	90,749	289	21.1	18.7-23.5	98	7.6	06.0-09.2	107	8.9	07.1-10.7	47	3.6	02.4-04.8	8	0.6	00.2-01.0	857	58.2	55.5-60.9
Less Than H.S.	346	39,892	51	15.8	08.9-22.7	25	6.9	02.8-11.0	25	6.7	02.8-10.6	12	6.0	00.0-12.5	6	4.4	00.0-09.3	227	60.2	51.0-69.4
H.S. or G.E.D.	1357	135,284	280	19.3	16.4-22.2	147	11.7	09.2-14.2	112	9.4	07.0-11.8	69	6.9	04.4-09.4	35	3.9	02.1-05.7	714	48.8	44.9-52.7
Some Post-H.S.	1433	151,416	334	22.4	19.7-25.1	210	16.7	13.8-19.6	144	9.4	07.6-11.2	94	7.4	05.6-09.2	35	2.9	01.5-04.3	616	41.2	37.7-44.7
College Graduate	1466	154,923	399	27.0	24.3-29.7	284	22.0	19.3-24.7	177	13.8	11.4-16.2	70	5.3	03.7-06.9	34	3.6	01.8-05.4	502	28.3	25.8-30.8
Less than \$15,000	326	30,618	48	18.9	11.5-26.3	22	8.5	04.0-13.0	15	3.3	01.3-05.3	5	3.5	00.0-08.4	7	6.5	00.4-12.6	229	59.3	50.5-68.1
\$15,000- 24,999	650	55,537	121	17.3	13.6-21.0	62	9.5	06.6-12.4	42	7.4	04.3-10.5	20	3.2	01.6-04.8	12	4.1	00.4-07.8	393	58.5	53.0-64.0
\$25,000- 34,999	527	48,836	133	26.4	20.5-32.3	58	12.1	08.2-16.0	41	8.0	05.1-10.9	20	8.8	02.3-15.3	9	1.7	00.3-03.1	266	43.0	37.1-48.9
\$35,000- 49,999	680	72,930	164	23.3	19.2-27.4	118	18.8	14.7-22.9	75	11.6	08.3-14.9	30	4.6	02.6-06.6	23	3.7	01.9-05.5	270	38.0	33.1-42.9
\$50,000- 74,999	771	82,211	212	26.3	22.6-30.0	132	18.4	14.9-21.9	91	11.9	09.4-14.4	46	6.6	04.4-08.8	29	5.2	02.7-07.7	261	31.7	27.8-35.6
\$75,000+	1017	117,365	249	21.9	19.2-24.6	217	23.5	19.8-27.2	154	15.3	12.8-17.8	99	9.6	07.4-11.8	25	3.5	01.5-05.5	273	26.2	22.7-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	239,761	358	18.9	16.5-21.3	282	15.7	13.5-17.9	271	14.4	12.4-16.4	168	9.7	07.5-11.9	97	6.5	04.7-08.3	651	34.7	31.6-37.8
Non-Native	1748	224,047	350	19.1	16.7-21.5	270	16.1	13.7-18.5	261	14.7	12.7-16.7	163	9.7	07.7-11.7	96	6.7	04.7-08.7	608	33.7	30.6-36.8
18-24	72	41,947	9	11.4	03.8-19.0	6	9.8	02.2-17.4	5	5.9	00.6-11.2	7	12.1	02.3-21.9	11	13.9	05.5-22.3			
25-34	175	42,865	35	21.7	14.8-28.6	35	20.2	13.7-26.7	38	22.1	15.4-28.8	19	9.3	05.0-13.6	11	5.8	01.7-09.9	37	20.9	14.2-27.6
35-44	262	37,012	46	17.8	12.9-22.7	55	21.6	16.3-26.9	40	15.4	10.7-20.1	34	12.7	08.6-16.8	17	6.5	03.4-09.6	70	25.9	20.2-31.6
45-54	440	43,835	90	20.8	16.7-24.9	68	15.6	12.1-19.1	74	16.0	12.3-19.7	44	9.9	07.0-12.8	29	5.2	03.0-07.4	135	32.5	27.8-37.2
55-64	416	35,513	79	19.3	15.2-23.4	68	16.3	12.6-20.0	57	13.6	10.3-16.9	33	8.0	05.3-10.7	23	5.8	03.4-08.2	156	37.0	32.1-41.9
65+	455	38,026	98	22.7	18.6-26.8	50	11.0	08.1-13.9	56	13.1	09.8-16.4	30	6.0	03.8-08.2	6	1.2	00.2-02.2	215	46.0	41.1-50.9
Less Than H.S.	142	20,139	21	14.5	05.3-23.7	13	5.9	02.4-09.4	17	10.9	03.5-18.3				5	5.9	00.0-14.1			
H.S. or G.E.D.	540	71,467	96	18.0	13.5-22.5	70	11.0	07.9-14.1	67	12.4	08.9-15.9	49	9.5	05.0-14.0	33	7.0	03.9-10.1	225	42.1	36.0-48.2
Some Post-H.S.	541	71,544	96	16.3	12.6-20.0	82	18.1	13.0-23.2	84	13.4	10.3-16.5	60	11.0	07.9-14.1	29	5.5	02.8-08.2	190	35.7	30.0-41.4
College Graduate	604	76,611	145	23.5	19.6-27.4	117	20.3	16.6-24.0	103	18.3	14.6-22.0	48	8.3	05.4-11.2	30	7.0	03.5-10.5	161	22.6	18.9-26.3
Less than \$15,000	109	12,663				6	3.6	00.5-06.7	3	1.5	00.0-03.3	2	6.4	00.0-17.6						
\$15,000- 24,999	198	24,750	27	11.3	06.6-16.0	24	11.6	05.9-17.3	26	12.7	06.2-19.2	12	5.4	02.1-08.7	10	8.9	00.9-16.9	99	50.1	40.3-59.9
\$25,000- 34,999	183	22,070	44	22.8	14.0-31.6	19	11.2	04.7-17.7	21	11.3	05.6-17.0				8	3.6	00.9-06.3	77	35.4	26.2-44.6
\$35,000- 49,999	286	35,549	52	17.1	12.2-22.0	56	20.1	14.4-25.8	45	14.5	09.8-19.2	20	6.6	03.3-09.9	20	6.6	03.1-10.1	93	35.1	27.7-42.5
\$50,000- 74,999	349	44,112	69	20.7	15.4-26.0	63	20.0	14.5-25.5	57	15.6	11.3-19.9	39	10.6	07.1-14.1	25	8.9	04.4-13.4	96	24.1	19.2-29.0
\$75,000+	525	68,125	117	20.3	16.6-24.0	95	19.5	15.0-24.0	103	19.8	15.9-23.7	67	11.8	08.9-14.7	24	5.9	02.6-09.2	119	22.7	18.2-27.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2778	241,896	706	26.0	23.8-28.2	384	16.7	14.5-18.9	187	6.8	05.4-08.2	77	3.2	02.2-04.2	13	0.6	00.0-01.2	1411	46.7	44.2-49.2
Native	85	11,656	12	12.5	04.9-20.1	11	11.4	03.8-19.0	5	4.5	00.0-09.2	2	2.5	00.0-06.0						
Non-Native	2662	228,334	689	26.8	24.4-29.2	371	17.0	14.8-19.2	182	6.9	05.5-08.3	73	3.2	02.2-04.2	13	0.6	00.0-01.2	1334	45.4	42.9-47.9
18-24	72	36,195							3	4.9	00.0-10.8	3	4.1	00.0-08.8	1	1.5	00.0-04.4			
25-34	254	37,952	79	30.2	24.3-36.1	53	20.7	15.4-26.0	23	8.6	05.1-12.1	9	3.6	01.2-06.0	1	0.4	00.0-01.2	89	36.5	30.2-42.8
35-44	363	35,821	103	29.0	24.1-33.9	83	22.5	18.0-27.0	25	6.4	03.9-08.9	13	4.1	01.7-06.5	4	0.9	00.0-01.9	135	37.0	31.7-42.3
45-54	559	44,906	155	28.1	24.2-32.0	112	20.6	16.9-24.3	42	7.6	05.2-10.0	17	2.9	01.5-04.3	3	0.4	00.0-01.0	230	40.4	36.1-44.7
55-64	538	32,043	150	28.3	24.2-32.4	71	14.2	11.1-17.3	39	7.4	05.0-09.8	18	3.8	02.0-05.6	2	0.2	00.0-00.4	258	46.1	41.6-50.6
65+	951	52,723	191	19.9	17.2-22.6	48	5.2	03.6-06.8	51	5.8	04.2-07.4	17	1.9	00.9-02.9	2	0.3	00.0-00.7	642	66.9	63.8-70.0
Less Than H.S.	204	19,753	30	17.1	07.1-27.1	12	8.0	00.6-15.4	8	2.3	00.3-04.3	1	0.3	00.0-00.9	1	2.8	00.0-08.3			
H.S. or G.E.D.	817	63,817	184	20.9	17.4-24.4	77	12.4	08.3-16.5	45	6.1	03.4-08.8	20	4.0	01.6-06.4	2	0.4	00.0-01.0	489	56.3	51.4-61.2
Some Post-H.S.	892	79,872	238	27.9	23.8-32.0	128	15.5	12.4-18.6	60	5.8	04.2-07.4	34	4.2	02.4-06.0	6	0.6	00.0-01.2	426	46.1	41.6-50.6
College Graduate	862	78,313	254	30.4	26.7-34.1	167	23.7	19.8-27.6	74	9.4	06.7-12.1	22	2.4	01.4-03.4	4	0.3	00.1-00.5	341	33.9	30.2-37.6
Less than \$15,000	217	17,955	34	19.8	10.4-29.2	16	11.9	04.6-19.2	12	4.7	01.6-07.8	3	1.4	00.0-03.2	1	3.1	00.0-09.0			
\$15,000- 24,999	452	30,786	94	22.2	16.9-27.5	38	7.8	04.9-10.7	16	3.1	01.5-04.7	8	1.5	00.5-02.5	2	0.3	00.0-00.7	294	65.2	59.5-70.9
\$25,000- 34,999	344	26,766	89	29.3	21.9-36.7	39	12.8	08.3-17.3	20	5.4	02.7-08.1	6	3.0	00.0-06.1	1	0.1	00.0-00.3	189	49.3	42.0-56.6
\$35,000- 49,999	394	37,381	112	29.1	22.8-35.4	62	17.7	12.0-23.4	30	8.9	04.0-13.8	10	2.7	00.7-04.7	3	0.8	00.0-01.8	177	40.8	34.1-47.5
\$50,000- 74,999	422	38,099	143	32.7	27.6-37.8	69	16.5	12.6-20.4	34	7.6	04.9-10.3	7	1.9	00.5-03.3	4	0.9	00.0-01.9	165	40.4	34.9-45.9
\$75,000+	492	49,241	132	24.0	19.9-28.1	122	29.2	23.3-35.1	51	9.2	06.7-11.7	32	6.5	03.6-09.4	1	0.1	00.0-00.3	154	31.0	25.7-36.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4605	481,657	4418	94.9	93.9-95.9	187	5.1	04.1-06.1
Male	1827	239,761	1730	93.5	91.7-95.3	97	6.5	04.7-08.3
Female	2778	241,896	2688	96.2	95.2-97.2	90	3.8	02.8-04.8
Native	129	22,879	127	98.7	96.9-0100	2	1.3	00.0-03.1
Non-Native	4410	452,381	4228	94.7	93.5-95.9	182	5.3	04.1-06.5
18-24	144	78,141	129	89.9	84.6-95.2	15	10.1	04.8-15.4
25-34	429	80,817	408	95.1	92.6-97.6	21	4.9	02.4-07.4
35-44	625	72,833	591	94.2	92.2-96.2	34	5.8	03.8-07.8
45-54	999	88,741	950	95.8	94.4-97.2	49	4.2	02.8-05.6
55-64	954	67,557	911	95.1	93.5-96.7	43	4.9	03.3-06.5
65+	1406	90,749	1381	98.3	97.5-99.1	25	1.7	00.9-02.5
Less Than H.S.	346	39,892	339	95.4	90.5-0100	7	4.6	00.0-09.5
H.S. or G.E.D.	1357	135,284	1302	94.3	92.3-96.3	55	5.7	03.7-07.7
Some Post-H.S.	1433	151,416	1364	94.9	93.3-96.5	69	5.1	03.5-06.7
College Graduate	1466	154,923	1410	95.2	93.2-97.2	56	4.8	02.8-06.8
Less than \$15,000	326	30,618	316	92.7	86.6-98.8	10	7.3	01.2-13.4
\$15,000- 24,999	650	55,537	630	95.1	91.4-98.8	20	4.9	01.2-08.6
\$25,000- 34,999	527	48,836	512	96.7	94.5-98.9	15	3.3	01.1-05.5
\$35,000- 49,999	680	72,930	647	95.0	93.0-97.0	33	5.0	03.0-07.0
\$50,000- 74,999	771	82,211	735	94.0	91.5-96.5	36	6.0	03.5-08.5
\$75,000+	1017	117,365	960	93.8	91.4-96.2	57	6.2	03.8-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	239,761	1730	93.5	91.7-95.3	97	6.5	04.7-08.3
Non-Native	1748	224,047	1652	93.3	91.3-95.3	96	6.7	04.7-08.7
18-24	72	41,947	61	86.1	77.7-94.5	11	13.9	05.5-22.3
25-34	175	42,865	164	94.2	90.1-98.3	11	5.8	01.7-09.9
35-44	262	37,012	245	93.5	90.4-96.6	17	6.5	03.4-09.6
45-54	440	43,835	411	94.8	92.6-97.0	29	5.2	03.0-07.4
55-64	416	35,513	393	94.2	91.8-96.6	23	5.8	03.4-08.2
65+	455	38,026	449	98.8	97.8-99.8	6	1.2	00.2-02.2
Less Than H.S.	142	20,139	137	94.1	85.9-0100	5	5.9	00.0-14.1
H.S. or G.E.D.	540	71,467	507	93.0	89.9-96.1	33	7.0	03.9-10.1
Some Post-H.S.	541	71,544	512	94.5	91.8-97.2	29	5.5	02.8-08.2
College Graduate	604	76,611	574	93.0	89.5-96.5	30	7.0	03.5-10.5
\$15,000- 24,999	198	24,750	188	91.1	83.1-99.1	10	8.9	00.9-16.9
\$25,000- 34,999	183	22,070	175	96.4	93.7-99.1	8	3.6	00.9-06.3
\$35,000- 49,999	286	35,549	266	93.4	89.9-96.9	20	6.6	03.1-10.1
\$50,000- 74,999	349	44,112	324	91.1	86.6-95.6	25	8.9	04.4-13.4
\$75,000+	525	68,125	501	94.1	90.8-97.4	24	5.9	02.6-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2778	241,896	2688	96.2	95.2-97.2	90	3.8	02.8-04.8
Native	85	11,656	83	97.5	94.0-100	2	2.5	00.0-06.0
Non-Native	2662	228,334	2576	96.1	94.9-97.3	86	3.9	02.7-05.1
18-24	72	36,195	68	94.4	88.9-99.9	4	5.6	00.1-11.1
25-34	254	37,952	244	96.1	93.7-98.5	10	3.9	01.5-06.3
35-44	363	35,821	346	95.0	92.5-97.5	17	5.0	02.5-07.5
45-54	559	44,906	539	96.7	95.1-98.3	20	3.3	01.7-04.9
55-64	538	32,043	518	96.0	94.2-97.8	20	4.0	02.2-05.8
65+	951	52,723	932	97.8	96.8-98.8	19	2.2	01.2-03.2
Less Than H.S.	204	19,753	202	96.9	91.4-100	2	3.1	00.0-08.6
H.S. or G.E.D.	817	63,817	795	95.7	93.3-98.1	22	4.3	01.9-06.7
Some Post-H.S.	892	79,872	852	95.2	93.2-97.2	40	4.8	02.8-06.8
College Graduate	862	78,313	836	97.4	96.2-98.6	26	2.6	01.4-03.8
Less than \$15,000	217	17,955	213	95.6	89.5-100	4	4.4	00.0-10.5
\$15,000- 24,999	452	30,786	442	98.3	97.1-99.5	10	1.7	00.5-02.9
\$25,000- 34,999	344	26,766	337	96.9	93.8-100	7	3.1	00.0-06.2
\$35,000- 49,999	394	37,381	381	96.5	94.3-98.7	13	3.5	01.3-05.7
\$50,000- 74,999	422	38,099	411	97.3	95.5-99.1	11	2.7	00.9-04.5
\$75,000+	492	49,241	459	93.4	90.5-96.3	33	6.6	03.7-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1827	239,761	1730	93.5	91.7-95.3	97	6.5	04.7-08.3
Non-Native	1748	224,047	1652	93.3	91.3-95.3	96	6.7	04.7-08.7
18-24	72	41,947	61	86.1	77.7-94.5	11	13.9	05.5-22.3
25-34	175	42,865	164	94.2	90.1-98.3	11	5.8	01.7-09.9
35-44	262	37,012	245	93.5	90.4-96.6	17	6.5	03.4-09.6
45-54	440	43,835	411	94.8	92.6-97.0	29	5.2	03.0-07.4
55-64	416	35,513	393	94.2	91.8-96.6	23	5.8	03.4-08.2
65+	455	38,026	449	98.8	97.8-99.8	6	1.2	00.2-02.2
Less Than H.S.	142	20,139	137	94.1	85.9-0100	5	5.9	00.0-14.1
H.S. or G.E.D.	540	71,467	507	93.0	89.9-96.1	33	7.0	03.9-10.1
Some Post-H.S.	541	71,544	512	94.5	91.8-97.2	29	5.5	02.8-08.2
College Graduate	604	76,611	574	93.0	89.5-96.5	30	7.0	03.5-10.5
\$15,000- 24,999	198	24,750	188	91.1	83.1-99.1	10	8.9	00.9-16.9
\$25,000- 34,999	183	22,070	175	96.4	93.7-99.1	8	3.6	00.9-06.3
\$35,000- 49,999	286	35,549	266	93.4	89.9-96.9	20	6.6	03.1-10.1
\$50,000- 74,999	349	44,112	324	91.1	86.6-95.6	25	8.9	04.4-13.4
\$75,000+	525	68,125	501	94.1	90.8-97.4	24	5.9	02.6-09.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 15: ALCOHOL CONSUMPTION**

TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2778	241,896	2688	96.2	95.2-97.2	90	3.8	02.8-04.8
Native	85	11,656	83	97.5	94.0-0100	2	2.5	00.0-06.0
Non-Native	2662	228,334	2576	96.1	94.9-97.3	86	3.9	02.7-05.1
18-24	72	36,195	68	94.4	88.9-99.9	4	5.6	00.1-11.1
25-34	254	37,952	244	96.1	93.7-98.5	10	3.9	01.5-06.3
35-44	363	35,821	346	95.0	92.5-97.5	17	5.0	02.5-07.5
45-54	559	44,906	539	96.7	95.1-98.3	20	3.3	01.7-04.9
55-64	538	32,043	518	96.0	94.2-97.8	20	4.0	02.2-05.8
65+	951	52,723	932	97.8	96.8-98.8	19	2.2	01.2-03.2
Less Than H.S.	204	19,753	202	96.9	91.4-0100	2	3.1	00.0-08.6
H.S. or G.E.D.	817	63,817	795	95.7	93.3-98.1	22	4.3	01.9-06.7
Some Post-H.S.	892	79,872	852	95.2	93.2-97.2	40	4.8	02.8-06.8
College Graduate	862	78,313	836	97.4	96.2-98.6	26	2.6	01.4-03.8
Less than \$15,000	217	17,955	213	95.6	89.5-0100	4	4.4	00.0-10.5
\$15,000- 24,999	452	30,786	442	98.3	97.1-99.5	10	1.7	00.5-02.9
\$25,000- 34,999	344	26,766	337	96.9	93.8-0100	7	3.1	00.0-06.2
\$35,000- 49,999	394	37,381	381	96.5	94.3-98.7	13	3.5	01.3-05.7
\$50,000- 74,999	422	38,099	411	97.3	95.5-99.1	11	2.7	00.9-04.5
\$75,000+	492	49,241	459	93.4	90.5-96.3	33	6.6	03.7-09.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 16: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)	
1	MALES AND FEMALES	110
2	MALES ONLY	111
3	FEMALES ONLY	112
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	113
5	MALES ONLY	114
6	FEMALES ONLY	115

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1435	92,662	997	69.7	67.2-72.2	438	30.3	27.8-32.8
Male	471	39,212	327	70.0	65.5-74.5	144	30.0	25.5-34.5
Female	964	53,449	670	69.5	66.4-72.6	294	30.5	27.4-33.6
Non-Native	1382	89,424	967	70.1	67.6-72.6	415	29.9	27.4-32.4
65+	1435	92,662	997	69.7	67.2-72.2	438	30.3	27.8-32.8
Less Than H.S.	236	16,177	150	63.3	56.2-70.4	86	36.7	29.6-43.8
H.S. or G.E.D.	580	37,001	391	67.4	63.3-71.5	189	32.6	28.5-36.7
Some Post-H.S.	341	21,138	251	73.9	69.0-78.8	90	26.1	21.2-31.0
College Graduate	278	18,345	205	75.3	70.0-80.6	73	24.7	19.4-30.0
Less than \$15,000	148	7,683	106	71.4	63.4-79.4	42	28.6	20.6-36.6
\$15,000- 24,999	349	21,620	245	71.3	65.8-76.8	104	28.7	23.2-34.2
\$25,000- 34,999	229	14,617	147	63.6	56.7-70.5	82	36.4	29.5-43.3
\$35,000- 49,999	184	12,757	132	70.3	63.0-77.6	52	29.7	22.4-37.0
\$50,000- 74,999	124	9,120	92	75.2	67.2-83.2	32	24.8	16.8-32.8
\$75,000+	94	6,880	67	72.0	62.6-81.4	27	28.0	18.6-37.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	471	39,212	327	70.0	65.5-74.5	144	30.0	25.5-34.5
Non-Native	449	37,604	315	70.5	66.0-75.0	134	29.5	25.0-34.0
65+	471	39,212	327	70.0	65.5-74.5	144	30.0	25.5-34.5
H.S. or G.E.D.	166	13,905	104	63.6	56.0-71.2	62	36.4	28.8-44.0
Some Post-H.S.	91	7,211	74	81.7	73.7-89.7	17	18.3	10.3-26.3
College Graduate	117	9,688	91	79.9	72.6-87.2	26	20.1	12.8-27.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	964	53,449	670	69.5	66.4-72.6	294	30.5	27.4-33.6
Non-Native	933	51,821	652	69.8	66.7-72.9	281	30.2	27.1-33.3
65+	964	53,449	670	69.5	66.4-72.6	294	30.5	27.4-33.6
Less Than H.S.	139	7,768	92	67.8	59.6-76.0	47	32.2	24.0-40.4
H.S. or G.E.D.	414	23,096	287	69.6	64.9-74.3	127	30.4	25.7-35.1
Some Post-H.S.	250	13,928	177	69.9	63.8-76.0	73	30.1	24.0-36.2
College Graduate	161	8,658	114	70.1	62.5-77.7	47	29.9	22.3-37.5
Less than \$15,000	114	5,328	84	73.9	65.5-82.3	30	26.1	17.7-34.5
\$15,000- 24,999	255	13,629	176	71.4	65.5-77.3	79	28.6	22.7-34.5
\$25,000- 34,999	157	8,748	99	60.5	52.1-68.9	58	39.5	31.1-47.9
\$35,000- 49,999	104	5,960	77	73.1	63.9-82.3	27	26.9	17.7-36.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

**TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1392	89,580	999	70.8	68.3-73.3	393	29.2	26.7-31.7
Male	445	37,087	310	69.8	65.3-74.3	135	30.2	25.7-34.7
Female	947	52,493	689	71.5	68.4-74.6	258	28.5	25.4-31.6
Non-Native	1340	86,407	959	70.7	68.0-73.4	381	29.3	26.6-32.0
65+	1392	89,580	999	70.8	68.3-73.3	393	29.2	26.7-31.7
Less Than H.S.	227	15,595	153	67.1	60.0-74.2	74	32.9	25.8-40.0
H.S. or G.E.D.	565	35,921	413	72.4	68.5-76.3	152	27.6	23.7-31.5
Some Post-H.S.	330	20,377	249	74.3	69.2-79.4	81	25.7	20.6-30.8
College Graduate	270	17,688	184	66.9	60.8-73.0	86	33.1	27.0-39.2
Less than \$15,000	144	7,432	112	76.2	68.6-83.8	32	23.8	16.2-31.4
\$15,000- 24,999	338	21,002	259	76.3	71.0-81.6	79	23.7	18.4-29.0
\$25,000- 34,999	224	14,251	155	67.1	60.2-74.0	69	32.9	26.0-39.8
\$35,000- 49,999	177	12,096	126	69.7	62.3-77.1	51	30.3	22.9-37.7
\$50,000- 74,999	121	8,755	78	65.7	56.9-74.5	43	34.3	25.5-43.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	445	37,087	310	69.8	65.3-74.3	135	30.2	25.7-34.7
Non-Native	423	35,478	293	69.6	64.9-74.3	130	30.4	25.7-35.1
65+	445	37,087	310	69.8	65.3-74.3	135	30.2	25.7-34.7
H.S. or G.E.D.	160	13,367	109	69.2	61.8-76.6	51	30.8	23.4-38.2
Some Post-H.S.	83	6,544	62	77.0	67.8-86.2	21	23.0	13.8-32.2
College Graduate	110	9,072	76	69.0	60.0-78.0	34	31.0	22.0-40.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 16: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	947	52,493	689	71.5	68.4-74.6	258	28.5	25.4-31.6
Non-Native	917	50,928	666	71.4	68.3-74.5	251	28.6	25.5-31.7
65+	947	52,493	689	71.5	68.4-74.6	258	28.5	25.4-31.6
Less Than H.S.	135	7,491	90	68.2	60.0-76.4	45	31.8	23.6-40.0
H.S. or G.E.D.	405	22,554	304	74.4	69.7-79.1	101	25.6	20.9-30.3
Some Post-H.S.	247	13,833	187	73.0	66.9-79.1	60	27.0	20.9-33.1
College Graduate	160	8,615	108	64.7	56.7-72.7	52	35.3	27.3-43.3
Less than \$15,000	112	5,200	89	77.7	69.3-86.1	23	22.3	13.9-30.7
\$15,000- 24,999	248	13,225	186	74.6	68.7-80.5	62	25.4	19.5-31.3
\$25,000- 34,999	157	8,748	111	69.3	61.5-77.1	46	30.7	22.9-38.5
\$35,000- 49,999	104	5,960	78	72.8	63.4-82.2	26	27.2	17.8-36.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 17: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXART)	
1	MALES AND FEMALES	117
2	MALES ONLY	118
3	FEMALES ONLY	119

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

**TABLE 1: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXART)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Has Diagnosed Arthritis			Does Not Have Diagnosed Arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4627	481,643	1697	27.4	25.8-29.0	2930	72.6	71.0-74.2
Male	1835	238,753	565	23.7	21.3-26.1	1270	76.3	73.9-78.7
Female	2792	242,890	1132	31.0	28.8-33.2	1660	69.0	66.8-71.2
Non-Native	4430	452,207	1620	27.2	25.6-28.8	2810	72.8	71.2-74.4
18-24	144	77,166	9	4.9	01.6-08.2	135	95.1	91.8-98.4
25-34	428	80,366	42	10.1	06.6-13.6	386	89.9	86.4-93.4
35-44	621	72,380	97	16.7	13.4-20.0	524	83.3	80.0-86.6
45-54	997	88,549	311	31.5	28.4-34.6	686	68.5	65.4-71.6
55-64	965	68,407	405	41.1	37.8-44.4	560	58.9	55.6-62.2
65+	1423	91,840	817	55.7	53.0-58.4	606	44.3	41.6-47.0
Less Than H.S.	347	40,171	172	32.5	25.6-39.4	175	67.5	60.6-74.4
H.S. or G.E.D.	1374	135,700	601	32.3	29.2-35.4	773	67.7	64.6-70.8
Some Post-H.S.	1444	152,576	529	28.2	25.3-31.1	915	71.8	68.9-74.7
College Graduate	1459	153,054	395	21.0	18.8-23.2	1064	79.0	76.8-81.2
Less than \$15,000	325	30,233	170	43.6	35.4-51.8	155	56.4	48.2-64.6
\$15,000- 24,999	651	54,414	326	38.5	33.6-43.4	325	61.5	56.6-66.4
\$25,000- 34,999	528	48,998	220	32.9	27.8-38.0	308	67.1	62.0-72.2
\$35,000- 49,999	688	73,976	249	27.7	23.6-31.8	439	72.3	68.2-76.4
\$50,000- 74,999	773	82,999	229	23.7	20.6-26.8	544	76.3	73.2-79.4
\$75,000+	1012	115,879	242	20.2	17.5-22.9	770	79.8	77.1-82.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 2: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXART)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Has Diagnosed Arthritis			Does Not Have Diagnosed Arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1835	238,753	565	23.7	21.3-26.1	1270	76.3	73.9-78.7
Non-Native	1755	222,978	536	23.5	21.3-25.7	1219	76.5	74.3-78.7
18-24	70	40,509	4	4.7	00.0-09.4	66	95.3	90.6-0100
25-34	175	42,523	12	8.7	03.0-14.4	163	91.3	85.6-97.0
35-44	262	37,082	41	16.8	11.9-21.7	221	83.2	78.3-88.1
45-54	438	43,565	126	29.6	24.9-34.3	312	70.4	65.7-75.1
55-64	419	35,719	151	36.1	31.2-41.0	268	63.9	59.0-68.8
65+	463	38,644	228	48.6	43.7-53.5	235	51.4	46.5-56.3
Less Than H.S.	139	19,792	58	28.2	18.6-37.8	81	71.8	62.2-81.4
H.S. or G.E.D.	551	71,634	191	25.8	21.5-30.1	360	74.2	69.9-78.5
Some Post-H.S.	542	71,946	173	25.2	20.7-29.7	369	74.8	70.3-79.3
College Graduate	603	75,380	143	19.0	15.7-22.3	460	81.0	77.7-84.3
\$15,000- 24,999	198	24,149	77	26.0	19.3-32.7	121	74.0	67.3-80.7
\$25,000- 34,999	183	21,980	60	24.1	16.8-31.4	123	75.9	68.6-83.2
\$35,000- 49,999	291	36,380	85	24.3	18.2-30.4	206	75.7	69.6-81.8
\$50,000- 74,999	349	44,584	110	25.2	20.3-30.1	239	74.8	69.9-79.7
\$75,000+	525	67,291	129	21.1	17.2-25.0	396	78.9	75.0-82.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 17: ARTHRITIS BURDEN**

TABLE 3: RESPONDENTS THAT HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXART)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Has Diagnosed Arthritis			Does Not Have Diagnosed Arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2792	242,890	1132	31.0	28.8-33.2	1660	69.0	66.8-71.2
Non-Native	2675	229,230	1084	30.8	28.6-33.0	1591	69.2	67.0-71.4
18-24	74	36,657	5	5.1	00.4-09.8	69	94.9	90.2-99.6
25-34	253	37,843	30	11.7	07.4-16.0	223	88.3	84.0-92.6
35-44	359	35,298	56	16.6	12.3-20.9	303	83.4	79.1-87.7
45-54	559	44,984	185	33.3	29.2-37.4	374	66.7	62.6-70.8
55-64	546	32,688	254	46.5	42.0-51.0	292	53.5	49.0-58.0
65+	960	53,196	589	60.8	57.5-64.1	371	39.2	35.9-42.5
Less Than H.S.	208	20,378	114	36.7	26.9-46.5	94	63.3	53.5-73.1
H.S. or G.E.D.	823	64,066	410	39.5	35.2-43.8	413	60.5	56.2-64.8
Some Post-H.S.	902	80,630	356	30.7	27.0-34.4	546	69.3	65.6-73.0
College Graduate	856	77,674	252	22.9	20.0-25.8	604	77.1	74.2-80.0
\$15,000- 24,999	453	30,265	249	48.5	42.6-54.4	204	51.5	45.6-57.4
\$25,000- 34,999	345	27,018	160	40.0	33.5-46.5	185	60.0	53.5-66.5
\$35,000- 49,999	397	37,596	164	30.9	25.4-36.4	233	69.1	63.6-74.6
\$50,000- 74,999	424	38,415	119	21.9	18.0-25.8	305	78.1	74.2-82.0
\$75,000+	487	48,588	113	19.0	15.3-22.7	374	81.0	77.3-84.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009**

SECTION 18: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)	
1 MALES AND FEMALES	122
2 MALES ONLY	123
3 FEMALES ONLY	124
FRUIT SERVINGS PER DAY (FRUTDAY_)	
4 MALES AND FEMALES	125
5 MALES ONLY	126
6 FEMALES ONLY	127
GREEN SALAD SERVINGS PER DAY (GNSLDAY_)	
7 MALES AND FEMALES	128
8 MALES ONLY	129
9 FEMALES ONLY	130
POTATO SERVINGS PER DAY (POTADAY_)	
10 MALES AND FEMALES	131
11 MALES ONLY	132
12 FEMALES ONLY	133
CARROT SERVINGS PER DAY (CRTSDAY_)	
13 MALES AND FEMALES	134
14 MALES ONLY	135
15 FEMALES ONLY	136
VEGETABLE SERVINGS PER DAY (VEGEDAY_)	
16 MALES AND FEMALES	137
17 MALES ONLY	138
18 FEMALES ONLY	139

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 18: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)	
19	MALES AND FEMALES	140
20	MALES ONLY	141
21	FEMALES ONLY	142
	SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)	
22	MALES AND FEMALES	143
23	MALES ONLY	144
24	FEMALES ONLY	145
	CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)	
25	MALES AND FEMALES	146
26	MALES ONLY	147
27	FEMALES ONLY	148

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4568	476,485	3381	75.5	73.7-77.3	199	5.0	04.0-06.0	43	0.9	00.5-01.3	15	0.4	00.2-00.6	1	0.0	00.0-00.0	929	18.2	16.8-19.6
Male	1811	235,565	1378	76.4	73.7-79.1	113	7.3	05.3-09.3	20	1.2	00.4-02.0	8	0.4	00.0-00.8				292	14.8	12.6-17.0
Female	2757	240,920	2003	74.5	72.3-76.7	86	2.8	02.0-03.6	23	0.7	00.3-01.1	7	0.3	00.0-00.7	1	0.0	00.0-00.0	637	21.6	19.6-23.6
Native	127	22,407				10	9.0	02.1-15.9	4	3.9	00.0-08.0							22	13.3	06.0-20.6
Non-Native	4374	447,621	3248	75.8	74.0-77.6	184	4.8	03.8-05.8	38	0.8	00.4-01.2	14	0.4	00.2-00.6	1	0.0	00.0-00.0	889	18.2	16.8-19.6
18-24	142	76,916	110	78.8	71.5-86.1	11	7.4	02.5-12.3	2	1.2	00.0-03.0	1	0.4	00.0-01.2				18	12.1	06.6-17.6
25-34	425	79,806	321	77.0	72.5-81.5	23	5.9	03.2-08.6	5	1.0	00.0-02.0	3	0.6	00.0-01.4				73	15.5	11.8-19.2
35-44	619	72,067	449	73.0	69.3-76.7	24	4.5	02.5-06.5	4	0.9	00.0-01.9	2	0.3	00.0-00.7				140	21.2	17.9-24.5
45-54	983	87,148	723	74.5	71.6-77.4	29	3.2	02.0-04.4	8	0.7	00.1-01.3	2	0.3	00.0-00.7				221	21.4	18.7-24.1
55-64	960	68,082	696	72.9	70.0-75.8	36	4.2	02.6-05.8	8	0.8	00.2-01.4	4	0.3	00.1-00.5	1	0.0	00.0-00.0	215	21.8	19.1-24.5
65+	1394	89,824	1048	76.0	73.6-78.4	74	5.0	03.8-06.2	16	1.1	00.5-01.7	3	0.3	00.0-00.7				253	17.7	15.5-19.9
Less Than H.S.	343	39,978	244	75.8	68.7-82.9	22	7.1	03.0-11.2	3	0.4	00.0-00.8	1	0.2	00.0-00.6	1	0.1	00.0-00.3	72	16.5	10.6-22.4
H.S. or G.E.D.	1345	133,158	972	73.6	70.1-77.1	63	5.6	03.1-08.1	11	0.9	00.0-01.9	8	0.7	00.1-01.3				291	19.1	16.4-21.8
Some Post-H.S.	1429	151,252	1077	76.0	73.1-78.9	59	4.7	03.1-06.3	14	1.1	00.3-01.9	2	0.2	00.0-00.6				277	18.1	15.6-20.6
College Graduate	1448	151,955	1085	76.4	73.7-79.1	55	4.3	02.7-05.9	15	1.0	00.4-01.6	4	0.3	00.1-00.5				289	18.0	15.6-20.4
Less than \$15,000	322	29,952	215	65.6	57.6-73.6	21	6.7	03.2-10.2	5	0.9	00.1-01.7	1	0.9	00.0-02.7	1	0.1	00.0-00.3	79	25.7	18.1-33.3
\$15,000- 24,999	645	54,497	463	74.4	70.1-78.7	37	6.4	03.7-09.1	10	1.7	00.3-03.1	6	1.0	00.0-02.0				129	16.6	13.3-19.9
\$25,000- 34,999	519	48,381	383	72.5	66.2-78.8	20	7.0	00.9-13.1	2	0.5	00.0-01.1	1	0.1	00.0-00.3				113	20.0	15.9-24.1
\$35,000- 49,999	682	73,101	503	74.9	70.4-79.4	32	4.5	02.5-06.5	6	0.7	00.0-01.5							141	19.9	15.8-24.0
\$50,000- 74,999	763	81,950	587	78.4	74.9-81.9	26	3.7	01.7-05.7	7	0.8	00.2-01.4	1	0.1	00.0-00.3				142	17.0	13.9-20.1
\$75,000+	1007	115,169	773	77.6	74.5-80.7	37	4.4	02.8-06.0	7	0.9	00.0-01.9	3	0.5	00.0-01.1				187	16.7	14.0-19.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES
TABLE 2: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1811	235,565	1378	76.4	73.7-79.1	113	7.3	05.3-09.3	20	1.2	00.4-02.0	8	0.4	00.0-00.8	292	14.8	12.6-17.0
Non-Native	1733	220,314	1323	76.5	73.8-79.2	110	7.5	05.5-09.5	18	1.1	00.3-01.9	7	0.4	00.0-00.8	275	14.5	12.3-16.7
18-24	68	39,981				8	10.8	02.4-19.2	2	2.4	00.0-05.7				8	12.7	04.3-21.1
25-34	174	42,182	139	80.2	73.3-87.1	16	8.7	04.0-13.4	3	1.4	00.0-03.2	2	0.9	00.0-02.3	14	8.8	03.5-14.1
35-44	259	36,626	196	75.2	69.5-80.9	17	7.6	04.1-11.1	1	0.4	00.0-01.2	2	0.7	00.0-01.7	43	16.2	11.5-20.9
45-54	429	42,513	335	78.3	74.0-82.6	20	5.0	02.6-07.4	3	0.7	00.0-01.5				71	16.0	12.3-19.7
55-64	416	35,491	306	73.1	68.6-77.6	20	5.4	03.0-07.8	5	0.9	00.1-01.7	3	0.5	00.0-01.1	82	20.2	16.1-24.3
65+	458	38,210	348	76.8	72.7-80.9	31	6.0	03.8-08.2	6	1.3	00.1-02.5	1	0.3	00.0-00.9	72	15.6	12.1-19.1
Less Than H.S.	137	19,302				11	6.7	01.6-11.8	1	0.4	00.0-01.2				26	16.5	06.9-26.1
H.S. or G.E.D.	541	70,476	401	74.0	68.3-79.7	36	8.6	03.9-13.3	5	1.4	00.0-03.2	5	0.6	00.0-01.2	94	15.5	11.6-19.4
Some Post-H.S.	536	71,077	411	75.8	70.9-80.7	28	6.0	03.5-08.5	7	1.3	00.1-02.5	1	0.3	00.0-00.9	89	16.6	12.1-21.1
College Graduate	597	74,711	467	79.2	75.3-83.1	38	7.4	04.5-10.3	7	1.1	00.0-02.3	2	0.4	00.0-01.0	83	11.9	09.0-14.8
Less than \$15,000	106	12,337				8	7.6	01.5-13.7	2	1.0	00.0-02.6						
\$15,000- 24,999	199	24,219	154	78.5	71.2-85.8	14	8.2	02.9-13.5	4	2.7	00.0-05.8	4	1.8	00.0-03.8	23	8.8	04.5-13.1
\$25,000- 34,999	179	21,692							2	1.0	00.0-02.4	1	0.2	00.0-00.6	35	15.8	09.7-21.9
\$35,000- 49,999	288	35,695	215	74.9	68.2-81.6	25	7.9	04.4-11.4	1	0.1	00.0-00.3				47	17.0	10.7-23.3
\$50,000- 74,999	342	43,988	268	78.5	73.2-83.8	14	5.1	01.8-08.4	5	1.0	00.0-02.0				55	15.4	10.9-19.9
\$75,000+	520	66,678	421	80.1	75.8-84.4	31	6.9	04.2-09.6	3	1.0	00.0-02.8	2	0.6	00.0-01.4	63	11.4	08.1-14.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES
TABLE 3: FRUIT JUICE SERVINGS PER DAY (FTJUDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2757	240,920	2003	74.5	72.3-76.7	86	2.8	02.0-03.6	23	0.7	00.3-01.1	7	0.3	00.0-00.7	1	0.0	00.0-00.0	637	21.6	19.6-23.6
Native	85	11,707							2	3.7	00.0-09.0									
Non-Native	2641	227,307	1925	75.1	72.9-77.3	74	2.2	01.4-03.0	20	0.5	00.3-00.7	7	0.4	00.0-00.8	1	0.0	00.0-00.0	614	21.8	19.8-23.8
18-24	74	36,935	60	84.0	75.8-92.2	3	3.8	00.0-08.1				1	0.8	00.0-02.4				10	11.5	04.2-18.8
25-34	251	37,624	182	73.4	67.7-79.1	7	2.8	00.6-05.0	2	0.6	00.0-01.4	1	0.3	00.0-00.9				59	22.9	17.4-28.4
35-44	360	35,440	253	70.7	65.8-75.6	7	1.4	00.2-02.6	3	1.5	00.0-03.3							97	26.4	21.7-31.1
45-54	554	44,635	388	70.8	66.7-74.9	9	1.5	00.5-02.5	5	0.7	00.1-01.3	2	0.6	00.0-01.4				150	26.4	22.5-30.3
55-64	544	32,591	390	72.7	68.8-76.6	16	2.9	01.3-04.5	3	0.6	00.0-01.2	1	0.1	00.0-00.3	1	0.1	00.0-00.3	133	23.6	19.9-27.3
65+	936	51,615	700	75.4	72.5-78.3	43	4.3	02.9-05.7	10	0.9	00.3-01.5	2	0.2	00.0-00.6				181	19.2	16.5-21.9
Less Than H.S.	206	20,676	145	75.3	66.1-84.5	11	7.5	01.2-13.8	2	0.4	00.0-01.0	1	0.3	00.0-00.9	1	0.2	00.0-00.6	46	16.4	09.3-23.5
H.S. or G.E.D.	804	62,683	571	73.3	69.2-77.4	27	2.2	01.2-03.2	6	0.4	00.0-00.8	3	0.9	00.0-01.9				197	23.2	19.3-27.1
Some Post-H.S.	893	80,175	666	76.1	72.6-79.6	31	3.6	01.8-05.4	7	0.8	00.0-01.6	1	0.0	00.0-00.0				188	19.4	16.5-22.3
College Graduate	851	77,244	618	73.8	70.1-77.5	17	1.2	00.4-02.0	8	0.9	00.3-01.5	2	0.2	00.0-00.4				206	23.9	20.4-27.4
Less than \$15,000	216	17,615	147	66.8	56.8-76.8	13	6.1	01.8-10.4	3	0.9	00.0-01.9	1	1.6	00.0-04.7	1	0.2	00.0-00.6	51	24.4	15.0-33.8
\$15,000- 24,999	446	30,278	309	71.1	66.0-76.2	23	4.9	02.7-07.1	6	0.9	00.1-01.7	2	0.4	00.0-01.0				106	22.8	18.1-27.5
\$25,000- 34,999	340	26,689	251	72.4	65.9-78.9	11	4.1	00.0-08.2										78	23.5	17.8-29.2
\$35,000- 49,999	394	37,407	288	74.8	68.9-80.7	7	1.2	00.0-02.4	5	1.3	00.0-02.9							94	22.7	17.0-28.4
\$50,000- 74,999	421	37,963	319	78.3	74.2-82.4	12	2.1	00.7-03.5	2	0.5	00.0-01.3	1	0.2	00.0-00.6				87	18.9	15.0-22.8
\$75,000+	487	48,492	352	74.2	69.7-78.7	6	0.9	00.1-01.7	4	0.7	00.1-01.3	1	0.4	00.0-01.2				124	23.9	19.6-28.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 4: FRUIT SERVINGS PER DAY (FRUTDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4561	476,453	3322	74.6	72.8-76.4	725	14.0	12.6-15.4	229	4.4	03.6-05.2	54	1.0	00.6-01.4	5	0.1	00.1-00.1	226	6.0	05.0-07.0
Male	1806	235,586	1445	79.7	77.2-82.2	169	8.9	07.1-10.7	47	2.5	01.7-03.3	9	0.6	00.0-01.2				136	8.3	06.3-10.3
Female	2755	240,867	1877	69.6	67.2-72.0	556	19.0	17.0-21.0	182	6.2	05.0-07.4	45	1.3	00.9-01.7	5	0.1	00.0-00.3	90	3.8	02.8-04.8
Native	129	22,931							7	2.6	00.4-04.8	2	1.8	00.0-05.1				13	10.1	03.8-16.4
Non-Native	4370	447,516	3187	74.9	73.1-76.7	700	13.9	12.5-15.3	217	4.4	03.6-05.2	51	0.9	00.5-01.3	5	0.1	00.1-00.1	210	5.7	04.7-06.7
18-24	144	77,443	109	75.2	67.6-82.8	19	13.4	07.3-19.5	3	2.2	00.0-04.6	2	1.0	00.0-02.4				11	8.2	03.3-13.1
25-34	426	79,879	315	76.9	72.8-81.0	64	12.9	09.8-16.0	25	5.4	03.2-07.6	2	0.3	00.0-00.7				20	4.5	02.5-06.5
35-44	617	71,876	458	73.9	70.2-77.6	70	10.0	07.6-12.4	25	4.0	02.4-05.6	7	1.1	00.3-01.9				57	11.0	08.1-13.9
45-54	985	87,321	753	76.6	73.7-79.5	133	13.7	11.3-16.1	38	3.5	02.3-04.7	11	1.1	00.5-01.7	1	0.1	00.0-00.3	49	5.1	03.5-06.7
55-64	955	67,772	697	74.1	71.2-77.0	159	14.6	12.2-17.0	44	5.0	03.4-06.6	8	0.9	00.3-01.5	1	0.1	00.0-00.3	46	5.3	03.7-06.9
65+	1390	89,567	962	71.2	68.7-73.7	268	18.0	15.8-20.2	91	5.9	04.5-07.3	24	1.5	00.9-02.1	3	0.2	00.0-00.4	42	3.1	02.1-04.1
Less Than H.S.	339	39,921	252	70.4	61.0-79.8	42	14.9	06.7-23.1	11	4.1	00.2-08.0	5	1.6	00.0-03.6				29	9.0	03.1-14.9
H.S. or G.E.D.	1347	133,688	988	75.3	72.2-78.4	188	10.9	08.9-12.9	54	3.1	01.9-04.3	14	0.9	00.3-01.5	4	0.2	00.0-00.4	99	9.6	07.2-12.0
Some Post-H.S.	1424	150,688	1070	77.1	74.2-80.0	216	13.5	11.1-15.9	68	3.8	02.8-04.8	10	0.5	00.1-00.9				60	5.1	03.3-06.9
College Graduate	1448	152,014	1010	72.6	69.9-75.3	278	17.0	14.6-19.4	96	6.1	04.7-07.5	25	1.4	00.8-02.0	1	0.0	00.0-00.0	38	3.0	02.0-04.0
Less than \$15,000	318	29,925	222	70.2	62.6-77.8	47	12.4	07.3-17.5	20	6.5	02.2-10.8	5	0.9	00.0-01.9				24	10.1	04.8-15.4
\$15,000- 24,999	642	54,183	471	76.1	71.6-80.6	99	12.3	09.0-15.6	28	4.9	02.4-07.4	5	1.3	00.0-02.9	3	0.3	00.0-00.7	36	5.1	03.1-07.1
\$25,000- 34,999	522	48,635	390	75.5	70.0-81.0	84	15.5	10.6-20.4	17	2.2	01.0-03.4	3	0.4	00.0-01.0				28	6.4	03.3-09.5
\$35,000- 49,999	679	72,699	504	76.9	72.8-81.0	102	13.1	09.8-16.4	37	4.1	02.5-05.7	4	0.3	00.1-00.5				32	5.6	03.2-08.0
\$50,000- 74,999	765	82,012	549	71.8	67.9-75.7	118	14.1	11.2-17.0	41	5.5	03.7-07.3	12	1.0	00.4-01.6	1	0.1	00.0-00.3	44	7.5	04.8-10.2
\$75,000+	1008	115,395	741	75.0	71.7-78.3	149	13.6	11.1-16.1	59	4.9	03.3-06.5	16	1.3	00.7-01.9	1	0.1	00.0-00.3	42	5.1	03.1-07.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES
TABLE 5: FRUIT SERVINGS PER DAY (FRUTDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1806	235,586	1445	79.7	77.2-82.2	169	8.9	07.1-10.7	47	2.5	01.7-03.3	9	0.6	00.0-01.2	136	8.3	06.3-10.3
Non-Native	1729	220,166	1390	80.4	77.9-82.9	160	8.5	06.9-10.1	45	2.6	01.6-03.6	8	0.5	00.1-00.9	126	8.1	06.1-10.1
18-24	70	40,509				7	9.5	01.7-17.3	1	1.4	00.0-04.1	2	1.9	00.0-04.4	6	10.4	02.2-18.6
25-34	174	42,182	143	85.0	79.7-90.3	17	8.3	04.2-12.4	5	2.6	00.4-04.8				9	4.2	01.5-06.9
35-44	259	36,626	190	72.2	66.3-78.1	17	5.9	03.0-08.8	8	3.4	01.0-05.8	2	0.7	00.0-01.7	42	17.7	12.4-23.0
45-54	432	42,880	350	81.4	77.5-85.3	38	9.3	06.4-12.2	7	1.2	00.2-02.2	2	0.5	00.0-01.1	35	7.7	05.0-10.4
55-64	414	35,262	345	82.5	78.6-86.4	31	7.3	04.6-10.0	14	3.7	01.7-05.7				24	6.4	03.9-08.9
65+	451	37,613	359	79.8	75.9-83.7	57	12.5	09.4-15.6	12	2.9	01.3-04.5	3	0.7	00.0-01.5	20	4.2	02.2-06.2
Less Than H.S.	133	19,210							1	0.4	00.0-01.2	2	2.6	00.0-06.7			
H.S. or G.E.D.	543	70,840	432	79.9	75.6-84.2	39	5.9	03.7-08.1	13	2.3	00.5-04.1	2	0.7	00.0-01.9	57	11.3	07.8-14.8
Some Post-H.S.	532	70,663	436	81.7	77.2-86.2	49	8.1	05.4-10.8	10	1.7	00.5-02.9	1	0.1	00.0-00.3	36	8.3	04.8-11.8
College Graduate	598	74,872	475	79.9	76.2-83.6	71	11.5	08.4-14.6	23	3.9	02.1-05.7	4	0.5	00.0-01.1	25	4.2	02.4-06.0
Less than \$15,000	106	12,428				8	6.9	01.4-12.4	6	4.9	00.4-09.4	1	0.8	00.0-02.4			
\$15,000- 24,999	196	23,912	167	85.5	78.6-92.4	14	8.4	02.5-14.3	1	0.2	00.0-00.6	2	2.1	00.0-05.2	12	3.9	01.5-06.3
\$25,000- 34,999	178	21,681	140	79.5	71.5-87.5	16	8.1	03.2-13.0	4	1.5	00.0-03.1				18	10.9	04.4-17.4
\$35,000- 49,999	286	35,386	238	83.4	77.9-88.9	22	6.2	03.3-09.1	5	1.6	00.2-03.0	1	0.1	00.0-00.3	20	8.7	04.0-13.4
\$50,000- 74,999	343	44,017	277	79.6	74.3-84.9	28	8.0	04.5-11.5	7	2.3	00.5-04.1				31	10.0	05.9-14.1
\$75,000+	522	66,953	413	79.1	74.8-83.4	53	9.1	06.6-11.6	19	4.0	01.6-06.4	4	0.7	00.1-01.3	33	7.2	04.1-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES
TABLE 6: FRUIT SERVINGS PER DAY (FRUTDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2755	240,867	1877	69.6	67.2-72.0	556	19.0	17.0-21.0	182	6.2	05.0-07.4	45	1.3	00.9-01.7	5	0.1	00.0-00.3	90	3.8	02.8-04.8
Native	85	11,707							7	5.0	00.9-09.1	1	0.3	00.0-00.9				5	9.2	00.8-17.6
Non-Native	2641	227,350	1797	69.5	67.1-71.9	540	19.2	17.0-21.4	172	6.2	05.0-07.4	43	1.4	01.0-01.8	5	0.1	00.0-00.3	84	3.5	02.5-04.5
18-24	74	36,935				12	17.8	08.2-27.4	2	3.0	00.0-07.1							5	5.8	00.7-10.9
25-34	252	37,697	172	67.8	61.7-73.9	47	18.1	13.2-23.0	20	8.5	04.8-12.2	2	0.7	00.0-01.7				11	4.9	02.0-07.8
35-44	358	35,250	268	75.7	71.2-80.2	53	14.2	10.5-17.9	17	4.7	02.5-06.9	5	1.5	00.1-02.9				15	3.9	01.9-05.9
45-54	553	44,441	403	71.9	67.8-76.0	95	17.8	14.5-21.1	31	5.8	03.8-07.8	9	1.7	00.5-02.9	1	0.2	00.0-00.6	14	2.6	01.0-04.2
55-64	541	32,511	352	65.0	60.7-69.3	128	22.5	18.8-26.2	30	6.4	04.0-08.8	8	1.9	00.5-03.3	1	0.1	00.0-00.3	22	4.1	02.1-06.1
65+	939	51,954	603	65.0	61.7-68.3	211	22.1	19.2-25.0	79	8.2	06.4-10.0	21	2.1	01.1-03.1	3	0.4	00.0-00.8	22	2.2	01.2-03.2
Less Than H.S.	206	20,711				10	7.5	00.2-14.8	3	0.8	00.0-01.8							11	4.7	00.6-08.8
H.S. or G.E.D.	804	62,848	556	70.1	65.8-74.4	149	16.5	13.4-19.6	41	4.1	02.7-05.5	12	1.2	00.4-02.0	4	0.4	00.0-00.8	42	7.7	04.6-10.8
Some Post-H.S.	892	80,025	634	73.0	69.1-76.9	167	18.3	14.8-21.8	58	5.7	04.1-07.3	9	0.8	00.2-01.4				24	2.3	01.3-03.3
College Graduate	850	77,142	535	65.5	61.6-69.4	207	22.3	19.0-25.6	73	8.2	06.0-10.4	21	2.2	01.2-03.2	1	0.1	00.0-00.3	13	1.8	00.6-03.0
Less than \$15,000	212	17,496	143	68.9	59.1-78.7	39	16.3	08.9-23.7	14	7.6	00.9-14.3	4	1.0	00.0-02.0				12	6.2	01.5-10.9
\$15,000- 24,999	446	30,270	304	68.7	63.0-74.4	85	15.4	11.7-19.1	27	8.6	04.1-13.1	3	0.7	00.0-01.5	3	0.6	00.0-01.4	24	6.0	03.1-08.9
\$25,000- 34,999	344	26,955	250	72.2	64.8-79.6	68	21.4	14.0-28.8	13	2.7	00.9-04.5	3	0.8	00.0-01.8				10	2.8	00.6-05.0
\$35,000- 49,999	393	37,314	266	70.7	64.6-76.8	80	19.6	14.1-25.1	32	6.5	04.0-09.0	3	0.4	00.0-01.0				12	2.7	01.1-04.3
\$50,000- 74,999	422	37,995	272	62.7	57.2-68.2	90	21.1	16.6-25.6	34	9.2	05.9-12.5	12	2.2	00.8-03.6	1	0.2	00.0-00.6	13	4.6	01.3-07.9
\$75,000+	486	48,442	328	69.3	64.2-74.4	96	19.8	15.1-24.5	40	6.2	04.2-08.2	12	2.3	00.9-03.7	1	0.1	00.0-00.3	9	2.2	00.4-04.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 7: GREEN SALAD SERVINGS PER DAY (GNSLDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4556	474,582	4030	86.9	85.3-88.5	90	1.8	01.2-02.4	10	0.4	00.0-00.8	3	0.1	00.1-00.1	423	10.8	09.4-12.2
Male	1812	234,526	1564	84.6	82.1-87.1	26	1.3	00.5-02.1	4	0.2	00.0-00.4	1	0.0	00.0-00.0	217	13.9	11.4-16.4
Female	2744	240,056	2466	89.1	87.3-90.9	64	2.3	01.5-03.1	6	0.6	00.0-01.2	2	0.1	00.0-00.3	206	7.8	06.2-09.4
Native	128	21,780				4	6.3	00.0-13.9	2	3.2	00.0-08.3				14	10.8	04.1-17.5
Non-Native	4365	446,654	3874	87.4	85.8-89.0	85	1.6	01.2-02.0	7	0.2	00.0-00.4	2	0.0	00.0-00.0	397	10.7	09.1-12.3
18-24	142	75,430	109	76.6	69.2-84.0	3	1.5	00.0-03.3	2	1.5	00.0-03.5				28	20.4	13.1-27.7
25-34	426	79,879	384	89.5	86.2-92.8	6	1.8	00.0-03.6				1	0.2	00.0-00.6	35	8.5	05.6-11.4
35-44	617	72,005	533	85.2	82.1-88.3	11	1.6	00.6-02.6	4	0.7	00.0-01.5				69	12.5	09.6-15.4
45-54	986	87,448	887	90.0	87.8-92.2	12	1.3	00.5-02.1							87	8.7	06.7-10.7
55-64	959	67,937	864	90.8	88.8-92.8	19	1.8	01.0-02.6	1	0.1	00.0-00.3	1	0.1	00.0-00.3	74	7.2	05.4-09.0
65+	1382	89,207	1216	88.6	86.8-90.4	37	2.7	01.7-03.7	3	0.2	00.0-00.4	1	0.1	00.0-00.3	125	8.4	06.8-10.0
Less Than H.S.	333	39,778	265	75.2	66.6-83.8	7	3.3	00.2-06.4	1	0.1	00.0-00.3	1	0.4	00.0-01.2	59	21.0	12.6-29.4
H.S. or G.E.D.	1349	132,663	1163	86.1	83.4-88.8	30	2.2	01.0-03.4	3	0.5	00.0-01.3	1	0.1	00.0-00.3	152	11.1	08.7-13.5
Some Post-H.S.	1424	150,061	1270	86.1	83.2-89.0	21	1.3	00.7-01.9	4	0.6	00.0-01.4	1	0.0	00.0-00.0	128	12.0	09.3-14.7
College Graduate	1447	151,938	1330	91.4	89.4-93.4	32	1.6	01.0-02.2	2	0.2	00.0-00.4				83	6.8	05.0-08.6
Less than \$15,000	320	29,973	245	72.2	64.0-80.4	7	4.4	00.0-09.1	2	2.2	00.0-05.9				66	21.2	14.1-28.3
\$15,000- 24,999	641	54,266	552	86.2	82.5-89.9	9	1.4	00.4-02.4	2	0.1	00.0-00.3	1	0.3	00.0-00.9	77	12.0	08.3-15.7
\$25,000- 34,999	522	48,575	451	86.4	82.7-90.1	13	2.2	00.6-03.8	1	0.3	00.0-00.9				57	11.2	07.9-14.5
\$35,000- 49,999	683	73,132	621	90.7	87.6-93.8	11	1.2	00.4-02.0	2	0.8	00.0-02.4				49	7.2	04.5-09.9
\$50,000- 74,999	764	81,138	697	91.5	89.3-93.7	11	1.2	00.4-02.0	1	0.2	00.0-00.6	1	0.1	00.0-00.3	54	7.1	04.9-09.3
\$75,000+	1008	115,459	916	88.1	85.2-91.0	22	1.7	00.9-02.5	2	0.2	00.0-00.4				68	9.9	07.2-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES
TABLE 8: GREEN SALAD SERVINGS PER DAY (GNSLDAY_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1812	234,526	1564	84.6	82.1-87.1	26	1.3	00.5-02.1	4	0.2	00.0-00.4	1	0.0	00.0-00.0	217	13.9	11.4-16.4
Non-Native	1736	220,148	1504	85.0	82.5-87.5	25	1.1	00.7-01.5	3	0.1	00.0-00.3	1	0.0	00.0-00.0	203	13.8	11.3-16.3
25-34	174	42,182	152	87.6	82.1-93.1	3	2.3	00.0-05.6							19	10.1	05.4-14.8
35-44	260	36,766	212	81.3	76.2-86.4	2	0.6	00.0-01.4	2	0.7	00.0-01.7				44	17.5	12.4-22.6
45-54	433	42,929	373	86.8	83.3-90.3	7	1.7	00.3-03.1							53	11.5	08.2-14.8
55-64	416	35,491	376	91.4	88.7-94.1	3	0.5	00.0-01.1	1	0.1	00.0-00.3				36	8.0	05.3-10.7
65+	454	38,002	394	87.9	84.8-91.0	11	2.4	01.0-03.8	1	0.2	00.0-00.6	1	0.2	00.0-00.6	47	9.3	06.6-12.0
Less Than H.S.	133	19,413				1	0.4	00.0-01.2	1	0.2	00.0-00.6						
H.S. or G.E.D.	546	70,029	463	85.8	81.9-89.7	8	1.9	00.0-03.9	1	0.1	00.0-00.3	1	0.1	00.0-00.3	73	12.1	08.6-15.6
Some Post-H.S.	535	70,267	465	82.6	77.5-87.7	6	0.6	00.0-01.2	1	0.2	00.0-00.6				63	16.6	11.5-21.7
College Graduate	598	74,818	537	88.9	85.8-92.0	11	1.5	00.5-02.5	1	0.1	00.0-00.3				49	9.5	06.4-12.6
Less than \$15,000	106	12,434				3	6.8	00.0-17.2	1	0.8	00.0-02.4						
\$15,000- 24,999	195	23,960	165	85.1	77.8-92.4	3	1.3	00.0-02.9	1	0.2	00.0-00.6				26	13.4	06.3-20.5
\$25,000- 34,999	180	21,738	146	84.9	79.0-90.8	3	0.9	00.0-01.9							31	14.3	08.4-20.2
\$35,000- 49,999	288	35,652	261	91.8	87.5-96.1	2	0.5	00.0-01.1							25	7.8	03.7-11.9
\$50,000- 74,999	344	43,331	309	90.1	86.6-93.6	4	1.0	00.0-02.0							31	8.9	05.4-12.4
\$75,000+	523	67,060	462	84.3	79.8-88.8	10	1.6	00.6-02.6	2	0.3	00.0-00.7				49	13.8	09.3-18.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES
TABLE 9: GREEN SALAD SERVINGS PER DAY (GNSLDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2744	240,056	2466	89.1	87.3-90.9	64	2.3	01.5-03.1	6	0.6	00.0-01.2	2	0.1	00.0-00.3	206	7.8	06.2-09.4
Native	85	11,707				3	5.8	00.0-14.8	2	6.0	00.0-15.2				8	10.5	02.1-18.9
Non-Native	2629	226,506	2370	89.8	88.0-91.6	60	2.1	01.5-02.7	4	0.4	00.0-01.0	1	0.0	00.0-00.0	194	7.7	06.1-09.3
18-24	74	36,935	59	81.0	71.8-90.2	3	3.0	00.0-06.5	2	3.0	00.0-07.1				10	13.0	05.2-20.8
25-34	252	37,697	232	91.7	88.0-95.4	3	1.2	00.0-02.6				1	0.4	00.0-01.2	16	6.8	03.5-10.1
35-44	357	35,238	321	89.2	85.7-92.7	9	2.6	00.8-04.4	2	0.8	00.0-02.0				25	7.4	04.5-10.3
45-54	553	44,519	514	93.1	90.9-95.3	5	1.0	00.2-01.8							34	5.9	03.7-08.1
55-64	543	32,446	488	90.2	87.7-92.7	16	3.3	01.7-04.9				1	0.2	00.0-00.6	38	6.3	04.1-08.5
65+	928	51,205	822	89.1	86.9-91.3	26	3.0	01.8-04.2	2	0.2	00.0-00.4				78	7.7	05.9-09.5
Less Than H.S.	200	20,365	166	78.8	68.8-88.8	6	6.1	00.0-12.2				1	0.7	00.0-02.1	27	14.4	05.8-23.0
H.S. or G.E.D.	803	62,634	700	86.5	83.0-90.0	22	2.6	01.2-04.0	2	0.9	00.0-02.7				79	10.0	06.9-13.1
Some Post-H.S.	889	79,794	805	89.3	86.4-92.2	15	1.8	00.8-02.8	3	1.0	00.0-02.4	1	0.1	00.0-00.3	65	7.9	05.4-10.4
College Graduate	849	77,120	793	93.9	91.7-96.1	21	1.7	00.9-02.5	1	0.2	00.0-00.6				34	4.2	02.2-06.2
Less than \$15,000	214	17,539	174	78.8	68.8-88.8	4	2.7	00.0-06.0	1	3.2	00.0-09.3				35	15.4	07.0-23.8
\$15,000- 24,999	446	30,306	387	87.0	83.3-90.7	6	1.5	00.3-02.7	1	0.1	00.0-00.3	1	0.5	00.0-01.5	51	10.9	07.6-14.2
\$25,000- 34,999	342	26,838	305	87.5	82.6-92.4	10	3.3	00.8-05.8	1	0.5	00.0-01.5				26	8.6	04.5-12.7
\$35,000- 49,999	395	37,480	360	89.7	85.0-94.4	9	1.9	00.3-03.5	2	1.7	00.0-04.6				24	6.7	03.0-10.4
\$50,000- 74,999	420	37,807	388	93.1	90.6-95.6	7	1.4	00.4-02.4	1	0.4	00.0-01.2	1	0.2	00.0-00.6	23	5.0	02.8-07.2
\$75,000+	485	48,400	454	93.4	90.9-95.9	12	1.9	00.7-03.1							19	4.6	02.2-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 10: POTATO SERVINGS PER DAY (POTADAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4565	474,651	4172	91.2	90.0-92.4	36	0.7	00.3-01.1	8	0.2	00.0-00.4	2	0.4	00.0-01.0	347	7.5	06.3-08.7
Male	1814	234,416	1676	91.4	89.4-93.4	20	1.0	00.4-01.6	4	0.2	00.0-00.4	2	0.7	00.0-01.9	112	6.7	05.1-08.3
Female	2751	240,235	2496	91.0	89.4-92.6	16	0.5	00.3-00.7	4	0.3	00.0-00.7				235	8.3	06.7-09.9
Native	127	22,438				1	0.1	00.0-00.3				1	6.0	00.0-17.2	13	9.9	03.6-16.2
Non-Native	4374	446,501	4007	91.6	90.4-92.8	31	0.7	00.3-01.1	8	0.2	00.0-00.4	1	0.1	00.0-00.3	327	7.4	06.2-08.6
18-24	141	75,334	123	87.6	81.5-93.7	1	0.8	00.0-02.4	1	0.5	00.0-01.5	2	2.3	00.0-05.8	14	8.9	04.0-13.8
25-34	423	79,396	378	89.8	86.7-92.9	3	0.5	00.0-01.1							42	9.8	06.7-12.9
35-44	620	72,252	564	91.4	89.0-93.8	5	0.7	00.1-01.3	2	0.4	00.0-01.0				49	7.6	05.2-10.0
45-54	983	87,197	900	92.2	90.4-94.0	9	0.9	00.3-01.5	1	0.1	00.0-00.3				73	6.8	05.2-08.4
55-64	959	68,047	871	91.5	89.5-93.5	5	0.5	00.1-00.9	2	0.2	00.0-00.6				81	7.8	06.0-09.6
65+	1393	89,636	1296	94.2	93.0-95.4	13	1.1	00.5-01.7	2	0.1	00.0-00.3				82	4.6	03.6-05.6
Less Than H.S.	339	38,637	306	85.5	76.9-94.1	6	1.0	00.2-01.8	3	0.6	00.0-01.4	1	3.5	00.0-10.2	23	9.4	03.1-15.7
H.S. or G.E.D.	1353	134,127	1237	92.1	90.1-94.1	13	0.8	00.4-01.2	2	0.3	00.0-00.9	1	0.3	00.0-00.9	100	6.6	04.8-08.4
Some Post-H.S.	1424	149,914	1296	90.5	88.3-92.7	9	0.9	00.1-01.7	3	0.2	00.0-00.4				116	8.4	06.4-10.4
College Graduate	1446	151,830	1330	92.5	90.9-94.1	8	0.5	00.1-00.9							108	7.0	05.4-08.6
Less than \$15,000	318	29,252	278	86.0	80.1-91.9	3	0.6	00.0-01.4	1	0.3	00.0-00.9				36	13.1	07.4-18.8
\$15,000- 24,999	643	54,362	576	90.0	86.9-93.1	5	0.7	00.1-01.3	1	0.2	00.0-00.6	1	0.7	00.0-02.1	60	8.4	05.7-11.1
\$25,000- 34,999	522	48,598	466	87.0	81.7-92.3	8	2.3	00.0-04.8	2	1.1	00.0-02.7				46	9.6	04.9-14.3
\$35,000- 49,999	679	72,640	641	95.3	93.3-97.3	3	0.3	00.0-00.7	2	0.2	00.0-00.6				33	4.1	02.3-05.9
\$50,000- 74,999	766	82,136	708	93.0	91.0-95.0	5	0.6	00.0-01.2							53	6.4	04.4-08.4
\$75,000+	1009	115,417	928	91.8	89.6-94.0	5	0.5	00.1-00.9	1	0.1	00.0-00.3				75	7.6	05.4-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 11: POTATO SERVINGS PER DAY (POTADAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1814	234,416	1676	91.4	89.4-93.4	20	1.0	00.4-01.6	4	0.2	00.0-00.4	2	0.7	00.0-01.9	112	6.7	05.1-08.3
Non-Native	1737	219,706	1611	92.1	90.3-93.9	17	1.0	00.4-01.6	4	0.2	00.0-00.4	1	0.2	00.0-00.6	104	6.5	04.9-08.1
18-24	67	38,399	58	86.0	76.6-95.4	1	1.5	00.0-04.4				2	4.5	00.0-11.4	6	8.0	01.5-14.5
25-34	173	41,954	154	89.0	83.9-94.1	1	0.3	00.0-00.9							18	10.7	05.6-15.8
35-44	261	36,907	242	92.8	89.5-96.1	1	0.4	00.0-01.2	1	0.4	00.0-01.2				17	6.5	03.4-09.6
45-54	434	43,027	404	93.6	91.2-96.0	5	1.1	00.1-02.1	1	0.2	00.0-00.6				24	5.0	02.8-07.2
55-64	417	35,536	380	91.6	88.9-94.3	5	1.0	00.2-01.8	1	0.3	00.0-00.9				31	7.1	04.4-09.8
65+	454	37,883	430	95.4	93.4-97.4	7	1.7	00.3-03.1	1	0.2	00.0-00.6				16	2.7	01.3-04.1
Less Than H.S.	135	18,071				4	1.6	00.0-03.4	2	1.0	00.0-02.4				10	9.0	00.4-17.6
H.S. or G.E.D.	549	71,389	501	91.3	88.2-94.4	7	0.9	00.1-01.7				1	0.5	00.0-01.5	40	7.3	04.4-10.2
Some Post-H.S.	533	70,179	492	91.3	88.0-94.6	7	1.7	00.0-03.5	2	0.3	00.0-00.7				32	6.6	03.7-09.5
College Graduate	597	74,777	565	94.2	91.7-96.7	2	0.2	00.0-00.6							30	5.6	03.2-08.0
Less than \$15,000	103	11,645	87	85.7	77.5-93.9	2	1.2	00.0-03.0	1	0.7	00.0-02.1				13	12.3	04.5-20.1
\$15,000- 24,999	198	24,166	178	88.5	82.4-94.6	3	1.3	00.0-02.7	1	0.4	00.0-01.2	1	1.6	00.0-04.7	15	8.2	02.9-13.5
\$25,000- 34,999	181	21,824	161	87.7	80.1-95.3	6	4.4	00.0-09.7							14	8.0	02.1-13.9
\$35,000- 49,999	287	35,479	272	94.9	91.8-98.0	1	0.1	00.0-00.3	1	0.3	00.0-00.9				13	4.7	01.6-07.8
\$50,000- 74,999	344	44,141	327	95.0	92.5-97.5	3	0.7	00.0-01.5							14	4.2	01.8-06.6
\$75,000+	523	67,060	488	93.0	90.3-95.7	3	0.5	00.0-01.1	1	0.2	00.0-00.6				31	6.4	03.7-09.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 12: POTATO SERVINGS PER DAY (POTADAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2751	240,235	2496	91.0	89.4-92.6	16	0.5	00.3-00.7	4	0.3	00.0-00.7	235	8.3	06.7-09.9
Native	84	11,597	77	91.7	84.1-99.3	1	0.3	00.0-00.9				6	8.0	00.4-15.6
Non-Native	2637	226,795	2396	91.0	89.4-92.6	14	0.5	00.3-00.7	4	0.3	00.0-00.7	223	8.2	06.6-09.8
18-24	74	36,935	65	89.2	81.8-96.6				1	1.0	00.0-03.0	8	9.8	02.5-17.1
25-34	250	37,442	224	90.7	87.2-94.2	2	0.7	00.0-01.7				24	8.7	05.2-12.2
35-44	359	35,345	322	89.9	86.6-93.2	4	0.9	00.0-01.9	1	0.4	00.0-01.2	32	8.7	05.6-11.8
45-54	549	44,170	496	90.8	88.3-93.3	4	0.7	00.0-01.5				49	8.5	06.1-10.9
55-64	542	32,511	491	91.3	88.8-93.8				1	0.2	00.0-00.6	50	8.5	06.0-11.0
65+	939	51,753	866	93.2	91.6-94.8	6	0.7	00.1-01.3	1	0.1	00.0-00.3	66	6.0	04.4-07.6
Less Than H.S.	204	20,566	188	89.6	80.6-98.6	2	0.4	00.0-01.0	1	0.3	00.0-00.9	13	9.7	00.7-18.7
H.S. or G.E.D.	804	62,738	736	93.0	91.0-95.0	6	0.6	00.0-01.2	2	0.7	00.0-01.9	60	5.7	04.1-07.3
Some Post-H.S.	891	79,735	804	89.7	86.8-92.6	2	0.3	00.0-00.7	1	0.2	00.0-00.6	84	9.9	07.0-12.8
College Graduate	849	77,053	765	90.9	88.7-93.1	6	0.7	00.1-01.3				78	8.3	06.1-10.5
Less than \$15,000	215	17,607	191	86.2	78.2-94.2	1	0.2	00.0-00.6				23	13.6	05.6-21.6
\$15,000- 24,999	445	30,196	398	91.2	88.3-94.1	2	0.3	00.0-00.7				45	8.5	05.6-11.4
\$25,000- 34,999	341	26,774	305	86.4	79.1-93.7	2	0.7	00.0-01.7	2	1.9	00.0-04.8	32	11.0	04.1-17.9
\$35,000- 49,999	392	37,161	369	95.7	93.7-97.7	2	0.5	00.0-01.3	1	0.2	00.0-00.6	20	3.5	01.7-05.3
\$50,000- 74,999	422	37,995	381	90.7	87.8-93.6	2	0.5	00.0-01.1				39	8.8	05.9-11.7
\$75,000+	486	48,358	440	90.3	87.0-93.6	2	0.5	00.0-01.1				44	9.3	06.0-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 13: CARROT SERVINGS PER DAY (CRTSDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4513	471,092	3684	79.2	77.4-81.0	56	1.2	00.6-01.8	12	0.4	00.0-00.8	3	0.0	00.0-00.0	758	19.2	17.4-21.0
Male	1800	234,444	1402	76.2	73.3-79.1	15	1.2	00.0-02.4	7	0.5	00.0-01.1				376	22.0	19.3-24.7
Female	2713	236,649	2282	82.1	79.9-84.3	41	1.1	00.7-01.5	5	0.4	00.0-00.8	3	0.1	00.1-00.1	382	16.4	14.2-18.6
Native	128	22,821				4	7.5	00.0-18.5	1	2.4	00.0-07.1				29	20.6	12.2-29.0
Non-Native	4324	442,742	3538	79.6	77.8-81.4	52	0.9	00.7-01.1	11	0.3	00.1-00.5	3	0.0	00.0-00.0	720	19.1	17.3-20.9
18-24	141	75,758	106	72.4	64.2-80.6	1	1.8	00.0-05.1	3	1.7	00.0-03.9				31	24.0	16.2-31.8
25-34	418	78,549	323	74.8	69.9-79.7	1	0.2	00.0-00.6							94	25.1	20.2-30.0
35-44	614	71,629	463	74.6	70.9-78.3	8	1.3	00.3-02.3	2	0.3	00.0-00.7				141	23.7	20.0-27.4
45-54	975	86,557	793	82.0	79.5-84.5	9	0.9	00.3-01.5	1	0.1	00.0-00.3				172	17.1	14.6-19.6
55-64	954	67,624	789	82.8	80.3-85.3	14	1.5	00.5-02.5	1	0.1	00.0-00.3	1	0.1	00.0-00.3	149	15.5	13.0-18.0
65+	1367	88,268	1173	86.7	84.7-88.7	23	1.5	00.9-02.1	5	0.4	00.0-00.8	2	0.1	00.0-00.3	164	11.3	09.5-13.1
Less Than H.S.	334	39,008	256	66.7	56.7-76.7	6	4.5	00.0-11.0	2	0.6	00.0-01.6				70	28.1	18.7-37.5
H.S. or G.E.D.	1325	131,954	1044	75.8	72.3-79.3	19	1.2	00.6-01.8	4	1.0	00.0-02.2	1	0.0	00.0-00.0	257	22.0	18.5-25.5
Some Post-H.S.	1411	148,755	1162	80.3	77.2-83.4	14	0.6	00.2-01.0	4	0.2	00.0-00.4	2	0.1	00.1-00.1	229	18.9	16.0-21.8
College Graduate	1440	151,233	1219	84.2	81.8-86.6	17	0.9	00.3-01.5	2	0.1	00.0-00.3				202	14.8	12.4-17.2
Less than \$15,000	311	28,682	224	69.7	61.7-77.7	9	2.6	00.6-04.6	2	2.6	00.0-06.5	1	0.2	00.0-00.6	75	24.9	17.5-32.3
\$15,000- 24,999	627	53,272	497	77.6	72.7-82.5	7	0.9	00.1-01.7	1	0.2	00.0-00.6	1	0.1	00.0-00.3	121	21.4	16.7-26.1
\$25,000- 34,999	521	48,267	439	80.5	75.0-86.0	9	1.6	00.4-02.8	1	0.1	00.0-00.3				72	17.8	12.3-23.3
\$35,000- 49,999	678	72,623	556	81.0	76.7-85.3	5	0.4	00.0-00.8	1	0.1	00.0-00.3	1	0.1	00.0-00.3	115	18.4	14.3-22.5
\$50,000- 74,999	760	81,533	629	81.0	77.3-84.7	7	0.8	00.2-01.4	1	0.1	00.0-00.3				123	18.1	14.4-21.8
\$75,000+	1002	114,772	833	80.8	77.5-84.1	10	0.7	00.3-01.1	4	0.8	00.0-01.8				155	17.7	14.4-21.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 14: CARROT SERVINGS PER DAY (CRTSDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1800	234,444	1402	76.2	73.3-79.1	15	1.2	00.0-02.4	7	0.5	00.0-01.1	376	22.0	19.3-24.7
Non-Native	1723	219,438	1341	76.4	73.5-79.3	13	0.6	00.2-01.0	7	0.6	00.0-01.2	362	22.4	19.5-25.3
18-24	69	39,933				1	3.4	00.0-09.9	2	1.9	00.0-04.8			
25-34	172	41,726	127	71.6	64.0-79.2							45	28.4	20.8-36.0
35-44	258	36,486	176	69.3	63.4-75.2	4	1.5	00.0-03.1	1	0.4	00.0-01.2	77	28.8	22.9-34.7
45-54	430	42,635	343	81.5	77.6-85.4							87	18.5	14.6-22.4
55-64	416	35,468	332	80.6	76.5-84.7	5	1.6	00.0-03.2	1	0.3	00.0-00.9	78	17.5	13.8-21.2
65+	448	37,535	369	84.9	81.6-88.2	5	1.1	00.1-02.1	3	0.6	00.0-01.4	71	13.4	10.3-16.5
Less Than H.S.	136	19,558							2	1.3	00.0-03.3			
H.S. or G.E.D.	539	70,599	392	73.0	67.7-78.3	4	0.7	00.0-01.5	2	0.9	00.0-02.5	141	25.4	20.3-30.5
Some Post-H.S.	530	69,760	420	78.4	73.5-83.3	3	0.3	00.0-00.7	2	0.3	00.0-00.7	105	21.0	16.1-25.9
College Graduate	595	74,526	493	82.1	78.4-85.8	5	0.9	00.1-01.7	1	0.1	00.0-00.3	96	16.9	13.2-20.6
Less than \$15,000	100	11,460				5	4.3	00.2-08.4	1	1.7	00.0-05.0			
\$15,000- 24,999	195	23,888	136	71.0	62.2-79.8	2	0.9	00.0-02.5	1	0.4	00.0-01.2	56	27.7	18.9-36.5
\$25,000- 34,999	179	21,537	136	76.5	68.3-84.7	1	1.0	00.0-03.0	1	0.2	00.0-00.6	41	22.3	14.3-30.3
\$35,000- 49,999	285	35,405	228	80.0	73.7-86.3							57	20.0	13.7-26.3
\$50,000- 74,999	342	43,891	277	79.4	73.5-85.3	2	0.5	00.0-01.3	1	0.2	00.0-00.6	62	19.9	14.0-25.8
\$75,000+	520	66,677	427	80.5	76.2-84.8	3	0.5	00.0-01.1	2	1.1	00.0-02.9	88	17.9	13.8-22.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES
TABLE 15: CARROT SERVINGS PER DAY (CRTSDAY_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2713	236,649	2282	82.1	79.9-84.3	41	1.1	00.7-01.5	5	0.4	00.0-00.8	3	0.1	00.1-00.1	382	16.4	14.2-18.6
Native	84	11,597				2	1.3	00.0-03.3	1	4.8	00.0-13.8						
Non-Native	2601	223,304	2197	82.8	80.6-85.0	39	1.1	00.7-01.5	4	0.1	00.0-00.3	3	0.1	00.1-00.1	358	15.9	13.7-18.1
18-24	72	35,824							1	1.6	00.0-04.5						
25-34	246	36,823	196	78.3	72.6-84.0	1	0.4	00.0-01.2							49	21.3	15.6-27.0
35-44	356	35,143	287	80.2	75.7-84.7	4	1.1	00.0-02.3	1	0.3	00.0-00.9				64	18.5	14.2-22.8
45-54	545	43,922	450	82.4	78.9-85.9	9	1.7	00.5-02.9	1	0.2	00.0-00.6				85	15.7	12.4-19.0
55-64	538	32,156	457	85.1	82.0-88.2	9	1.5	00.5-02.5				1	0.2	00.0-00.6	71	13.3	10.2-16.4
65+	919	50,733	804	88.1	85.9-90.3	18	1.8	00.8-02.8	2	0.2	00.0-00.6	2	0.2	00.0-00.4	93	9.7	07.7-11.7
Less Than H.S.	198	19,451				3	1.4	00.0-03.0									
H.S. or G.E.D.	786	61,355	652	79.1	74.2-84.0	15	1.8	00.8-02.8	2	1.0	00.0-02.8	1	0.1	00.0-00.3	116	18.0	13.3-22.7
Some Post-H.S.	881	78,994	742	81.9	78.2-85.6	11	0.8	00.2-01.4	2	0.2	00.0-00.4	2	0.1	00.0-00.3	124	17.0	13.3-20.7
College Graduate	845	76,707	726	86.2	83.5-88.9	12	0.9	00.3-01.5	1	0.1	00.0-00.3				106	12.8	10.1-15.5
Less than \$15,000	211	17,222	166	75.5	65.5-85.5	4	1.4	00.0-03.2	1	3.2	00.0-09.3	1	0.3	00.0-00.9	39	19.6	10.8-28.4
\$15,000- 24,999	432	29,385	361	82.9	78.2-87.6	5	0.8	00.0-01.6				1	0.1	00.0-00.3	65	16.2	11.5-20.9
\$25,000- 34,999	342	26,731	303	83.7	75.9-91.5	8	2.1	00.5-03.7							31	14.3	06.5-22.1
\$35,000- 49,999	393	37,218	328	81.9	76.2-87.6	5	0.9	00.1-01.7	1	0.2	00.0-00.6	1	0.2	00.0-00.6	58	16.9	11.2-22.6
\$50,000- 74,999	418	37,642	352	83.0	78.5-87.5	5	1.0	00.0-02.0							61	16.0	11.5-20.5
\$75,000+	482	48,095	406	81.2	75.7-86.7	7	1.0	00.2-01.8	2	0.4	00.0-01.0				67	17.5	12.0-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 16: VEGETABLE SERVINGS PER DAY (VEGEDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4515	470,460	3150	68.8	66.8-70.8	936	20.6	19.0-22.2	251	6.3	05.1-07.5	98	2.1	01.5-02.7	12	0.3	00.1-00.5	68	1.9	01.1-02.7
Male	1787	232,179	1376	74.1	71.4-76.8	287	16.5	14.3-18.7	71	5.7	03.9-07.5	16	1.1	00.5-01.7	3	0.2	00.0-00.4	34	2.3	01.1-03.5
Female	2728	238,281	1774	63.6	61.1-66.1	649	24.6	22.2-27.0	180	6.8	05.4-08.2	82	3.0	02.2-03.8	9	0.3	00.1-00.5	34	1.6	00.8-02.4
Native	128	22,355							5	4.0	00.0-08.7	3	2.1	00.0-04.6				5	6.8	00.3-13.3
Non-Native	4326	442,521	3017	69.1	67.1-71.1	899	20.6	19.0-22.2	243	6.3	05.1-07.5	94	2.0	01.4-02.6	11	0.3	00.1-00.5	62	1.7	01.1-02.3
18-24	140	74,885	89	66.2	57.8-74.6	29	19.6	12.5-26.7	11	7.8	03.1-12.5	3	1.1	00.0-02.5				8	5.3	01.6-09.0
25-34	422	79,131	261	61.5	56.4-66.6	100	23.3	18.8-27.8	40	10.2	06.7-13.7	15	3.6	01.6-05.6	4	0.7	00.0-01.5	2	0.6	00.0-01.6
35-44	613	71,512	394	65.1	61.2-69.0	146	23.3	19.8-26.8	38	5.5	03.7-07.3	18	2.8	01.4-04.2	3	0.7	00.0-01.5	14	2.6	01.0-04.2
45-54	975	86,712	691	71.7	68.8-74.6	201	20.2	17.5-22.9	50	5.1	03.5-06.7	16	1.6	00.8-02.4	2	0.2	00.0-00.4	15	1.2	00.6-01.8
55-64	950	67,447	681	72.9	70.0-75.8	186	19.2	16.5-21.9	50	5.1	03.5-06.7	23	2.1	01.1-03.1	1	0.1	00.0-00.3	9	0.7	00.3-01.1
65+	1373	88,309	1006	74.9	72.4-77.4	266	18.2	16.0-20.4	58	4.1	02.9-05.3	22	1.4	00.8-02.0	2	0.1	00.0-00.3	19	1.4	00.6-02.2
Less Than H.S.	327	38,135	253	75.5	67.7-83.3	48	14.4	07.7-21.1	9	3.8	00.5-07.1	4	1.3	00.0-02.7	1	0.4	00.0-01.2	12	4.6	00.9-08.3
H.S. or G.E.D.	1334	131,689	1017	75.7	72.2-79.2	218	15.9	13.0-18.8	53	4.7	02.9-06.5	21	1.6	00.8-02.4	2	0.1	00.0-00.3	23	2.1	00.9-03.3
Some Post-H.S.	1410	148,894	983	67.5	64.0-71.0	310	22.1	19.2-25.0	72	6.7	04.3-09.1	21	1.4	00.6-02.2	2	0.2	00.0-00.6	22	2.2	00.8-03.6
College Graduate	1441	151,600	894	62.5	59.4-65.6	360	24.7	22.0-27.4	117	7.9	06.1-09.7	52	3.4	02.2-04.6	7	0.5	00.1-00.9	11	0.9	00.1-01.7
Less than \$15,000	308	28,723	214	66.8	58.4-75.2	62	21.8	13.8-29.8	14	5.8	01.7-09.9	5	2.0	00.0-04.4	1	0.7	00.0-02.1	12	2.9	00.9-04.9
\$15,000- 24,999	630	52,134	466	72.3	67.0-77.6	113	19.8	15.1-24.5	27	4.6	01.7-07.5	11	1.7	00.5-02.9	2	0.4	00.0-01.0	11	1.3	00.5-02.1
\$25,000- 34,999	519	48,115	381	73.4	68.1-78.7	101	18.6	14.1-23.1	19	3.6	01.4-05.8	9	1.6	00.4-02.8	3	0.5	00.0-01.1	6	2.3	00.0-04.8
\$35,000- 49,999	677	72,590	481	70.0	65.1-74.9	134	19.3	15.4-23.2	41	7.6	04.1-11.1	14	1.9	00.5-03.3				7	1.1	00.1-02.1
\$50,000- 74,999	763	81,918	533	70.2	66.3-74.1	167	21.6	18.3-24.9	39	5.4	03.2-07.6	14	1.7	00.7-02.7	1	0.1	00.0-00.3	9	0.9	00.3-01.5
\$75,000+	1004	114,983	661	63.5	59.6-67.4	220	21.8	18.5-25.1	75	8.2	05.8-10.6	31	2.9	01.7-04.1	5	0.6	00.0-01.2	12	3.1	00.9-05.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 17: VEGETABLE SERVINGS PER DAY (VEGEDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1787	232,179	1376	74.1	71.4-76.8	287	16.5	14.3-18.7	71	5.7	03.9-07.5	16	1.1	00.5-01.7	3	0.2	00.0-00.4	34	2.3	01.1-03.5
Non-Native	1711	217,694	1323	74.6	71.9-77.3	273	16.5	14.1-18.9	67	5.6	03.8-07.4	14	0.9	00.3-01.5	3	0.3	00.0-00.7	31	2.1	00.9-03.3
18-24	67	38,783				10	12.7	04.7-20.7	6	9.4	02.0-16.8	1	0.5	00.0-01.5				4	5.4	00.0-11.1
25-34	172	41,726	112	63.8	55.8-71.8	36	21.0	14.3-27.7	17	11.0	05.1-16.9	5	2.9	00.2-05.6	1	0.5	00.0-01.5	1	0.8	00.0-02.4
35-44	257	36,381	177	68.4	62.3-74.5	54	21.1	15.8-26.4	12	4.4	01.9-06.9	5	1.9	00.1-03.7	2	1.0	00.0-02.4	7	3.2	00.7-05.7
45-54	428	42,635	334	79.2	75.3-83.1	69	15.5	12.0-19.0	16	3.7	01.7-05.7	2	0.3	00.0-00.7				7	1.3	00.3-02.3
55-64	410	35,033	341	82.0	77.9-86.1	47	12.5	09.0-16.0	14	3.9	01.7-06.1	2	0.7	00.0-01.7				6	0.9	00.1-01.7
65+	448	37,205	363	80.8	76.9-84.7	69	15.4	11.9-18.9	6	1.5	00.3-02.7	1	0.3	00.0-00.9				9	2.1	00.5-03.7
Less Than H.S.	128	18,675				11	8.3	00.9-15.7	2	4.8	00.0-11.3	2	1.6	00.0-04.0				7	3.7	00.4-07.0
H.S. or G.E.D.	539	69,434	440	79.6	74.7-84.5	69	12.7	09.2-16.2	15	4.9	01.8-08.0	1	0.1	00.0-00.3	1	0.2	00.0-00.6	13	2.5	00.5-04.5
Some Post-H.S.	526	69,488	408	73.8	68.5-79.1	85	16.1	12.2-20.0	19	6.0	02.3-09.7	3	0.9	00.0-02.1	1	0.3	00.0-00.9	10	2.9	00.4-05.4
College Graduate	594	74,582	422	67.6	62.9-72.3	122	22.4	18.1-26.7	35	6.5	04.0-09.0	10	2.1	00.7-03.5	1	0.3	00.0-00.9	4	1.1	00.0-02.7
Less than \$15,000	98	11,351							5	8.1	00.0-17.3	1	1.7	00.0-05.0	1	1.9	00.0-05.4	7	4.5	00.2-08.8
\$15,000- 24,999	191	22,230	155	81.2	73.2-89.2	27	15.7	07.9-23.5	4	1.4	00.0-02.8	1	0.5	00.0-01.5				4	1.2	00.0-02.4
\$25,000- 34,999	178	21,458	146	81.0	73.0-89.0	21	11.3	04.8-17.8	4	3.4	00.0-07.3	2	1.5	00.0-03.7	1	0.7	00.0-02.1	4	2.2	00.0-04.7
\$35,000- 49,999	283	35,227	234	75.9	68.5-83.3	35	14.3	08.8-19.8	10	7.3	01.4-13.2	2	1.5	00.0-03.7				2	1.1	00.0-02.7
\$50,000- 74,999	343	44,034	260	74.3	68.6-80.0	65	19.3	14.4-24.2	10	4.2	01.1-07.3	2	0.8	00.0-02.0				6	1.3	00.3-02.3
\$75,000+	519	66,702	376	68.2	63.1-73.3	97	18.7	14.8-22.6	32	7.4	04.3-10.5	5	1.0	00.0-02.2	1	0.3	00.0-00.9	8	4.3	00.8-07.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 18: VEGETABLE SERVINGS PER DAY (VEGEDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2728	238,281	1774	63.6	61.1-66.1	649	24.6	22.2-27.0	180	6.8	05.4-08.2	82	3.0	02.2-03.8	9	0.3	00.1-00.5	34	1.6	00.8-02.4
Native	85	11,707							3	2.8	00.0-06.1	2	2.2	00.0-05.3				2	7.9	00.0-18.5
Non-Native	2615	224,828	1694	63.6	61.1-66.1	626	24.6	22.2-27.0	176	7.1	05.7-08.5	80	3.1	02.3-03.9	8	0.3	00.1-00.5	31	1.3	00.7-01.9
18-24	73	36,102							5	6.2	00.3-12.1	2	1.8	00.0-04.3				4	5.1	00.0-10.2
25-34	250	37,406	149	59.0	52.5-65.5	64	25.9	20.2-31.6	23	9.3	05.6-13.0	10	4.5	01.6-07.4	3	1.0	00.0-02.2	1	0.4	00.0-01.2
35-44	356	35,131	217	61.7	56.4-67.0	92	25.6	20.9-30.3	26	6.6	04.1-09.1	13	3.7	01.7-05.7	1	0.4	00.0-01.2	7	2.0	00.4-03.6
45-54	547	44,077	357	64.3	60.0-68.6	132	24.7	20.8-28.6	34	6.5	04.1-08.9	14	2.9	01.3-04.5	2	0.4	00.0-00.8	8	1.2	00.4-02.0
55-64	540	32,414	340	62.9	58.6-67.2	139	26.4	22.5-30.3	36	6.5	04.3-08.7	21	3.6	02.0-05.2	1	0.2	00.0-00.6	3	0.4	00.0-00.8
65+	925	51,104	643	70.6	67.5-73.7	197	20.2	17.5-22.9	52	6.0	04.2-07.8	21	2.2	01.2-03.2	2	0.1	00.0-00.3	10	0.9	00.3-01.5
Less Than H.S.	199	19,461							7	2.8	00.6-05.0	2	1.1	00.0-02.7	1	0.7	00.0-02.1	5	5.4	00.0-11.9
H.S. or G.E.D.	795	62,255	577	71.4	66.7-76.1	149	19.4	14.9-23.9	38	4.4	02.8-06.0	20	3.2	01.4-05.0	1	0.1	00.0-00.3	10	1.5	00.1-02.9
Some Post-H.S.	884	79,406	575	61.9	57.4-66.4	225	27.3	23.2-31.4	53	7.3	04.4-10.2	18	1.7	00.7-02.7	1	0.1	00.0-00.3	12	1.7	00.1-03.3
College Graduate	847	77,017	472	57.6	53.5-61.7	238	27.0	23.5-30.5	82	9.3	07.1-11.5	42	4.7	03.1-06.3	6	0.7	00.1-01.3	7	0.7	00.1-01.3
Less than \$15,000	210	17,372				46	22.6	12.6-32.6	9	4.3	01.2-07.4	4	2.3	00.0-05.4				5	1.8	00.0-03.6
\$15,000- 24,999	439	29,904	311	65.6	58.9-72.3	86	22.9	17.0-28.8	23	7.0	01.9-12.1	10	2.6	00.6-04.6	2	0.6	00.0-01.6	7	1.3	00.3-02.3
\$25,000- 34,999	341	26,657	235	67.2	60.5-73.9	80	24.5	18.6-30.4	15	3.8	01.6-06.0	7	1.7	00.3-03.1	2	0.4	00.0-01.0	2	2.3	00.0-06.4
\$35,000- 49,999	394	37,363	247	64.5	58.0-71.0	99	24.2	18.5-29.9	31	7.9	04.0-11.8	12	2.3	00.7-03.9				5	1.1	00.1-02.1
\$50,000- 74,999	420	37,884	273	65.5	60.4-70.6	102	24.2	19.7-28.7	29	6.8	04.3-09.3	12	2.7	00.9-04.5	1	0.2	00.0-00.6	3	0.5	00.0-01.1
\$75,000+	485	48,280	285	56.9	51.0-62.8	123	26.2	20.5-31.9	43	9.3	06.0-12.6	26	5.4	03.0-07.8	4	0.9	00.0-01.9	4	1.4	00.0-03.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

**TABLE 19: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4609	479,961	200	5.7	04.5-06.9	730	17.2	15.6-18.8	1017	22.1	20.5-23.7	1595	33.4	31.4-35.4	1061	21.4	19.8-23.0	6	0.2	00.0-00.4
Male	1830	237,731	114	7.5	05.5-09.5	354	19.7	17.3-22.1	482	25.0	22.5-27.5	588	31.3	28.4-34.2	288	16.0	13.6-18.4	4	0.3	00.0-00.9
Female	2779	242,231	86	3.8	02.6-05.0	376	14.7	12.7-16.7	535	19.3	17.3-21.3	1007	35.5	33.0-38.0	773	26.6	24.4-28.8	2	0.1	00.0-00.3
Native	129	22,931	7	6.3	01.4-11.2	20	17.1	08.3-25.9												
Non-Native	4413	450,573	191	5.7	04.5-06.9	698	17.2	15.6-18.8	969	22.2	20.6-23.8	1534	33.5	31.5-35.5	1017	21.3	19.7-22.9	4	0.1	00.1-00.1
18-24	144	77,443	14	11.8	05.7-17.9	29	19.7	12.8-26.6	23	16.8	10.1-23.5	48	31.5	23.5-39.5	29	19.4	12.1-26.7	1	0.7	00.0-02.1
25-34	426	79,879	15	3.3	01.5-05.1	73	17.8	13.9-21.7	98	22.8	18.5-27.1	144	35.9	30.6-41.2	96	20.1	16.2-24.0			
35-44	621	72,347	49	8.6	06.1-11.1	137	23.2	19.5-26.9	137	22.0	18.5-25.5	172	26.5	22.8-30.2	125	19.4	16.1-22.7	1	0.2	00.0-00.6
45-54	991	87,876	50	4.7	03.3-06.1	174	17.2	14.7-19.7	260	26.9	24.0-29.8	318	31.5	28.4-34.6	187	19.4	16.7-22.1	2	0.2	00.0-00.6
55-64	964	68,273	33	3.6	02.2-05.0	162	16.1	13.6-18.6	218	24.3	21.4-27.2	332	33.2	30.1-36.3	219	22.7	19.8-25.6			
65+	1417	91,354	35	2.5	01.7-03.3	151	10.6	08.8-12.4	269	20.0	17.6-22.4	569	40.6	37.9-43.3	391	26.2	23.7-28.7	2	0.1	00.0-00.3
Less Than H.S.	349	40,691	25	13.6	05.6-21.6	61	18.2	11.3-25.1	73	17.9	11.8-24.0	119	29.2	21.4-37.0	69	20.8	12.8-28.8	2	0.3	00.0-00.7
H.S. or G.E.D.	1368	135,160	80	8.0	05.5-10.5	245	18.1	15.2-21.0	320	24.1	20.8-27.4	444	30.4	26.9-33.9	279	19.5	16.4-22.6			
Some Post-H.S.	1436	151,621	54	4.2	02.6-05.8	236	18.2	15.5-20.9	344	22.6	19.7-25.5	499	35.7	32.2-39.2	299	18.7	16.2-21.2	4	0.6	00.0-01.4
College Graduate	1453	152,348	41	3.0	02.0-04.0	187	15.0	12.5-17.5	280	21.1	18.6-23.6	532	35.0	32.1-37.9	413	25.8	23.1-28.5			
Less than \$15,000	325	30,198	24	7.0	03.3-10.7	62	23.2	15.8-30.6	59	15.4	10.1-20.7	104	30.2	22.2-38.2	75	22.3	15.6-29.0	1	1.9	00.0-05.6
\$15,000- 24,999	650	54,823	30	3.8	02.2-05.4	94	15.5	11.6-19.4	150	22.3	18.0-26.6	230	36.3	31.0-41.6	145	22.0	17.3-26.7	1	0.1	00.0-00.3
\$25,000- 34,999	527	48,928	23	6.6	02.9-10.3	91	17.8	13.3-22.3	106	20.4	15.9-24.9	193	32.2	26.5-37.9	114	23.0	16.7-29.3			
\$35,000- 49,999	685	73,311	31	5.7	03.0-08.4	108	15.9	12.2-19.6	162	23.2	19.3-27.1	224	34.4	29.5-39.3	159	20.6	16.9-24.3	1	0.1	00.0-00.3
\$50,000- 74,999	768	82,286	32	5.1	02.9-07.3	119	16.5	13.0-20.0	197	27.5	23.4-31.6	251	30.5	26.8-34.2	169	20.4	17.1-23.7			
\$75,000+	1011	115,629	30	3.6	01.8-05.4	162	17.0	14.1-19.9	227	23.7	20.4-27.0	355	33.4	29.7-37.1	236	22.1	19.0-25.2	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 20: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	237,731	114	7.5	05.5-09.5	354	19.7	17.3-22.1	482	25.0	22.5-27.5	588	31.3	28.4-34.2	288	16.0	13.6-18.4	4	0.3	00.0-00.9
Non-Native	1750	221,956	109	7.6	05.4-09.8	339	20.2	17.7-22.7	459	24.8	22.3-27.3	569	31.6	28.7-34.5	272	15.7	13.3-18.1	2	0.1	00.0-00.3
18-24	70	40,509				15	19.6	10.0-29.2										1	1.4	00.0-04.1
25-34	174	42,182	8	3.2	00.8-05.6	35	19.6	13.3-25.9	41	24.2	17.3-31.1	59	37.7	29.7-45.7	31	15.3	09.8-20.8			
35-44	261	36,907	27	10.8	06.7-14.9	78	29.5	23.6-35.4	59	22.5	17.2-27.8	51	20.1	15.0-25.2	45	16.7	12.0-21.4	1	0.4	00.0-01.2
45-54	435	43,125	29	5.8	03.6-08.0	89	20.3	16.2-24.4	133	30.8	26.1-35.5	132	30.6	25.9-35.3	52	12.5	09.2-15.8			
55-64	417	35,536	20	4.4	02.4-06.4	79	18.0	14.1-21.9	122	29.8	25.1-34.5	129	30.6	25.9-35.3	67	17.2	13.3-21.1			
65+	465	38,763	18	3.5	01.7-05.3	58	12.2	09.1-15.3	112	24.5	20.2-28.8	195	42.0	37.3-46.7	80	17.5	13.8-21.2	2	0.3	00.0-00.7
Less Than H.S.	141	19,894				25	12.9	06.8-19.0										2	0.5	00.0-01.3
H.S. or G.E.D.	552	71,659	48	10.4	06.3-14.5	115	19.8	15.5-24.1	147	24.7	19.6-29.8	165	29.9	24.6-35.2	77	15.2	10.1-20.3			
Some Post-H.S.	537	71,175	27	5.8	02.7-08.9	120	24.5	19.4-29.6	150	25.3	20.4-30.2	174	31.8	26.5-37.1	64	11.5	08.4-14.6	2	1.0	00.0-02.6
College Graduate	600	75,002	22	3.2	01.8-04.6	94	17.0	13.3-20.7	151	25.3	21.2-29.4	208	33.9	29.2-38.6	125	20.6	16.9-24.3			
Less than \$15,000	107	12,477	13	10.1	03.0-17.2				23	15.2	08.1-22.3				18	15.8	07.6-24.0	1	4.6	00.0-13.2
\$15,000- 24,999	199	24,219	11	3.0	01.0-05.0	29	16.7	09.4-24.0	57	26.5	18.3-34.7	69	38.0	28.2-47.8	33	15.9	09.6-22.2			
\$25,000- 34,999	182	21,931	16	10.7	03.3-18.1	40	23.4	14.8-32.0	39	20.6	12.8-28.4	60	25.2	17.6-32.8						
\$35,000- 49,999	289	35,793	19	7.5	03.2-11.8	59	18.6	13.5-23.7	76	24.8	18.7-30.9	91	34.1	26.7-41.5	43	14.8	10.1-19.5	1	0.1	00.0-00.3
\$50,000- 74,999	346	44,292	19	6.6	03.1-10.1	64	19.8	14.1-25.5	110	32.4	26.1-38.7	108	27.8	22.5-33.1	45	13.4	09.1-17.7			
\$75,000+	523	67,060	17	3.8	01.3-06.3	99	19.4	15.3-23.5	138	26.9	22.2-31.6	178	32.5	27.8-37.2	90	17.2	13.1-21.3	1	0.2	00.0-00.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 21: FRUIT AND VEGETABLE SERVINGS PER DAY (_FRTSERV)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		> 0, <= 1			> 1, <= 2			> 2, <= 3			> 3, <= 5			> 5			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2779	242,231	86	3.8	02.6-05.0	376	14.7	12.7-16.7	535	19.3	17.3-21.3	1007	35.5	33.0-38.0	773	26.6	24.4-28.8	2	0.1	00.0-00.3
Native	85	11,707	2	3.1	00.0-07.4				20	16.9	08.7-25.1									
Non-Native	2663	228,618	82	3.9	02.7-05.1	359	14.3	12.3-16.3	510	19.6	17.6-21.6	965	35.4	32.9-37.9	745	26.8	24.6-29.0	2	0.1	00.0-00.3
18-24	74	36,935	5	6.3	00.8-11.8	14	19.8	10.0-29.6	11	15.3	06.7-23.9				18	21.8	12.0-31.6			
25-34	252	37,697	7	3.4	00.9-05.9	38	15.8	10.9-20.7	57	21.4	16.1-26.7	85	33.9	27.8-40.0	65	25.5	19.8-31.2			
35-44	360	35,440	22	6.3	03.8-08.8	59	16.8	12.7-20.9	78	21.6	17.1-26.1	121	33.2	28.1-38.3	80	22.2	17.7-26.7			
45-54	556	44,751	21	3.6	02.0-05.2	85	14.3	11.2-17.4	127	23.2	19.5-26.9	186	32.4	28.3-36.5	135	26.1	22.2-30.0	2	0.4	00.0-01.2
55-64	547	32,736	13	2.8	01.0-04.6	83	14.1	11.0-17.2	96	18.2	14.7-21.7	203	36.1	31.8-40.4	152	28.8	24.7-32.9			
65+	952	52,591	17	1.7	00.9-02.5	93	9.5	07.5-11.5	157	16.6	14.1-19.1	374	39.5	36.2-42.8	311	32.6	29.5-35.7			
Less Than H.S.	208	20,796	8	7.6	00.2-15.0				39	12.3	07.4-17.2				47	23.5	13.5-33.5			
H.S. or G.E.D.	816	63,501	32	5.2	02.8-07.6	130	16.2	12.7-19.7	173	23.4	19.1-27.7	279	30.9	26.4-35.4	202	24.3	20.4-28.2			
Some Post-H.S.	899	80,446	27	2.8	01.6-04.0	116	12.7	10.0-15.4	194	20.2	16.9-23.5	325	39.1	34.6-43.6	235	25.0	21.1-28.9	2	0.2	00.0-00.6
College Graduate	853	77,346	19	2.8	01.4-04.2	93	13.1	09.6-16.6	129	17.1	13.8-20.4	324	36.0	32.1-39.9	288	30.9	27.2-34.6			
Less than \$15,000	218	17,720	11	4.9	01.0-08.8	37	23.3	13.3-33.3	36	15.6	08.0-23.2	77	29.4	20.6-38.2	57	26.9	17.5-36.3			
\$15,000- 24,999	451	30,604	19	4.5	02.1-06.9	65	14.6	10.3-18.9	93	19.0	14.7-23.3	161	34.9	29.2-40.6	112	26.9	20.6-33.2	1	0.1	00.0-00.3
\$25,000- 34,999	345	26,997	7	3.2	00.5-05.9	51	13.2	08.9-17.5	67	20.3	15.0-25.6	133	37.9	30.6-45.2	87	25.4	19.3-31.5			
\$35,000- 49,999	396	37,518	12	4.0	00.7-07.3	49	13.3	07.8-18.8	86	21.8	16.5-27.1	133	34.7	28.0-41.4	116	26.2	20.5-31.9			
\$50,000- 74,999	422	37,995	13	3.4	01.4-05.4	55	12.6	09.3-15.9	87	21.8	17.1-26.5	143	33.6	28.3-38.9	124	28.6	23.9-33.3			
\$75,000+	488	48,569	13	3.4	01.2-05.6	63	13.8	09.9-17.7	89	19.3	14.8-23.8	177	34.7	29.0-40.4	146	28.8	23.7-33.9			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

**TABLE 22: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4609	479,961	197	5.7	04.5-06.9	1695	38.0	36.0-40.0	1601	33.7	31.7-35.7	1116	22.5	20.9-24.1
Male	1830	237,731	112	7.7	05.5-09.9	810	43.2	40.1-46.3	598	31.8	28.9-34.7	310	17.3	14.8-19.8
Female	2779	242,231	85	3.8	02.6-05.0	885	32.9	30.5-35.3	1003	35.6	33.1-38.1	806	27.6	25.4-29.8
Native	129	22,931	7	6.3	01.4-11.2									
Non-Native	4413	450,573	187	5.6	04.4-06.8	1617	38.0	36.0-40.0	1539	33.8	31.8-35.8	1070	22.5	20.9-24.1
18-24	144	77,443	15	12.5	06.4-18.6	49	34.1	25.7-42.5	49	33.0	24.8-41.2	31	20.4	13.1-27.7
25-34	426	79,879	15	3.3	01.5-05.1	169	40.1	35.0-45.2	140	35.0	29.9-40.1	102	21.6	17.5-25.7
35-44	621	72,347	50	8.8	06.3-11.3	269	44.7	40.6-48.8	174	26.5	22.8-30.2	128	20.0	16.7-23.3
45-54	991	87,876	50	4.7	03.3-06.1	420	42.7	39.4-46.0	327	32.5	29.4-35.6	194	20.1	17.4-22.8
55-64	964	68,273	33	3.6	02.2-05.0	366	38.7	35.4-42.0	337	34.1	31.0-37.2	228	23.6	20.7-26.5
65+	1417	91,354	31	2.1	01.3-02.9	405	29.3	26.8-31.8	563	40.2	37.5-42.9	418	28.3	25.8-30.8
Less Than H.S.	349	40,691	25	13.4	05.4-21.4	130	34.3	26.1-42.5	119	30.6	22.6-38.6	75	21.7	13.7-29.7
H.S. or G.E.D.	1368	135,160	74	7.7	05.3-10.1	550	40.3	36.6-44.0	447	31.4	27.9-34.9	297	20.6	17.5-23.7
Some Post-H.S.	1436	151,621	58	4.8	03.0-06.6	560	39.7	36.2-43.2	509	35.9	32.4-39.4	309	19.6	16.9-22.3
College Graduate	1453	152,348	40	3.0	02.0-04.0	454	35.3	32.2-38.4	525	34.4	31.5-37.3	434	27.4	24.7-30.1
Less than \$15,000	325	30,198	24	8.8	03.7-13.9	119	38.1	29.9-46.3	104	30.5	22.5-38.5	78	22.7	16.0-29.4
\$15,000- 24,999	650	54,823	30	3.7	02.1-05.3	238	36.2	31.1-41.3	223	35.0	29.7-40.3	159	25.0	20.1-29.9
\$25,000- 34,999	527	48,928	21	6.2	02.5-09.9	193	37.8	31.9-43.7	190	31.6	25.9-37.3	123	24.4	18.1-30.7
\$35,000- 49,999	685	73,311	31	5.7	03.0-08.4	266	38.4	33.5-43.3	223	34.2	29.3-39.1	165	21.7	17.8-25.6
\$50,000- 74,999	768	82,286	31	5.0	02.8-07.2	304	42.4	38.1-46.7	255	30.8	27.1-34.5	178	21.8	18.5-25.1
\$75,000+	1011	115,629	31	3.8	02.0-05.6	375	39.3	35.6-43.0	359	34.0	30.3-37.7	246	22.9	19.8-26.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 23: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	237,731	112	7.7	05.5-09.9	810	43.2	40.1-46.3	598	31.8	28.9-34.7	310	17.3	14.8-19.8
Non-Native	1750	221,956	105	7.5	05.3-09.7	774	43.5	40.4-46.6	577	32.0	29.1-34.9	294	17.1	14.7-19.5
25-34	174	42,182	8	3.2	00.8-05.6	74	42.7	34.9-50.5	59	37.7	29.7-45.7	33	16.4	10.9-21.9
35-44	261	36,907	28	11.2	06.9-15.5	137	52.0	45.5-58.5	49	19.1	14.0-24.2	47	17.7	13.0-22.4
45-54	435	43,125	27	5.4	03.2-07.6	214	49.4	44.3-54.5	139	32.1	27.4-36.8	55	13.1	09.6-16.6
55-64	417	35,536	20	4.4	02.4-06.4	193	46.0	40.9-51.1	135	31.9	27.2-36.6	69	17.7	13.8-21.6
65+	465	38,763	17	3.2	01.6-04.8	163	34.5	29.8-39.2	194	42.0	37.3-46.7	91	20.2	16.3-24.1
H.S. or G.E.D.	552	71,659	45	10.1	06.0-14.2	256	42.8	36.9-48.7	164	30.4	24.9-35.9	87	16.7	11.6-21.8
Some Post-H.S.	537	71,175	29	6.8	03.5-10.1	261	48.5	42.8-54.2	182	32.3	27.0-37.6	65	12.4	08.9-15.9
College Graduate	600	75,002	21	3.1	01.7-04.5	235	40.9	36.2-45.6	209	33.6	28.9-38.3	135	22.4	18.5-26.3
Less than \$15,000	107	12,477										18	15.8	07.6-24.0
\$15,000- 24,999	199	24,219	11	3.0	01.0-05.0	82	39.7	30.5-48.9	68	37.6	27.8-47.4	38	19.7	12.3-27.1
\$25,000- 34,999	182	21,931	14	9.8	02.5-17.1				57	23.9	16.5-31.3			
\$35,000- 49,999	289	35,793	20	7.7	03.4-12.0	133	42.9	35.8-50.0	90	33.1	25.8-40.4	46	16.3	11.4-21.2
\$50,000- 74,999	346	44,292	18	6.4	02.9-09.9	166	50.0	43.5-56.5	114	29.3	24.0-34.6	48	14.3	09.8-18.8
\$75,000+	523	67,060	18	4.1	01.6-06.6	226	44.1	38.8-49.4	183	33.6	28.7-38.5	96	18.2	14.1-22.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 24: SUMMARY INDEX FOR FRUITS AND VEGETABLES CALCULATED VARIABLE (_FRTINDX)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		never, >=0, < 1 per day			>=1, < 3 per day			>=3, < 5 per day			>=5 per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2779	242,231	85	3.8	02.6-05.0	885	32.9	30.5-35.3	1003	35.6	33.1-38.1	806	27.6	25.4-29.8
Native	85	11,707	2	3.1	00.0-07.4									
Non-Native	2663	228,618	82	3.9	02.7-05.1	843	32.8	30.3-35.3	962	35.5	33.0-38.0	776	27.8	25.4-30.2
18-24	74	36,935	5	6.3	00.8-11.8							18	21.8	12.0-31.6
25-34	252	37,697	7	3.4	00.9-05.9	95	37.2	30.9-43.5	81	32.0	25.9-38.1	69	27.4	21.7-33.1
35-44	360	35,440	22	6.3	03.8-08.8	132	37.0	31.7-42.3	125	34.2	29.1-39.3	81	22.5	18.0-27.0
45-54	556	44,751	23	4.0	02.2-05.8	206	36.2	31.9-40.5	188	32.9	28.8-37.0	139	26.9	23.0-30.8
55-64	547	32,736	13	2.8	01.0-04.6	173	30.9	26.8-35.0	202	36.4	32.1-40.7	159	29.9	25.8-34.0
65+	952	52,591	14	1.3	00.5-02.1	242	25.4	22.5-28.3	369	39.0	35.7-42.3	327	34.3	31.0-37.6
Less Than H.S.	208	20,796	8	7.6	00.2-15.0							52	24.8	14.8-34.8
H.S. or G.E.D.	816	63,501	29	4.9	02.5-07.3	294	37.5	32.8-42.2	283	32.7	28.0-37.4	210	25.0	21.1-28.9
Some Post-H.S.	899	80,446	29	3.0	01.8-04.2	299	31.9	28.0-35.8	327	39.1	34.6-43.6	244	26.0	22.1-29.9
College Graduate	853	77,346	19	2.8	01.4-04.2	219	29.8	25.7-33.9	316	35.2	31.3-39.1	299	32.2	28.5-35.9
Less than \$15,000	218	17,720	11	4.9	01.0-08.8				75	29.0	20.2-37.8	60	27.5	17.9-37.1
\$15,000- 24,999	451	30,604	19	4.3	01.9-06.7	156	33.4	27.9-38.9	155	33.0	27.5-38.5	121	29.2	22.9-35.5
\$25,000- 34,999	345	26,997	7	3.2	00.5-05.9	113	32.3	26.0-38.6	133	37.9	30.6-45.2	92	26.6	20.5-32.7
\$35,000- 49,999	396	37,518	11	3.8	00.5-07.1	133	34.1	27.4-40.8	133	35.3	28.4-42.2	119	26.8	21.1-32.5
\$50,000- 74,999	422	37,995	13	3.4	01.4-05.4	138	33.5	28.2-38.8	141	32.6	27.5-37.7	130	30.4	25.5-35.3
\$75,000+	488	48,569	13	3.4	01.2-05.6	149	32.6	27.3-37.9	176	34.6	28.9-40.3	150	29.4	24.3-34.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 25: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4609	479,961	3493	77.5	75.9-79.1	1116	22.5	20.9-24.1
Male	1830	237,731	1520	82.7	80.2-85.2	310	17.3	14.8-19.8
Female	2779	242,231	1973	72.4	70.2-74.6	806	27.6	25.4-29.8
Non-Native	4413	450,573	3343	77.5	75.9-79.1	1070	22.5	20.9-24.1
18-24	144	77,443	113	79.6	72.3-86.9	31	20.4	13.1-27.7
25-34	426	79,879	324	78.4	74.3-82.5	102	21.6	17.5-25.7
35-44	621	72,347	493	80.0	76.7-83.3	128	20.0	16.7-23.3
45-54	991	87,876	797	79.9	77.2-82.6	194	20.1	17.4-22.8
55-64	964	68,273	736	76.4	73.5-79.3	228	23.6	20.7-26.5
65+	1417	91,354	999	71.7	69.2-74.2	418	28.3	25.8-30.8
Less Than H.S.	349	40,691	274	78.3	70.3-86.3	75	21.7	13.7-29.7
H.S. or G.E.D.	1368	135,160	1071	79.4	76.3-82.5	297	20.6	17.5-23.7
Some Post-H.S.	1436	151,621	1127	80.4	77.7-83.1	309	19.6	16.9-22.3
College Graduate	1453	152,348	1019	72.6	69.9-75.3	434	27.4	24.7-30.1
Less than \$15,000	325	30,198	247	77.3	70.6-84.0	78	22.7	16.0-29.4
\$15,000- 24,999	650	54,823	491	75.0	70.1-79.9	159	25.0	20.1-29.9
\$25,000- 34,999	527	48,928	404	75.6	69.3-81.9	123	24.4	18.1-30.7
\$35,000- 49,999	685	73,311	520	78.3	74.4-82.2	165	21.7	17.8-25.6
\$50,000- 74,999	768	82,286	590	78.2	74.9-81.5	178	21.8	18.5-25.1
\$75,000+	1011	115,629	765	77.1	74.0-80.2	246	22.9	19.8-26.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 26: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1830	237,731	1520	82.7	80.2-85.2	310	17.3	14.8-19.8
Non-Native	1750	221,956	1456	82.9	80.5-85.3	294	17.1	14.7-19.5
25-34	174	42,182	141	83.6	78.1-89.1	33	16.4	10.9-21.9
35-44	261	36,907	214	82.3	77.6-87.0	47	17.7	13.0-22.4
45-54	435	43,125	380	86.9	83.4-90.4	55	13.1	09.6-16.6
55-64	417	35,536	348	82.3	78.4-86.2	69	17.7	13.8-21.6
65+	465	38,763	374	79.8	75.9-83.7	91	20.2	16.3-24.1
H.S. or G.E.D.	552	71,659	465	83.3	78.2-88.4	87	16.7	11.6-21.8
Some Post-H.S.	537	71,175	472	87.6	84.1-91.1	65	12.4	08.9-15.9
College Graduate	600	75,002	465	77.6	73.7-81.5	135	22.4	18.5-26.3
Less than \$15,000	107	12,477	89	84.2	76.0-92.4	18	15.8	07.6-24.0
\$15,000- 24,999	199	24,219	161	80.3	72.9-87.7	38	19.7	12.3-27.1
\$35,000- 49,999	289	35,793	243	83.7	78.8-88.6	46	16.3	11.4-21.2
\$50,000- 74,999	346	44,292	298	85.7	81.2-90.2	48	14.3	09.8-18.8
\$75,000+	523	67,060	427	81.8	77.7-85.9	96	18.2	14.1-22.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 18: FRUITS AND VEGETABLES**

TABLE 27: CONSUMED FIVE OR MORE SERVINGS OF FRUITS OR VEGETABLES PER DAY (_FV5SRV)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Consume less than 5 times per day			Consume 5 or more times per day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2779	242,231	1973	72.4	70.2-74.6	806	27.6	25.4-29.8
Non-Native	2663	228,618	1887	72.2	69.8-74.6	776	27.8	25.4-30.2
18-24	74	36,935	56	78.2	68.4-88.0	18	21.8	12.0-31.6
25-34	252	37,697	183	72.6	66.9-78.3	69	27.4	21.7-33.1
35-44	360	35,440	279	77.5	73.0-82.0	81	22.5	18.0-27.0
45-54	556	44,751	417	73.1	69.2-77.0	139	26.9	23.0-30.8
55-64	547	32,736	388	70.1	66.0-74.2	159	29.9	25.8-34.0
65+	952	52,591	625	65.7	62.4-69.0	327	34.3	31.0-37.6
Less Than H.S.	208	20,796	156	75.2	65.2-85.2	52	24.8	14.8-34.8
H.S. or G.E.D.	816	63,501	606	75.0	71.1-78.9	210	25.0	21.1-28.9
Some Post-H.S.	899	80,446	655	74.0	70.1-77.9	244	26.0	22.1-29.9
College Graduate	853	77,346	554	67.8	64.1-71.5	299	32.2	28.5-35.9
Less than \$15,000	218	17,720	158	72.5	62.9-82.1	60	27.5	17.9-37.1
\$15,000- 24,999	451	30,604	330	70.8	64.5-77.1	121	29.2	22.9-35.5
\$25,000- 34,999	345	26,997	253	73.4	67.3-79.5	92	26.6	20.5-32.7
\$35,000- 49,999	396	37,518	277	73.2	67.5-78.9	119	26.8	21.1-32.5
\$50,000- 74,999	422	37,995	292	69.6	64.7-74.5	130	30.4	25.5-35.3
\$75,000+	488	48,569	338	70.6	65.5-75.7	150	29.4	24.3-34.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009**

SECTION 19: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (_MODPAMN)	
1 MALES AND FEMALES	151
2 MALES ONLY	152
3 FEMALES ONLY	153
TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (_VIGPAMN)	
4 MALES AND FEMALES	154
5 MALES ONLY	155
6 FEMALES ONLY	156
3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT_)	
7 MALES AND FEMALES	157
8 MALES ONLY	158
9 FEMALES ONLY	159
3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT_)	
10 MALES AND FEMALES	160
11 MALES ONLY	161
12 FEMALES ONLY	162
5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT_)	
13 MALES AND FEMALES	163
14 MALES ONLY	164
15 FEMALES ONLY	165

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009**

SECTION 19: PHYSICAL ACTIVITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)	
16	MALES AND FEMALES	166
17	MALES ONLY	167
18	FEMALES ONLY	168
	ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)	
19	MALES AND FEMALES	169
20	MALES ONLY	170
21	FEMALES ONLY	171
	ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)	
22	MALES AND FEMALES	172
23	MALES ONLY	173
24	FEMALES ONLY	174
	ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)	
25	MALES AND FEMALES	175
26	MALES ONLY	176
27	FEMALES ONLY	177
	TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY PER WEEK (_MODMNWK)	
28	MALES AND FEMALES	178
29	MALES ONLY	179
30	FEMALES ONLY	180
	TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY PER WEEK (_VIGMNWK)	
31	MALES AND FEMALES	181
32	MALES ONLY	182
33	FEMALES ONLY	183
	TOTAL MINUTES OF PHYSICAL ACTIVITY PER WEEK (_TOTMNWK)	
34	MALES AND FEMALES	184
35	MALES ONLY	185
36	FEMALES ONLY	186
	ADULTS THAT PARTICIPATED IN 150 MINUTES OF PHYSICAL ACTIVITY PER WEEK. (_PA150RC)	
37	MALES AND FEMALES	187
38	MALES ONLY	188
39	FEMALES ONLY	189
	ADULTS THAT PARTICIPATED IN 300 MINUTES OF PHYSICAL ACTIVITY PER WEEK. (_PA300RC)	

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 19: PHYSICAL ACTIVITY CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
40	MALES AND FEMALES	190
41	MALES ONLY	191
42	FEMALES ONLY	192

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

**TABLE 1: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (_MODPAMN)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4371	459,746	1007	21.0	19.4-22.6	2736	66.3	64.3-68.3	628	12.6	11.2-14.0
Male	1760	229,438	347	17.6	15.2-20.0	1139	68.0	65.1-70.9	274	14.4	12.2-16.6
Female	2611	230,308	660	24.5	22.1-26.9	1597	64.7	62.2-67.2	354	10.8	09.4-12.2
Non-Native	4197	432,393	979	21.5	19.7-23.3	2621	66.4	64.4-68.4	597	12.2	10.8-13.6
18-24	139	74,319	26	20.0	12.7-27.3	103	71.7	63.5-79.9	10	8.3	03.0-13.6
25-34	414	78,180	71	15.7	12.0-19.4	314	75.7	71.0-80.4	29	8.7	05.0-12.4
35-44	606	70,721	110	18.2	14.9-21.5	440	72.1	68.2-76.0	56	9.7	07.2-12.2
45-54	961	85,166	206	20.8	18.1-23.5	640	66.8	63.7-69.9	115	12.4	10.0-14.8
55-64	909	64,637	232	24.4	21.5-27.3	562	62.8	59.5-66.1	115	12.8	10.4-15.2
65+	1303	84,387	351	26.8	24.3-29.3	657	50.8	47.9-53.7	295	22.4	19.9-24.9
Less Than H.S.	315	37,356	81	23.6	15.6-31.6	141	49.5	39.9-59.1	93	26.9	18.5-35.3
H.S. or G.E.D.	1267	126,832	298	21.5	18.2-24.8	744	63.2	59.5-66.9	225	15.2	12.7-17.7
Some Post-H.S.	1377	146,547	308	19.4	16.7-22.1	899	69.1	65.8-72.4	170	11.5	09.1-13.9
College Graduate	1410	148,902	318	21.5	19.0-24.0	952	70.5	67.6-73.4	140	8.0	06.4-09.6
Less than \$15,000	291	27,459	70	23.1	15.5-30.7	148	57.5	48.9-66.1	73	19.3	13.6-25.0
\$15,000- 24,999	617	52,895	150	20.1	15.8-24.4	349	63.3	58.2-68.4	118	16.6	12.9-20.3
\$25,000- 34,999	503	46,838	120	20.6	16.1-25.1	301	67.0	61.5-72.5	82	12.4	09.3-15.5
\$35,000- 49,999	658	71,136	152	20.2	16.3-24.1	432	68.4	63.7-73.1	74	11.3	08.0-14.6
\$50,000- 74,999	749	80,711	168	20.9	17.6-24.2	506	69.6	65.7-73.5	75	9.5	07.1-11.9
\$75,000+	987	113,654	202	19.7	16.6-22.8	696	72.1	68.8-75.4	89	8.3	06.3-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 2: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (_MODPAMN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1760	229,438	347	17.6	15.2-20.0	1139	68.0	65.1-70.9	274	14.4	12.2-16.6
Non-Native	1684	214,485	337	17.6	15.4-19.8	1089	68.6	65.7-71.5	258	13.8	11.6-16.0
18-24	67	38,495	9	13.0	04.2-21.8				5	9.7	01.3-18.1
25-34	171	41,612	18	10.8	05.5-16.1	136	76.9	69.5-84.3	17	12.3	06.0-18.6
35-44	255	36,065	40	17.3	12.2-22.4	187	71.5	65.4-77.6	28	11.2	07.1-15.3
45-54	418	41,558	76	18.3	14.4-22.2	274	64.7	59.8-69.6	68	17.0	13.1-20.9
55-64	402	34,415	91	21.9	17.6-26.2	251	63.0	57.9-68.1	60	15.1	11.4-18.8
65+	441	36,828	110	25.0	20.7-29.3	235	53.3	48.4-58.2	96	21.6	17.5-25.7
Less Than H.S.	127	18,925	28	14.1	07.6-20.6						
H.S. or G.E.D.	528	68,049	103	19.1	14.0-24.2	325	65.4	59.7-71.1	100	15.4	11.9-18.9
Some Post-H.S.	520	68,816	100	16.0	12.1-19.9	356	71.1	66.0-76.2	64	12.9	08.8-17.0
College Graduate	585	73,649	116	18.5	15.0-22.0	400	72.0	67.9-76.1	69	9.5	07.0-12.0
\$15,000- 24,999	196	23,919	28	11.3	06.2-16.4	120	69.4	61.4-77.4	48	19.2	12.5-25.9
\$25,000- 34,999	176	21,335	30	15.4	08.3-22.5	113	71.3	62.5-80.1	33	13.3	08.0-18.6
\$35,000- 49,999	277	34,607	60	18.5	13.2-23.8	186	67.2	59.9-74.5	31	14.3	08.0-20.6
\$50,000- 74,999	338	43,597	67	16.7	12.4-21.0	228	72.7	67.4-78.0	43	10.6	07.3-13.9
\$75,000+	512	66,050	100	18.4	14.5-22.3	358	72.0	67.5-76.5	54	9.6	06.9-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 3: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY (_MODPAMN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 30 mins of Moderate Physical Activity			≥ 30 mins of Moderate Physical Activity			No Moderate Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2611	230,308	660	24.5	22.1-26.9	1597	64.7	62.2-67.2	354	10.8	09.4-12.2
Native	78	11,175	12	9.7	03.6-15.8						
Non-Native	2513	217,908	642	25.3	22.8-27.8	1532	64.2	61.7-66.7	339	10.6	09.2-12.0
18-24	72	35,824							5	6.7	00.6-12.8
25-34	243	36,568	53	21.2	15.9-26.5	178	74.3	68.6-80.0	12	4.5	02.0-07.0
35-44	351	34,656	70	19.2	14.9-23.5	253	72.7	67.8-77.6	28	8.1	05.2-11.0
45-54	543	43,608	130	23.1	19.4-26.8	366	68.8	64.7-72.9	47	8.1	05.7-10.5
55-64	507	30,221	141	27.2	23.1-31.3	311	62.7	58.2-67.2	55	10.1	07.4-12.8
65+	862	47,560	241	28.2	24.9-31.5	422	48.8	45.3-52.3	199	23.0	20.1-25.9
Less Than H.S.	188	18,431							52	18.1	11.4-24.8
H.S. or G.E.D.	739	58,783	195	24.3	20.2-28.4	419	60.7	55.8-65.6	125	15.0	11.5-18.5
Some Post-H.S.	857	77,731	208	22.4	18.5-26.3	543	67.4	63.1-71.7	106	10.2	07.7-12.7
College Graduate	825	75,253	202	24.4	20.7-28.1	552	69.1	65.2-73.0	71	6.5	04.9-08.1
Less than \$15,000	194	16,355	42	21.3	11.9-30.7				51	17.5	11.4-23.6
\$15,000- 24,999	421	28,976	122	27.3	21.4-33.2	229	58.2	51.9-64.5	70	14.5	10.8-18.2
\$25,000- 34,999	327	25,503	90	25.1	19.4-30.8	188	63.4	56.7-70.1	49	11.6	07.7-15.5
\$35,000- 49,999	381	36,529	92	21.9	16.4-27.4	246	69.6	63.5-75.7	43	8.5	05.8-11.2
\$50,000- 74,999	411	37,114	101	25.8	20.7-30.9	278	66.0	60.5-71.5	32	8.2	04.5-11.9
\$75,000+	475	47,604	102	21.5	16.4-26.6	338	72.1	66.8-77.4	35	6.4	04.2-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 4: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (_VIGPAMN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4434	461,866	224	5.2	04.2-06.2	1658	46.2	44.0-48.4	2552	48.6	46.6-50.6
Male	1756	228,056	93	5.1	03.7-06.5	799	54.6	51.5-57.7	864	40.4	37.5-43.3
Female	2678	233,811	131	5.3	03.9-06.7	859	38.1	35.6-40.6	1688	56.6	53.9-59.3
Native	126	22,583	3	1.2	00.0-02.6						
Non-Native	4257	434,567	218	5.4	04.4-06.4	1593	46.3	44.1-48.5	2446	48.3	46.3-50.3
18-24	138	72,911	7	5.9	01.2-10.6	92	67.6	59.2-76.0	39	26.4	18.6-34.2
25-34	416	78,234	20	4.5	02.5-06.5	253	61.5	56.4-66.6	143	33.9	28.8-39.0
35-44	605	70,527	33	5.6	03.6-07.6	303	51.3	47.0-55.6	269	43.1	38.8-47.4
45-54	966	85,386	49	5.6	03.8-07.4	419	45.1	41.8-48.4	498	49.3	46.0-52.6
55-64	927	65,989	56	5.7	04.1-07.3	303	33.6	30.3-36.9	568	60.7	57.4-64.0
65+	1340	86,257	57	4.1	02.9-05.3	273	20.9	18.5-23.3	1010	75.0	72.5-77.5
Less Than H.S.	323	36,070	9	1.6	00.4-02.8	85	43.0	33.2-52.8	229	55.3	45.7-64.9
H.S. or G.E.D.	1297	128,850	77	6.2	04.0-08.4	387	37.9	33.8-42.0	833	55.9	51.8-60.0
Some Post-H.S.	1383	146,652	72	5.9	03.7-08.1	529	47.0	43.3-50.7	782	47.1	43.6-50.6
College Graduate	1429	150,184	65	4.4	03.2-05.6	657	53.4	50.3-56.5	707	42.2	39.1-45.3
Less than \$15,000	311	28,547	13	3.3	00.9-05.7	65	30.0	21.4-38.6	233	66.7	58.1-75.3
\$15,000- 24,999	631	53,563	26	4.0	02.2-05.8	169	37.0	30.9-43.1	436	59.0	53.1-64.9
\$25,000- 34,999	511	47,663	29	6.5	03.4-09.6	161	40.9	34.0-47.8	321	52.7	46.0-59.4
\$35,000- 49,999	657	70,785	36	4.6	02.8-06.4	258	45.5	40.2-50.8	363	49.9	44.8-55.0
\$50,000- 74,999	747	80,223	39	5.5	03.5-07.5	342	52.7	48.4-57.0	366	41.9	37.8-46.0
\$75,000+	988	113,264	52	6.5	03.8-09.2	485	54.5	50.6-58.4	451	39.0	35.3-42.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 5: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (_VIGPAMN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	228,056	93	5.1	03.7-06.5	799	54.6	51.5-57.7	864	40.4	37.5-43.3
Non-Native	1684	213,512	92	5.4	03.8-07.0	765	54.6	51.5-57.7	827	40.0	37.1-42.9
18-24	67	37,920	3	5.1	00.0-11.4				13	15.4	06.4-24.4
25-34	169	41,156	6	3.3	00.6-06.0	122	70.5	62.7-78.3	41	26.2	18.6-33.8
35-44	251	35,609	16	6.1	03.2-09.0	153	60.5	54.0-67.0	82	33.4	27.1-39.7
45-54	421	41,680	24	6.5	03.8-09.2	207	50.8	45.7-55.9	190	42.7	37.6-47.8
55-64	405	34,736	25	5.5	03.1-07.9	142	35.7	30.8-40.6	238	58.8	53.7-63.9
65+	436	36,343	18	3.9	02.1-05.7	121	27.2	22.7-31.7	297	68.9	64.4-73.4
Less Than H.S.	128	17,762	3	1.5	00.0-03.3						
H.S. or G.E.D.	525	68,259	31	4.3	02.5-06.1	197	46.6	40.3-52.9	297	49.1	43.0-55.2
Some Post-H.S.	514	68,212	29	6.4	02.7-10.1	239	54.6	48.9-60.3	246	39.0	33.7-44.3
College Graduate	589	73,822	30	5.3	03.3-07.3	321	62.5	58.0-67.0	238	32.1	28.0-36.2
Less than \$15,000	101	11,489	3	2.0	00.0-04.5						
\$15,000- 24,999	195	23,849	8	3.3	00.8-05.8	68	47.5	37.5-57.5	119	49.2	39.4-59.0
\$25,000- 34,999	178	21,507	10	5.3	01.2-09.4						
\$35,000- 49,999	274	34,167	19	5.4	02.7-08.1	124	51.3	43.9-58.7	131	43.3	36.0-50.6
\$50,000- 74,999	334	42,959	19	5.0	02.6-07.4	178	62.1	56.0-68.2	137	33.0	27.3-38.7
\$75,000+	509	65,400	27	6.2	02.9-09.5	278	59.8	54.7-64.9	204	34.0	29.3-38.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 6: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY (_VIGPAMN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, but < 20 mins of Vigorous Physical Activity			≥ 20 mins of Vigorous Physical Activity			No Vigorous Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2678	233,811	131	5.3	03.9-06.7	859	38.1	35.6-40.6	1688	56.6	53.9-59.3
Native	82	11,359	3	2.3	00.0-05.2						
Non-Native	2573	221,055	126	5.4	04.0-06.8	828	38.2	35.5-40.9	1619	56.3	53.6-59.0
18-24	71	34,991	4	6.9	00.0-14.2						
25-34	247	37,078	14	5.9	02.8-09.0	131	51.6	45.1-58.1	102	42.5	36.0-49.0
35-44	354	34,918	17	5.1	02.6-07.6	150	42.0	36.5-47.5	187	52.9	47.4-58.4
45-54	545	43,705	25	4.8	02.8-06.8	212	39.6	35.3-43.9	308	55.6	51.1-60.1
55-64	522	31,253	31	5.9	03.7-08.1	161	31.4	27.1-35.7	330	62.7	58.4-67.0
65+	904	49,915	39	4.2	02.8-05.6	152	16.4	13.9-18.9	713	79.4	76.7-82.1
Less Than H.S.	195	18,308	6	1.8	00.2-03.4						
H.S. or G.E.D.	772	60,591	46	8.3	04.4-12.2	190	28.0	23.1-32.9	536	63.6	58.3-68.9
Some Post-H.S.	869	78,439	43	5.5	03.3-07.7	290	40.3	35.6-45.0	536	54.1	49.4-58.8
College Graduate	840	76,362	35	3.5	02.1-04.9	336	44.6	40.3-48.9	469	51.9	47.6-56.2
Less than \$15,000	210	17,058	10	4.2	00.9-07.5						
\$15,000- 24,999	436	29,714	18	4.6	02.2-07.0	101	28.6	21.9-35.3	317	66.8	60.1-73.5
\$25,000- 34,999	333	26,156	19	7.4	02.7-12.1	93	32.6	25.7-39.5	221	60.0	52.7-67.3
\$35,000- 49,999	383	36,618	17	3.9	01.9-05.9	134	40.1	33.0-47.2	232	56.0	48.9-63.1
\$50,000- 74,999	413	37,263	20	6.0	02.9-09.1	164	41.9	36.4-47.4	229	52.1	46.6-57.6
\$75,000+	479	47,864	25	7.0	02.3-11.7	207	47.2	41.3-53.1	247	45.8	40.1-51.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 7: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4371	459,746	1686	40.8	38.6-43.0	2057	46.6	44.4-48.8	628	12.6	11.2-14.0
Male	1760	229,438	705	42.3	39.2-45.4	781	43.3	40.2-46.4	274	14.4	12.2-16.6
Female	2611	230,308	981	39.3	36.8-41.8	1276	49.8	47.1-52.5	354	10.8	09.4-12.2
Non-Native	4197	432,393	1613	41.1	38.9-43.3	1987	46.7	44.5-48.9	597	12.2	10.8-13.6
18-24	139	74,319	64	46.3	37.3-55.3	65	45.5	36.5-54.5	10	8.3	03.0-13.6
25-34	414	78,180	198	47.7	42.4-53.0	187	43.6	38.3-48.9	29	8.7	05.0-12.4
35-44	606	70,721	254	40.9	36.8-45.0	296	49.4	45.1-53.7	56	9.7	07.2-12.2
45-54	961	85,166	392	39.7	36.4-43.0	454	47.9	44.6-51.2	115	12.4	10.0-14.8
55-64	909	64,637	359	39.7	36.4-43.0	435	47.5	44.0-51.0	115	12.8	10.4-15.2
65+	1303	84,387	405	31.5	28.8-34.2	603	46.1	43.2-49.0	295	22.4	19.9-24.9
Less Than H.S.	315	37,356	86	33.1	24.1-42.1	136	40.0	30.4-49.6	93	26.9	18.5-35.3
H.S. or G.E.D.	1267	126,832	456	40.0	35.9-44.1	586	44.7	40.8-48.6	225	15.2	12.7-17.7
Some Post-H.S.	1377	146,547	550	41.9	38.2-45.6	657	46.7	43.0-50.4	170	11.5	09.1-13.9
College Graduate	1410	148,902	594	42.3	39.2-45.4	676	49.7	46.4-53.0	140	8.0	06.4-09.6
Less than \$15,000	291	27,459	81	29.8	21.6-38.0	137	50.8	42.0-59.6	73	19.3	13.6-25.0
\$15,000- 24,999	617	52,895	224	42.3	36.6-48.0	275	41.1	35.6-46.6	118	16.6	12.9-20.3
\$25,000- 34,999	503	46,838	185	41.5	34.6-48.4	236	46.1	39.6-52.6	82	12.4	09.3-15.5
\$35,000- 49,999	658	71,136	267	42.0	36.9-47.1	317	46.7	41.6-51.8	74	11.3	08.0-14.6
\$50,000- 74,999	749	80,711	316	43.6	39.1-48.1	358	46.9	42.6-51.2	75	9.5	07.1-11.9
\$75,000+	987	113,654	434	45.0	41.1-48.9	464	46.8	42.9-50.7	89	8.3	06.3-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 8: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1760	229,438	705	42.3	39.2-45.4	781	43.3	40.2-46.4	274	14.4	12.2-16.6
Non-Native	1684	214,485	673	43.1	39.8-46.4	753	43.0	39.9-46.1	258	13.8	11.6-16.0
18-24	67	38,495							5	9.7	01.3-18.1
25-34	171	41,612	86	48.2	40.0-56.4	68	39.5	31.5-47.5	17	12.3	06.0-18.6
35-44	255	36,065	105	38.9	32.6-45.2	122	49.9	43.4-56.4	28	11.2	07.1-15.3
45-54	418	41,558	161	36.4	31.5-41.3	189	46.6	41.5-51.7	68	17.0	13.1-20.9
55-64	402	34,415	151	37.0	32.1-41.9	191	47.9	42.8-53.0	60	15.1	11.4-18.8
65+	441	36,828	162	36.5	31.6-41.4	183	41.9	37.0-46.8	96	21.6	17.5-25.7
H.S. or G.E.D.	528	68,049	205	41.9	35.6-48.2	223	42.7	36.6-48.8	100	15.4	11.9-18.9
Some Post-H.S.	520	68,816	214	43.5	37.6-49.4	242	43.6	37.9-49.3	64	12.9	08.8-17.0
College Graduate	585	73,649	245	44.2	39.3-49.1	271	46.3	41.4-51.2	69	9.5	07.0-12.0
\$15,000- 24,999	196	23,919	77	44.6	34.6-54.6	71	36.2	27.2-45.2	48	19.2	12.5-25.9
\$25,000- 34,999	176	21,335							33	13.3	08.0-18.6
\$35,000- 49,999	277	34,607	122	44.6	37.2-52.0	124	41.1	34.0-48.2	31	14.3	08.0-20.6
\$50,000- 74,999	338	43,597	143	46.8	40.1-53.5	152	42.6	36.3-48.9	43	10.6	07.3-13.9
\$75,000+	512	66,050	212	43.3	38.0-48.6	246	47.0	41.7-52.3	54	9.6	06.9-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 9: 3 LEVEL MODERATE PHYSICAL ACTIVITY CATEGORY (MODCAT_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2611	230,308	981	39.3	36.8-41.8	1276	49.8	47.1-52.5	354	10.8	09.4-12.2
Non-Native	2513	217,908	940	39.1	36.4-41.8	1234	50.3	47.6-53.0	339	10.6	09.2-12.0
18-24	72	35,824							5	6.7	00.6-12.8
25-34	243	36,568	112	47.2	40.5-53.9	119	48.3	41.6-55.0	12	4.5	02.0-07.0
35-44	351	34,656	149	43.0	37.5-48.5	174	48.9	43.4-54.4	28	8.1	05.2-11.0
45-54	543	43,608	231	42.7	38.2-47.2	265	49.1	44.6-53.6	47	8.1	05.7-10.5
55-64	507	30,221	208	42.9	38.4-47.4	244	47.0	42.3-51.7	55	10.1	07.4-12.8
65+	862	47,560	243	27.7	24.6-30.8	420	49.3	45.8-52.8	199	23.0	20.1-25.9
Less Than H.S.	188	18,431							52	18.1	11.4-24.8
H.S. or G.E.D.	739	58,783	251	37.9	32.8-43.0	363	47.1	42.0-52.2	125	15.0	11.5-18.5
Some Post-H.S.	857	77,731	336	40.5	36.0-45.0	415	49.4	44.7-54.1	106	10.2	07.7-12.7
College Graduate	825	75,253	349	40.5	36.4-44.6	405	53.0	48.7-57.3	71	6.5	04.9-08.1
Less than \$15,000	194	16,355	51	26.1	16.9-35.3				51	17.5	11.4-23.6
\$15,000- 24,999	421	28,976	147	40.4	33.9-46.9	204	45.1	38.6-51.6	70	14.5	10.8-18.2
\$25,000- 34,999	327	25,503	111	38.9	31.3-46.5	167	49.5	42.1-56.9	49	11.6	07.7-15.5
\$35,000- 49,999	381	36,529	145	39.5	32.6-46.4	193	52.0	44.9-59.1	43	8.5	05.8-11.2
\$50,000- 74,999	411	37,114	173	39.9	34.6-45.2	206	51.9	46.4-57.4	32	8.2	04.5-11.9
\$75,000+	475	47,604	222	47.2	41.3-53.1	218	46.4	40.5-52.3	35	6.4	04.2-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 10: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT_)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4434	461,866	1020	29.2	27.2-31.2	862	22.2	20.4-24.0	2552	48.6	46.6-50.6
Male	1756	228,056	478	33.2	30.1-36.3	414	26.5	23.6-29.4	864	40.4	37.5-43.3
Female	2678	233,811	542	25.4	22.9-27.9	448	18.0	15.8-20.2	1688	56.6	53.9-59.3
Native	126	22,583				15	5.8	02.5-09.1			
Non-Native	4257	434,567	973	28.6	26.6-30.6	838	23.0	21.2-24.8	2446	48.3	46.3-50.3
18-24	138	72,911	66	48.5	39.5-57.5	33	25.0	17.2-32.8	39	26.4	18.6-34.2
25-34	416	78,234	163	38.6	33.5-43.7	110	27.5	22.8-32.2	143	33.9	28.8-39.0
35-44	605	70,527	192	31.8	27.9-35.7	144	25.1	21.4-28.8	269	43.1	38.8-47.4
45-54	966	85,386	253	27.2	24.1-30.3	215	23.6	20.7-26.5	498	49.3	46.0-52.6
55-64	927	65,989	169	18.2	15.7-20.7	190	21.1	18.2-24.0	568	60.7	57.4-64.0
65+	1340	86,257	167	12.9	10.9-14.9	163	12.2	10.2-14.2	1010	75.0	72.5-77.5
Less Than H.S.	323	36,070	55	31.0	21.0-41.0	39	13.7	07.2-20.2	229	55.3	45.7-64.9
H.S. or G.E.D.	1297	128,850	220	22.7	18.8-26.6	244	21.4	17.9-24.9	833	55.9	51.8-60.0
Some Post-H.S.	1383	146,652	328	29.4	25.9-32.9	273	23.5	20.2-26.8	782	47.1	43.6-50.6
College Graduate	1429	150,184	417	34.3	31.2-37.4	305	23.6	20.9-26.3	707	42.2	39.1-45.3
Less than \$15,000	311	28,547	35	16.9	09.3-24.5	43	16.4	09.7-23.1	233	66.7	58.1-75.3
\$15,000- 24,999	631	53,563	106	24.8	18.9-30.7	89	16.3	11.8-20.8	436	59.0	53.1-64.9
\$25,000- 34,999	511	47,663	91	25.0	18.3-31.7	99	22.3	16.8-27.8	321	52.7	46.0-59.4
\$35,000- 49,999	657	70,785	151	28.0	23.1-32.9	143	22.1	18.0-26.2	363	49.9	44.8-55.0
\$50,000- 74,999	747	80,223	209	33.0	28.5-37.5	172	25.1	21.4-28.8	366	41.9	37.8-46.0
\$75,000+	988	113,264	306	34.3	30.4-38.2	231	26.7	23.0-30.4	451	39.0	35.3-42.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 11: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	228,056	478	33.2	30.1-36.3	414	26.5	23.6-29.4	864	40.4	37.5-43.3
Non-Native	1684	213,512	452	32.2	29.1-35.3	405	27.8	24.9-30.7	827	40.0	37.1-42.9
18-24	67	37,920							13	15.4	06.4-24.4
25-34	169	41,156	75	42.1	34.1-50.1	53	31.7	24.3-39.1	41	26.2	18.6-33.8
35-44	251	35,609	92	35.0	28.9-41.1	77	31.6	25.5-37.7	82	33.4	27.1-39.7
45-54	421	41,680	124	30.2	25.5-34.9	107	27.1	22.4-31.8	190	42.7	37.6-47.8
55-64	405	34,736	73	17.8	13.9-21.7	94	23.4	19.1-27.7	238	58.8	53.7-63.9
65+	436	36,343	77	16.9	13.2-20.6	62	14.2	10.7-17.7	297	68.9	64.4-73.4
Less Than H.S.	128	17,762				14	12.3	03.3-21.3			
H.S. or G.E.D.	525	68,259	109	27.7	21.4-34.0	119	23.3	18.2-28.4	297	49.1	43.0-55.2
Some Post-H.S.	514	68,212	143	31.5	25.8-37.2	125	29.6	23.7-35.5	246	39.0	33.7-44.3
College Graduate	589	73,822	195	38.0	33.1-42.9	156	29.9	25.4-34.4	238	32.1	28.0-36.2
\$15,000- 24,999	195	23,849				30	18.6	10.6-26.6	119	49.2	39.4-59.0
\$35,000- 49,999	274	34,167	71	29.5	22.4-36.6	72	27.2	20.5-33.9	131	43.3	36.0-50.6
\$50,000- 74,999	334	42,959	100	36.9	30.0-43.8	97	30.1	24.2-36.0	137	33.0	27.3-38.7
\$75,000+	509	65,400	166	35.2	30.1-40.3	139	30.8	25.5-36.1	204	34.0	29.3-38.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 12: 3 LEVEL VIGOROUS PHYSICAL ACTIVITY CATEGORY (VIGCAT_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2678	233,811	542	25.4	22.9-27.9	448	18.0	15.8-20.2	1688	56.6	53.9-59.3
Native	82	11,359				11	8.7	03.0-14.4			
Non-Native	2573	221,055	521	25.2	22.7-27.7	433	18.5	16.3-20.7	1619	56.3	53.6-59.0
25-34	247	37,078	88	34.7	28.4-41.0	57	22.8	17.3-28.3	102	42.5	36.0-49.0
35-44	354	34,918	100	28.6	23.7-33.5	67	18.5	14.4-22.6	187	52.9	47.4-58.4
45-54	545	43,705	129	24.3	20.4-28.2	108	20.2	16.7-23.7	308	55.6	51.1-60.1
55-64	522	31,253	96	18.7	15.2-22.2	96	18.5	15.0-22.0	330	62.7	58.4-67.0
65+	904	49,915	90	9.9	07.7-12.1	101	10.7	08.5-12.9	713	79.4	76.7-82.1
Less Than H.S.	195	18,308				25	15.0	06.0-24.0			
H.S. or G.E.D.	772	60,591	111	17.2	12.9-21.5	125	19.2	14.5-23.9	536	63.6	58.3-68.9
Some Post-H.S.	869	78,439	185	27.6	23.1-32.1	148	18.3	14.8-21.8	536	54.1	49.4-58.8
College Graduate	840	76,362	222	30.7	26.6-34.8	149	17.4	14.5-20.3	469	51.9	47.6-56.2
Less than \$15,000	210	17,058	22	17.0	07.8-26.2	27	15.9	07.7-24.1			
\$15,000- 24,999	436	29,714	60	18.8	12.5-25.1	59	14.4	09.5-19.3	317	66.8	60.1-73.5
\$25,000- 34,999	333	26,156	49	19.7	13.4-26.0	63	20.3	14.2-26.4	221	60.0	52.7-67.3
\$35,000- 49,999	383	36,618	80	26.7	19.8-33.6	71	17.3	12.4-22.2	232	56.0	48.9-63.1
\$50,000- 74,999	413	37,263	109	28.5	23.4-33.6	75	19.4	14.9-23.9	229	52.1	46.6-57.6
\$75,000+	479	47,864	140	33.1	27.4-38.8	92	21.0	15.7-26.3	247	45.8	40.1-51.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 13: 5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT_)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4333	454,758	637	18.6	16.8-20.4	383	11.0	09.4-12.6	1049	22.6	21.0-24.2	1706	37.3	35.3-39.3	558	10.5	09.3-11.7
Male	1740	226,288	299	21.4	18.5-24.3	179	12.0	09.6-14.4	406	21.4	18.9-23.9	630	34.4	31.5-37.3	226	10.8	09.0-12.6
Female	2593	228,470	338	15.9	13.7-18.1	204	10.1	08.3-11.9	643	23.7	21.5-25.9	1076	40.1	37.6-42.6	332	10.1	08.7-11.5
Native	122	22,321	22	18.6	10.0-27.2				29	16.4	09.0-23.8				21	15.7	06.9-24.5
Non-Native	4162	427,704	606	18.6	16.6-20.6	367	10.5	09.1-11.9	1007	23.0	21.2-24.8	1652	37.8	35.8-39.8	530	10.2	09.2-11.2
18-24	137	72,336	43	31.5	23.1-39.9	23	17.4	10.3-24.5	21	16.1	09.2-23.0	45	31.9	23.5-40.3	5	3.1	00.2-06.0
25-34	414	78,098	103	24.8	20.3-29.3	60	13.9	10.2-17.6	95	23.0	18.7-27.3	134	32.0	27.1-36.9	22	6.3	03.2-09.4
35-44	600	69,959	121	19.8	16.5-23.1	71	12.3	09.6-15.0	133	21.6	18.1-25.1	227	37.9	33.8-42.0	48	8.4	05.9-10.9
45-54	957	84,676	169	17.7	15.2-20.2	84	9.7	07.5-11.9	223	22.2	19.5-24.9	381	39.6	36.3-42.9	100	10.8	08.6-13.0
55-64	903	64,298	105	11.9	09.7-14.1	64	6.8	05.0-08.6	254	28.1	25.0-31.2	375	41.3	37.8-44.8	105	11.9	09.5-14.3
65+	1284	83,090	90	6.9	05.3-08.5	77	6.4	04.8-08.0	315	25.1	22.6-27.6	532	40.9	38.0-43.8	270	20.7	18.3-23.1
Less Than H.S.	307	35,017	32	15.9	08.5-23.3	23	16.0	06.4-25.6	54	19.4	12.0-26.8	119	30.0	22.0-38.0	79	18.6	13.3-23.9
H.S. or G.E.D.	1255	125,792	141	16.3	12.6-20.0	79	7.0	04.8-09.2	315	24.1	20.8-27.4	522	39.9	36.0-43.8	198	12.7	10.5-14.9
Some Post-H.S.	1368	145,916	212	19.1	16.0-22.2	116	10.4	07.9-12.9	338	23.0	20.1-25.9	546	37.3	33.8-40.8	156	10.2	08.0-12.4
College Graduate	1401	147,925	252	20.9	18.0-23.8	165	13.9	11.5-16.3	342	21.7	19.2-24.2	517	36.6	33.5-39.7	125	6.9	05.5-08.3
Less than \$15,000	289	27,286	20	10.8	03.9-17.7	15	6.9	02.2-11.6	61	19.2	13.1-25.3	125	45.5	36.5-54.5	68	17.7	12.2-23.2
\$15,000- 24,999	615	52,684	73	17.5	12.2-22.8	33	7.7	03.8-11.6	151	24.9	20.0-29.8	249	35.6	30.5-40.7	109	14.3	11.4-17.2
\$25,000- 34,999	495	46,322	58	16.0	09.5-22.5	33	9.8	05.7-13.9	127	26.0	19.9-32.1	201	36.6	30.7-42.5	76	11.7	08.6-14.8
\$35,000- 49,999	650	70,247	101	19.6	15.1-24.1	50	8.6	05.7-11.5	166	22.9	19.0-26.8	267	38.7	33.6-43.8	66	10.1	06.8-13.4
\$50,000- 74,999	743	80,174	121	20.5	16.2-24.8	88	12.5	09.6-15.4	195	23.4	19.9-26.9	281	36.8	32.7-40.9	58	6.8	05.0-08.6
\$75,000+	986	113,477	195	21.6	18.3-24.9	111	12.6	09.9-15.3	239	23.4	19.9-26.9	361	34.8	31.3-38.3	80	7.5	05.7-09.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 14: 5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1740	226,288	299	21.4	18.5-24.3	179	12.0	09.6-14.4	406	21.4	18.9-23.9	630	34.4	31.5-37.3	226	10.8	09.0-12.6
Non-Native	1665	211,461	282	21.7	18.6-24.8	170	10.8	08.8-12.8	391	22.1	19.6-24.6	609	34.9	32.0-37.8	213	10.5	08.7-12.3
18-24	66	37,345							12	17.7	07.7-27.7				1	1.0	00.0-03.0
25-34	170	41,384	48	26.6	19.5-33.7	27	15.3	09.4-21.2	38	21.9	15.4-28.4	46	28.1	20.7-35.5	11	8.1	02.8-13.4
35-44	251	35,469	59	22.3	17.0-27.6	33	12.8	08.5-17.1	46	17.2	12.5-21.9	91	38.6	32.1-45.1	22	9.1	05.2-13.0
45-54	417	41,436	78	18.1	14.2-22.0	46	12.3	08.8-15.8	83	18.5	14.6-22.4	153	36.9	31.8-42.0	57	14.2	10.5-17.9
55-64	398	34,141	50	12.4	09.1-15.7	23	5.7	03.3-08.1	101	24.9	20.4-29.4	170	42.8	37.7-47.9	54	14.2	10.5-17.9
65+	432	36,050	38	8.3	05.6-11.0	39	8.7	05.8-11.6	124	29.0	24.3-33.7	150	35.4	30.7-40.1	81	18.5	14.6-22.4
Less Than H.S.	123	17,533							24	16.4	08.0-24.8				31	19.1	10.9-27.3
H.S. or G.E.D.	521	67,380	68	20.3	14.2-26.4	41	7.8	04.7-10.9	137	22.0	17.5-26.5	194	37.9	32.0-43.8	81	12.1	09.2-15.0
Some Post-H.S.	516	68,367	96	20.6	15.7-25.5	47	10.8	07.1-14.5	118	23.2	18.1-28.3	196	34.4	29.1-39.7	59	11.1	07.6-14.6
College Graduate	580	73,009	118	24.1	19.4-28.8	77	14.3	11.0-17.6	127	20.5	16.8-24.2	203	33.8	29.3-38.3	55	7.4	05.2-09.6
Less than \$15,000	96	11,012				5	3.5	00.2-06.8									
\$15,000- 24,999	195	23,812	33	24.8	14.8-34.8	13	7.5	02.0-13.0	44	20.0	12.7-27.3	63	32.8	23.8-41.8	42	14.9	09.8-20.0
\$25,000- 34,999	173	21,139				14	11.7	04.3-19.1	46	24.6	15.2-34.0	56	31.3	21.7-40.9	29	12.0	07.1-16.9
\$35,000- 49,999	273	34,096	46	19.9	13.2-26.6	25	9.6	05.5-13.7	76	25.4	19.3-31.5	100	32.7	26.0-39.4	26	12.4	06.3-18.5
\$50,000- 74,999	333	43,056	61	25.6	18.5-32.7	39	11.3	07.6-15.0	82	21.8	16.7-26.9	119	33.7	27.8-39.6	32	7.6	04.9-10.3
\$75,000+	512	65,925	103	21.8	17.3-26.3	63	13.2	09.7-16.7	109	21.7	17.0-26.4	191	35.0	30.1-39.9	46	8.4	05.7-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 15: 5 LEVEL PHYSICAL ACTIVITY CATEGORY (PACAT_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Both Recommendations			Meet Vigorous Recommendation Only			Meet Moderate Recommendation Only			Insufficient Activity To Meet Either Recommendation			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2593	228,470	338	15.9	13.7-18.1	204	10.1	08.3-11.9	643	23.7	21.5-25.9	1076	40.1	37.6-42.6	332	10.1	08.7-11.5
Native	78	11,097				7	9.8	01.6-18.0									
Non-Native	2497	216,243	324	15.6	13.4-17.8	197	10.2	08.2-12.2	616	23.8	21.4-26.2	1043	40.6	38.1-43.1	317	9.8	08.6-11.0
18-24	71	34,991				13	18.8	09.2-28.4	9	14.3	04.9-23.7				4	5.3	00.0-10.8
25-34	244	36,714	55	22.7	17.2-28.2	33	12.3	08.2-16.4	57	24.3	18.6-30.0	88	36.5	30.2-42.8	11	4.2	01.8-06.6
35-44	349	34,490	62	17.2	13.1-21.3	38	11.8	08.1-15.5	87	26.0	21.1-30.9	136	37.3	32.0-42.6	26	7.7	04.8-10.6
45-54	540	43,240	91	17.3	13.8-20.8	38	7.2	04.8-09.6	140	25.8	21.9-29.7	228	42.2	37.7-46.7	43	7.5	05.1-09.9
55-64	505	30,157	55	11.3	08.4-14.2	41	8.1	05.6-10.6	153	31.7	27.4-36.0	205	39.6	35.1-44.1	51	9.3	06.6-12.0
65+	852	47,040	52	5.9	04.3-07.5	38	4.6	03.0-06.2	191	22.0	19.1-24.9	382	45.1	41.6-48.6	189	22.3	19.4-25.2
Less Than H.S.	184	17,484	15	13.6	04.4-22.8	9	8.8	00.0-17.6							48	18.2	11.3-25.1
H.S. or G.E.D.	734	58,412	73	11.7	08.2-15.2	38	6.1	03.0-09.2	178	26.5	21.8-31.2	328	42.3	37.2-47.4	117	13.4	10.3-16.5
Some Post-H.S.	852	77,549	116	17.8	13.9-21.7	69	10.1	07.0-13.2	220	22.8	19.3-26.3	350	39.9	35.4-44.4	97	9.5	07.0-12.0
College Graduate	821	74,916	134	17.8	14.5-21.1	88	13.5	10.2-16.8	215	23.0	19.7-26.3	314	39.4	35.1-43.7	70	6.4	04.8-08.0
Less than \$15,000	193	16,274	12	8.7	01.4-16.0	10	9.1	01.7-16.5	39	17.5	10.6-24.4				49	16.7	10.8-22.6
\$15,000- 24,999	420	28,872	40	11.5	07.2-15.8	20	7.8	02.3-13.3	107	29.0	22.7-35.3	186	37.8	32.1-43.5	67	13.8	10.1-17.5
\$25,000- 34,999	322	25,183	30	12.2	06.9-17.5	19	8.2	03.9-12.5	81	27.2	19.8-34.6	145	41.0	33.9-48.1	47	11.4	07.5-15.3
\$35,000- 49,999	377	36,151	55	19.3	13.0-25.6	25	7.7	03.8-11.6	90	20.6	15.7-25.5	167	44.5	37.2-51.8	40	8.0	05.3-10.7
\$50,000- 74,999	410	37,117	60	14.7	11.0-18.4	49	14.0	09.7-18.3	113	25.3	20.6-30.0	162	40.3	34.8-45.8	26	5.8	03.4-08.2
\$75,000+	474	47,551	92	21.4	16.5-26.3	48	11.9	07.6-16.2	130	25.8	20.5-31.1	170	34.5	29.2-39.8	34	6.3	04.1-08.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 16: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4333	454,758	2069	52.3	50.1-54.5	2264	47.7	45.5-49.9
Male	1740	226,288	884	54.9	51.8-58.0	856	45.1	42.0-48.2
Female	2593	228,470	1185	49.7	47.0-52.4	1408	50.3	47.6-53.0
Non-Native	4162	427,704	1980	52.1	49.9-54.3	2182	47.9	45.7-50.1
18-24	137	72,336	87	65.0	56.4-73.6	50	35.0	26.4-43.6
25-34	414	78,098	258	61.7	56.4-67.0	156	38.3	33.0-43.6
35-44	600	69,959	325	53.6	49.3-57.9	275	46.4	42.1-50.7
45-54	957	84,676	476	49.6	46.3-52.9	481	50.4	47.1-53.7
55-64	903	64,298	423	46.8	43.3-50.3	480	53.2	49.7-56.7
65+	1284	83,090	482	38.4	35.5-41.3	802	61.6	58.7-64.5
Less Than H.S.	307	35,017	109	51.3	41.9-60.7	198	48.7	39.3-58.1
H.S. or G.E.D.	1255	125,792	535	47.4	43.3-51.5	720	52.6	48.5-56.7
Some Post-H.S.	1368	145,916	666	52.5	48.8-56.2	702	47.5	43.8-51.2
College Graduate	1401	147,925	759	56.5	53.4-59.6	642	43.5	40.4-46.6
Less than \$15,000	289	27,286	96	36.9	28.1-45.7	193	63.1	54.3-71.9
\$15,000- 24,999	615	52,684	257	50.1	44.4-55.8	358	49.9	44.2-55.6
\$25,000- 34,999	495	46,322	218	51.8	45.3-58.3	277	48.2	41.7-54.7
\$35,000- 49,999	650	70,247	317	51.1	46.0-56.2	333	48.9	43.8-54.0
\$50,000- 74,999	743	80,174	404	56.5	52.2-60.8	339	43.5	39.2-47.8
\$75,000+	986	113,477	545	57.7	54.0-61.4	441	42.3	38.6-46.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 17: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1740	226,288	884	54.9	51.8-58.0	856	45.1	42.0-48.2
Non-Native	1665	211,461	843	54.6	51.5-57.7	822	45.4	42.3-48.5
25-34	170	41,384	113	63.8	55.8-71.8	57	36.2	28.2-44.2
35-44	251	35,469	138	52.3	45.8-58.8	113	47.7	41.2-54.2
45-54	417	41,436	207	48.8	43.7-53.9	210	51.2	46.1-56.3
55-64	398	34,141	174	43.0	37.9-48.1	224	57.0	51.9-62.1
65+	432	36,050	201	46.0	40.9-51.1	231	54.0	48.9-59.1
H.S. or G.E.D.	521	67,380	246	50.0	43.9-56.1	275	50.0	43.9-56.1
Some Post-H.S.	516	68,367	261	54.6	48.9-60.3	255	45.4	39.7-51.1
College Graduate	580	73,009	322	58.9	54.2-63.6	258	41.1	36.4-45.8
\$15,000- 24,999	195	23,812	90	52.3	42.7-61.9	105	47.7	38.1-57.3
\$35,000- 49,999	273	34,096	147	54.9	47.5-62.3	126	45.1	37.7-52.5
\$50,000- 74,999	333	43,056	182	58.7	52.4-65.0	151	41.3	35.0-47.6
\$75,000+	512	65,925	275	56.6	51.5-61.7	237	43.4	38.3-48.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 18: ADULTS THAT HAVE REPORTED PARTICIPATING IN EITHER MODERATE PHYSICAL ACTIVITY DEFINED AS 30 OR MORE MINUTES PER DAY FOR 5 OR MORE DAYS PER WEEK, OR VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPAMOD)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2593	228,470	1185	49.7	47.0-52.4	1408	50.3	47.6-53.0
Non-Native	2497	216,243	1137	49.6	46.9-52.3	1360	50.4	47.7-53.1
25-34	244	36,714	145	59.3	52.8-65.8	99	40.7	34.2-47.2
35-44	349	34,490	187	55.0	49.5-60.5	162	45.0	39.5-50.5
45-54	540	43,240	269	50.3	45.8-54.8	271	49.7	45.2-54.2
55-64	505	30,157	249	51.1	46.4-55.8	256	48.9	44.2-53.6
65+	852	47,040	281	32.6	29.3-35.9	571	67.4	64.1-70.7
H.S. or G.E.D.	734	58,412	289	44.3	39.0-49.6	445	55.7	50.4-61.0
Some Post-H.S.	852	77,549	405	50.7	46.0-55.4	447	49.3	44.6-54.0
College Graduate	821	74,916	437	54.2	49.9-58.5	384	45.8	41.5-50.1
\$15,000- 24,999	420	28,872	167	48.4	41.9-54.9	253	51.6	45.1-58.1
\$25,000- 34,999	322	25,183	130	47.6	40.0-55.2	192	52.4	44.8-60.0
\$35,000- 49,999	377	36,151	170	47.6	40.5-54.7	207	52.4	45.3-59.5
\$50,000- 74,999	410	37,117	222	53.9	48.4-59.4	188	46.1	40.6-51.6
\$75,000+	474	47,551	270	59.2	53.7-64.7	204	40.8	35.3-46.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

**TABLE 19: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4434	461,866	1020	29.2	27.2-31.2	3414	70.8	68.8-72.8
Male	1756	228,056	478	33.2	30.1-36.3	1278	66.8	63.7-69.9
Female	2678	233,811	542	25.4	22.9-27.9	2136	74.6	72.1-77.1
Non-Native	4257	434,567	973	28.6	26.6-30.6	3284	71.4	69.4-73.4
18-24	138	72,911	66	48.5	39.5-57.5	72	51.5	42.5-60.5
25-34	416	78,234	163	38.6	33.5-43.7	253	61.4	56.3-66.5
35-44	605	70,527	192	31.8	27.9-35.7	413	68.2	64.3-72.1
45-54	966	85,386	253	27.2	24.1-30.3	713	72.8	69.7-75.9
55-64	927	65,989	169	18.2	15.7-20.7	758	81.8	79.3-84.3
65+	1340	86,257	167	12.9	10.9-14.9	1173	87.1	85.1-89.1
Less Than H.S.	323	36,070	55	31.0	21.0-41.0	268	69.0	59.0-79.0
H.S. or G.E.D.	1297	128,850	220	22.7	18.8-26.6	1077	77.3	73.4-81.2
Some Post-H.S.	1383	146,652	328	29.4	25.9-32.9	1055	70.6	67.1-74.1
College Graduate	1429	150,184	417	34.3	31.2-37.4	1012	65.7	62.6-68.8
Less than \$15,000	311	28,547	35	16.9	09.3-24.5	276	83.1	75.5-90.7
\$15,000- 24,999	631	53,563	106	24.8	18.9-30.7	525	75.2	69.3-81.1
\$25,000- 34,999	511	47,663	91	25.0	18.3-31.7	420	75.0	68.3-81.7
\$35,000- 49,999	657	70,785	151	28.0	23.1-32.9	506	72.0	67.1-76.9
\$50,000- 74,999	747	80,223	209	33.0	28.5-37.5	538	67.0	62.5-71.5
\$75,000+	988	113,264	306	34.3	30.4-38.2	682	65.7	61.8-69.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 20: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	228,056	478	33.2	30.1-36.3	1278	66.8	63.7-69.9
Non-Native	1684	213,512	452	32.2	29.1-35.3	1232	67.8	64.7-70.9
25-34	169	41,156	75	42.1	34.1-50.1	94	57.9	49.9-65.9
35-44	251	35,609	92	35.0	28.9-41.1	159	65.0	58.9-71.1
45-54	421	41,680	124	30.2	25.5-34.9	297	69.8	65.1-74.5
55-64	405	34,736	73	17.8	13.9-21.7	332	82.2	78.3-86.1
65+	436	36,343	77	16.9	13.2-20.6	359	83.1	79.4-86.8
H.S. or G.E.D.	525	68,259	109	27.7	21.4-34.0	416	72.3	66.0-78.6
Some Post-H.S.	514	68,212	143	31.5	25.8-37.2	371	68.5	62.8-74.2
College Graduate	589	73,822	195	38.0	33.1-42.9	394	62.0	57.1-66.9
\$35,000- 49,999	274	34,167	71	29.5	22.4-36.6	203	70.5	63.4-77.6
\$50,000- 74,999	334	42,959	100	36.9	30.0-43.8	234	63.1	56.2-70.0
\$75,000+	509	65,400	166	35.2	30.1-40.3	343	64.8	59.7-69.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 21: ADULTS THAT HAVE REPORTED PARTICIPATING IN VIGOROUS ACTIVITY FOR 20 OR MORE MINUTES PER DAY ON 3 OR MORE DAYS (_RFPVIG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2678	233,811	542	25.4	22.9-27.9	2136	74.6	72.1-77.1
Non-Native	2573	221,055	521	25.2	22.7-27.7	2052	74.8	72.3-77.3
25-34	247	37,078	88	34.7	28.4-41.0	159	65.3	59.0-71.6
35-44	354	34,918	100	28.6	23.7-33.5	254	71.4	66.5-76.3
45-54	545	43,705	129	24.3	20.4-28.2	416	75.7	71.8-79.6
55-64	522	31,253	96	18.7	15.2-22.2	426	81.3	77.8-84.8
65+	904	49,915	90	9.9	07.7-12.1	814	90.1	87.9-92.3
H.S. or G.E.D.	772	60,591	111	17.2	12.9-21.5	661	82.8	78.5-87.1
Some Post-H.S.	869	78,439	185	27.6	23.1-32.1	684	72.4	67.9-76.9
College Graduate	840	76,362	222	30.7	26.6-34.8	618	69.3	65.2-73.4
Less than \$15,000	210	17,058	22	17.0	07.8-26.2	188	83.0	73.8-92.2
\$15,000- 24,999	436	29,714	60	18.8	12.5-25.1	376	81.2	74.9-87.5
\$25,000- 34,999	333	26,156	49	19.7	13.4-26.0	284	80.3	74.0-86.6
\$35,000- 49,999	383	36,618	80	26.7	19.8-33.6	303	73.3	66.4-80.2
\$50,000- 74,999	413	37,263	109	28.5	23.4-33.6	304	71.5	66.4-76.6
\$75,000+	479	47,864	140	33.1	27.4-38.8	339	66.9	61.2-72.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

**TABLE 22: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4333	454,758	2069	52.3	50.1-54.5	1706	37.3	35.3-39.3	558	10.5	09.3-11.7
Male	1740	226,288	884	54.9	51.8-58.0	630	34.4	31.5-37.3	226	10.8	09.0-12.6
Female	2593	228,470	1185	49.7	47.0-52.4	1076	40.1	37.6-42.6	332	10.1	08.7-11.5
Native	122	22,321							21	15.7	06.9-24.5
Non-Native	4162	427,704	1980	52.1	49.9-54.3	1652	37.8	35.8-39.8	530	10.2	09.2-11.2
18-24	137	72,336	87	65.0	56.4-73.6	45	31.9	23.5-40.3	5	3.1	00.2-06.0
25-34	414	78,098	258	61.7	56.4-67.0	134	32.0	27.1-36.9	22	6.3	03.2-09.4
35-44	600	69,959	325	53.6	49.3-57.9	227	37.9	33.8-42.0	48	8.4	05.9-10.9
45-54	957	84,676	476	49.6	46.3-52.9	381	39.6	36.3-42.9	100	10.8	08.6-13.0
55-64	903	64,298	423	46.8	43.3-50.3	375	41.3	37.8-44.8	105	11.9	09.5-14.3
65+	1284	83,090	482	38.4	35.5-41.3	532	40.9	38.0-43.8	270	20.7	18.3-23.1
Less Than H.S.	307	35,017	109	51.3	41.9-60.7	119	30.0	22.0-38.0	79	18.6	13.3-23.9
H.S. or G.E.D.	1255	125,792	535	47.4	43.3-51.5	522	39.9	36.0-43.8	198	12.7	10.5-14.9
Some Post-H.S.	1368	145,916	666	52.5	48.8-56.2	546	37.3	33.8-40.8	156	10.2	08.0-12.4
College Graduate	1401	147,925	759	56.5	53.4-59.6	517	36.6	33.5-39.7	125	6.9	05.5-08.3
Less than \$15,000	289	27,286	96	36.9	28.1-45.7	125	45.5	36.5-54.5	68	17.7	12.2-23.2
\$15,000- 24,999	615	52,684	257	50.1	44.4-55.8	249	35.6	30.5-40.7	109	14.3	11.4-17.2
\$25,000- 34,999	495	46,322	218	51.8	45.3-58.3	201	36.6	30.7-42.5	76	11.7	08.6-14.8
\$35,000- 49,999	650	70,247	317	51.1	46.0-56.2	267	38.7	33.6-43.8	66	10.1	06.8-13.4
\$50,000- 74,999	743	80,174	404	56.5	52.2-60.8	281	36.8	32.7-40.9	58	6.8	05.0-08.6
\$75,000+	986	113,477	545	57.7	54.0-61.4	361	34.8	31.3-38.3	80	7.5	05.7-09.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 23: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1740	226,288	884	54.9	51.8-58.0	630	34.4	31.5-37.3	226	10.8	09.0-12.6
Non-Native	1665	211,461	843	54.6	51.5-57.7	609	34.9	32.0-37.8	213	10.5	08.7-12.3
18-24	66	37,345							1	1.0	00.0-03.0
25-34	170	41,384	113	63.8	55.8-71.8	46	28.1	20.7-35.5	11	8.1	02.8-13.4
35-44	251	35,469	138	52.3	45.8-58.8	91	38.6	32.1-45.1	22	9.1	05.2-13.0
45-54	417	41,436	207	48.8	43.7-53.9	153	36.9	31.8-42.0	57	14.2	10.5-17.9
55-64	398	34,141	174	43.0	37.9-48.1	170	42.8	37.7-47.9	54	14.2	10.5-17.9
65+	432	36,050	201	46.0	40.9-51.1	150	35.4	30.7-40.1	81	18.5	14.6-22.4
Less Than H.S.	123	17,533							31	19.1	10.9-27.3
H.S. or G.E.D.	521	67,380	246	50.0	43.9-56.1	194	37.9	32.0-43.8	81	12.1	09.2-15.0
Some Post-H.S.	516	68,367	261	54.6	48.9-60.3	196	34.4	29.1-39.7	59	11.1	07.6-14.6
College Graduate	580	73,009	322	58.9	54.2-63.6	203	33.8	29.3-38.3	55	7.4	05.2-09.6
\$15,000- 24,999	195	23,812	90	52.3	42.7-61.9	63	32.8	23.8-41.8	42	14.9	09.8-20.0
\$25,000- 34,999	173	21,139				56	31.3	21.7-40.9	29	12.0	07.1-16.9
\$35,000- 49,999	273	34,096	147	54.9	47.5-62.3	100	32.7	26.0-39.4	26	12.4	06.3-18.5
\$50,000- 74,999	333	43,056	182	58.7	52.4-65.0	119	33.7	27.8-39.6	32	7.6	04.9-10.3
\$75,000+	512	65,925	275	56.6	51.5-61.7	191	35.0	30.1-39.9	46	8.4	05.7-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 24: ADULTS SELF REPORTED PHYSICAL ACTIVITY LEVEL STATUS (_RFPAREC)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Recommendation			Insufficient Activity			No Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2593	228,470	1185	49.7	47.0-52.4	1076	40.1	37.6-42.6	332	10.1	08.7-11.5
Non-Native	2497	216,243	1137	49.6	46.9-52.3	1043	40.6	38.1-43.1	317	9.8	08.6-11.0
18-24	71	34,991							4	5.3	00.0-10.8
25-34	244	36,714	145	59.3	52.8-65.8	88	36.5	30.2-42.8	11	4.2	01.8-06.6
35-44	349	34,490	187	55.0	49.5-60.5	136	37.3	32.0-42.6	26	7.7	04.8-10.6
45-54	540	43,240	269	50.3	45.8-54.8	228	42.2	37.7-46.7	43	7.5	05.1-09.9
55-64	505	30,157	249	51.1	46.4-55.8	205	39.6	35.1-44.1	51	9.3	06.6-12.0
65+	852	47,040	281	32.6	29.3-35.9	382	45.1	41.6-48.6	189	22.3	19.4-25.2
Less Than H.S.	184	17,484							48	18.2	11.3-25.1
H.S. or G.E.D.	734	58,412	289	44.3	39.0-49.6	328	42.3	37.2-47.4	117	13.4	10.3-16.5
Some Post-H.S.	852	77,549	405	50.7	46.0-55.4	350	39.9	35.4-44.4	97	9.5	07.0-12.0
College Graduate	821	74,916	437	54.2	49.9-58.5	314	39.4	35.1-43.7	70	6.4	04.8-08.0
Less than \$15,000	193	16,274							49	16.7	10.8-22.6
\$15,000- 24,999	420	28,872	167	48.4	41.9-54.9	186	37.8	32.1-43.5	67	13.8	10.1-17.5
\$25,000- 34,999	322	25,183	130	47.6	40.0-55.2	145	41.0	33.9-48.1	47	11.4	07.5-15.3
\$35,000- 49,999	377	36,151	170	47.6	40.5-54.7	167	44.5	37.2-51.8	40	8.0	05.3-10.7
\$50,000- 74,999	410	37,117	222	53.9	48.4-59.4	162	40.3	34.8-45.8	26	5.8	03.4-08.2
\$75,000+	474	47,551	270	59.2	53.7-64.7	170	34.5	29.2-39.8	34	6.3	04.1-08.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

**TABLE 25: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4597	482,522	4195	93.1	92.3-93.9	402	6.9	06.1-07.7
Male	1834	241,843	1674	93.1	91.7-94.5	160	6.9	05.5-08.3
Female	2763	240,679	2521	93.2	92.2-94.2	242	6.8	05.8-07.8
Native	128	22,899	112	92.6	88.3-96.9	16	7.4	03.1-11.7
Non-Native	4405	453,484	4024	93.2	92.4-94.0	381	6.8	06.0-07.6
18-24	147	79,093	145	98.9	97.3-0100	2	1.1	00.0-02.7
25-34	427	80,763	413	96.0	93.5-98.5	14	4.0	01.5-06.5
35-44	629	73,197	594	94.1	92.1-96.1	35	5.9	03.9-07.9
45-54	998	88,785	922	92.0	90.0-94.0	76	8.0	06.0-10.0
55-64	965	68,533	885	91.8	89.8-93.8	80	8.2	06.2-10.2
65+	1385	89,434	1196	87.1	85.1-89.1	189	12.9	10.9-14.9
Less Than H.S.	333	38,790	275	88.3	84.4-92.2	58	11.7	07.8-15.6
H.S. or G.E.D.	1347	134,815	1202	91.4	89.6-93.2	145	8.6	06.8-10.4
Some Post-H.S.	1447	153,751	1334	93.3	91.5-95.1	113	6.7	04.9-08.5
College Graduate	1467	155,025	1381	95.7	94.7-96.7	86	4.3	03.3-05.3
Less than \$15,000	314	29,389	266	90.5	87.4-93.6	48	9.5	06.4-12.6
\$15,000- 24,999	647	55,459	566	89.9	87.4-92.4	81	10.1	07.6-12.6
\$25,000- 34,999	523	49,499	469	92.5	90.1-94.9	54	7.5	05.1-09.9
\$35,000- 49,999	683	73,518	634	92.5	89.6-95.4	49	7.5	04.6-10.4
\$50,000- 74,999	773	83,259	733	95.6	94.2-97.0	40	4.4	03.0-05.8
\$75,000+	1021	117,907	961	94.6	93.0-96.2	60	5.4	03.8-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 26: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1834	241,843	1674	93.1	91.7-94.5	160	6.9	05.5-08.3
Non-Native	1755	226,153	1604	93.2	91.8-94.6	151	6.8	05.4-08.2
18-24	73	42,714	73	100.0	0100-0100			
25-34	176	43,321	170	95.1	90.6-99.6	6	4.9	00.4-09.4
35-44	264	37,258	248	93.9	90.8-97.0	16	6.1	03.0-09.2
45-54	434	43,492	391	89.4	86.3-92.5	43	10.6	07.5-13.7
55-64	423	36,200	383	90.5	87.6-93.4	40	9.5	06.6-12.4
65+	456	38,222	401	88.9	86.0-91.8	55	11.1	08.2-14.0
Less Than H.S.	134	19,575	110	88.0	82.1-93.9	24	12.0	06.1-17.9
H.S. or G.E.D.	543	71,898	486	92.2	90.0-94.4	57	7.8	05.6-10.0
Some Post-H.S.	547	72,993	505	92.7	89.6-95.8	42	7.3	04.2-10.4
College Graduate	610	77,377	573	95.6	94.0-97.2	37	4.4	02.8-06.0
Less than \$15,000	104	12,093	92	92.3	87.0-97.6	12	7.7	02.4-13.0
\$15,000- 24,999	200	24,937	168	89.4	85.3-93.5	32	10.6	06.5-14.7
\$25,000- 34,999	186	23,213	167	93.2	89.7-96.7	19	6.8	03.3-10.3
\$35,000- 49,999	288	36,060	267	90.4	84.9-95.9	21	9.6	04.1-15.1
\$50,000- 74,999	351	44,928	330	95.3	93.1-97.5	21	4.7	02.5-06.9
\$75,000+	529	68,880	496	94.1	91.9-96.3	33	5.9	03.7-08.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 27: ADULTS THAT HAVE REPORTED PARTICIPATING IN PHYSICAL ACTIVITY OR EXERCISE (_RFNOPA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2763	240,679	2521	93.2	92.2-94.2	242	6.8	05.8-07.8
Native	84	11,675	73	92.7	87.8-97.6	11	7.3	02.4-12.2
Non-Native	2650	227,331	2420	93.2	92.2-94.2	230	6.8	05.8-07.8
18-24	74	36,380	72	97.7	94.4-0100	2	2.3	00.0-05.6
25-34	251	37,442	243	97.1	95.1-99.1	8	2.9	00.9-04.9
35-44	365	35,939	346	94.3	91.8-96.8	19	5.7	03.2-08.2
45-54	564	45,293	531	94.5	92.5-96.5	33	5.5	03.5-07.5
55-64	542	32,333	502	93.2	91.0-95.4	40	6.8	04.6-09.0
65+	929	51,211	795	85.8	83.4-88.2	134	14.2	11.8-16.6
Less Than H.S.	199	19,215	165	88.6	83.7-93.5	34	11.4	06.5-16.3
H.S. or G.E.D.	804	62,917	716	90.5	88.0-93.0	88	9.5	07.0-12.0
Some Post-H.S.	900	80,758	829	93.9	92.3-95.5	71	6.1	04.5-07.7
College Graduate	857	77,647	808	95.8	94.4-97.2	49	4.2	02.8-05.6
Less than \$15,000	210	17,296	174	89.2	85.1-93.3	36	10.8	06.7-14.9
\$15,000- 24,999	447	30,522	398	90.3	87.2-93.4	49	9.7	06.6-12.8
\$25,000- 34,999	337	26,287	302	91.9	88.6-95.2	35	8.1	04.8-11.4
\$35,000- 49,999	395	37,458	367	94.5	92.1-96.9	28	5.5	03.1-07.9
\$50,000- 74,999	422	38,331	403	96.0	94.0-98.0	19	4.0	02.0-06.0
\$75,000+	492	49,028	465	95.2	93.2-97.2	27	4.8	02.8-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

**TABLE 28: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY PER WEEK (_MODMNWK)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 149 mins Computed Moderate Phys. Act.			150 - 300 mins Computed Moderate Phys. Act.			300+ mins Computed Moderate Phys. Act.			No Computed Mins. Moderate Phys. Act.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4371	459,746	1649	36.1	34.1-38.1	1190	27.2	25.4-29.0	904	24.0	22.0-26.0	628	12.6	11.2-14.0
Male	1760	229,438	595	31.6	28.9-34.3	453	25.9	23.2-28.6	438	28.1	25.0-31.2	274	14.4	12.2-16.6
Female	2611	230,308	1054	40.7	38.2-43.2	737	28.5	26.1-30.9	466	20.0	17.6-22.4	354	10.8	09.4-12.2
Native	122	22,398				33	21.3	12.3-30.3						
Non-Native	4197	432,393	1597	36.5	34.5-38.5	1150	27.6	25.8-29.4	853	23.7	21.7-25.7	597	12.2	10.8-13.6
18-24	139	74,319	43	30.8	22.6-39.0	37	24.1	16.7-31.5	49	36.8	28.0-45.6	10	8.3	03.0-13.6
25-34	414	78,180	143	33.1	28.2-38.0	132	32.0	27.1-36.9	110	26.2	21.7-30.7	29	8.7	05.0-12.4
35-44	606	70,721	234	38.9	34.8-43.0	179	27.9	24.2-31.6	137	23.5	19.8-27.2	56	9.7	07.2-12.2
45-54	961	85,166	349	36.3	33.0-39.6	290	30.2	27.1-33.3	207	21.1	18.4-23.8	115	12.4	10.0-14.8
55-64	909	64,637	355	38.7	35.4-42.0	268	29.0	25.9-32.1	171	19.5	16.8-22.2	115	12.8	10.4-15.2
65+	1303	84,387	509	39.1	36.2-42.0	275	20.6	18.2-23.0	224	17.9	15.5-20.3	295	22.4	19.9-24.9
Less Than H.S.	315	37,356	112	31.3	22.7-39.9	50	16.9	10.2-23.6	60	24.8	15.6-34.0	93	26.9	18.5-35.3
H.S. or G.E.D.	1267	126,832	474	34.5	30.8-38.2	289	22.7	19.4-26.0	279	27.6	23.5-31.7	225	15.2	12.7-17.7
Some Post-H.S.	1377	146,547	520	35.2	31.9-38.5	392	28.6	25.3-31.9	295	24.7	21.4-28.0	170	11.5	09.1-13.9
College Graduate	1410	148,902	541	39.6	36.5-42.7	459	32.3	29.4-35.2	270	20.1	17.4-22.8	140	8.0	06.4-09.6
Less than \$15,000	291	27,459	113	37.6	29.0-46.2	51	21.8	13.8-29.8	54	21.2	13.8-28.6	73	19.3	13.6-25.0
\$15,000- 24,999	617	52,895	229	33.7	28.6-38.8	138	22.1	17.4-26.8	132	27.6	22.1-33.1	118	16.6	12.9-20.3
\$25,000- 34,999	503	46,838	191	36.5	30.6-42.4	133	22.6	18.1-27.1	97	28.5	21.1-35.9	82	12.4	09.3-15.5
\$35,000- 49,999	658	71,136	262	38.7	33.6-43.8	178	26.2	21.7-30.7	144	23.8	19.5-28.1	74	11.3	08.0-14.6
\$50,000- 74,999	749	80,711	279	36.1	32.0-40.2	240	31.1	27.2-35.0	155	23.3	19.0-27.6	75	9.5	07.1-11.9
\$75,000+	987	113,654	359	35.1	31.4-38.8	320	33.4	29.7-37.1	219	23.2	19.7-26.7	89	8.3	06.3-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 29: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY PER WEEK (_MODMNWK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 149 mins Computed Moderate Phys. Act.			150 - 300 mins Computed Moderate Phys. Act.			300+ mins Computed Moderate Phys. Act.			No Computed Mins. Moderate Phys. Act.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1760	229,438	595	31.6	28.9-34.3	453	25.9	23.2-28.6	438	28.1	25.0-31.2	274	14.4	12.2-16.6
Non-Native	1684	214,485	575	31.7	29.0-34.4	441	26.6	23.9-29.3	410	27.9	24.8-31.0	258	13.8	11.6-16.0
18-24	67	38,495	13	18.4	08.4-28.4							5	9.7	01.3-18.1
25-34	171	41,612	48	28.2	20.9-35.5	54	31.4	24.0-38.8	52	28.1	21.0-35.2	17	12.3	06.0-18.6
35-44	255	36,065	92	38.1	31.6-44.6	59	23.1	17.6-28.6	76	27.6	21.9-33.3	28	11.2	07.1-15.3
45-54	418	41,558	134	33.2	28.3-38.1	110	25.7	21.2-30.2	106	24.2	19.9-28.5	68	17.0	13.1-20.9
55-64	402	34,415	151	37.8	32.7-42.9	112	27.5	23.0-32.0	79	19.5	15.4-23.6	60	15.1	11.4-18.8
65+	441	36,828	154	35.0	30.3-39.7	96	21.2	17.3-25.1	95	22.1	17.8-26.4	96	21.6	17.5-25.7
Less Than H.S.	127	18,925	34	20.4	10.6-30.2	21	16.3	06.9-25.7						
H.S. or G.E.D.	528	68,049	172	31.2	25.7-36.7	111	20.1	15.6-24.6	145	33.3	27.0-39.6	100	15.4	11.9-18.9
Some Post-H.S.	520	68,816	180	30.5	25.6-35.4	141	28.0	22.7-33.3	135	28.6	23.1-34.1	64	12.9	08.8-17.0
College Graduate	585	73,649	209	35.8	31.3-40.3	180	31.7	27.0-36.4	127	22.9	18.6-27.2	69	9.5	07.0-12.0
\$15,000- 24,999	196	23,919	51	25.8	17.6-34.0	45	21.8	14.2-29.4	52	33.1	23.1-43.1	48	19.2	12.5-25.9
\$25,000- 34,999	176	21,335	58	33.1	23.3-42.9	39	17.3	10.8-23.8				33	13.3	08.0-18.6
\$35,000- 49,999	277	34,607	103	33.5	26.8-40.2	68	24.2	17.7-30.7	75	28.0	21.5-34.5	31	14.3	08.0-20.6
\$50,000- 74,999	338	43,597	114	31.4	25.7-37.1	98	29.8	23.9-35.7	83	28.3	21.6-35.0	43	10.6	07.3-13.9
\$75,000+	512	66,050	178	33.3	28.6-38.0	151	31.0	25.9-36.1	129	26.1	21.2-31.0	54	9.6	06.9-12.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 30: TOTAL MINUTES OF MODERATE PHYSICAL ACTIVITY PER WEEK (_MODMNWK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 149 mins Computed Moderate Phys. Act.			150 - 300 mins Computed Moderate Phys. Act.			300+ mins Computed Moderate Phys. Act.			No Computed Mins. Moderate Phys. Act.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2611	230,308	1054	40.7	38.2-43.2	737	28.5	26.1-30.9	466	20.0	17.6-22.4	354	10.8	09.4-12.2
Non-Native	2513	217,908	1022	41.3	38.6-44.0	709	28.6	26.2-31.0	443	19.6	17.2-22.0	339	10.6	09.2-12.0
18-24	72	35,824										5	6.7	00.6-12.8
25-34	243	36,568	95	38.7	32.2-45.2	78	32.8	26.5-39.1	58	24.0	18.3-29.7	12	4.5	02.0-07.0
35-44	351	34,656	142	39.7	34.4-45.0	120	32.8	27.7-37.9	61	19.3	14.6-24.0	28	8.1	05.2-11.0
45-54	543	43,608	215	39.3	35.0-43.6	180	34.4	30.1-38.7	101	18.2	14.7-21.7	47	8.1	05.7-10.5
55-64	507	30,221	204	39.7	35.2-44.2	156	30.7	26.4-35.0	92	19.5	15.8-23.2	55	10.1	07.4-12.8
65+	862	47,560	355	42.2	38.7-45.7	179	20.2	17.5-22.9	129	14.6	12.1-17.1	199	23.0	20.1-25.9
Less Than H.S.	188	18,431				29	17.5	08.1-26.9				52	18.1	11.4-24.8
H.S. or G.E.D.	739	58,783	302	38.3	33.4-43.2	178	25.7	20.8-30.6	134	21.0	16.7-25.3	125	15.0	11.5-18.5
Some Post-H.S.	857	77,731	340	39.4	34.9-43.9	251	29.1	25.0-33.2	160	21.3	17.2-25.4	106	10.2	07.7-12.7
College Graduate	825	75,253	332	43.3	39.0-47.6	279	32.8	29.1-36.5	143	17.4	14.1-20.7	71	6.5	04.9-08.1
Less than \$15,000	194	16,355				34	18.7	09.7-27.7	34	22.0	12.2-31.8	51	17.5	11.4-23.6
\$15,000- 24,999	421	28,976	178	40.2	33.9-46.5	93	22.3	16.8-27.8	80	23.0	17.3-28.7	70	14.5	10.8-18.2
\$25,000- 34,999	327	25,503	133	39.3	32.2-46.4	94	27.1	21.2-33.0	51	22.1	14.3-29.9	49	11.6	07.7-15.5
\$35,000- 49,999	381	36,529	159	43.6	36.3-50.9	110	28.0	21.9-34.1	69	19.9	14.0-25.8	43	8.5	05.8-11.2
\$50,000- 74,999	411	37,114	165	41.7	36.2-47.2	142	32.6	27.7-37.5	72	17.5	13.2-21.8	32	8.2	04.5-11.9
\$75,000+	475	47,604	181	37.8	32.1-43.5	169	36.6	30.9-42.3	90	19.3	14.6-24.0	35	6.4	04.2-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

**TABLE 31: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY PER WEEK (_VIGMNWK)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 149 mins Computed Vigorous Phys. Act.			150 - 300 mins Computed Vigorous Phys. Act.			300+ mins Computed Vigorous Phys. Act.			No Computed Mins. Vigorous Phys. Act.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4434	461,866	1168	30.0	28.0-32.0	457	13.2	11.6-14.8	257	8.3	06.7-09.9	2552	48.6	46.6-50.6
Male	1756	228,056	523	33.0	30.1-35.9	218	14.8	12.4-17.2	151	11.8	09.1-14.5	864	40.4	37.5-43.3
Female	2678	233,811	645	27.1	24.7-29.5	239	11.5	09.5-13.5	106	4.8	03.6-06.0	1688	56.6	53.9-59.3
Native	126	22,583	21	10.7	05.2-16.2	19	16.5	07.7-25.3						
Non-Native	4257	434,567	1138	31.1	29.1-33.1	436	13.0	11.4-14.6	237	7.6	06.2-09.0	2446	48.3	46.3-50.3
18-24	138	72,911	48	34.6	26.0-43.2	24	19.0	11.9-26.1	27	20.0	12.4-27.6	39	26.4	18.6-34.2
25-34	416	78,234	162	37.9	32.8-43.0	77	19.3	15.0-23.6	34	8.8	05.7-11.9	143	33.9	28.8-39.0
35-44	605	70,527	204	34.5	30.4-38.6	90	15.3	12.2-18.4	42	7.2	05.0-09.4	269	43.1	38.8-47.4
45-54	966	85,386	290	31.9	28.8-35.0	115	12.2	10.0-14.4	63	6.6	04.8-08.4	498	49.3	46.0-52.6
55-64	927	65,989	246	26.9	23.8-30.0	75	8.6	06.6-10.6	38	3.9	02.5-05.3	568	60.7	57.4-64.0
65+	1340	86,257	208	15.8	13.6-18.0	70	5.3	03.9-06.7	52	3.9	02.7-05.1	1010	75.0	72.5-77.5
Less Than H.S.	323	36,070	55	20.7	13.1-28.3	16	8.2	01.9-14.5	23	15.8	06.6-25.0	229	55.3	45.7-64.9
H.S. or G.E.D.	1297	128,850	294	25.0	21.5-28.5	97	10.9	08.0-13.8	73	8.2	05.3-11.1	833	55.9	51.8-60.0
Some Post-H.S.	1383	146,652	363	30.7	27.2-34.2	144	13.2	10.5-15.9	94	9.1	06.6-11.6	782	47.1	43.6-50.6
College Graduate	1429	150,184	455	35.8	32.7-38.9	200	16.3	13.8-18.8	67	5.8	04.0-07.6	707	42.2	39.1-45.3
Less than \$15,000	311	28,547	54	24.0	15.8-32.2	12	4.8	01.5-08.1	12	4.5	00.4-08.6	233	66.7	58.1-75.3
\$15,000- 24,999	631	53,563	115	19.8	15.3-24.3	43	12.9	07.6-18.2	37	8.3	04.6-12.0	436	59.0	53.1-64.9
\$25,000- 34,999	511	47,663	123	29.7	23.6-35.8	39	8.5	05.2-11.8	28	9.1	03.0-15.2	321	52.7	46.0-59.4
\$35,000- 49,999	657	70,785	186	31.0	26.1-35.9	72	12.7	09.2-16.2	36	6.4	03.5-09.3	363	49.9	44.8-55.0
\$50,000- 74,999	747	80,223	248	35.0	30.9-39.1	93	16.0	12.1-19.9	40	7.1	04.2-10.0	366	41.9	37.8-46.0
\$75,000+	988	113,264	326	37.1	33.2-41.0	148	17.0	13.9-20.1	63	7.0	04.8-09.2	451	39.0	35.3-42.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 32: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY PER WEEK (_VIGMNWK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 149 mins Computed Vigorous Phys. Act.			150 - 300 mins Computed Vigorous Phys. Act.			300+ mins Computed Vigorous Phys. Act.			No Computed Mins. Vigorous Phys. Act.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1756	228,056	523	33.0	30.1-35.9	218	14.8	12.4-17.2	151	11.8	09.1-14.5	864	40.4	37.5-43.3
Non-Native	1684	213,512	512	34.4	31.3-37.5	207	14.7	12.3-17.1	138	10.8	08.3-13.3	827	40.0	37.1-42.9
18-24	67	37,920				11	17.4	07.8-27.0				13	15.4	06.4-24.4
25-34	169	41,156	67	38.9	31.1-46.7	41	23.4	16.5-30.3	20	11.5	06.2-16.8	41	26.2	18.6-33.8
35-44	251	35,609	102	40.3	33.8-46.8	42	17.4	12.5-22.3	25	8.9	05.4-12.4	82	33.4	27.1-39.7
45-54	421	41,680	132	33.9	29.0-38.8	59	14.2	10.7-17.7	40	9.3	06.4-12.2	190	42.7	37.6-47.8
55-64	405	34,736	118	29.2	24.5-33.9	31	7.8	05.1-10.5	18	4.1	02.1-06.1	238	58.8	53.7-63.9
65+	436	36,343	78	18.1	14.2-22.0	33	7.1	04.6-09.6	28	5.9	03.7-08.1	297	68.9	64.4-73.4
Less Than H.S.	128	17,762				7	7.4	00.0-16.6						
H.S. or G.E.D.	525	68,259	135	26.2	20.9-31.5	49	12.5	08.2-16.8	44	12.2	06.9-17.5	297	49.1	43.0-55.2
Some Post-H.S.	514	68,212	150	33.3	27.4-39.2	63	15.4	10.9-19.9	55	12.4	08.1-16.7	246	39.0	33.7-44.3
College Graduate	589	73,822	215	42.2	37.3-47.1	99	18.3	14.4-22.2	37	7.4	04.7-10.1	238	32.1	28.0-36.2
Less than \$15,000	101	11,489				6	5.5	00.6-10.4	5	3.5	00.2-06.8			
\$15,000- 24,999	195	23,849	39	20.3	12.5-28.1	14	16.2	06.8-25.6	23	14.4	06.8-22.0	119	49.2	39.4-59.0
\$25,000- 34,999	178	21,507				16	9.7	03.8-15.6						
\$35,000- 49,999	274	34,167	90	35.5	28.1-42.9	36	13.9	08.8-19.0	17	7.3	02.8-11.8	131	43.3	36.0-50.6
\$50,000- 74,999	334	42,959	125	39.0	32.5-45.5	48	18.3	12.2-24.4	24	9.7	04.8-14.6	137	33.0	27.3-38.7
\$75,000+	509	65,400	177	38.5	33.2-43.8	86	18.5	14.2-22.8	42	9.0	05.7-12.3	204	34.0	29.3-38.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 33: TOTAL MINUTES OF VIGOROUS PHYSICAL ACTIVITY PER WEEK (_VIGMNWK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 149 mins Computed Vigorous Phys. Act.			150 - 300 mins Computed Vigorous Phys. Act.			300+ mins Computed Vigorous Phys. Act.			No Computed Mins. Vigorous Phys. Act.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2678	233,811	645	27.1	24.7-29.5	239	11.5	09.5-13.5	106	4.8	03.6-06.0	1688	56.6	53.9-59.3
Native	82	11,359	14	12.3	05.2-19.4				5	10.3	01.3-19.3			
Non-Native	2573	221,055	626	27.8	25.3-30.3	229	11.4	09.4-13.4	99	4.5	03.3-05.7	1619	56.3	53.6-59.0
18-24	71	34,991							7	8.5	01.8-15.2			
25-34	247	37,078	95	36.8	30.5-43.1	36	14.7	10.0-19.4	14	5.9	02.8-09.0	102	42.5	36.0-49.0
35-44	354	34,918	102	28.5	23.6-33.4	48	13.1	09.6-16.6	17	5.5	02.8-08.2	187	52.9	47.4-58.4
45-54	545	43,705	158	30.0	25.9-34.1	56	10.4	07.7-13.1	23	4.0	02.2-05.8	308	55.6	51.1-60.1
55-64	522	31,253	128	24.3	20.4-28.2	44	9.4	06.7-12.1	20	3.6	02.0-05.2	330	62.7	58.4-67.0
65+	904	49,915	130	14.2	11.8-16.6	37	4.0	02.6-05.4	24	2.5	01.5-03.5	713	79.4	76.7-82.1
Less Than H.S.	195	18,308				9	8.9	00.7-17.1	8	5.4	00.7-10.1			
H.S. or G.E.D.	772	60,591	159	23.5	18.8-28.2	48	9.2	05.1-13.3	29	3.6	02.0-05.2	536	63.6	58.3-68.9
Some Post-H.S.	869	78,439	213	28.5	24.2-32.8	81	11.2	08.1-14.3	39	6.2	03.5-08.9	536	54.1	49.4-58.8
College Graduate	840	76,362	240	29.5	25.8-33.2	101	14.3	11.0-17.6	30	4.2	02.2-06.2	469	51.9	47.6-56.2
Less than \$15,000	210	17,058	36	23.4	13.8-33.0	6	4.3	00.0-09.0	7	5.2	00.0-11.5			
\$15,000- 24,999	436	29,714	76	19.4	14.1-24.7	29	10.3	04.6-16.0	14	3.5	01.3-05.7	317	66.8	60.1-73.5
\$25,000- 34,999	333	26,156	78	27.6	20.9-34.3	23	7.5	03.8-11.2	11	4.8	01.3-08.3	221	60.0	52.7-67.3
\$35,000- 49,999	383	36,618	96	26.9	20.6-33.2	36	11.5	06.6-16.4	19	5.6	01.9-09.3	232	56.0	48.9-63.1
\$50,000- 74,999	413	37,263	123	30.4	25.3-35.5	45	13.3	08.8-17.8	16	4.1	01.7-06.5	229	52.1	46.6-57.6
\$75,000+	479	47,864	149	35.0	29.1-40.9	62	15.0	10.5-19.5	21	4.1	02.1-06.1	247	45.8	40.1-51.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

**TABLE 34: TOTAL MINUTES OF PHYSICAL ACTIVITY PER WEEK (_TOTMNBK)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 149 mins			>= 150 - 300 mins			300+ mins			No Computed Mins. Total Phys. Act.		
	TOTAL	WEIGHTED	Computed N	Total Phys. Act. %	C.I. (95%)	Computed N	Total Phys. Act. %	C.I. (95%)	Computed N	Total Phys. Act. %	C.I. (95%)	Computed N	Total Phys. Act. %	C.I. (95%)
TOTAL	4268	449,406	1149	23.7	21.9-25.5	987	21.7	20.1-23.3	1574	44.0	41.8-46.2	558	10.6	09.4-11.8
Male	1707	222,972	377	19.3	16.9-21.7	360	19.9	17.5-22.3	744	49.8	46.7-52.9	226	10.9	09.1-12.7
Female	2561	226,434	772	28.0	25.6-30.4	627	23.6	21.4-25.8	830	38.2	35.5-40.9	332	10.2	08.8-11.6
Native	121	22,224				22	13.2	05.6-20.8				21	15.8	07.0-24.6
Non-Native	4103	422,850	1113	23.9	22.1-25.7	959	22.2	20.6-23.8	1501	43.6	41.4-45.8	530	10.3	09.3-11.3
18-24	137	72,336	23	17.5	10.6-24.4	23	14.6	08.5-20.7	86	64.8	56.2-73.4	5	3.1	00.2-06.0
25-34	409	77,273	75	17.8	13.7-21.9	93	21.6	17.3-25.9	219	54.3	49.0-59.6	22	6.3	03.2-09.4
35-44	596	69,513	138	22.8	19.3-26.3	150	24.2	20.5-27.9	260	44.5	40.2-48.8	48	8.5	06.0-11.0
45-54	945	83,512	235	23.9	21.0-26.8	238	25.7	22.6-28.8	372	39.5	36.2-42.8	100	10.9	08.7-13.1
55-64	884	63,070	253	27.4	24.3-30.5	226	25.2	22.1-28.3	300	35.2	31.9-38.5	105	12.1	09.7-14.5
65+	1259	81,399	417	32.8	30.1-35.5	247	19.3	16.9-21.7	325	26.8	24.1-29.5	270	21.1	18.7-23.5
Less Than H.S.	302	34,568	85	19.7	13.4-26.0	45	15.6	08.3-22.9	93	45.8	36.0-55.6	79	18.9	13.4-24.4
H.S. or G.E.D.	1226	123,460	359	25.5	22.2-28.8	270	20.0	17.1-22.9	399	41.6	37.3-45.9	198	12.9	10.7-15.1
Some Post-H.S.	1346	144,002	375	24.3	21.4-27.2	308	21.8	18.9-24.7	507	43.6	39.9-47.3	156	10.3	08.1-12.5
College Graduate	1392	147,266	328	22.6	19.9-25.3	364	24.5	22.0-27.0	575	45.9	42.6-49.2	125	6.9	05.5-08.3
Less than \$15,000	287	27,201	88	29.4	21.0-37.8	56	18.1	12.0-24.2	75	34.8	25.6-44.0	68	17.7	12.2-23.2
\$15,000- 24,999	606	52,164	191	26.7	22.2-31.2	114	16.6	12.7-20.5	192	42.3	36.4-48.2	109	14.4	11.3-17.5
\$25,000- 34,999	492	46,190	140	22.6	18.3-26.9	113	21.7	16.6-26.8	163	44.0	36.9-51.1	76	11.7	08.6-14.8
\$35,000- 49,999	637	69,036	175	25.4	20.9-29.9	145	21.4	17.3-25.5	251	42.8	37.5-48.1	66	10.3	07.0-13.6
\$50,000- 74,999	734	79,210	181	23.0	19.5-26.5	194	24.1	20.6-27.6	301	46.1	41.6-50.6	58	6.8	05.0-08.6
\$75,000+	973	112,092	214	20.1	17.2-23.0	252	25.1	21.8-28.4	427	47.2	43.3-51.1	80	7.6	05.8-09.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 35: TOTAL MINUTES OF PHYSICAL ACTIVITY PER WEEK (_TOTMNBK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 149 mins			>= 150 - 300 mins			300+ mins			No Computed Mins.		
	TOTAL	WEIGHTED	Computed N	Total Phys. Act. %	Total Phys. Act. C.I. (95%)	Computed N	Total Phys. Act. %	Total Phys. Act. C.I. (95%)	Computed N	Total Phys. Act. %	Total Phys. Act. C.I. (95%)	Computed N	Total Phys. Act. %	Total Phys. Act. C.I. (95%)
Male	1707	222,972	377	19.3	16.9-21.7	360	19.9	17.5-22.3	744	49.8	46.5-53.1	226	10.9	09.1-12.7
Non-Native	1636	208,515	364	19.2	17.0-21.4	351	20.3	17.8-22.8	708	49.8	46.7-52.9	213	10.7	08.9-12.5
18-24	66	37,345	7	10.8	02.4-19.2	12	15.9	06.9-24.9				1	1.0	00.0-03.0
25-34	167	40,814	20	12.7	07.0-18.4	29	17.4	11.1-23.7	107	61.6	53.4-69.8	11	8.2	02.7-13.7
35-44	248	35,118	48	20.7	15.2-26.2	45	19.4	14.1-24.7	133	50.8	44.1-57.5	22	9.2	05.3-13.1
45-54	407	40,407	84	20.5	16.4-24.6	88	22.5	18.0-27.0	178	42.4	37.3-47.5	57	14.6	10.9-18.3
55-64	392	33,752	102	25.6	21.1-30.1	102	25.1	20.6-29.6	134	34.9	29.8-40.0	54	14.4	10.7-18.1
65+	421	35,071	115	27.5	23.0-32.0	81	19.4	15.3-23.5	144	34.1	29.2-39.0	81	19.1	15.2-23.0
Less Than H.S.	121	17,289	26	13.1	07.0-19.2							31	19.4	11.0-27.8
H.S. or G.E.D.	504	65,678	116	21.5	16.4-26.6	106	19.0	14.5-23.5	201	47.1	40.8-53.4	81	12.4	09.5-15.3
Some Post-H.S.	506	67,340	122	19.9	15.6-24.2	98	19.2	14.7-23.7	227	49.7	43.8-55.6	59	11.2	07.5-14.9
College Graduate	576	72,665	113	18.3	14.8-21.8	137	22.2	18.5-25.9	271	52.1	47.2-57.0	55	7.4	05.2-09.6
\$15,000- 24,999	192	23,549	44	22.3	14.7-29.9	34	15.7	08.6-22.8	72	47.1	37.1-57.1	42	15.0	09.9-20.1
\$25,000- 34,999	173	21,139	42	18.7	12.0-25.4	30	16.1	08.5-23.7				29	12.0	07.1-16.9
\$35,000- 49,999	264	33,122	55	17.2	12.3-22.1	59	21.2	14.9-27.5	124	48.8	41.2-56.4	26	12.8	06.5-19.1
\$50,000- 74,999	328	42,485	71	18.9	14.4-23.4	66	18.9	14.0-23.8	159	54.5	48.0-61.0	32	7.7	05.0-10.4
\$75,000+	502	64,797	99	18.1	14.4-21.8	120	24.3	19.6-29.0	237	49.1	43.8-54.4	46	8.5	05.8-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 36: TOTAL MINUTES OF PHYSICAL ACTIVITY PER WEEK (_TOTMNBK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 - 149 mins			>= 150 - 300 mins			300+ mins			No Computed Mins. Total Phys. Act.		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2561	226,434	772	28.0	25.6-30.4	627	23.6	21.4-25.8	830	38.2	35.5-40.9	332	10.2	08.8-11.6
Native	77	11,000				16	14.2	06.0-22.4						
Non-Native	2467	214,335	749	28.4	26.0-30.8	608	24.0	21.8-26.2	793	37.7	35.0-40.4	317	9.9	08.5-11.3
18-24	71	34,991				11	13.2	05.2-21.2				4	5.3	00.0-10.8
25-34	242	36,459	55	23.5	17.8-29.2	64	26.2	20.5-31.9	112	46.2	39.5-52.9	11	4.2	01.7-06.7
35-44	348	34,395	90	25.0	20.3-29.7	105	29.2	24.3-34.1	127	38.1	32.6-43.6	26	7.7	04.8-10.6
45-54	538	43,105	151	27.1	23.2-31.0	150	28.6	24.5-32.7	194	36.8	32.5-41.1	43	7.5	05.1-09.9
55-64	492	29,318	151	29.5	25.2-33.8	124	25.4	21.3-29.5	166	35.6	31.1-40.1	51	9.6	06.9-12.3
65+	838	46,328	302	36.8	33.3-40.3	166	19.3	16.4-22.2	181	21.2	18.3-24.1	189	22.7	19.6-25.8
Less Than H.S.	181	17,279				26	14.7	04.7-24.7				48	18.4	11.5-25.3
H.S. or G.E.D.	722	57,782	243	29.9	25.6-34.2	164	21.3	17.8-24.8	198	35.2	29.5-40.9	117	13.6	10.5-16.7
Some Post-H.S.	840	76,662	253	28.1	24.0-32.2	210	24.2	20.5-27.9	280	38.2	33.5-42.9	97	9.6	07.1-12.1
College Graduate	816	74,601	215	26.8	22.7-30.9	227	26.8	23.3-30.3	304	40.0	35.7-44.3	70	6.4	04.8-08.0
Less than \$15,000	191	16,189				35	14.7	08.2-21.2				49	16.8	10.7-22.9
\$15,000- 24,999	414	28,615	147	30.3	25.0-35.6	80	17.4	13.1-21.7	120	38.3	31.2-45.4	67	14.0	10.3-17.7
\$25,000- 34,999	319	25,050	98	26.0	20.3-31.7	83	26.4	19.7-33.1	91	36.2	28.2-44.2	47	11.4	07.5-15.3
\$35,000- 49,999	373	35,915	120	32.9	25.8-40.0	86	21.7	16.2-27.2	127	37.4	30.3-44.5	40	8.0	05.3-10.7
\$50,000- 74,999	406	36,725	110	27.7	22.6-32.8	128	30.1	25.2-35.0	142	36.3	30.8-41.8	26	5.9	03.5-08.3
\$75,000+	471	47,295	115	22.9	18.2-27.6	132	26.3	21.8-30.8	190	44.5	38.4-50.6	34	6.3	03.9-08.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 37: ADULTS THAT PARTICIPATED IN 150 MINUTES OF PHYSICAL ACTIVITY PER WEEK. (_PA150RC)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		≥ 150 mins physical activity			>0, but < 150 mins of physical activity			No Minutes of Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4352	456,177	2645	66.2	64.2-68.2	1149	23.4	21.8-25.0	558	10.4	09.2-11.6
Male	1748	227,202	1145	70.3	67.6-73.0	377	19.0	16.6-21.4	226	10.7	08.9-12.5
Female	2604	228,975	1500	62.2	59.7-64.7	772	27.7	25.3-30.1	332	10.1	08.7-11.5
Native	123	22,379							21	15.6	06.8-24.4
Non-Native	4179	429,032	2536	66.3	64.5-68.1	1113	23.5	21.9-25.1	530	10.1	09.1-11.1
18-24	137	72,336	109	79.4	72.1-86.7	23	17.5	10.6-24.4	5	3.1	00.2-06.0
25-34	414	78,098	317	76.1	71.4-80.8	75	17.6	13.7-21.5	22	6.3	03.2-09.4
35-44	601	70,099	415	69.0	65.1-72.9	138	22.6	19.1-26.1	48	8.4	05.9-10.9
45-54	961	85,126	626	65.8	62.7-68.9	235	23.5	20.8-26.2	100	10.7	08.5-12.9
55-64	905	64,394	547	61.3	58.0-64.6	253	26.8	23.7-29.9	105	11.9	09.5-14.3
65+	1295	83,789	608	47.6	44.7-50.5	417	31.9	29.2-34.6	270	20.5	18.1-22.9
Less Than H.S.	307	35,017	143	61.9	53.7-70.1	85	19.5	13.2-25.8	79	18.6	13.3-23.9
H.S. or G.E.D.	1264	126,533	707	62.5	58.8-66.2	359	24.8	21.5-28.1	198	12.6	10.4-14.8
Some Post-H.S.	1375	146,297	844	65.9	62.6-69.2	375	23.9	21.0-26.8	156	10.2	08.0-12.4
College Graduate	1404	148,220	951	70.7	67.8-73.6	328	22.5	19.8-25.2	125	6.9	05.5-08.3
Less than \$15,000	290	27,344	134	53.1	44.3-61.9	88	29.3	20.9-37.7	68	17.6	12.1-23.1
\$15,000- 24,999	617	52,759	317	59.4	54.1-64.7	191	26.4	21.9-30.9	109	14.3	11.4-17.2
\$25,000- 34,999	496	46,387	280	65.8	60.3-71.3	140	22.5	18.2-26.8	76	11.6	08.5-14.7
\$35,000- 49,999	655	70,683	414	65.1	60.2-70.0	175	24.8	20.3-29.3	66	10.1	06.8-13.4
\$50,000- 74,999	745	80,400	506	70.6	66.9-74.3	181	22.6	19.1-26.1	58	6.7	04.9-08.5
\$75,000+	986	113,477	692	72.6	69.3-75.9	214	19.9	17.0-22.8	80	7.5	05.7-09.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 38: ADULTS THAT PARTICIPATED IN 150 MINUTES OF PHYSICAL ACTIVITY PER WEEK. (_PA150RC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		≥ 150 mins physical activity			>0, but < 150 mins of physical activity			No Minutes of Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1748	227,202	1145	70.3	67.6-73.0	377	19.0	16.6-21.4	226	10.7	08.9-12.5
Non-Native	1673	212,375	1096	70.7	68.0-73.4	364	18.9	16.7-21.1	213	10.5	08.7-12.3
18-24	66	37,345	58	88.2	79.6-96.8	7	10.8	02.4-19.2	1	1.0	00.0-03.0
25-34	170	41,384	139	79.3	72.0-86.6	20	12.5	07.0-18.0	11	8.1	02.8-13.4
35-44	252	35,609	182	70.6	64.5-76.7	48	20.4	14.9-25.9	22	9.1	05.2-13.0
45-54	420	41,827	279	66.1	61.2-71.0	84	19.8	15.7-23.9	57	14.1	10.4-17.8
55-64	398	34,141	242	60.5	55.4-65.6	102	25.3	20.8-29.8	54	14.2	10.5-17.9
65+	436	36,431	240	55.2	50.3-60.1	115	26.5	22.2-30.8	81	18.4	14.5-22.3
Less Than H.S.	123	17,533				26	12.9	07.0-18.8	31	19.1	10.9-27.3
H.S. or G.E.D.	524	67,809	327	67.2	61.7-72.7	116	20.9	16.0-25.8	81	12.0	09.1-14.9
Some Post-H.S.	518	68,557	337	69.4	64.3-74.5	122	19.6	15.5-23.7	59	11.0	07.5-14.5
College Graduate	583	73,304	415	74.5	70.6-78.4	113	18.2	14.7-21.7	55	7.3	05.1-09.5
\$15,000- 24,999	195	23,812	109	63.1	54.3-71.9	44	22.0	14.4-29.6	42	14.9	09.8-20.0
\$25,000- 34,999	173	21,139	102	69.3	60.7-77.9	42	18.7	12.0-25.4	29	12.0	07.1-16.9
\$35,000- 49,999	276	34,458	195	71.2	64.3-78.1	55	16.6	11.9-21.3	26	12.3	06.4-18.2
\$50,000- 74,999	335	43,283	232	74.0	68.9-79.1	71	18.5	14.0-23.0	32	7.5	04.8-10.2
\$75,000+	512	65,925	367	73.9	69.6-78.2	99	17.8	14.1-21.5	46	8.4	05.7-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 39: ADULTS THAT PARTICIPATED IN 150 MINUTES OF PHYSICAL ACTIVITY PER WEEK. (_PA150RC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		≥ 150 mins physical activity			>0, but < 150 mins of physical activity			No Minutes of Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2604	228,975	1500	62.2	59.7-64.7	772	27.7	25.3-30.1	332	10.1	08.7-11.5
Non-Native	2506	216,658	1440	62.1	59.6-64.6	749	28.1	25.7-30.5	317	9.8	08.6-11.0
18-24	71	34,991							4	5.3	00.0-10.8
25-34	244	36,714	178	72.5	66.6-78.4	55	23.3	17.6-29.0	11	4.2	01.8-06.6
35-44	349	34,490	233	67.3	62.2-72.4	90	25.0	20.3-29.7	26	7.7	04.8-10.6
45-54	541	43,299	347	65.6	61.5-69.7	151	27.0	23.1-30.9	43	7.5	05.1-09.9
55-64	507	30,253	305	62.2	57.7-66.7	151	28.6	24.5-32.7	51	9.3	06.6-12.0
65+	859	47,358	368	41.8	38.3-45.3	302	36.0	32.5-39.5	189	22.2	19.3-25.1
Less Than H.S.	184	17,484							48	18.2	11.3-25.1
H.S. or G.E.D.	740	58,724	380	57.2	52.3-62.1	243	29.4	25.1-33.7	117	13.3	10.4-16.2
Some Post-H.S.	857	77,741	507	62.9	58.6-67.2	253	27.7	23.6-31.8	97	9.4	06.9-11.9
College Graduate	821	74,916	536	66.9	62.8-71.0	215	26.7	22.6-30.8	70	6.4	04.8-08.0
Less than \$15,000	194	16,332							49	16.6	10.7-22.5
\$15,000- 24,999	422	28,946	208	56.2	50.1-62.3	147	30.0	24.9-35.1	67	13.8	10.1-17.5
\$25,000- 34,999	323	25,247	178	62.9	56.2-69.6	98	25.8	20.3-31.3	47	11.4	07.5-15.3
\$35,000- 49,999	379	36,225	219	59.4	52.3-66.5	120	32.7	25.6-39.8	40	8.0	05.3-10.7
\$50,000- 74,999	410	37,117	274	66.8	61.5-72.1	110	27.4	22.3-32.5	26	5.8	03.4-08.2
\$75,000+	474	47,551	325	70.9	65.8-76.0	115	22.8	18.1-27.5	34	6.3	04.1-08.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

**TABLE 40: ADULTS THAT PARTICIPATED IN 300 MINUTES OF PHYSICAL ACTIVITY PER WEEK. (_PA300RC)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		≥ 301 mins physical activity			>0, but < 301 mins of physical activity			No Minutes of Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4316	453,402	1622	44.4	42.2-46.6	2136	45.1	43.1-47.1	558	10.5	09.3-11.7
Male	1730	225,372	767	50.3	47.2-53.4	737	38.8	35.9-41.7	226	10.8	09.0-12.6
Female	2586	228,029	855	38.6	35.9-41.3	1399	51.2	48.5-53.9	332	10.1	08.7-11.5
Native	123	22,379							21	15.6	06.8-24.4
Non-Native	4143	426,257	1541	44.1	41.9-46.3	2072	45.7	43.5-47.9	530	10.2	09.2-11.2
18-24	137	72,336	86	64.8	56.2-73.4	46	32.1	23.7-40.5	5	3.1	00.2-06.0
25-34	413	77,870	223	54.7	49.4-60.0	168	39.1	34.0-44.2	22	6.3	03.2-09.4
35-44	600	69,959	264	44.8	40.5-49.1	288	46.7	42.4-51.0	48	8.4	05.9-10.9
45-54	956	84,627	383	40.3	37.0-43.6	473	48.9	45.6-52.2	100	10.8	08.6-13.0
55-64	895	63,819	311	36.0	32.7-39.3	479	52.0	48.5-55.5	105	12.0	09.6-14.4
65+	1277	82,488	343	27.7	25.0-30.4	664	51.4	48.5-54.3	270	20.8	18.4-23.2
Less Than H.S.	306	34,974	97	46.4	36.6-56.2	130	34.9	26.3-43.5	79	18.7	13.2-24.2
H.S. or G.E.D.	1248	125,118	421	42.3	38.0-46.6	629	44.9	41.0-48.8	198	12.8	10.6-15.0
Some Post-H.S.	1364	145,580	525	44.2	40.5-47.9	683	45.6	41.9-49.3	156	10.2	08.0-12.4
College Graduate	1396	147,620	579	46.1	42.8-49.4	692	47.0	43.9-50.1	125	6.9	05.5-08.3
Less than \$15,000	290	27,344	78	35.1	25.9-44.3	144	47.3	38.3-56.3	68	17.6	12.1-23.1
\$15,000- 24,999	613	52,491	199	42.6	36.7-48.5	305	43.0	37.5-48.5	109	14.4	11.3-17.5
\$25,000- 34,999	493	46,221	164	44.0	36.9-51.1	253	44.3	38.0-50.6	76	11.7	08.6-14.8
\$35,000- 49,999	648	70,217	262	43.8	38.7-48.9	320	46.1	41.0-51.2	66	10.1	06.8-13.4
\$50,000- 74,999	741	79,962	308	46.6	42.1-51.1	375	46.6	42.3-50.9	58	6.8	05.0-08.6
\$75,000+	981	112,911	435	47.6	43.7-51.5	466	44.9	41.0-48.8	80	7.6	05.8-09.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 41: ADULTS THAT PARTICIPATED IN 300 MINUTES OF PHYSICAL ACTIVITY PER WEEK. (_PA300RC)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		≥ 301 mins physical activity			>0, but < 301 mins of physical activity			No Minutes of Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1730	225,372	767	50.3	47.2-53.4	737	38.8	35.9-41.7	226	10.8	09.0-12.6
Non-Native	1655	210,545	727	50.3	47.2-53.4	715	39.2	36.3-42.1	213	10.6	08.8-12.4
18-24	66	37,345							1	1.0	00.0-03.0
25-34	169	41,156	109	61.9	53.7-70.1	49	29.9	22.5-37.3	11	8.2	02.9-13.5
35-44	251	35,469	136	51.3	44.8-57.8	93	39.7	33.2-46.2	22	9.1	05.2-13.0
45-54	416	41,387	187	43.7	38.6-48.8	172	42.0	36.9-47.1	57	14.3	10.6-18.0
55-64	396	34,049	138	35.5	30.6-40.4	204	50.3	45.0-55.6	54	14.2	10.5-17.9
65+	426	35,502	149	34.9	30.0-39.8	196	46.3	41.2-51.4	81	18.8	14.9-22.7
Less Than H.S.	123	17,533							31	19.1	10.9-27.3
H.S. or G.E.D.	516	66,842	213	48.1	41.8-54.4	222	39.8	33.9-45.7	81	12.2	09.3-15.1
Some Post-H.S.	512	68,043	233	50.2	44.3-56.1	220	38.7	33.2-44.2	59	11.1	07.4-14.8
College Graduate	579	72,955	274	52.3	47.4-57.2	250	40.4	35.7-45.1	55	7.4	05.2-09.6
\$15,000- 24,999	193	23,619	73	47.2	37.2-57.2	78	37.8	28.4-47.2	42	15.0	09.9-20.1
\$25,000- 34,999	173	21,139				72	34.8	25.0-44.6	29	12.0	07.1-16.9
\$35,000- 49,999	272	34,152	132	50.4	43.0-57.8	114	37.3	30.2-44.4	26	12.4	06.3-18.5
\$50,000- 74,999	332	42,909	163	55.0	48.5-61.5	137	37.4	31.3-43.5	32	7.6	04.9-10.3
\$75,000+	508	65,425	243	49.6	44.3-54.9	219	41.9	36.6-47.2	46	8.5	05.8-11.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 19: PHYSICAL ACTIVITY**

TABLE 42: ADULTS THAT PARTICIPATED IN 300 MINUTES OF PHYSICAL ACTIVITY PER WEEK. (_PA300RC)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		≥ 301 mins physical activity			>0, but < 301 mins of physical activity			No Minutes of Physical Activity		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2586	228,029	855	38.6	35.9-41.3	1399	51.2	48.5-53.9	332	10.1	08.7-11.5
Non-Native	2488	215,712	814	38.0	35.3-40.7	1357	52.1	49.4-54.8	317	9.8	08.6-11.0
18-24	71	34,991							4	5.3	00.0-10.8
25-34	244	36,714	114	46.5	39.8-53.2	119	49.3	42.6-56.0	11	4.2	01.8-06.6
35-44	349	34,490	128	38.2	32.7-43.7	195	54.0	48.5-59.5	26	7.7	04.8-10.6
45-54	540	43,240	196	37.0	32.7-41.3	301	55.6	51.1-60.1	43	7.5	05.1-09.9
55-64	499	29,770	173	36.6	32.1-41.1	275	54.0	49.3-58.7	51	9.4	06.7-12.1
65+	851	46,986	194	22.3	19.4-25.2	468	55.3	51.8-58.8	189	22.3	19.4-25.2
Less Than H.S.	183	17,441							48	18.2	11.3-25.1
H.S. or G.E.D.	732	58,276	208	35.8	30.3-41.3	407	50.8	45.5-56.1	117	13.5	10.4-16.6
Some Post-H.S.	852	77,538	292	38.9	34.2-43.6	463	51.7	47.0-56.4	97	9.5	07.0-12.0
College Graduate	817	74,665	305	40.0	35.7-44.3	442	53.6	49.3-57.9	70	6.4	04.8-08.0
Less than \$15,000	194	16,332							49	16.6	10.7-22.5
\$15,000- 24,999	420	28,872	126	38.9	32.0-45.8	227	47.3	41.0-53.6	67	13.8	10.1-17.5
\$25,000- 34,999	320	25,082	92	36.3	28.3-44.3	181	52.3	44.7-59.9	47	11.4	07.5-15.3
\$35,000- 49,999	376	36,064	130	37.6	30.5-44.7	206	54.4	47.3-61.5	40	8.0	05.3-10.7
\$50,000- 74,999	409	37,053	145	36.9	31.4-42.4	238	57.3	51.8-62.8	26	5.8	03.4-08.2
\$75,000+	473	47,487	192	44.7	38.6-50.8	247	49.0	43.1-54.9	34	6.3	03.9-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009

SECTION 20: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	194
2	MALES ONLY	195
3	FEMALES ONLY	196

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009**

SECTION 20: HIV/AIDS

TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3045	375,275	778	27.7	25.5-29.9	2267	72.3	70.1-74.5
Male	1316	193,393	326	25.5	22.4-28.6	990	74.5	71.4-77.6
Female	1729	181,882	452	30.0	27.1-32.9	1277	70.0	67.1-72.9
Non-Native	2908	350,210	709	25.7	23.5-27.9	2199	74.3	72.1-76.5
18-24	142	76,035	28	20.0	12.7-27.3	114	80.0	72.7-87.3
25-34	416	78,248	191	45.3	40.0-50.6	225	54.7	49.4-60.0
35-44	598	69,917	234	38.7	34.6-42.8	364	61.3	57.2-65.4
45-54	957	84,788	202	20.3	17.6-23.0	755	79.7	77.0-82.4
55-64	932	66,287	123	13.5	11.1-15.9	809	86.5	84.1-88.9
H.S. or G.E.D.	751	94,891	173	26.2	21.7-30.7	578	73.8	69.3-78.3
Some Post-H.S.	1048	125,853	275	27.7	24.2-31.2	773	72.3	68.8-75.8
College Graduate	1137	131,050	295	26.9	23.8-30.0	842	73.1	70.0-76.2
\$15,000- 24,999	287	31,984	87	36.0	28.0-44.0	200	64.0	56.0-72.0
\$25,000- 34,999	295	33,870	96	37.9	29.5-46.3	199	62.1	53.7-70.5
\$35,000- 49,999	482	58,795	107	22.8	18.1-27.5	375	77.2	72.5-81.9
\$50,000- 74,999	626	71,768	143	24.1	20.2-28.0	483	75.9	72.0-79.8
\$75,000+	882	105,613	219	25.3	22.0-28.6	663	74.7	71.4-78.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1316	193,393	326	25.5	22.4-28.6	990	74.5	71.4-77.6
Non-Native	1260	179,969	298	23.2	20.3-26.1	962	76.8	73.9-79.7
18-24	69	39,933	10	15.4	05.6-25.2	59	84.6	74.8-94.4
25-34	170	41,498	53	34.7	26.7-42.7	117	65.3	57.3-73.3
35-44	252	35,855	97	39.1	32.6-45.6	155	60.9	54.4-67.4
45-54	420	41,509	96	20.9	16.8-25.0	324	79.1	75.0-83.2
55-64	405	34,598	70	17.5	13.6-21.4	335	82.5	78.6-86.4
H.S. or G.E.D.	376	56,628	90	25.3	19.2-31.4	286	74.7	68.6-80.8
Some Post-H.S.	428	61,529	111	24.7	19.6-29.8	317	75.3	70.2-80.4
College Graduate	468	63,857	110	23.3	18.8-27.8	358	76.7	72.2-81.2
\$35,000- 49,999	203	28,232	36	18.4	11.9-24.9	167	81.6	75.1-88.1
\$50,000- 74,999	274	37,882	66	22.3	16.6-28.0	208	77.7	72.0-83.4
\$75,000+	449	60,563	107	23.3	18.8-27.8	342	76.7	72.2-81.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009
SECTION 20: HIV/AIDS**

TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1729	181,882	452	30.0	27.1-32.9	1277	70.0	67.1-72.9
Non-Native	1648	170,241	411	28.3	25.4-31.2	1237	71.7	68.8-74.6
25-34	246	36,750	138	57.2	50.7-63.7	108	42.8	36.3-49.3
35-44	346	34,062	137	38.2	32.7-43.7	209	61.8	56.3-67.3
45-54	537	43,279	106	19.7	16.0-23.4	431	80.3	76.6-84.0
55-64	527	31,688	53	9.1	06.4-11.8	474	90.9	88.2-93.6
H.S. or G.E.D.	375	38,263	83	27.5	21.0-34.0	292	72.5	66.0-79.0
Some Post-H.S.	620	64,324	164	30.7	25.8-35.6	456	69.3	64.4-74.2
College Graduate	669	67,194	185	30.3	26.0-34.6	484	69.7	65.4-74.0
\$35,000- 49,999	279	30,563	71	26.9	20.2-33.6	208	73.1	66.4-79.8
\$50,000- 74,999	352	33,886	77	26.0	20.7-31.3	275	74.0	68.7-79.3
\$75,000+	433	45,050	112	28.0	22.7-33.3	321	72.0	66.7-77.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2009**

End of Calculated Variable Data Report