

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 1: Salt Intake**

Table 1: Now I would like to ask you some questions about salt intake.

Are you currently watching or reducing your salt intake?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Yes | 53.8 | 51.9-55.7 |
| No | 46.2 | 44.3-48.1 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 1: Salt Intake**

**Table 2: How long have you been watching or reducing your salt intake? Would you say:
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| < 6 month | 7.1 | 5.6-8.6 |
| 6 - 12 months | 10.4 | 8.6-12.2 |
| 1 - 5 years | 30.7 | 28.4-33.0 |
| 5 - 10 years | 18.4 | 16.5-20.3 |
| 10+ years | 33.4 | 31.1-35.7 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 1: Salt Intake**

**Table 3: Has a doctor or other health professional ever advised you to reduce salt intake?
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with do not know/refused/missing responses.**

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Yes | 22.6 | 21.1-24.2 |
| No | 77.4 | 75.8-78.9 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012**

State Added 2: Cognitive Impairment

Table 1: During the past 12 months, have you experienced confusion or memory loss that is happening more often or is getting worse?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Yes | 8.6 | 7.6-9.7 |
| No | 91.4 | 90.3-92.4 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 2: Cognitive Impairment**

Table 2: How many adults 18 or older in your household experienced confusion or memory loss that is happening more often or is getting worse during the past 12 months?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| None | 91.8 | 90.6-93.0 |
| 1 – 2 | 7.9 | 6.7-9.1 |
| 3 – 4 | 0.3 | 0.0-0.5 |
| 5 – 6 | 0.0 | |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012**

State Added 2: Cognitive Impairment

**Table 3: Of these people, please select the person who had the most recent birthday.
How old is this person?**

Denominator: Percentage among all respondents having more than one household member with cognitive impairment.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| 18 – 39 | 4.9 | 0.5-9.3 |
| 40 – 59 | 21.7 | 13.1-30.2 |
| 60 – 79 | 40.7 | 30.7-50.7 |
| 80+ | 32.7 | 23.0-42.4 |

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2012
 State Added 2: Cognitive Impairment**

**Table 4: During the past 12 months, how often {have you/ has this person} given up household activities or chores you/ they used to do, because of confusion or memory loss that is happening more often or is getting worse?
 Denominator: Percentage among all respondents a household member with cognitive impairment.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Always | 6.6 | 3.8-9.4 |
| Usually | 4.6 | 2.4-6.8 |
| Sometimes | 16.6 | 12.6-20.7 |
| Rarely | 17.4 | 13.3-21.4 |
| Never | 54.8 | 49.5-60.1 |

North Dakota State Added Questions Data Report, 2012

State Added 2: Cognitive Impairment

Table 5: As a result of {your/ this person's} confusion or memory loss, in which of the following four areas do you/ does this person need the MOST assistance?

Denominator: Percentage among all respondents a household member with cognitive impairment.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Safety | 8.3 | 501-11.5 |
| Transportation | 14.5 | 10.8-18.3 |
| Household Activities | 19.6 | 15.4-23.9 |
| Personal Care | 9.4 | 6.1-12.8 |
| Other areas not listed | 3.5 | 1.8-5.2 |
| Doesn't Need Assistance | 44.7 | 39.3-50.0 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 2: Cognitive Impairment**

Table 6: During the past 12 months, how often has confusion or memory loss interfered with {your/ this person’s} ability to work, volunteer, or engage in social activities?

Denominator: Percentage among all respondents a household member with cognitive impairment.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Always | 10.9 | 7.5-14.4 |
| Usually | 3.1 | 1.2-5.0 |
| Sometimes | 16.9 | 12.8-20.9 |
| Rarely | 20.7 | 16.4-25.0 |
| Never | 48.4 | 43.0-53.7 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 2: Cognitive Impairment**

Table 7: During the past 30 days, how often {has/ have you a family member or friend} provided any care or assistance for {you/ this person} because of confusion or memory loss?

Denominator: Percentage among all respondents a household member with cognitive impairment.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Always | 8.4 | 5.3-11.5 |
| Usually | 3.3 | 1.6-4.9 |
| Sometimes | 12.1 | 8.3-15.8 |
| Rarely | 12.4 | 8.8-15.9 |
| Never | 63.9 | 58.7-69.1 |

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2012
 State Added 2: Cognitive Impairment**

**Table 8: Has anyone discussed with a health care professional, increases in {your/ this person's} confusion or memory loss?
 Denominator: Percentage among all respondents a household member with cognitive impairment.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Yes | 26.6 | 21.9-31.4 |
| No | 73.4 | 68.6-78.1 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 2: Cognitive Impairment**

Table 9: {Have you/ Has this person} received treatment such as therapy or medications for confusion or memory loss?

Denominator: Percentage among all respondents a household member with cognitive impairment.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Yes | 49.4 | 38.8-60.1 |
| No | 50.6 | 39.9-61.2 |

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2012
 State Added 2: Cognitive Impairment**

**Table 10: Has a health care professional ever said that {you have/this person has} Alzheimer’s disease or some other form of dementia?
 Denominator: Percentage among all respondents a household member with cognitive impairment.
 Denominator excludes: Respondents with do not know/refused/missing responses.**

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Yes, Alzheimer’s Disease | 7.1 | 1.6-12.6 |
| Yes, some other Dementia | 22.8 | 13.6-32.0 |
| No Diagnosis given yet | 70.1 | 60.2-80.0 |

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2012
 State Added 3: Secondhand Smoke Policy**

Table 1: Which statement best describes the rules about smoking inside your home? Would you say?

Denominator: Percentage among all respondents who are former smokers.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|---|----------|-----------------|
| No smoking allowed inside your home | 83.9 | 82.5-85.3 |
| Smoking allowed in some areas or some times | 6.1 | 5.1-7.0 |
| Smoking allowed anywhere inside your home | 0.6 | 0.3-0.9 |
| There are no rules about smoking in your home | 9.4 | 8.3-10.5 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012**

State Added 4: Anxiety

Table 1: Has a doctor or other healthcare provider EVER told you that you have an anxiety disorder, including acute stress disorder, anxiety, generalized anxiety disorder, obsessive-compulsive disorder, panic disorder, phobia, posttraumatic stress disorder, or social anxiety disorder?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Yes | 9.6 | 8.5-10.7 |
| No | 90.4 | 89.3-91.5 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 5: Sexual/Intimate Partner Violence**

**Table 1: Please tell me whether you agree or disagree with the following statements:
Media images that portray women as sexy contribute to sexual violence.
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with refused/missing responses.**

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Agree | 50.8 | 48.9-52.8 |
| Disagree | 42.5 | 40.6-44.5 |
| Don't Know | 6.6 | 5.7-7.6 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 5: Sexual/Intimate Partner Violence**

**Table 2: Please tell me whether you agree or disagree with the following statements:
Women who dress and act in a sexy way provoke rape by their appearance or behavior.**

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Agree | 35.6 | 33.7-37.5 |
| Disagree | 59.7 | 57.8-61.6 |
| Don't Know | 4.7 | 3.8-5.5 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 5: Sexual/Intimate Partner Violence**

**Table 3: Please tell me whether you agree or disagree with the following statements:
If a woman is raped when she is drunk, she is at least somewhat responsible for letting things get out of control.
Denominator: Percentage among all respondents.
Denominator excludes: Respondents with refused/missing responses.**

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Agree | 31.4 | 29.7-33.2 |
| Disagree | 65.2 | 63.4-67.0 |
| Don't Know | 3.4 | 2.7-4.0 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 5: Sexual/Intimate Partner Violence**

Table 4: Please tell me whether you agree or disagree with the following statements:

Sexual Violence occurs in your community.

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Agree | 65.2 | 63.3-67.0 |
| Disagree | 25.9 | 24.1-27.7 |
| Don't Know | 8.9 | 7.9-10.0 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 5: Sexual/Intimate Partner Violence**

Table 5: Please tell me whether you agree or disagree with the following statements:

It is possible to prevent sexual violence.

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Agree | 63.6 | 61.7-65.4 |
| Disagree | 26.7 | 25.0-28.4 |
| Don't Know | 9.8 | 8.7-10.7 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 5: Sexual/Intimate Partner Violence**

Table 6: Please tell me whether you agree or disagree with the following statements:

It is okay for a man to have sexual intercourse with a woman against her will or without her consent if they are married.

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Agree | 3.3 | 2.6-3.9 |
| Disagree | 95.9 | 95.2-96.6 |
| Don't Know | 0.8 | 0.5-1.1 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 5: Sexual/Intimate Partner Violence**

Table 7: Please tell me whether you agree or disagree with the following statements:

If a woman claims she was raped, the amount of resistance she put up should be a factor in determining whether a rape has occurred.

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Agree | 31.2 | 29.4-33.1 |
| Disagree | 63.1 | 61.2-65.0 |
| Don't Know | 5.6 | 4.8-6.5 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2012
State Added 6: Health Care Coverage**

Table 1: What is the name of the health plan you use to pay for most of your medical care?

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|--------------------------------------|----------|-----------------|
| Medicare | 24.2 | 22.6-25.8 |
| Medicaid or Medical Assist | 2.6 | 1.9-3.4 |
| Military, Tricare or CHAMP | 2.8 | 2.1-3.4 |
| Indian Health Services | 1.8 | 0.9-2.7 |
| Blue Cross Blue Shield or ND-PERS | 54.5 | 52.5-56.5 |
| Fortis Insurance | 0.4 | 0.2-0.7 |
| American Family Mutual | 0.1 | 0.0-0.2 |
| Medica Health Plans | 0.4 | 0.1-0.6 |
| Medica Health Plans | 1.9 | 1.4-2.4 |
| Heart of America (HMO) | 0.2 | 0.1-0.4 |
| Altru Health Plan | 0.0 | 0.0-0.0 |
| Other | 10.9 | 9.6-12.2 |
| None | 0.2 | 0.1-0.4 |

**Behavioral Risk Factor Surveillance System
 North Dakota State Added Questions Data Report, 2011
 State Added 7: Indian Health**

Table 1: Do you live on a reservation or Indian Service Area?

Denominator: Percentage identifying their race as American Indian or Alaskan Native.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Yes, Reservation | 55.2 | 42.6-67.7 |
| Yes, Indian Service Area | 16.2 | 7.0-25.4 |
| No, Neither | 28.6 | 18.4-38.9 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2011
State Added 7: Indian Health**

Table 2: Are you currently an enrolled tribal member?

Denominator: Percentage identifying their race as American Indian or Alaskan Native.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Yes | 93.4 | 89.0-97.7 |
| No | 6.6 | 2.3-11.0 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2011
State Added 7: Indian Health**

Table 3: Which tribe?

**Denominator: Percentage among all respondents who are enrolled tribal members.
Denominator excludes: Respondents with do not know/refused/missing responses.**

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Mandan | 0.8 | 0.0-2.0 |
| Arikara | 0.0 | |
| Hidatsa | 1.3 | 0.0-3.8 |
| Three Affiliated Tribes | 8.9 | 2.2-15.7 |
| Spirit Lake Sioux | 0.6 | 0.0-1.8 |
| Standing Rock Sioux | 13.5 | 4.6-22.3 |
| Other Sioux | 2.1 | 0.0-5.2 |
| Chippewa | 52.2 | 38.2-66.1 |
| Other | 20.7 | 6.6-34.7 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2011
State Added 7: Indian Health**

**Table 4: How much of your health care do you obtain from an Indian Health Service clinic? Would you say?
Denominator: Percentage among all respondents who are enrolled tribal members.
Denominator excludes: Respondents with do not know/refused/missing responses.**

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| All | 36.8 | 23.8-49.8 |
| Most | 21.4 | 7.9-34.9 |
| Some | 11.5 | 3.8-19.3 |
| Little | 13.2 | 5.4-21.0 |
| None | 17.1 | 8.2-26.0 |

**Behavioral Risk Factor Surveillance System
North Dakota State Added Questions Data Report, 2011
State Added 8: Sexual Orientation**

Table 1: Now I'll read a list of terms people sometimes use to describe themselves – heterosexual or straight; homosexual or gay/lesbian and bisexual. As I read the list again, please stop me when I get to the term that best describes how you think of yourself.

Denominator: Percentage among all respondents.

Denominator excludes: Respondents with do not know/refused/missing responses.

| Response Categories | % | CI (95%) |
|----------------------------|----------|-----------------|
| Heterosexual | 98.4 | 97.9-99.0 |
| Homosexual | 0.5 | 0.2-0.7 |
| Bisexual | 1.1 | 0.6-1.6 |