

NORTH DAKOTA

2015 Calculated Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2016



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4954	588,610	4192	86.1	84.9-87.3	762	13.9	12.7-15.1
Male	2237	301,029	1895	87.0	85.2-88.8	342	13.0	11.2-14.8
Female	2717	287,582	2297	85.2	83.4-87.0	420	14.8	13.0-16.6
Native	173	24,005	120	73.1	64.5-81.7	53	26.9	18.3-35.5
Non-Native	4727	556,723	4025	86.6	85.4-87.8	702	13.4	12.2-14.6
18-24	270	92,112	246	91.0	87.3-94.7	24	9.0	5.3-12.7
25-34	509	108,564	478	93.1	90.6-95.6	31	6.9	4.4- 9.4
35-44	515	87,988	466	88.9	85.6-92.2	49	11.1	7.8-14.4
45-54	698	87,030	619	86.9	83.6-90.2	79	13.1	9.8-16.4
55-64	1134	95,458	950	82.6	79.9-85.3	184	17.4	14.7-20.1
65+	1782	112,680	1395	75.6	73.1-78.1	387	24.4	21.9-26.9
Less Than H.S.	298	51,952	192	69.8	63.1-76.5	106	30.2	23.5-36.9
H.S. or G.E.D.	1451	158,048	1159	81.1	78.4-83.8	292	18.9	16.2-21.6
Some Post-H.S.	1602	232,049	1375	89.2	87.4-91.0	227	10.8	9.0-12.6
College Graduate	1588	144,951	1455	92.5	90.9-94.1	133	7.5	5.9- 9.1
Less than \$15,000	265	33,872	164	66.6	59.2-74.0	101	33.4	26.0-40.8
\$15,000- 24,999	542	65,253	389	76.4	71.7-81.1	153	23.6	18.9-28.3
\$25,000- 34,999	427	50,179	337	83.1	78.4-87.8	90	16.9	12.2-21.6
\$35,000- 49,999	679	74,310	572	85.0	81.5-88.5	107	15.0	11.5-18.5
\$50,000- 74,999	769	90,518	687	90.6	88.2-93.0	82	9.4	7.0-11.8
\$75,000+	1556	188,698	1458	94.1	92.5-95.7	98	5.9	4.3- 7.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2237	301,029	1895	87.0	85.2-88.8	342	13.0	11.2-14.8
Native	76	11,439	54	79.4	69.0-89.8	22	20.6	10.2-31.0
Non-Native	2128	284,383	1811	87.2	85.4-89.0	317	12.8	11.0-14.6
18-24	151	49,930	138	92.2	87.7-96.7	13	7.8	3.3-12.3
25-34	290	58,601	275	94.7	92.0-97.4	15	5.3	2.6- 8.0
35-44	243	46,175	220	88.8	83.7-93.9	23	11.2	6.1-16.3
45-54	338	44,828	300	86.8	82.5-91.1	38	13.2	8.9-17.5
55-64	509	48,423	416	81.9	78.0-85.8	93	18.1	14.2-22.0
65+	690	51,067	533	76.4	72.7-80.1	157	23.6	19.9-27.3
Less Than H.S.	166	33,269	116	76.2	68.8-83.6	50	23.8	16.4-31.2
H.S. or G.E.D.	685	86,855	539	80.9	77.2-84.6	146	19.1	15.4-22.8
Some Post-H.S.	674	110,654	586	91.4	89.2-93.6	88	8.6	6.4-10.8
College Graduate	707	69,351	650	92.8	90.6-95.0	57	7.2	5.0- 9.4
Less than \$15,000	86	12,946	52	66.4	54.2-78.6	34	33.6	21.4-45.8
\$15,000- 24,999	208	31,718	151	78.7	72.0-85.4	57	21.3	14.6-28.0
\$25,000- 34,999	182	24,693	137	79.5	72.1-86.9	45	20.5	13.1-27.9
\$35,000- 49,999	311	39,714	259	86.1	81.6-90.6	52	13.9	9.4-18.4
\$50,000- 74,999	393	49,112	338	88.3	84.8-91.8	55	11.7	8.2-15.2
\$75,000+	819	106,092	763	93.5	91.3-95.7	56	6.5	4.3- 8.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 1: HEALTH STATUS**

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2717	287,582	2297	85.2	83.4-87.0	420	14.8	13.0-16.6
Native	97	12,567	66	67.3	54.4-80.2	31	32.7	19.8-45.6
Non-Native	2599	272,339	2214	86.0	84.2-87.8	385	14.0	12.2-15.8
18-24	119	42,182	108	89.5	83.2-95.8	11	10.5	4.2-16.8
25-34	219	49,963	203	91.2	86.7-95.7	16	8.8	4.3-13.3
35-44	272	41,813	246	88.9	84.4-93.4	26	11.1	6.6-15.6
45-54	360	42,202	319	87.0	82.3-91.7	41	13.0	8.3-17.7
55-64	625	47,034	534	83.2	79.5-86.9	91	16.8	13.1-20.5
65+	1092	61,612	862	74.9	71.6-78.2	230	25.1	21.8-28.4
Less Than H.S.	132	18,683	76	58.2	46.4-70.0	56	41.8	30.0-53.6
H.S. or G.E.D.	766	71,193	620	81.3	77.4-85.2	146	18.7	14.8-22.6
Some Post-H.S.	928	121,395	789	87.2	84.5-89.9	139	12.8	10.1-15.5
College Graduate	881	75,601	805	92.2	89.8-94.6	76	7.8	5.4-10.2
Less than \$15,000	179	20,926	112	66.7	57.1-76.3	67	33.3	23.7-42.9
\$15,000- 24,999	334	33,535	238	74.2	67.5-80.9	96	25.8	19.1-32.5
\$25,000- 34,999	245	25,486	200	86.6	80.9-92.3	45	13.4	7.7-19.1
\$35,000- 49,999	368	34,596	313	83.6	78.3-88.9	55	16.4	11.1-21.7
\$50,000- 74,999	376	41,406	349	93.3	90.2-96.4	27	6.7	3.6- 9.8
\$75,000+	737	82,606	695	94.7	92.7-96.7	42	5.3	3.3- 7.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 1: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3122	469,219	2891	90.3	88.7-91.9	231	9.7	8.1-11.3
Male	1527	246,755	1397	89.8	87.6-92.0	130	10.2	8.0-12.4
Female	1595	222,463	1494	90.9	88.7-93.1	101	9.1	6.9-11.3
Native	141	21,854	131	86.5	77.1-95.9	10	13.5	4.1-22.9
Non-Native	2953	442,097	2733	90.5	88.9-92.1	220	9.5	7.9-11.1
18-24	265	90,248	235	88.6	84.1-93.1	30	11.4	6.9-15.9
25-34	509	108,649	452	86.6	83.1-90.1	57	13.4	9.9-16.9
35-44	514	87,704	478	91.7	88.8-94.6	36	8.3	5.4-11.2
45-54	700	87,200	658	92.4	89.9-94.9	42	7.6	5.1-10.1
55-64	1134	95,418	1068	93.0	91.0-95.0	66	7.0	5.0- 9.0
Less Than H.S.	109	31,565	87	78.3	68.9-87.7	22	21.7	12.3-31.1
H.S. or G.E.D.	831	122,109	716	82.5	79.0-86.0	115	17.5	14.0-21.0
Some Post-H.S.	1066	192,207	1012	94.0	92.0-96.0	54	6.0	4.0- 8.0
College Graduate	1113	122,768	1073	95.4	93.6-97.2	40	4.6	2.8- 6.4
Less than \$15,000	133	25,077	111	87.7	81.6-93.8	22	12.3	6.2-18.4
\$15,000- 24,999	242	44,945	197	78.1	70.8-85.4	45	21.9	14.6-29.2
\$25,000- 34,999	217	37,404	184	80.7	73.8-87.6	33	19.3	12.4-26.2
\$35,000- 49,999	383	57,531	353	88.0	83.1-92.9	30	12.0	7.1-16.9
\$50,000- 74,999	531	75,442	509	95.3	93.1-97.5	22	4.7	2.5- 6.9
\$75,000+	1265	169,458	1224	96.3	94.9-97.7	41	3.7	2.3- 5.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1527	246,755	1397	89.8	87.6-92.0	130	10.2	8.0-12.4
Native	60	10,344	55	84.3	68.8-99.8	5	15.7	0.2-31.2
Non-Native	1447	232,925	1322	89.9	87.7-92.1	125	10.1	7.9-12.3
18-24	148	48,970	129	86.9	80.0-93.8	19	13.1	6.2-20.0
25-34	288	58,277	254	88.0	83.7-92.3	34	12.0	7.7-16.3
35-44	243	46,175	226	92.2	88.3-96.1	17	7.8	3.9-11.7
45-54	340	44,998	312	89.9	85.6-94.2	28	10.1	5.8-14.4
55-64	508	48,335	476	92.6	89.9-95.3	32	7.4	4.7-10.1
Less Than H.S.	78	22,713	62	79.1	68.5-89.7	16	20.9	10.3-31.5
H.S. or G.E.D.	457	71,080	393	83.4	78.9-87.9	64	16.6	12.1-21.1
Some Post-H.S.	509	95,639	479	94.1	91.4-96.8	30	5.9	3.2- 8.6
College Graduate	481	56,815	461	94.8	92.1-97.5	20	5.2	2.5- 7.9
Less than \$15,000	52	10,235	38	79.5	67.9-91.1	14	20.5	8.9-32.1
\$15,000- 24,999	113	23,024	88	76.5	65.9-87.1	25	23.5	12.9-34.1
\$25,000- 34,999	106	19,581	86	77.8	67.8-87.8	20	22.2	12.2-32.2
\$35,000- 49,999	184	30,964	165	86.7	79.4-94.0	19	13.3	6.0-20.6
\$50,000- 74,999	265	39,616	249	93.2	89.5-96.9	16	6.8	3.1-10.5
\$75,000+	653	94,123	633	96.9	95.3-98.5	20	3.1	1.5- 4.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 WHO HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU651)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1595	222,463	1494	90.9	88.7-93.1	101	9.1	6.9-11.3
Native	81	11,510	76	88.4	77.2-99.6	5	11.6	0.4-22.8
Non-Native	1506	209,172	1411	91.1	88.9-93.3	95	8.9	6.7-11.1
18-24	117	41,277	106	90.6	85.1-96.1	11	9.4	3.9-14.9
25-34	221	50,372	198	85.1	79.0-91.2	23	14.9	8.8-21.0
35-44	271	41,529	252	91.2	86.9-95.5	19	8.8	4.5-13.1
45-54	360	42,202	346	95.0	92.1-97.9	14	5.0	2.1- 7.9
55-64	626	47,083	592	93.5	90.8-96.2	34	6.5	3.8- 9.2
H.S. or G.E.D.	374	51,028	323	81.4	75.9-86.9	51	18.6	13.1-24.1
Some Post-H.S.	557	96,568	533	93.9	91.2-96.6	24	6.1	3.4- 8.8
College Graduate	632	65,953	612	95.9	93.7-98.1	20	4.1	1.9- 6.3
Less than \$15,000	81	14,842	73	93.3	86.8-99.8	8	6.7	0.2-13.2
\$15,000- 24,999	129	21,921	109	79.8	69.8-89.8	20	20.2	10.2-30.2
\$25,000- 34,999	111	17,823	98	83.9	74.7-93.1	13	16.1	6.9-25.3
\$35,000- 49,999	199	26,567	188	89.5	83.0-96.0	11	10.5	4.0-17.0
\$50,000- 74,999	266	35,825	260	97.6	95.2- 100	6	2.4	0.0- 4.8
\$75,000+	612	75,335	591	95.5	93.0-98.0	21	4.5	2.0- 7.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 4: HYPERTENSION AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)	
1	MALES AND FEMALES	11
2	MALES ONLY	12
3	FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 1. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4960	588,412	2976	69.6	68.0-71.2	1984	30.4	28.8-32.0
Male	2241	301,632	1348	69.0	66.6-71.4	893	31.0	28.6-33.4
Female	2719	286,781	1628	70.2	68.0-72.4	1091	29.8	27.6-32.0
Native	173	24,005	93	62.1	52.5-71.7	80	37.9	28.3-47.5
Non-Native	4733	556,572	2846	69.9	68.3-71.5	1887	30.1	28.5-31.7
18-24	270	92,112	255	95.1	92.4-97.8	15	4.9	2.2- 7.6
25-34	510	108,370	449	88.2	85.1-91.3	61	11.8	8.7-14.9
35-44	515	87,988	421	80.8	76.7-84.9	94	19.2	15.1-23.3
45-54	699	86,759	466	65.2	60.9-69.5	233	34.8	30.5-39.1
55-64	1137	95,672	650	55.8	52.5-59.1	487	44.2	40.9-47.5
65+	1786	113,000	718	38.4	35.7-41.1	1068	61.6	58.9-64.3
Less Than H.S.	299	51,419	129	54.8	47.4-62.2	170	45.2	37.8-52.6
H.S. or G.E.D.	1454	158,102	814	66.9	64.0-69.8	640	33.1	30.2-36.0
Some Post-H.S.	1605	232,286	957	70.5	68.0-73.0	648	29.5	27.0-32.0
College Graduate	1588	145,081	1066	76.2	73.8-78.6	522	23.8	21.4-26.2
Less than \$15,000	266	34,087	115	55.0	46.8-63.2	151	45.0	36.8-53.2
\$15,000- 24,999	546	65,514	268	62.5	57.0-68.0	278	37.5	32.0-43.0
\$25,000- 34,999	428	50,246	222	64.2	58.3-70.1	206	35.8	29.9-41.7
\$35,000- 49,999	678	74,273	400	68.2	63.7-72.7	278	31.8	27.3-36.3
\$50,000- 74,999	768	90,365	481	72.0	68.3-75.7	287	28.0	24.3-31.7
\$75,000+	1560	188,518	1077	75.3	72.8-77.8	483	24.7	22.2-27.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

TABLE 2. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2241	301,632	1348	69.0	66.6-71.4	893	31.0	28.6-33.4
Native	76	11,439	40	62.7	48.8-76.6	36	37.3	23.4-51.2
Non-Native	2133	285,071	1285	69.2	66.8-71.6	848	30.8	28.4-33.2
18-24	151	49,930	139	92.7	88.2-97.2	12	7.3	2.8-11.8
25-34	290	58,601	251	87.4	83.3-91.5	39	12.6	8.5-16.7
35-44	243	46,175	184	76.4	70.3-82.5	59	23.6	17.5-29.7
45-54	340	44,998	212	62.9	56.8-69.0	128	37.1	31.0-43.2
55-64	511	48,589	269	52.8	47.7-57.9	242	47.2	42.1-52.3
65+	691	51,420	287	40.1	35.8-44.4	404	59.9	55.6-64.2
Less Than H.S.	167	33,289	77	59.2	50.0-68.4	90	40.8	31.6-50.0
H.S. or G.E.D.	686	86,997	406	68.5	64.4-72.6	280	31.5	27.4-35.6
Some Post-H.S.	678	111,325	400	69.5	65.6-73.4	278	30.5	26.6-34.4
College Graduate	706	69,205	462	73.5	69.8-77.2	244	26.5	22.8-30.2
Less than \$15,000	87	13,161	42	50.0	36.5-63.5	45	50.0	36.5-63.5
\$15,000- 24,999	208	31,718	108	64.4	56.4-72.4	100	35.6	27.6-43.6
\$25,000- 34,999	182	24,693	102	69.6	61.6-77.6	80	30.4	22.4-38.4
\$35,000- 49,999	310	39,677	181	66.6	59.9-73.3	129	33.4	26.7-40.1
\$50,000- 74,999	393	49,112	240	70.0	64.7-75.3	153	30.0	24.7-35.3
\$75,000+	822	106,190	532	71.7	68.2-75.2	290	28.3	24.8-31.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 4: HYPERTENSION AWARENESS**

**TABLE 3. ADULTS WHO HAVE BEEN TOLD THEY HAVE HIGH BLOOD PRESSURE BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL (_RFHYPE5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2719	286,781	1628	70.2	68.0-72.4	1091	29.8	27.6-32.0
Native	97	12,567	53	61.6	48.7-74.5	44	38.4	25.5-51.3
Non-Native	2600	271,501	1561	70.7	68.5-72.9	1039	29.3	27.1-31.5
18-24	119	42,182	116	97.8	95.3- 100	3	2.2	0.0- 4.7
25-34	220	49,769	198	89.2	84.3-94.1	22	10.8	5.9-15.7
35-44	272	41,813	237	85.7	80.4-91.0	35	14.3	9.0-19.6
45-54	359	41,761	254	67.6	61.5-73.7	105	32.4	26.3-38.5
55-64	626	47,083	381	59.0	54.3-63.7	245	41.0	36.3-45.7
65+	1095	61,580	431	37.1	33.8-40.4	664	62.9	59.6-66.2
Less Than H.S.	132	18,130	52	46.6	34.6-58.6	80	53.4	41.4-65.4
H.S. or G.E.D.	768	71,105	408	65.0	60.5-69.5	360	35.0	30.5-39.5
Some Post-H.S.	927	120,961	557	71.4	67.9-74.9	370	28.6	25.1-32.1
College Graduate	882	75,875	604	78.7	75.6-81.8	278	21.3	18.2-24.4
Less than \$15,000	179	20,926	73	58.2	48.2-68.2	106	41.8	31.8-51.8
\$15,000- 24,999	338	33,795	160	60.8	53.4-68.2	178	39.2	31.8-46.6
\$25,000- 34,999	246	25,553	120	59.1	50.5-67.7	126	40.9	32.3-49.5
\$35,000- 49,999	368	34,596	219	70.1	64.0-76.2	149	29.9	23.8-36.0
\$50,000- 74,999	375	41,253	241	74.4	69.1-79.7	134	25.6	20.3-30.9
\$75,000+	738	82,328	545	79.9	76.6-83.2	193	20.1	16.8-23.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 5: CHOLESTEROL AWARENESS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)	
1	MALES AND FEMALES	15
2	MALES ONLY	16
3	FEMALES ONLY	17
	ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)	
4	MALES AND FEMALES	18
5	MALES ONLY	19
6	FEMALES ONLY	20

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 1: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4833	568,370	4016	71.8	69.8-73.8	194	4.2	3.4- 5.0	623	24.0	22.0-26.0
Male	2186	290,781	1732	68.5	65.8-71.2	104	5.0	3.8- 6.2	350	26.4	23.7-29.1
Female	2647	277,589	2284	75.3	72.8-77.8	90	3.3	2.5- 4.1	273	21.4	18.9-23.9
Native	168	23,118	133	72.4	62.6-82.2	5	2.2	0.0- 4.4	30	25.4	15.6-35.2
Non-Native	4613	538,063	3838	71.7	69.7-73.7	187	4.3	3.5- 5.1	588	24.0	22.0-26.0
18-24	248	85,266	82	31.5	25.2-37.8	7	2.8	0.6- 5.0	159	65.7	59.2-72.2
25-34	481	102,981	266	54.4	49.3-59.5	25	5.2	3.0- 7.4	190	40.4	35.3-45.5
35-44	498	85,055	358	69.6	64.7-74.5	33	5.4	3.2- 7.6	107	25.0	20.3-29.7
45-54	690	85,824	600	86.3	83.2-89.4	29	3.9	2.1- 5.7	61	9.9	7.2-12.6
55-64	1124	94,373	1013	88.7	86.3-91.1	59	5.6	4.0- 7.2	52	5.7	3.9- 7.5
65+	1750	110,483	1663	94.8	93.4-96.2	40	2.5	1.5- 3.5	47	2.7	1.7- 3.7
Less Than H.S.	288	50,368	229	62.6	54.4-70.8	13	6.3	2.6-10.0	46	31.1	22.9-39.3
H.S. or G.E.D.	1415	151,711	1133	66.6	63.1-70.1	48	3.1	2.1- 4.1	234	30.4	26.9-33.9
Some Post-H.S.	1562	223,572	1294	71.9	68.6-75.2	61	3.9	2.7- 5.1	207	24.2	21.1-27.3
College Graduate	1556	141,258	1351	80.7	78.0-83.4	72	5.3	3.7- 6.9	133	14.0	11.5-16.5
Less than \$15,000	257	32,441	207	64.6	55.8-73.4	9	6.4	1.9-10.9	41	29.0	20.4-37.6
\$15,000- 24,999	531	63,030	421	63.6	57.1-70.1	21	4.3	1.9- 6.7	89	32.1	25.6-38.6
\$25,000- 34,999	416	49,015	332	67.3	60.4-74.2	15	1.9	0.9- 2.9	69	30.8	23.9-37.7
\$35,000- 49,999	667	72,362	558	71.3	65.8-76.8	24	4.5	2.5- 6.5	85	24.2	18.9-29.5
\$50,000- 74,999	757	88,203	628	72.6	68.1-77.1	29	4.5	2.5- 6.5	100	22.9	18.4-27.4
\$75,000+	1533	184,646	1316	79.1	76.2-82.0	70	4.6	3.2- 6.0	147	16.3	13.6-19.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 2: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2186	290,781	1732	68.5	65.8-71.2	104	5.0	3.8- 6.2	350	26.4	23.7-29.1
Native	75	11,337	57	65.0	49.3-80.7	3	2.8	0.0- 6.5	15	32.2	16.5-47.9
Non-Native	2079	274,322	1650	68.6	65.9-71.3	99	5.1	3.9- 6.3	330	26.3	23.6-29.0
18-24	141	46,659	50	31.9	23.5-40.3	4	3.2	0.1- 6.3	87	64.9	56.1-73.7
25-34	275	55,228	144	50.3	43.6-57.0	18	6.7	3.4-10.0	113	43.1	36.4-49.8
35-44	237	44,886	161	65.5	58.4-72.6	18	6.6	3.3- 9.9	58	27.9	21.0-34.8
45-54	335	44,050	275	83.3	78.6-88.0	17	4.5	2.0- 7.0	43	12.2	8.1-16.3
55-64	504	47,992	444	86.1	82.4-89.8	28	6.3	3.8- 8.8	32	7.6	4.7-10.5
65+	680	50,134	648	95.3	93.3-97.3	18	2.8	1.2- 4.4	14	2.0	0.6- 3.4
Less Than H.S.	161	32,253	122	60.3	49.7-70.9	10	8.9	3.2-14.6	29	30.8	20.4-41.2
H.S. or G.E.D.	666	83,378	500	63.3	58.4-68.2	25	3.6	2.0- 5.2	141	33.1	28.0-38.2
Some Post-H.S.	658	106,444	514	67.8	62.9-72.7	30	4.6	2.8- 6.4	114	27.6	22.9-32.3
College Graduate	697	67,892	594	80.2	76.3-84.1	39	5.8	3.6- 8.0	64	14.0	10.5-17.5
Less than \$15,000	87	13,161	64	61.0	47.1-74.9	6	10.8	1.8-19.8	17	28.2	14.7-41.7
\$15,000- 24,999	202	30,301	147	59.2	49.4-69.0	11	6.3	1.8-10.8	44	34.5	24.7-44.3
\$25,000- 34,999	176	23,908	134	63.1	52.9-73.3	3	0.9	0.0- 2.1	39	36.1	25.7-46.5
\$35,000- 49,999	308	39,163	242	67.2	59.6-74.8	15	5.6	2.7- 8.5	51	27.1	19.5-34.7
\$50,000- 74,999	387	47,940	312	71.0	64.7-77.3	16	4.4	2.0- 6.8	59	24.6	18.5-30.7
\$75,000+	807	103,365	672	76.5	72.4-80.6	45	5.7	3.7- 7.7	90	17.8	13.9-21.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 3: CHOLESTEROL CHECK WITHIN PAST FIVE YEARS (_CHOLCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Checked			Not Checked			Never Checked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2647	277,589	2284	75.3	72.8-77.8	90	3.3	2.5- 4.1	273	21.4	18.9-23.9
Native	93	11,781	76	79.4	68.2-90.6	2	1.7	0.0- 4.1	15	18.9	7.9-29.9
Non-Native	2534	263,741	2188	74.9	72.2-77.6	88	3.4	2.4- 4.4	258	21.7	19.0-24.4
18-24	107	38,606	32	31.0	21.6-40.4	3	2.3	0.0- 5.0	72	66.7	57.1-76.3
25-34	206	47,753	122	59.1	51.5-66.7	7	3.5	0.8- 6.2	77	37.3	29.7-44.9
35-44	261	40,169	197	74.2	67.7-80.7	15	4.1	1.7- 6.5	49	21.7	15.4-28.0
45-54	355	41,774	325	89.4	85.1-93.7	12	3.2	1.0- 5.4	18	7.4	3.7-11.1
55-64	620	46,381	569	91.4	88.9-93.9	31	4.8	3.0- 6.6	20	3.8	1.8- 5.8
65+	1070	60,348	1015	94.5	92.9-96.1	22	2.3	1.1- 3.5	33	3.2	2.0- 4.4
Less Than H.S.	127	18,115	107	66.6	53.5-79.7	3	1.7	0.0- 3.7	17	31.7	18.4-45.0
H.S. or G.E.D.	749	68,333	633	70.6	65.5-75.7	23	2.4	1.2- 3.6	93	27.0	21.7-32.3
Some Post-H.S.	904	117,128	780	75.6	71.3-79.9	31	3.2	1.8- 4.6	93	21.2	16.9-25.5
College Graduate	859	73,366	757	81.2	77.3-85.1	33	4.7	2.5- 6.9	69	14.0	10.5-17.5
Less than \$15,000	170	19,280	143	67.0	55.8-78.2	3	3.4	0.0- 7.9	24	29.6	18.4-40.8
\$15,000- 24,999	329	32,729	274	67.6	59.0-76.2	10	2.5	0.3- 4.7	45	29.8	21.2-38.4
\$25,000- 34,999	240	25,107	198	71.4	62.6-80.2	12	2.8	1.0- 4.6	30	25.8	17.0-34.6
\$35,000- 49,999	359	33,199	316	76.1	68.5-83.7	9	3.2	0.5- 5.9	34	20.6	13.2-28.0
\$50,000- 74,999	370	40,263	316	74.4	67.7-81.1	13	4.6	1.7- 7.5	41	21.0	14.5-27.5
\$75,000+	726	81,281	644	82.4	78.3-86.5	25	3.3	1.7- 4.9	57	14.3	10.4-18.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 4: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4230	435,684	2465	65.0	63.2-66.8	1765	35.0	33.2-36.8
Male	1845	216,270	1098	65.0	62.3-67.7	747	35.0	32.3-37.7
Female	2385	219,414	1367	64.9	62.4-67.4	1018	35.1	32.6-37.6
Native	138	17,184	91	71.7	62.5-80.9	47	28.3	19.1-37.5
Non-Native	4045	412,500	2352	64.9	63.1-66.7	1693	35.1	33.3-36.9
18-24	93	30,545	89	95.7	91.4-100	4	4.3	0.0-8.6
25-34	295	62,805	258	87.2	82.9-91.5	37	12.8	8.5-17.1
35-44	395	64,088	314	78.6	73.7-83.5	81	21.4	16.5-26.3
45-54	629	77,146	404	62.2	57.7-66.7	225	37.8	33.3-42.3
55-64	1073	89,215	589	54.6	51.1-58.1	484	45.4	41.9-48.9
65+	1709	107,974	793	46.0	43.1-48.9	916	54.0	51.1-56.9
Less Than H.S.	248	35,306	132	58.2	50.4-66.0	116	41.8	34.0-49.6
H.S. or G.E.D.	1183	106,279	658	61.5	58.0-65.0	525	38.5	35.0-42.0
Some Post-H.S.	1364	171,431	765	64.5	61.4-67.6	599	35.5	32.4-38.6
College Graduate	1424	121,687	903	70.7	67.8-73.6	521	29.3	26.4-32.2
Less than \$15,000	215	22,942	112	57.7	48.7-66.7	103	42.3	33.3-51.3
\$15,000- 24,999	444	43,312	241	62.2	55.9-68.5	203	37.8	31.5-44.1
\$25,000- 34,999	350	34,187	190	59.3	52.2-66.4	160	40.7	33.6-47.8
\$35,000- 49,999	581	54,799	335	67.0	62.3-71.7	246	33.0	28.3-37.7
\$50,000- 74,999	662	69,082	376	63.3	58.8-67.8	286	36.7	32.2-41.2
\$75,000+	1390	154,962	899	69.7	66.8-72.6	491	30.3	27.4-33.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 5: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1845	216,270	1098	65.0	62.3-67.7	747	35.0	32.3-37.7
Native	59	7,618	41	77.1	65.1-89.1	18	22.9	10.9-34.9
Non-Native	1759	204,719	1042	64.7	62.0-67.4	717	35.3	32.6-38.0
18-24	57	17,529	54	94.5	88.0-100	3	5.5	0.0-12.0
25-34	165	32,477	145	88.1	82.6-93.6	20	11.9	6.4-17.4
35-44	179	32,359	140	78.5	71.6-85.4	39	21.5	14.6-28.4
45-54	290	38,501	166	55.7	48.8-62.6	124	44.3	37.4-51.2
55-64	473	44,478	253	53.3	48.0-58.6	220	46.7	41.4-52.0
65+	669	49,296	332	48.3	43.8-52.8	337	51.7	47.2-56.2
Less Than H.S.	134	22,603	75	61.0	50.8-71.2	59	39.0	28.8-49.2
H.S. or G.E.D.	529	56,704	306	63.0	57.9-68.1	223	37.0	31.9-42.1
Some Post-H.S.	548	78,200	314	65.2	60.5-69.9	234	34.8	30.1-39.5
College Graduate	632	58,416	401	68.1	63.6-72.6	231	31.9	27.4-36.4
Less than \$15,000	70	9,450	35	47.9	33.0-62.8	35	52.1	37.2-67.0
\$15,000- 24,999	159	20,231	96	67.0	58.0-76.0	63	33.0	24.0-42.0
\$25,000- 34,999	138	15,644	86	65.8	55.6-76.0	52	34.2	24.0-44.4
\$35,000- 49,999	254	28,350	144	65.2	58.1-72.3	110	34.8	27.7-41.9
\$50,000- 74,999	332	36,820	182	60.9	54.4-67.4	150	39.1	32.6-45.6
\$75,000+	718	85,008	457	68.5	64.4-72.6	261	31.5	27.4-35.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 5: CHOLESTEROL AWARENESS**

TABLE 6: ADULTS WHO HAVE HAD THEIR CHOLESTEROL CHECKED AND HAVE BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT IT WAS HIGH (_RFCHOL)

Denominator excludes: Respondents who reported not having their blood cholesterol checked
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2385	219,414	1367	64.9	62.5-67.3	1018	35.1	32.7-37.5
Native	79	9,566	50	67.4	53.9-80.9	29	32.6	19.1-46.1
Non-Native	2286	207,781	1310	65.1	62.6-67.6	976	34.9	32.4-37.4
25-34	130	30,327	113	86.3	79.6-93.0	17	13.7	7.0-20.4
35-44	216	31,729	174	78.7	71.8-85.6	42	21.3	14.4-28.2
45-54	339	38,644	238	68.7	62.8-74.6	101	31.3	25.4-37.2
55-64	600	44,737	336	55.8	51.1-60.5	264	44.2	39.5-48.9
65+	1040	58,679	461	44.1	40.4-47.8	579	55.9	52.2-59.6
Less Than H.S.	114	12,703	57	53.3	41.3-65.3	57	46.7	34.7-58.7
H.S. or G.E.D.	654	49,575	352	59.8	54.7-64.9	302	40.2	35.1-45.3
Some Post-H.S.	816	93,231	451	64.0	59.9-68.1	365	36.0	31.9-40.1
College Graduate	792	63,270	502	73.0	69.3-76.7	290	27.0	23.3-30.7
Less than \$15,000	145	13,491	77	64.6	54.4-74.8	68	35.4	25.2-45.6
\$15,000- 24,999	285	23,081	145	57.9	49.7-66.1	140	42.1	33.9-50.3
\$25,000- 34,999	212	18,544	104	53.8	44.0-63.6	108	46.2	36.4-56.0
\$35,000- 49,999	327	26,449	191	69.1	62.8-75.4	136	30.9	24.6-37.2
\$50,000- 74,999	330	32,262	194	66.1	59.8-72.4	136	33.9	27.6-40.2
\$75,000+	672	69,953	442	71.2	67.1-75.3	230	28.8	24.7-32.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 6: CHRONIC HEALTH CONDITIONS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)	
1 MALES AND FEMALES	22
2 MALES ONLY	23
3 FEMALES ONLY	24
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)	
4 MALES AND FEMALES	25
5 MALES ONLY	26
6 FEMALES ONLY	27
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)	
7 MALES AND FEMALES	28
8 MALES ONLY	29
9 FEMALES ONLY	30
COMPUTED ASTHMA STATUS (_ASTHMS1)	
10 MALES AND FEMALES	31
11 MALES ONLY	32
12 FEMALES ONLY	33
RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)	
13 MALES AND FEMALES	34
14 MALES ONLY	35
15 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 1: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICH)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4930	587,058	417	5.6	5.0- 6.2	4513	94.4	93.8-95.0
Male	2231	300,499	247	6.7	5.7- 7.7	1984	93.3	92.3-94.3
Female	2699	286,559	170	4.5	3.5- 5.5	2529	95.5	94.5-96.5
Native	173	24,005	25	13.0	6.1-19.9	148	87.0	80.1-93.9
Non-Native	4704	555,277	388	5.3	4.7- 5.9	4316	94.7	94.1-95.3
18-24	270	92,112				270	100.0	100.0- 100
25-34	508	108,527	2	0.4	0.0- 1.0	506	99.6	99.0- 100
35-44	512	87,226	6	1.1	0.1- 2.1	506	98.9	97.9-99.9
45-54	699	87,126	30	5.9	3.4- 8.4	669	94.1	91.6-96.6
55-64	1135	95,671	88	8.2	6.4-10.0	1047	91.8	90.0-93.6
65+	1761	111,770	287	16.7	14.5-18.9	1474	83.3	81.1-85.5
Less Than H.S.	294	51,115	48	12.8	8.3-17.3	246	87.2	82.7-91.7
H.S. or G.E.D.	1440	157,599	147	6.5	5.3- 7.7	1293	93.5	92.3-94.7
Some Post-H.S.	1598	231,859	122	4.5	3.5- 5.5	1476	95.5	94.5-96.5
College Graduate	1585	145,007	97	3.8	2.8- 4.8	1488	96.2	95.2-97.2
Less than \$15,000	260	33,803	50	14.4	8.9-19.9	210	85.6	80.1-91.1
\$15,000- 24,999	534	64,279	63	8.9	6.4-11.4	471	91.1	88.6-93.6
\$25,000- 34,999	426	49,781	53	7.5	5.1- 9.9	373	92.5	90.1-94.9
\$35,000- 49,999	671	73,926	69	5.5	3.9- 7.1	602	94.5	92.9-96.1
\$50,000- 74,999	767	90,461	61	5.7	3.9- 7.5	706	94.3	92.5-96.1
\$75,000+	1560	189,204	66	3.2	2.2- 4.2	1494	96.8	95.8-97.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 2: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2231	300,499	247	6.7	5.7- 7.7	1984	93.3	92.3-94.3
Native	76	11,439	15	13.0	5.4-20.6	61	87.0	79.4-94.6
Non-Native	2124	283,998	230	6.5	5.5- 7.5	1894	93.5	92.5-94.5
18-24	151	49,930				151	100.0	100.0- 100
25-34	287	58,155	1	0.4	0.0- 1.2	286	99.6	98.8- 100
35-44	241	45,727	3	1.3	0.0- 2.9	238	98.7	97.1- 100
45-54	340	44,998	18	5.9	3.0- 8.8	322	94.1	91.2-97.0
55-64	510	48,626	61	11.5	8.4-14.6	449	88.5	85.4-91.6
65+	687	51,144	163	21.9	18.2-25.6	524	78.1	74.4-81.8
Less Than H.S.	165	32,759	29	11.3	6.6-16.0	136	88.7	84.0-93.4
H.S. or G.E.D.	681	86,599	89	7.5	5.7- 9.3	592	92.5	90.7-94.3
Some Post-H.S.	675	111,125	63	5.4	3.8- 7.0	612	94.6	93.0-96.2
College Graduate	706	69,202	65	5.3	3.7- 6.9	641	94.7	93.1-96.3
Less than \$15,000	86	13,115	24	17.5	9.3-25.7	62	82.5	74.3-90.7
\$15,000- 24,999	202	31,096	27	8.2	4.5-11.9	175	91.8	88.1-95.5
\$25,000- 34,999	181	24,295	34	10.3	6.2-14.4	147	89.7	85.6-93.8
\$35,000- 49,999	308	39,534	45	7.5	5.0-10.0	263	92.5	90.0-95.0
\$50,000- 74,999	393	49,112	46	7.6	4.9-10.3	347	92.4	89.7-95.1
\$75,000+	822	106,310	48	4.5	2.9- 6.1	774	95.5	93.9-97.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 3: RESPONDENTS THAT HAVE EVER REPORTED HAVING CORONARY HEART DISEASE (CHD) OR MYOCARDIAL INFARCTION (MI) (_MICHD)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported having MI or CHD			Did not report having MI or CHD		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2699	286,559	170	4.5	3.5- 5.5	2529	95.5	94.5-96.5
Native	97	12,567	10	13.0	1.8-24.2	87	87.0	75.8-98.2
Non-Native	2580	271,279	158	4.1	3.3- 4.9	2422	95.9	95.1-96.7
18-24	119	42,182				119	100.0	100.0- 100
25-34	221	50,372	1	0.4	0.0- 1.2	220	99.6	98.8- 100
35-44	271	41,499	3	1.0	0.0- 2.4	268	99.0	97.6- 100
45-54	359	42,128	12	5.9	1.8-10.0	347	94.1	90.0-98.2
55-64	625	47,045	27	4.8	2.8- 6.8	598	95.2	93.2-97.2
65+	1074	60,626	124	12.3	9.8-14.8	950	87.7	85.2-90.2
Less Than H.S.	129	18,356	19	15.5	6.5-24.5	110	84.5	75.5-93.5
H.S. or G.E.D.	759	71,001	58	5.2	3.6- 6.8	701	94.8	93.2-96.4
Some Post-H.S.	923	120,734	59	3.7	2.5- 4.9	864	96.3	95.1-97.5
College Graduate	879	75,806	32	2.4	1.4- 3.4	847	97.6	96.6-98.6
Less than \$15,000	174	20,688	26	12.3	5.0-19.6	148	87.7	80.4-95.0
\$15,000- 24,999	332	33,182	36	9.5	5.8-13.2	296	90.5	86.8-94.2
\$25,000- 34,999	245	25,486	19	4.8	2.3- 7.3	226	95.2	92.7-97.7
\$35,000- 49,999	363	34,391	24	3.2	1.8- 4.6	339	96.8	95.4-98.2
\$50,000- 74,999	374	41,349	15	3.3	0.9- 5.7	359	96.7	94.3-99.1
\$75,000+	738	82,894	18	1.6	0.8- 2.4	720	98.4	97.6-99.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 4: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4956	588,112	4356	87.2	85.8-88.6	600	12.8	11.4-14.2
Male	2238	301,014	2000	88.7	86.9-90.5	238	11.3	9.5-13.1
Female	2718	287,098	2356	85.7	83.7-87.7	362	14.3	12.3-16.3
Native	171	23,665	137	80.4	72.2-88.6	34	19.6	11.4-27.8
Non-Native	4731	556,613	4171	87.6	86.2-89.0	560	12.4	11.0-13.8
18-24	269	91,762	228	85.4	80.9-89.9	41	14.6	10.1-19.1
25-34	506	107,960	441	86.0	82.5-89.5	65	14.0	10.5-17.5
35-44	515	87,988	458	87.6	84.1-91.1	57	12.4	8.9-15.9
45-54	699	87,133	618	88.8	85.9-91.7	81	11.2	8.3-14.1
55-64	1135	95,617	999	87.3	84.9-89.7	136	12.7	10.3-15.1
65+	1787	113,025	1570	88.1	86.3-89.9	217	11.9	10.1-13.7
Less Than H.S.	297	51,638	261	86.9	81.6-92.2	36	13.1	7.8-18.4
H.S. or G.E.D.	1454	157,756	1292	87.9	85.5-90.3	162	12.1	9.7-14.5
Some Post-H.S.	1601	232,029	1397	86.5	84.3-88.7	204	13.5	11.3-15.7
College Graduate	1590	145,164	1393	87.6	85.4-89.8	197	12.4	10.2-14.6
Less than \$15,000	262	33,622	209	76.6	69.0-84.2	53	23.4	15.8-31.0
\$15,000- 24,999	544	65,204	463	85.1	81.0-89.2	81	14.9	10.8-19.0
\$25,000- 34,999	425	49,819	369	86.2	81.5-90.9	56	13.8	9.1-18.5
\$35,000- 49,999	678	74,243	596	88.3	85.0-91.6	82	11.7	8.4-15.0
\$50,000- 74,999	769	90,518	686	89.1	86.2-92.0	83	10.9	8.0-13.8
\$75,000+	1561	189,028	1401	89.3	87.3-91.3	160	10.7	8.7-12.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 5: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2238	301,014	2000	88.7	86.9-90.5	238	11.3	9.5-13.1
Native	75	11,167	63	87.6	79.6-95.6	12	12.4	4.4-20.4
Non-Native	2131	284,726	1908	88.8	87.0-90.6	223	11.2	9.4-13.0
18-24	151	49,930	129	86.4	80.5-92.3	22	13.6	7.7-19.5
25-34	286	57,851	251	87.5	83.2-91.8	35	12.5	8.2-16.8
35-44	243	46,175	216	87.9	83.2-92.6	27	12.1	7.4-16.8
45-54	339	44,931	312	92.0	88.3-95.7	27	8.0	4.3-11.7
55-64	512	48,759	462	89.0	85.7-92.3	50	11.0	7.7-14.3
65+	692	51,450	615	89.4	86.9-91.9	77	10.6	8.1-13.1
Less Than H.S.	165	32,987	151	91.8	86.9-96.7	14	8.2	3.3-13.1
H.S. or G.E.D.	686	86,985	619	89.2	86.1-92.3	67	10.8	7.7-13.9
Some Post-H.S.	677	111,054	596	87.3	84.2-90.4	81	12.7	9.6-15.8
College Graduate	706	69,174	630	88.7	85.6-91.8	76	11.3	8.2-14.4
Less than \$15,000	85	12,942	76	85.6	75.0-96.2	9	14.4	3.8-25.0
\$15,000- 24,999	206	31,409	178	88.3	83.2-93.4	28	11.7	6.6-16.8
\$25,000- 34,999	181	24,421	156	84.7	77.4-92.0	25	15.3	8.0-22.6
\$35,000- 49,999	310	39,647	273	90.1	86.4-93.8	37	9.9	6.2-13.6
\$50,000- 74,999	393	49,112	356	89.9	86.0-93.8	37	10.1	6.2-14.0
\$75,000+	823	106,360	744	88.9	86.0-91.8	79	11.1	8.2-14.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 6: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTH1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2718	287,098	2356	85.7	83.7-87.7	362	14.3	12.3-16.3
Native	96	12,498	74	74.0	61.1-86.9	22	26.0	13.1-38.9
Non-Native	2600	271,887	2263	86.4	84.4-88.4	337	13.6	11.6-15.6
18-24	118	41,832	99	84.2	77.1-91.3	19	15.8	8.7-22.9
25-34	220	50,109	190	84.4	78.7-90.1	30	15.6	9.9-21.3
35-44	272	41,813	242	87.3	82.2-92.4	30	12.7	7.6-17.8
45-54	360	42,202	306	85.3	80.6-90.0	54	14.7	10.0-19.4
55-64	623	46,859	537	85.6	82.1-89.1	86	14.4	10.9-17.9
65+	1095	61,575	955	86.9	84.4-89.4	140	13.1	10.6-15.6
Less Than H.S.	132	18,650	110	78.3	67.3-89.3	22	21.7	10.7-32.7
H.S. or G.E.D.	768	70,772	673	86.3	82.8-89.8	95	13.7	10.2-17.2
Some Post-H.S.	924	120,976	801	85.9	82.8-89.0	123	14.1	11.0-17.2
College Graduate	884	75,990	763	86.7	83.8-89.6	121	13.3	10.4-16.2
Less than \$15,000	177	20,681	133	71.0	60.8-81.2	44	29.0	18.8-39.2
\$15,000- 24,999	338	33,795	285	82.1	75.6-88.6	53	17.9	11.4-24.4
\$25,000- 34,999	244	25,398	213	87.6	81.3-93.9	31	12.4	6.1-18.7
\$35,000- 49,999	368	34,596	323	86.2	80.7-91.7	45	13.8	8.3-19.3
\$50,000- 74,999	376	41,406	330	88.2	83.7-92.7	46	11.8	7.3-16.3
\$75,000+	738	82,668	657	89.8	87.1-92.5	81	10.2	7.5-12.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 7: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4944	586,224	4502	91.0	90.0-92.0	442	9.0	8.0-10.0
Male	2230	300,334	2073	93.1	91.7-94.5	157	6.9	5.5- 8.3
Female	2714	285,889	2429	88.9	87.1-90.7	285	11.1	9.3-12.9
Native	169	23,491	141	82.7	74.7-90.7	28	17.3	9.3-25.3
Non-Native	4721	554,898	4311	91.4	90.4-92.4	410	8.6	7.6- 9.6
18-24	267	90,640	241	91.1	87.6-94.6	26	8.9	5.4-12.4
25-34	506	107,960	466	90.8	87.9-93.7	40	9.2	6.3-12.1
35-44	514	87,869	477	92.9	90.4-95.4	37	7.1	4.6- 9.6
45-54	699	87,133	635	90.8	88.1-93.5	64	9.2	6.5-11.9
55-64	1133	95,486	1028	90.1	87.9-92.3	105	9.9	7.7-12.1
65+	1780	112,509	1613	90.6	89.0-92.2	167	9.4	7.8-11.0
Less Than H.S.	296	51,041	270	90.3	85.8-94.8	26	9.7	5.2-14.2
H.S. or G.E.D.	1452	157,175	1327	91.6	89.6-93.6	125	8.4	6.4-10.4
Some Post-H.S.	1596	231,463	1443	90.8	89.0-92.6	153	9.2	7.4-11.0
College Graduate	1586	145,020	1448	90.9	88.9-92.9	138	9.1	7.1-11.1
Less than \$15,000	262	33,622	221	81.7	74.8-88.6	41	18.3	11.4-25.2
\$15,000- 24,999	543	65,179	476	88.2	84.5-91.9	67	11.8	8.1-15.5
\$25,000- 34,999	423	49,728	380	90.0	85.9-94.1	43	10.0	5.9-14.1
\$35,000- 49,999	675	73,563	622	93.0	90.6-95.4	53	7.0	4.6- 9.4
\$50,000- 74,999	766	90,235	705	92.9	90.5-95.3	61	7.1	4.7- 9.5
\$75,000+	1560	188,934	1447	92.6	90.8-94.4	113	7.4	5.6- 9.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 8: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2230	300,334	2073	93.1	91.7-94.5	157	6.9	5.5- 8.3
Native	73	10,993	64	90.8	83.7-97.9	9	9.2	2.1-16.3
Non-Native	2125	284,220	1978	93.1	91.7-94.5	147	6.9	5.5- 8.3
18-24	151	49,930	139	93.1	89.2-97.0	12	6.9	3.0-10.8
25-34	286	57,851	270	94.2	91.1-97.3	16	5.8	2.7- 8.9
35-44	242	46,056	224	92.6	89.1-96.1	18	7.4	3.9-10.9
45-54	339	44,931	318	93.5	90.0-97.0	21	6.5	3.0-10.0
55-64	510	48,627	474	92.4	89.7-95.1	36	7.6	4.9-10.3
65+	687	51,021	633	92.4	90.0-94.8	54	7.6	5.2-10.0
Less Than H.S.	165	32,987	155	94.4	90.5-98.3	10	5.6	1.7- 9.5
H.S. or G.E.D.	685	86,929	637	93.7	91.5-95.9	48	6.3	4.1- 8.5
Some Post-H.S.	672	110,487	619	92.3	89.9-94.7	53	7.7	5.3-10.1
College Graduate	704	69,116	658	92.9	90.2-95.6	46	7.1	4.4- 9.8
Less than \$15,000	85	12,942	77	89.3	80.9-97.7	8	10.7	2.3-19.1
\$15,000- 24,999	206	31,409	183	90.6	86.1-95.1	23	9.4	4.9-13.9
\$25,000- 34,999	179	24,331	163	90.9	85.2-96.6	16	9.1	3.4-14.8
\$35,000- 49,999	309	39,554	287	94.6	92.1-97.1	22	5.4	2.9- 7.9
\$50,000- 74,999	390	48,829	366	94.5	91.8-97.2	24	5.5	2.8- 8.2
\$75,000+	822	106,266	772	93.2	91.0-95.4	50	6.8	4.6- 9.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 9: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHM1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2714	285,889	2429	88.9	87.1-90.7	285	11.1	9.3-12.9
Native	96	12,498	77	75.7	62.8-88.6	19	24.3	11.4-37.2
Non-Native	2596	270,678	2333	89.6	88.0-91.2	263	10.4	8.8-12.0
18-24	116	40,710	102	88.5	82.4-94.6	14	11.5	5.4-17.6
25-34	220	50,109	196	87.0	81.7-92.3	24	13.0	7.7-18.3
35-44	272	41,813	253	93.1	89.4-96.8	19	6.9	3.2-10.6
45-54	360	42,202	317	87.9	83.4-92.4	43	12.1	7.6-16.6
55-64	623	46,859	554	87.7	84.4-91.0	69	12.3	9.0-15.6
65+	1093	61,489	980	89.2	86.8-91.6	113	10.8	8.4-13.2
Less Than H.S.	131	18,054	115	83.0	72.8-93.2	16	17.0	6.8-27.2
H.S. or G.E.D.	767	70,246	690	89.1	86.0-92.2	77	10.9	7.8-14.0
Some Post-H.S.	924	120,976	824	89.5	86.8-92.2	100	10.5	7.8-13.2
College Graduate	882	75,903	790	89.0	86.3-91.7	92	11.0	8.3-13.7
Less than \$15,000	177	20,681	144	77.0	67.4-86.6	33	23.0	13.4-32.6
\$15,000- 24,999	337	33,770	293	85.9	80.2-91.6	44	14.1	8.4-19.8
\$25,000- 34,999	244	25,398	217	89.2	83.1-95.3	27	10.8	4.7-16.9
\$35,000- 49,999	366	34,009	335	91.1	86.8-95.4	31	8.9	4.6-13.2
\$50,000- 74,999	376	41,406	339	91.1	87.4-94.8	37	8.9	5.2-12.6
\$75,000+	738	82,668	675	91.8	89.3-94.3	63	8.2	5.7-10.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 10: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4944	586,224	442	9.0	8.0-10.0	146	3.5	2.7- 4.3	4356	87.5	86.3-88.7
Male	2230	300,334	157	6.9	5.5- 8.3	73	4.2	3.0- 5.4	2000	88.9	87.1-90.7
Female	2714	285,889	285	11.1	9.3-12.9	73	2.8	1.8- 3.8	2356	86.1	84.1-88.1
Native	169	23,491	28	17.3	9.3-25.3	4	1.8	0.0- 3.8	137	81.0	72.8-89.2
Non-Native	4721	554,898	410	8.6	7.6- 9.6	140	3.5	2.7- 4.3	4171	87.9	86.5-89.3
18-24	267	90,640	26	8.9	5.4-12.4	13	4.6	1.9- 7.3	228	86.5	82.2-90.8
25-34	506	107,960	40	9.2	6.3-12.1	25	4.8	2.6- 7.0	441	86.0	82.5-89.5
35-44	514	87,869	37	7.1	4.6- 9.6	19	5.1	2.6- 7.6	458	87.7	84.2-91.2
45-54	699	87,133	64	9.2	6.5-11.9	17	2.0	1.0- 3.0	618	88.8	85.9-91.7
55-64	1133	95,486	105	9.9	7.7-12.1	29	2.6	1.4- 3.8	999	87.4	85.0-89.8
65+	1780	112,509	167	9.4	7.8-11.0	43	2.2	1.4- 3.0	1570	88.5	86.7-90.3
Less Than H.S.	296	51,041	26	9.7	5.2-14.2	9	2.4	0.2- 4.6	261	87.9	83.0-92.8
H.S. or G.E.D.	1452	157,175	125	8.4	6.4-10.4	35	3.4	2.0- 4.8	1292	88.2	85.8-90.6
Some Post-H.S.	1596	231,463	153	9.2	7.4-11.0	46	4.1	2.7- 5.5	1397	86.7	84.5-88.9
College Graduate	1586	145,020	138	9.1	7.1-11.1	55	3.1	2.1- 4.1	1393	87.7	85.5-89.9
Less than \$15,000	262	33,622	41	18.3	11.4-25.2	12	5.1	1.0- 9.2	209	76.6	69.0-84.2
\$15,000- 24,999	543	65,179	67	11.8	8.1-15.5	13	3.1	0.9- 5.3	463	85.1	81.0-89.2
\$25,000- 34,999	423	49,728	43	10.0	5.9-14.1	11	3.7	1.0- 6.4	369	86.3	81.6-91.0
\$35,000- 49,999	675	73,563	53	7.0	4.6- 9.4	26	3.9	1.9- 5.9	596	89.1	86.0-92.2
\$50,000- 74,999	766	90,235	61	7.1	4.7- 9.5	19	3.6	1.6- 5.6	686	89.4	86.5-92.3
\$75,000+	1560	188,934	113	7.4	5.6- 9.2	46	3.2	2.0- 4.4	1401	89.3	87.3-91.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 11: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2230	300,334	157	6.9	5.5- 8.3	73	4.2	3.0- 5.4	2000	88.9	87.1-90.7
Native	73	10,993	9	9.2	2.1-16.3	1	1.8	0.0- 5.3	63	88.9	81.1-96.7
Non-Native	2125	284,220	147	6.9	5.5- 8.3	70	4.2	3.0- 5.4	1908	89.0	87.2-90.8
18-24	151	49,930	12	6.9	3.0-10.8	10	6.7	2.2-11.2	129	86.4	80.5-92.3
25-34	286	57,851	16	5.8	2.7- 8.9	19	6.7	3.4-10.0	251	87.5	83.2-91.8
35-44	242	46,056	18	7.4	3.9-10.9	8	4.5	1.0- 8.0	216	88.1	83.4-92.8
45-54	339	44,931	21	6.5	3.0-10.0	6	1.5	0.1- 2.9	312	92.0	88.3-95.7
55-64	510	48,627	36	7.6	4.9-10.3	12	3.1	1.1- 5.1	462	89.2	85.9-92.5
65+	687	51,021	54	7.6	5.2-10.0	18	2.2	1.2- 3.2	615	90.2	87.7-92.7
Less Than H.S.	165	32,987	10	5.6	1.7- 9.5	4	2.5	0.0- 5.4	151	91.8	86.9-96.7
H.S. or G.E.D.	685	86,929	48	6.3	4.1- 8.5	18	4.4	2.0- 6.8	619	89.3	86.2-92.4
Some Post-H.S.	672	110,487	53	7.7	5.3-10.1	23	4.6	2.2- 7.0	596	87.7	84.6-90.8
College Graduate	704	69,116	46	7.1	4.4- 9.8	28	4.1	2.3- 5.9	630	88.7	85.6-91.8
Less than \$15,000	85	12,942	8	10.7	2.3-19.1	1	3.7	0.0-10.8	76	85.6	75.0-96.2
\$15,000- 24,999	206	31,409	23	9.4	4.9-13.9	5	2.4	0.0- 4.8	178	88.3	83.2-93.4
\$25,000- 34,999	179	24,331	16	9.1	3.4-14.8	7	5.9	1.0-10.8	156	85.0	77.7-92.3
\$35,000- 49,999	309	39,554	22	5.4	2.9- 7.9	14	4.3	1.4- 7.2	273	90.3	86.6-94.0
\$50,000- 74,999	390	48,829	24	5.5	2.8- 8.2	10	4.1	1.2- 7.0	356	90.4	86.5-94.3
\$75,000+	822	106,266	50	6.8	4.6- 9.0	28	4.2	2.2- 6.2	744	89.0	86.1-91.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 12: COMPUTED ASTHMA STATUS (_ASTHMS1)

Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2714	285,889	285	11.1	9.3-12.9	73	2.8	1.8- 3.8	2356	86.1	84.1-88.1
Native	96	12,498	19	24.3	11.4-37.2	3	1.7	0.0- 3.9	74	74.0	61.1-86.9
Non-Native	2596	270,678	263	10.4	8.8-12.0	70	2.9	1.9- 3.9	2263	86.8	85.0-88.6
18-24	116	40,710	14	11.5	5.4-17.6	3	2.0	0.0- 4.5	99	86.5	80.0-93.0
25-34	220	50,109	24	13.0	7.7-18.3	6	2.6	0.1- 5.1	190	84.4	78.7-90.1
35-44	272	41,813	19	6.9	3.2-10.6	11	5.8	1.9- 9.7	242	87.3	82.2-92.4
45-54	360	42,202	43	12.1	7.6-16.6	11	2.6	1.0- 4.2	306	85.3	80.6-90.0
55-64	623	46,859	69	12.3	9.0-15.6	17	2.1	0.9- 3.3	537	85.6	82.1-89.1
65+	1093	61,489	113	10.8	8.4-13.2	25	2.2	1.2- 3.2	955	87.0	84.5-89.5
Less Than H.S.	131	18,054	16	17.0	6.8-27.2	5	2.1	0.1- 4.1	110	80.9	70.7-91.1
H.S. or G.E.D.	767	70,246	77	10.9	7.8-14.0	17	2.1	0.9- 3.3	673	86.9	83.6-90.2
Some Post-H.S.	924	120,976	100	10.5	7.8-13.2	23	3.6	1.8- 5.4	801	85.9	82.8-89.0
College Graduate	882	75,903	92	11.0	8.3-13.7	27	2.2	1.2- 3.2	763	86.8	83.9-89.7
Less than \$15,000	177	20,681	33	23.0	13.4-32.6	11	6.0	1.1-10.9	133	71.0	60.8-81.2
\$15,000- 24,999	337	33,770	44	14.1	8.4-19.8	8	3.8	0.1- 7.5	285	82.1	75.6-88.6
\$25,000- 34,999	244	25,398	27	10.8	4.7-16.9	4	1.6	0.0- 3.6	213	87.6	81.3-93.9
\$35,000- 49,999	366	34,009	31	8.9	4.6-13.2	12	3.5	0.8- 6.2	323	87.6	82.7-92.5
\$50,000- 74,999	376	41,406	37	8.9	5.2-12.6	9	2.9	0.2- 5.6	330	88.2	83.7-92.7
\$75,000+	738	82,668	63	8.2	5.7-10.7	18	2.0	1.0- 3.0	657	89.8	87.1-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 13: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4939	586,373	1585	22.9	21.5-24.3	3354	77.1	75.7-78.5
Male	2233	300,694	577	19.3	17.5-21.1	1656	80.7	78.9-82.5
Female	2706	285,680	1008	26.7	24.5-28.9	1698	73.3	71.1-75.5
Native	171	23,629	66	29.9	21.1-38.7	105	70.1	61.3-78.9
Non-Native	4716	555,388	1505	22.7	21.3-24.1	3211	77.3	75.9-78.7
18-24	269	91,762	11	4.8	1.9- 7.7	258	95.2	92.3-98.1
25-34	507	107,762	32	6.7	4.2- 9.2	475	93.3	90.8-95.8
35-44	512	87,630	61	12.0	8.7-15.3	451	88.0	84.7-91.3
45-54	695	86,543	157	23.6	19.7-27.5	538	76.4	72.5-80.3
55-64	1136	95,559	405	35.9	32.6-39.2	731	64.1	60.8-67.4
65+	1775	112,491	909	50.2	47.3-53.1	866	49.8	46.9-52.7
Less Than H.S.	297	51,739	136	34.1	27.4-40.8	161	65.9	59.2-72.6
H.S. or G.E.D.	1447	157,103	518	23.0	20.6-25.4	929	77.0	74.6-79.4
Some Post-H.S.	1596	231,166	514	23.7	21.3-26.1	1082	76.3	73.9-78.7
College Graduate	1585	144,841	413	17.6	15.4-19.8	1172	82.4	80.2-84.6
Less than \$15,000	265	34,064	134	36.4	28.8-44.0	131	63.6	56.0-71.2
\$15,000- 24,999	543	65,134	218	26.9	22.2-31.6	325	73.1	68.4-77.8
\$25,000- 34,999	424	49,536	168	26.9	21.6-32.2	256	73.1	67.8-78.4
\$35,000- 49,999	674	73,725	251	27.7	23.4-32.0	423	72.3	68.0-76.6
\$50,000- 74,999	765	90,073	230	21.1	18.0-24.2	535	78.9	75.8-82.0
\$75,000+	1557	188,877	335	16.8	14.6-19.0	1222	83.2	81.0-85.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

TABLE 14: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2233	300,694	577	19.3	17.5-21.1	1656	80.7	78.9-82.5
Native	76	11,439	24	21.7	11.7-31.7	52	78.3	68.3-88.3
Non-Native	2126	284,240	547	19.2	17.2-21.2	1579	80.8	78.8-82.8
18-24	151	49,930	2	1.2	0.0- 2.8	149	98.8	97.2- 100
25-34	288	58,292	19	6.9	3.6-10.2	269	93.1	89.8-96.4
35-44	242	46,023	27	11.3	6.8-15.8	215	88.7	84.2-93.2
45-54	338	44,595	73	21.7	16.4-27.0	265	78.3	73.0-83.6
55-64	511	48,714	156	31.9	27.2-36.6	355	68.1	63.4-72.8
65+	688	51,221	297	44.4	39.9-48.9	391	55.6	51.1-60.1
Less Than H.S.	165	33,081	63	27.2	19.4-35.0	102	72.8	65.0-80.6
H.S. or G.E.D.	685	86,940	178	16.2	13.5-18.9	507	83.8	81.1-86.5
Some Post-H.S.	675	110,831	180	20.7	17.4-24.0	495	79.3	76.0-82.6
College Graduate	704	69,027	156	17.4	14.1-20.7	548	82.6	79.3-85.9
Less than \$15,000	87	13,161	32	26.9	16.3-37.5	55	73.1	62.5-83.7
\$15,000- 24,999	205	31,339	65	24.4	17.3-31.5	140	75.6	68.5-82.7
\$25,000- 34,999	182	24,693	57	22.1	15.0-29.2	125	77.9	70.8-85.0
\$35,000- 49,999	308	39,442	96	24.6	18.7-30.5	212	75.4	69.5-81.3
\$50,000- 74,999	392	48,815	113	21.4	16.9-25.9	279	78.6	74.1-83.1
\$75,000+	822	106,306	159	15.5	12.8-18.2	663	84.5	81.8-87.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 6: CHRONIC HEALTH CONDITIONS**

**TABLE 15: RESPONDENTS WHO HAVE HAD A DOCTOR DIAGNOSE THEM AS HAVING SOME FORM OF ARTHRITIS (_DRDXAR1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Diagnosed with arthritis			Not Diagnosed with arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	285,680	1008	26.7	24.5-28.9	1698	73.3	71.1-75.5
Native	95	12,190	42	37.7	24.6-50.8	53	62.3	49.2-75.4
Non-Native	2590	271,147	958	26.3	24.1-28.5	1632	73.7	71.5-75.9
18-24	118	41,832	9	9.2	3.1-15.3	109	90.8	84.7-96.9
25-34	219	49,470	13	6.5	2.6-10.4	206	93.5	89.6-97.4
35-44	270	41,606	34	12.9	8.2-17.6	236	87.1	82.4-91.8
45-54	357	41,948	84	25.7	20.0-31.4	273	74.3	68.6-80.0
55-64	625	46,845	249	40.0	35.5-44.5	376	60.0	55.5-64.5
65+	1087	61,269	612	55.0	51.3-58.7	475	45.0	41.3-48.7
Less Than H.S.	132	18,658	73	46.2	34.4-58.0	59	53.8	42.0-65.6
H.S. or G.E.D.	762	70,163	340	31.5	27.4-35.6	422	68.5	64.4-72.6
Some Post-H.S.	921	120,335	334	26.4	22.9-29.9	587	73.6	70.1-77.1
College Graduate	881	75,814	257	17.9	15.2-20.6	624	82.1	79.4-84.8
Less than \$15,000	178	20,903	102	42.3	32.1-52.5	76	57.7	47.5-67.9
\$15,000- 24,999	338	33,795	153	29.2	23.1-35.3	185	70.8	64.7-76.9
\$25,000- 34,999	242	24,844	111	31.7	24.1-39.3	131	68.3	60.7-75.9
\$35,000- 49,999	366	34,283	155	31.2	24.9-37.5	211	68.8	62.5-75.1
\$50,000- 74,999	373	41,258	117	20.7	16.2-25.2	256	79.3	74.8-83.8
\$75,000+	735	82,571	176	18.5	15.0-22.0	559	81.5	78.0-85.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE1).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE1).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (_RACE).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG21).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
TWO-LEVEL AGE CATEGORY (_AGE65YR).	
19 MALES AND FEMALES	58
20 MALES ONLY	59
21 FEMALES ONLY	60
REPORTED HEIGHT IN INCHES (HTIN4).	
22 MALES AND FEMALES	61
23 MALES ONLY	62
24 FEMALES ONLY	63
REPORTED HEIGHT IN METERS (HTM4).	
25 MALES AND FEMALES	64
26 MALES ONLY	65
27 FEMALES ONLY	66
REPORTED WEIGHT IN KILOGRAMS (WTKG3).	
28 MALES AND FEMALES	67
29 MALES ONLY	68
30 FEMALES ONLY	69
BODY MASS INDEX (kilograms per meter-squared) (_BMI5).	
31 MALES AND FEMALES	70
32 MALES ONLY	71
33 FEMALES ONLY	72
THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).	
34 MALES AND FEMALES	73
35 MALES ONLY	74
36 FEMALES ONLY	75
RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).	
37 MALES AND FEMALES	76
38 MALES ONLY	77
39 FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 7: DEMOGRAPHICS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT) .	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG) .	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84
	RISK FACTOR FOR INCOME CATEGORIES (_INCOMG) .	
46	MALES AND FEMALES	85
47	MALES ONLY	86
48	FEMALES ONLY	87

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 1: PREFERRED RACE CATEGORY (_PRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4932	583,969	4647	91.1	89.7-92.5	45	2.4	1.6- 3.2	199	4.9	3.9- 5.9	28	1.2	0.6- 1.8	10	0.3	0.1- 0.5	3	0.1	0.0- 0.3
Male	2221	298,188	2084	90.2	88.2-92.2	26	2.9	1.5- 4.3	88	4.8	3.4- 6.2	14	1.4	0.4- 2.4	8	0.4	0.0- 0.8	1	0.2	0.0- 0.6
Female	2711	285,781	2563	92.0	90.4-93.6	19	1.9	0.9- 2.9	111	5.0	3.8- 6.2	14	0.9	0.3- 1.5	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3
18-24	268	91,447	234	84.1	78.6-89.6	12	6.2	2.3-10.1	14	6.3	2.8- 9.8	5	2.7	0.2- 5.2	3	0.7	0.0- 1.5			
25-34	508	107,714	452	88.3	85.0-91.6	14	3.7	1.7- 5.7	32	5.2	3.2- 7.2	7	1.9	0.3- 3.5	1	0.2	0.0- 0.6	2	0.6	0.0- 1.6
35-44	509	86,569	453	87.1	83.2-91.0	10	3.3	0.9- 5.7	36	7.8	4.7-10.9	7	1.3	0.3- 2.3	2	0.2	0.0- 0.6	1	0.2	0.0- 0.6
45-54	696	86,836	648	92.3	89.6-95.0	5	1.2	0.0- 2.4	35	5.1	2.9- 7.3	5	1.0	0.0- 2.0	3	0.4	0.0- 1.0			
55-64	1129	94,719	1080	95.8	94.4-97.2	2	0.1	0.0- 0.3	46	3.9	2.5- 5.3	1	0.1	0.0- 0.3						
65+	1780	112,148	1742	97.7	96.7-98.7	1	0.1	0.0- 0.3	34	2.0	1.2- 2.8	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3			
Less Than H.S.	298	51,397	260	79.5	71.9-87.1	3	3.6	0.0- 8.3	32	14.0	7.7-20.3	1	1.2	0.0- 3.6	1	0.6	0.0- 1.8	1	1.1	0.0- 3.3
H.S. or G.E.D.	1450	157,179	1363	89.3	86.8-91.8	22	4.6	2.4- 6.8	54	4.8	3.2- 6.4	5	0.8	0.0- 1.6	5	0.5	0.1- 0.9	1	0.0	0.0- 0.0
Some Post-H.S.	1593	230,252	1512	93.4	91.6-95.2	8	1.0	0.2- 1.8	68	4.8	3.4- 6.2	4	0.8	0.0- 1.8	1	0.1	0.0- 0.3			
College Graduate	1579	143,984	1501	93.6	91.8-95.4	12	1.9	0.7- 3.1	45	2.0	1.2- 2.8	17	2.1	1.1- 3.1	3	0.3	0.0- 0.7	1	0.1	0.0- 0.3
Less than \$15,000	265	34,062	229	79.3	71.7-86.9	7	5.4	1.1- 9.7	27	14.4	7.7-21.1	1	0.7	0.0- 2.1				1	0.2	0.0- 0.6
\$15,000- 24,999	542	64,916	479	82.7	77.2-88.2	8	3.8	0.5- 7.1	47	9.9	6.0-13.8	5	2.8	0.0- 5.9	3	0.8	0.0- 1.8			
\$25,000- 34,999	427	49,831	391	88.1	83.6-92.6	6	3.9	0.8- 7.0	29	7.8	4.3-11.3	1	0.2	0.0- 0.6						
\$35,000- 49,999	671	73,089	637	91.5	87.8-95.2	7	3.0	0.3- 5.7	22	3.6	1.8- 5.4	4	1.7	0.0- 3.5	1	0.2	0.0- 0.6			
\$50,000- 74,999	765	89,565	733	94.4	92.0-96.8	4	1.3	0.0- 2.7	26	3.4	1.8- 5.0	1	0.2	0.0- 0.6				1	0.6	0.0- 1.8
\$75,000+	1555	188,431	1519	97.1	95.9-98.3				24	1.6	0.8- 2.4	7	0.9	0.1- 1.7	5	0.4	0.0- 0.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2221	298,188	2084	90.2	88.2-92.2	26	2.9	1.5- 4.3	88	4.8	3.4- 6.2	14	1.4	0.4- 2.4	8	0.4	0.0- 0.8	1	0.2	0.0- 0.6
18-24	150	49,580	128	79.6	71.2-88.0	9	9.7	3.0-16.4	6	5.2	0.7- 9.7	4	4.2	0.0- 8.7	3	1.3	0.0- 2.9			
25-34	289	58,186	259	88.3	84.0-92.6	5	2.3	0.3- 4.3	18	6.0	3.1- 8.9	5	1.9	0.1- 3.7	1	0.5	0.0- 1.5	1	1.0	0.0- 3.0
35-44	240	45,502	216	87.6	81.9-93.3	6	3.0	0.5- 5.5	14	7.9	2.8-13.0	3	1.2	0.0- 2.6	1	0.3	0.0- 0.9			
45-54	338	44,789	312	92.1	88.6-95.6	4	2.0	0.0- 4.4	19	4.9	2.5- 7.3	1	0.7	0.0- 2.1	2	0.2	0.0- 0.6			
55-64	505	47,921	488	96.9	95.3-98.5	1	0.1	0.0- 0.3	15	2.8	1.2- 4.4	1	0.2	0.0- 0.6						
65+	686	50,380	670	97.7	96.3-99.1				15	2.1	0.9- 3.3				1	0.3	0.0- 0.9			
Less Than H.S.	165	32,664	142	77.1	66.7-87.5	2	5.4	0.0-12.7	19	14.8	6.4-23.2				1	1.0	0.0- 2.8	1	1.8	0.0- 5.3
H.S. or G.E.D.	685	86,555	642	90.2	86.7-93.7	14	5.1	2.2- 8.0	23	3.4	1.8- 5.0	2	0.7	0.0- 1.7	4	0.6	0.0- 1.2			
Some Post-H.S.	669	109,719	631	92.6	89.7-95.5	5	1.2	0.0- 2.4	29	4.6	2.6- 6.6	3	1.5	0.0- 3.5	1	0.1	0.0- 0.3			
College Graduate	698	68,435	666	93.2	90.5-95.9	5	1.9	0.1- 3.7	17	2.2	1.0- 3.4	8	2.3	0.7- 3.9	2	0.4	0.0- 1.2			
Less than \$15,000	86	13,136	73	83.1	72.7-93.5	2	2.7	0.0- 7.2	10	12.3	3.1-21.5	1	1.9	0.0- 5.6						
\$15,000- 24,999	206	31,178	179	79.2	69.8-88.6	4	4.5	0.0- 9.6	16	10.2	3.3-17.1	4	4.5	0.0-10.6	3	1.6	0.0- 3.6			
\$25,000- 34,999	181	24,277	161	85.9	78.8-93.0	4	6.1	0.2-12.0	16	8.0	3.7-12.3									
\$35,000- 49,999	305	38,861	292	91.4	85.7-97.1	5	4.0	0.0- 8.7	5	2.4	0.0- 4.8	2	1.8	0.0- 4.5	1	0.4	0.0- 1.2			
\$50,000- 74,999	391	48,632	370	92.2	88.3-96.1	4	2.4	0.0- 4.9	15	3.8	1.4- 6.2	1	0.4	0.0- 1.2				1	1.2	0.0- 3.6
\$75,000+	817	105,551	800	97.6	96.2-99.0				12	1.4	0.4- 2.4	2	0.6	0.0- 1.4	3	0.4	0.0- 1.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			American Indian or Alaskan Native			Asian			Native Hawaiian or Pacific Islander only			Other Race, No Preferred Race, Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2711	285,781	2563	92.0	90.4-93.6	19	1.9	0.9- 2.9	111	5.0	3.8- 6.2	14	0.9	0.3- 1.5	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3
18-24	118	41,867	106	89.3	83.2-95.4	3	2.1	0.0- 4.6	8	7.5	2.2-12.8	1	1.0	0.0- 3.0						
25-34	219	49,529	193	88.2	83.1-93.3	9	5.4	1.9- 8.9	14	4.4	1.5- 7.3	2	1.9	0.0- 4.6				1	0.1	0.0- 0.3
35-44	269	41,067	237	86.7	81.6-91.8	4	3.6	0.0- 7.5	22	7.7	4.2-11.2	4	1.4	0.0- 2.8	1	0.2	0.0- 0.6	1	0.5	0.0- 1.5
45-54	358	42,047	336	92.5	88.4-96.6	1	0.3	0.0- 0.9	16	5.2	1.5- 8.9	4	1.3	0.0- 2.7	1	0.7	0.0- 2.1			
55-64	624	46,799	592	94.7	92.5-96.9	1	0.2	0.0- 0.6	31	5.1	2.9- 7.3									
65+	1094	61,768	1072	97.7	96.3-99.1	1	0.1	0.0- 0.3	19	1.9	0.7- 3.1	2	0.3	0.0- 0.7						
Less Than H.S.	133	18,733	118	83.7	73.7-93.7	1	0.5	0.0- 1.5	13	12.6	4.2-21.0	1	3.2	0.0- 9.3						
H.S. or G.E.D.	765	70,624	721	88.3	84.2-92.4	8	3.9	1.0- 6.8	31	6.4	3.7- 9.1	3	0.9	0.0- 2.3	1	0.4	0.0- 1.2	1	0.1	0.0- 0.3
Some Post-H.S.	924	120,533	881	94.1	91.9-96.3	3	0.8	0.0- 1.8	39	5.0	3.0- 7.0	1	0.1	0.0- 0.3						
College Graduate	881	75,549	835	94.0	91.8-96.2	7	2.0	0.4- 3.6	28	1.9	1.1- 2.7	9	1.8	0.4- 3.2	1	0.1	0.0- 0.3	1	0.3	0.0- 0.9
Less than \$15,000	179	20,926	156	76.8	66.4-87.2	5	7.1	0.6-13.6	17	15.7	6.5-24.9							1	0.3	0.0- 0.9
\$15,000- 24,999	336	33,737	300	85.9	79.8-92.0	4	3.2	0.0- 7.3	31	9.6	5.3-13.9	1	1.3	0.0- 3.8						
\$25,000- 34,999	246	25,553	230	90.1	84.2-96.0	2	1.7	0.0- 4.1	13	7.6	2.1-13.1	1	0.5	0.0- 1.5						
\$35,000- 49,999	366	34,228	345	91.6	87.5-95.7	2	1.8	0.0- 4.3	17	5.1	2.4- 7.8	2	1.5	0.0- 3.7						
\$50,000- 74,999	374	40,933	363	97.0	94.8-99.2				11	3.0	0.8- 5.2									
\$75,000+	738	82,880	719	96.5	94.3-98.7				12	1.8	0.4- 3.2	5	1.3	0.0- 2.9	2	0.4	0.0- 1.0			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4932	583,969	4617	90.6	89.2-92.0	42	2.4	1.6- 3.2	181	4.5	3.7- 5.3	26	1.1	0.5- 1.7	9	0.2	0.0- 0.4	57	1.3	0.9- 1.7
Male	2221	298,188	2067	89.7	87.7-91.7	24	2.9	1.5- 4.3	81	4.4	3.0- 5.8	14	1.4	0.4- 2.4	8	0.4	0.0- 0.8	27	1.2	0.6- 1.8
Female	2711	285,781	2550	91.5	89.7-93.3	18	1.8	0.8- 2.8	100	4.5	3.3- 5.7	12	0.9	0.3- 1.5	1	0.0	0.0- 0.0	30	1.3	0.7- 1.9
18-24	268	91,447	232	83.6	78.1-89.1	10	5.9	2.0- 9.8	13	5.9	2.6- 9.2	5	2.7	0.2- 5.2	3	0.7	0.0- 1.5	5	1.2	0.0- 2.4
25-34	508	107,714	446	87.7	84.4-91.0	14	3.7	1.7- 5.7	26	4.3	2.5- 6.1	7	1.9	0.3- 3.5	1	0.2	0.0- 0.6	14	2.2	0.6- 3.8
35-44	509	86,569	446	86.5	82.6-90.4	10	3.3	0.9- 5.7	33	7.1	4.0-10.2	6	1.1	0.1- 2.1	2	0.2	0.0- 0.6	12	1.9	0.5- 3.3
45-54	696	86,836	640	91.2	88.5-93.9	5	1.2	0.0- 2.4	34	5.0	2.8- 7.2	4	0.9	0.0- 1.9	2	0.1	0.0- 0.3	11	1.5	0.5- 2.5
55-64	1129	94,719	1077	95.6	94.2-97.0	1	0.1	0.0- 0.3	42	3.7	2.3- 5.1	1	0.1	0.0- 0.3				8	0.6	0.2- 1.0
65+	1780	112,148	1738	97.5	96.5-98.5	1	0.1	0.0- 0.3	32	1.8	1.0- 2.6	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	6	0.4	0.0- 0.8
Less Than H.S.	298	51,397	258	79.3	71.7-86.9	3	3.6	0.0- 8.3	30	13.5	7.4-19.6	1	1.2	0.0- 3.6	1	0.6	0.0- 1.8	5	1.8	0.0- 4.2
H.S. or G.E.D.	1450	157,179	1355	88.8	86.1-91.5	21	4.5	2.3- 6.7	48	4.3	2.9- 5.7	5	0.8	0.0- 1.6	4	0.3	0.0- 0.7	17	1.3	0.5- 2.1
Some Post-H.S.	1593	230,252	1499	92.7	90.9-94.5	7	1.0	0.2- 1.8	62	4.2	3.0- 5.4	4	0.8	0.0- 1.8	1	0.1	0.0- 0.3	20	1.3	0.5- 2.1
College Graduate	1579	143,984	1494	93.2	91.4-95.0	11	1.8	0.6- 3.0	41	1.9	1.1- 2.7	15	1.9	0.9- 2.9	3	0.3	0.0- 0.7	15	1.0	0.4- 1.6
Less than \$15,000	265	34,062	229	79.3	71.7-86.9	6	5.3	1.0- 9.6	24	13.5	6.8-20.2	1	0.7	0.0- 2.1				5	1.3	0.1- 2.5
\$15,000- 24,999	542	64,916	477	82.3	76.8-87.8	7	3.6	0.5- 6.7	42	9.2	5.3-13.1	5	2.8	0.0- 5.9	3	0.8	0.0- 1.8	8	1.3	0.1- 2.5
\$25,000- 34,999	427	49,831	388	87.7	83.2-92.2	6	3.9	0.8- 7.0	27	6.5	3.6- 9.4	1	0.2	0.0- 0.6				5	1.7	0.0- 3.9
\$35,000- 49,999	671	73,089	630	90.6	86.9-94.3	7	3.0	0.3- 5.7	21	3.5	1.7- 5.3	3	1.4	0.0- 3.2	1	0.2	0.0- 0.6	9	1.3	0.3- 2.3
\$50,000- 74,999	765	89,565	726	93.8	91.3-96.3	4	1.3	0.0- 2.7	24	3.2	1.6- 4.8	1	0.2	0.0- 0.6				10	1.5	0.1- 2.9
\$75,000+	1555	188,431	1508	96.4	95.0-97.8				21	1.3	0.7- 1.9	6	0.9	0.1- 1.7	4	0.3	0.0- 0.7	16	1.2	0.6- 1.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2221	298,188	2067	89.7	87.7-91.7	24	2.9	1.5- 4.3	81	4.4	3.0- 5.8	14	1.4	0.4- 2.4	8	0.4	0.0- 0.8	27	1.2	0.6- 1.8
18-24	150	49,580	128	79.6	71.2-88.0	8	9.5	2.8-16.2	6	5.2	0.7- 9.7	4	4.2	0.0- 8.7	3	1.3	0.0- 2.9	1	0.3	0.0- 0.9
25-34	289	58,186	253	87.2	82.9-91.5	5	2.3	0.3- 4.3	16	5.4	2.7- 8.1	5	1.9	0.1- 3.7	1	0.5	0.0- 1.5	9	2.7	0.3- 5.1
35-44	240	45,502	212	86.7	81.0-92.4	6	3.0	0.5- 5.5	12	6.7	1.8-11.6	3	1.2	0.0- 2.6	1	0.3	0.0- 0.9	6	2.1	0.1- 4.1
45-54	338	44,789	307	90.9	87.2-94.6	4	2.0	0.0- 4.4	19	4.9	2.5- 7.3	1	0.7	0.0- 2.1	2	0.2	0.0- 0.6	5	1.3	0.1- 2.5
55-64	505	47,921	487	96.8	95.2-98.4				13	2.4	0.8- 4.0	1	0.2	0.0- 0.6				4	0.5	0.0- 1.1
65+	686	50,380	669	97.6	96.2-99.0				14	1.7	0.7- 2.7				1	0.3	0.0- 0.9	2	0.5	0.0- 1.3
Less Than H.S.	165	32,664	142	77.1	66.7-87.5	2	5.4	0.0-12.7	17	13.9	5.5-22.3				1	1.0	0.0- 2.8	3	2.6	0.0- 6.1
H.S. or G.E.D.	685	86,555	637	89.6	86.1-93.1	13	5.0	2.1- 7.9	21	3.3	1.7- 4.9	2	0.7	0.0- 1.7	4	0.6	0.0- 1.2	8	1.0	0.2- 1.8
Some Post-H.S.	669	109,719	621	91.6	88.7-94.5	4	1.2	0.0- 2.4	26	3.9	2.1- 5.7	3	1.5	0.0- 3.5	1	0.1	0.0- 0.3	14	1.7	0.7- 2.7
College Graduate	698	68,435	664	92.9	90.2-95.6	5	1.9	0.1- 3.7	17	2.2	1.0- 3.4	8	2.3	0.7- 3.9	2	0.4	0.0- 1.2	2	0.2	0.0- 0.6
Less than \$15,000	86	13,136	73	83.1	72.7-93.5	1	2.3	0.0- 6.8	9	11.0	2.2-19.8	1	1.9	0.0- 5.6				2	1.6	0.0- 4.1
\$15,000- 24,999	206	31,178	178	79.1	69.7-88.5	4	4.5	0.0- 9.6	14	9.2	2.5-15.9	4	4.5	0.0-10.6	3	1.6	0.0- 3.6	3	1.2	0.0- 2.8
\$25,000- 34,999	181	24,277	159	85.2	78.1-92.3	4	6.1	0.2-12.0	15	7.5	3.2-11.8							3	1.1	0.0- 2.5
\$35,000- 49,999	305	38,861	288	90.2	84.3-96.1	5	4.0	0.0- 8.7	5	2.4	0.0- 4.8	2	1.8	0.0- 4.5	1	0.4	0.0- 1.2	4	1.2	0.0- 2.4
\$50,000- 74,999	391	48,632	368	91.9	88.0-95.8	4	2.4	0.0- 4.9	13	3.4	1.2- 5.6	1	0.4	0.0- 1.2				5	1.9	0.0- 4.3
\$75,000+	817	105,551	792	96.8	95.2-98.4				12	1.4	0.4- 2.4	2	0.6	0.0- 1.4	3	0.4	0.0- 1.0	8	0.8	0.2- 1.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE1).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			American Indian or Alaska Native only			Asian only			Native Hawaiian or Pacific Islander only			Other Race only Multiracial		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2711	285,781	2550	91.5	89.7-93.3	18	1.8	0.8-2.8	100	4.5	3.3-5.7	12	0.9	0.3-1.5	1	0.0	0.0-0.0	30	1.3	0.7-1.9
18-24	118	41,867	104	88.3	82.2-94.4	2	1.7	0.0-4.1	7	6.6	1.7-11.5	1	1.0	0.0-3.0				4	2.3	0.0-4.7
25-34	219	49,529	193	88.2	83.1-93.3	9	5.4	1.9-8.9	10	2.9	0.9-4.9	2	1.9	0.0-4.6				5	1.6	0.0-3.8
35-44	269	41,067	234	86.2	80.9-91.5	4	3.6	0.0-7.5	21	7.5	4.0-11.0	3	0.9	0.0-1.9	1	0.2	0.0-0.6	6	1.6	0.0-3.2
45-54	358	42,047	333	91.6	87.3-95.9	1	0.3	0.0-0.9	15	5.1	1.4-8.8	3	1.1	0.0-2.5				6	1.8	0.0-3.6
55-64	624	46,799	590	94.2	91.8-96.6	1	0.2	0.0-0.6	29	4.9	2.7-7.1							4	0.6	0.0-1.4
65+	1094	61,768	1069	97.5	96.1-98.9	1	0.1	0.0-0.3	18	1.8	0.6-3.0	2	0.3	0.0-0.7				4	0.3	0.1-0.5
Less Than H.S.	133	18,733	116	83.2	73.2-93.2	1	0.5	0.0-1.5	13	12.6	4.2-21.0	1	3.2	0.0-9.3				2	0.5	0.0-1.3
H.S. or G.E.D.	765	70,624	718	87.9	83.8-92.0	8	3.9	1.0-6.8	27	5.6	3.1-8.1	3	0.9	0.0-2.3				9	1.7	0.3-3.1
Some Post-H.S.	924	120,533	878	93.7	91.3-96.1	3	0.8	0.0-1.8	36	4.5	2.7-6.3	1	0.1	0.0-0.3				6	1.0	0.0-2.0
College Graduate	881	75,549	830	93.5	91.1-95.9	6	1.7	0.1-3.3	24	1.6	0.8-2.4	7	1.4	0.2-2.6	1	0.1	0.0-0.3	13	1.6	0.6-2.6
Less than \$15,000	179	20,926	156	76.8	66.4-87.2	5	7.1	0.6-13.6	15	15.0	5.8-24.2							3	1.0	0.0-2.2
\$15,000- 24,999	336	33,737	299	85.3	79.2-91.4	3	2.7	0.0-6.8	28	9.1	4.8-13.4	1	1.3	0.0-3.8				5	1.5	0.0-3.1
\$25,000- 34,999	246	25,553	229	90.1	84.2-96.0	2	1.7	0.0-4.1	12	5.6	1.7-9.5	1	0.5	0.0-1.5				2	2.2	0.0-6.1
\$35,000- 49,999	366	34,228	342	91.1	87.0-95.2	2	1.8	0.0-4.3	16	4.8	2.1-7.5	1	0.9	0.0-2.7				5	1.3	0.0-2.7
\$50,000- 74,999	374	40,933	358	95.9	93.4-98.4				11	3.0	0.8-5.2							5	1.1	0.0-2.3
\$75,000+	738	82,880	716	95.9	93.7-98.1				9	1.2	0.2-2.2	4	1.3	0.0-2.9	1	0.1	0.0-0.3	8	1.6	0.2-3.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (_RACE).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4917	582,430	4564	88.5	86.9-90.1	40	2.3	1.5- 3.1	181	4.3	3.5- 5.1	26	1.1	0.5- 1.7	55	1.1	0.7- 1.5	51	2.7	1.9- 3.5
Male	2212	296,760	2035	87.3	85.1-89.5	24	2.9	1.5- 4.3	83	4.2	3.0- 5.4	14	1.4	0.4- 2.4	27	1.2	0.6- 1.8	29	3.0	1.8- 4.2
Female	2705	285,669	2529	89.8	87.8-91.8	16	1.6	0.8- 2.4	98	4.4	3.2- 5.6	12	0.9	0.3- 1.5	28	1.0	0.4- 1.6	22	2.3	1.1- 3.5
18-24	266	90,908	222	79.0	72.9-85.1	9	5.6	1.7- 9.5	14	5.5	2.4- 8.6	5	2.8	0.1- 5.5	5	1.2	0.0- 2.4	11	5.9	2.4- 9.4
25-34	509	108,187	437	84.5	80.8-88.2	13	3.4	1.4- 5.4	25	4.0	2.2- 5.8	7	1.9	0.3- 3.5	13	1.7	0.5- 2.9	14	4.6	2.1- 7.1
35-44	508	86,159	439	84.5	80.4-88.6	10	3.3	0.9- 5.7	34	6.9	4.0- 9.8	6	1.1	0.1- 2.1	11	1.6	0.4- 2.8	8	2.7	0.7- 4.7
45-54	694	86,539	631	89.5	86.4-92.6	5	1.2	0.0- 2.4	34	4.8	2.6- 7.0	4	0.9	0.0- 1.9	11	1.5	0.5- 2.5	9	2.0	0.6- 3.4
55-64	1127	94,598	1070	94.9	93.3-96.5	1	0.1	0.0- 0.3	42	3.7	2.3- 5.1	1	0.1	0.0- 0.3	8	0.6	0.2- 1.0	5	0.7	0.1- 1.3
65+	1770	111,478	1727	97.1	96.1-98.1	1	0.1	0.0- 0.3	31	1.8	1.0- 2.6	2	0.2	0.0- 0.4	6	0.4	0.0- 0.8	3	0.4	0.0- 1.0
Less Than H.S.	296	51,247	253	77.2	69.4-85.0	3	3.6	0.0- 8.3	29	12.2	6.3-18.1	1	1.2	0.0- 3.6	5	1.8	0.0- 4.2	5	3.9	0.4- 7.4
H.S. or G.E.D.	1443	156,631	1333	85.5	82.6-88.4	20	4.3	2.1- 6.5	51	4.6	3.0- 6.2	5	0.8	0.0- 1.6	17	1.3	0.5- 2.1	17	3.5	1.7- 5.3
Some Post-H.S.	1588	229,574	1483	90.9	88.7-93.1	7	1.0	0.2- 1.8	59	3.8	2.6- 5.0	4	0.8	0.0- 1.8	19	1.1	0.5- 1.7	16	2.4	1.0- 3.8
College Graduate	1578	143,820	1484	92.1	90.1-94.1	10	1.6	0.4- 2.8	42	1.9	1.1- 2.7	15	1.9	0.9- 2.9	14	0.8	0.2- 1.4	13	1.7	0.7- 2.7
Less than \$15,000	265	34,028	226	78.3	70.7-85.9	6	5.3	1.0- 9.6	23	13.3	6.6-20.0	1	0.7	0.0- 2.1	5	1.3	0.1- 2.5	4	1.1	0.0- 2.3
\$15,000- 24,999	539	64,419	468	80.1	74.4-85.8	7	3.6	0.3- 6.9	44	9.4	5.5-13.3	5	2.9	0.0- 6.2	8	1.3	0.1- 2.5	7	2.7	0.7- 4.7
\$25,000- 34,999	426	49,788	380	82.3	76.6-88.0	6	3.9	0.8- 7.0	27	6.5	3.6- 9.4	1	0.2	0.0- 0.6	4	0.6	0.0- 1.2	8	6.4	1.9-10.9
\$35,000- 49,999	667	72,692	621	88.4	84.3-92.5	7	3.0	0.3- 5.7	22	3.7	1.9- 5.5	3	1.4	0.0- 3.2	9	1.3	0.3- 2.3	5	2.1	0.1- 4.1
\$50,000- 74,999	765	89,744	721	92.1	89.2-95.0	4	1.3	0.0- 2.7	23	2.9	1.3- 4.5	1	0.2	0.0- 0.6	10	1.5	0.1- 2.9	6	1.9	0.3- 3.5
\$75,000+	1554	188,348	1498	94.9	93.1-96.7				22	1.2	0.6- 1.8	6	0.9	0.1- 1.7	16	1.2	0.6- 1.8	12	1.9	0.7- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2212	296,760	2035	87.3	85.1-89.5	24	2.9	1.5- 4.3	83	4.2	3.0- 5.4	14	1.4	0.4- 2.4	27	1.2	0.6- 1.8	29	3.0	1.8- 4.2
18-24	149	49,327	121	74.4	65.6-83.2	8	9.5	2.8-16.2	7	4.6	0.7- 8.5	4	4.2	0.0- 8.7	1	0.3	0.0- 0.9	8	7.1	2.2-12.0
25-34	289	58,186	247	83.8	78.9-88.7	5	2.3	0.3- 4.3	15	4.9	2.4- 7.4	5	1.9	0.1- 3.7	9	2.7	0.3- 5.1	8	4.4	1.5- 7.3
35-44	239	45,092	209	84.9	78.8-91.0	6	3.1	0.6- 5.6	12	6.2	1.5-10.9	3	1.2	0.0- 2.6	6	2.1	0.0- 4.3	3	2.6	0.0- 5.5
45-54	336	44,492	300	88.2	83.9-92.5	4	2.0	0.0- 4.4	20	5.0	2.6- 7.4	1	0.8	0.0- 2.2	5	1.3	0.1- 2.5	6	2.7	0.2- 5.2
55-64	502	47,708	483	96.6	94.8-98.4				13	2.5	0.9- 4.1	1	0.2	0.0- 0.6	4	0.5	0.0- 1.1	1	0.2	0.0- 0.6
65+	683	50,101	664	97.0	95.4-98.6				15	2.0	0.8- 3.2				2	0.5	0.0- 1.3	2	0.5	0.0- 1.3
Less Than H.S.	165	32,664	139	73.9	63.3-84.5	2	5.4	0.0-12.7	16	12.0	4.2-19.8				3	2.6	0.0- 6.1	5	6.2	0.7-11.7
H.S. or G.E.D.	679	85,862	621	85.8	81.7-89.9	13	5.0	2.1- 7.9	25	3.9	2.1- 5.7	2	0.7	0.0- 1.7	8	1.0	0.2- 1.8	10	3.7	1.3- 6.1
Some Post-H.S.	666	109,150	614	90.0	86.7-93.3	4	1.2	0.0- 2.4	25	3.4	1.8- 5.0	3	1.5	0.0- 3.5	14	1.7	0.7- 2.7	6	2.2	0.4- 4.0
College Graduate	698	68,270	658	91.6	88.7-94.5	5	1.9	0.1- 3.7	17	2.2	0.8- 3.6	8	2.3	0.7- 3.9	2	0.2	0.0- 0.6	8	1.8	0.4- 3.2
Less than \$15,000	87	13,161	72	82.0	71.4-92.6	1	2.3	0.0- 6.8	9	11.0	2.2-19.8	1	1.9	0.0- 5.6	2	1.6	0.0- 4.1	2	1.1	0.0- 3.1
\$15,000- 24,999	204	30,715	173	76.3	66.7-85.9	4	4.5	0.0- 9.6	16	9.6	2.9-16.3	4	4.6	0.0-10.7	3	1.2	0.0- 2.8	4	3.8	0.1- 7.5
\$25,000- 34,999	180	24,235	153	77.6	68.8-86.4	4	6.1	0.2-12.0	15	7.5	3.2-11.8				3	1.1	0.0- 2.5	5	7.6	0.9-14.3
\$35,000- 49,999	301	38,464	281	88.1	81.8-94.4	5	4.1	0.0- 9.0	6	2.8	0.3- 5.3	2	1.8	0.0- 4.5	4	1.3	0.1- 2.5	3	2.0	0.0- 4.4
\$50,000- 74,999	390	48,441	365	90.6	86.1-95.1	4	2.4	0.0- 4.9	13	3.5	1.3- 5.7	1	0.4	0.0- 1.2	5	1.9	0.0- 4.3	2	1.3	0.0- 3.3
\$75,000+	817	105,551	787	95.4	93.4-97.4				12	1.2	0.4- 2.0	2	0.6	0.0- 1.4	8	0.8	0.2- 1.4	8	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (_RACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White NH			Black NH			American Indian or Native Hawaiian only NH			Asian only NH			Other Race only Multiracial only NH			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2705	285,669	2529	89.8	87.8-91.8	16	1.6	0.8- 2.4	98	4.4	3.2- 5.6	12	0.9	0.3- 1.5	28	1.0	0.4- 1.6	22	2.3	1.1- 3.5
18-24	117	41,582	101	84.4	77.0-91.8	1	1.1	0.0- 3.3	7	6.7	1.6-11.8	1	1.1	0.0- 3.3	4	2.3	0.0- 4.7	3	4.5	0.0- 9.6
25-34	220	50,001	190	85.3	79.6-91.0	8	4.6	1.3- 7.9	10	2.9	0.9- 4.9	2	1.9	0.0- 4.6	4	0.5	0.0- 1.1	6	4.9	1.0- 8.8
35-44	269	41,067	230	84.0	78.5-89.5	4	3.6	0.0- 7.5	22	7.7	4.2-11.2	3	0.9	0.0- 1.9	5	1.1	0.0- 2.3	5	2.7	0.2- 5.2
45-54	358	42,047	331	91.0	86.7-95.3	1	0.3	0.0- 0.9	14	4.5	1.0- 8.0	3	1.1	0.0- 2.5	6	1.8	0.0- 3.6	3	1.2	0.0- 2.6
55-64	625	46,890	587	93.2	90.7-95.7	1	0.2	0.0- 0.6	29	4.9	2.7- 7.1				4	0.6	0.0- 1.4	4	1.1	0.0- 2.3
65+	1087	61,378	1063	97.2	95.6-98.8	1	0.1	0.0- 0.3	16	1.7	0.5- 2.9	2	0.3	0.0- 0.7	4	0.3	0.1- 0.5	1	0.4	0.0- 1.2
Less Than H.S.	131	18,583	114	83.1	73.1-93.1	1	0.5	0.0- 1.5	13	12.7	4.1-21.3	1	3.2	0.0- 9.5	2	0.5	0.0- 1.3			
H.S. or G.E.D.	764	70,769	712	85.2	80.7-89.7	7	3.4	0.7- 6.1	26	5.6	3.1- 8.1	3	0.9	0.0- 2.3	9	1.7	0.3- 3.1	7	3.3	0.6- 6.0
Some Post-H.S.	922	120,424	869	91.7	89.0-94.4	3	0.8	0.0- 1.8	34	4.2	2.4- 6.0	1	0.1	0.0- 0.3	5	0.5	0.0- 1.1	10	2.6	0.6- 4.6
College Graduate	880	75,550	826	92.5	90.0-95.0	5	1.4	0.0- 2.8	25	1.7	0.9- 2.5	7	1.4	0.2- 2.6	12	1.4	0.4- 2.4	5	1.6	0.0- 3.2
Less than \$15,000	178	20,867	154	75.9	65.5-86.3	5	7.2	0.7-13.7	14	14.8	5.6-24.0				3	1.0	0.0- 2.2	2	1.1	0.0- 2.7
\$15,000- 24,999	335	33,704	295	83.7	77.4-90.0	3	2.7	0.0- 6.8	28	9.1	4.8-13.4	1	1.3	0.0- 3.8	5	1.5	0.0- 3.1	3	1.6	0.0- 3.6
\$25,000- 34,999	246	25,553	227	86.9	79.8-94.0	2	1.7	0.0- 4.1	12	5.6	1.7- 9.5	1	0.5	0.0- 1.5	1	0.1	0.0- 0.3	3	5.3	0.0-11.4
\$35,000- 49,999	366	34,228	340	88.8	83.5-94.1	2	1.8	0.0- 4.3	16	4.8	2.1- 7.5	1	0.9	0.0- 2.7	5	1.3	0.0- 2.7	2	2.3	0.0- 5.6
\$50,000- 74,999	375	41,303	356	94.0	90.7-97.3				10	2.4	0.4- 4.4				5	1.1	0.0- 2.3	4	2.6	0.1- 5.1
\$75,000+	737	82,797	711	94.2	91.3-97.1				10	1.3	0.3- 2.3	4	1.3	0.0- 2.9	8	1.6	0.2- 3.0	4	1.7	0.0- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4917	582,430	4564	88.5	86.9-90.1	353	11.5	9.9-13.1
Male	2212	296,760	2035	87.3	85.1-89.5	177	12.7	10.5-14.9
Female	2705	285,669	2529	89.8	87.8-91.8	176	10.2	8.2-12.2
18-24	266	90,908	222	79.0	72.9-85.1	44	21.0	14.9-27.1
25-34	509	108,187	437	84.5	80.8-88.2	72	15.5	11.8-19.2
35-44	508	86,159	439	84.5	80.4-88.6	69	15.5	11.4-19.6
45-54	694	86,539	631	89.5	86.4-92.6	63	10.5	7.4-13.6
55-64	1127	94,598	1070	94.9	93.3-96.5	57	5.1	3.5- 6.7
65+	1770	111,478	1727	97.1	96.1-98.1	43	2.9	1.9- 3.9
Less Than H.S.	296	51,247	253	77.2	69.4-85.0	43	22.8	15.0-30.6
H.S. or G.E.D.	1443	156,631	1333	85.5	82.6-88.4	110	14.5	11.6-17.4
Some Post-H.S.	1588	229,574	1483	90.9	88.7-93.1	105	9.1	6.9-11.3
College Graduate	1578	143,820	1484	92.1	90.1-94.1	94	7.9	5.9- 9.9
Less than \$15,000	265	34,028	226	78.3	70.7-85.9	39	21.7	14.1-29.3
\$15,000- 24,999	539	64,419	468	80.1	74.4-85.8	71	19.9	14.2-25.6
\$25,000- 34,999	426	49,788	380	82.3	76.6-88.0	46	17.7	12.0-23.4
\$35,000- 49,999	667	72,692	621	88.4	84.3-92.5	46	11.6	7.5-15.7
\$50,000- 74,999	765	89,744	721	92.1	89.2-95.0	44	7.9	5.0-10.8
\$75,000+	1554	188,348	1498	94.9	93.1-96.7	56	5.1	3.3- 6.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2212	296,760	2035	87.3	85.1-89.5	177	12.7	10.5-14.9
18-24	149	49,327	121	74.4	65.6-83.2	28	25.6	16.8-34.4
25-34	289	58,186	247	83.8	78.9-88.7	42	16.2	11.3-21.1
35-44	239	45,092	209	84.9	78.8-91.0	30	15.1	9.0-21.2
45-54	336	44,492	300	88.2	83.9-92.5	36	11.8	7.5-16.1
55-64	502	47,708	483	96.6	94.8-98.4	19	3.4	1.6- 5.2
65+	683	50,101	664	97.0	95.4-98.6	19	3.0	1.4- 4.6
Less Than H.S.	165	32,664	139	73.9	63.3-84.5	26	26.1	15.5-36.7
H.S. or G.E.D.	679	85,862	621	85.8	81.7-89.9	58	14.2	10.1-18.3
Some Post-H.S.	666	109,150	614	90.0	86.7-93.3	52	10.0	6.7-13.3
College Graduate	698	68,270	658	91.6	88.7-94.5	40	8.4	5.5-11.3
Less than \$15,000	87	13,161	72	82.0	71.4-92.6	15	18.0	7.4-28.6
\$15,000- 24,999	204	30,715	173	76.3	66.7-85.9	31	23.7	14.1-33.3
\$25,000- 34,999	180	24,235	153	77.6	68.8-86.4	27	22.4	13.6-31.2
\$35,000- 49,999	301	38,464	281	88.1	81.8-94.4	20	11.9	5.6-18.2
\$50,000- 74,999	390	48,441	365	90.6	86.1-95.1	25	9.4	4.9-13.9
\$75,000+	817	105,551	787	95.4	93.4-97.4	30	4.6	2.6- 6.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG21).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2705	285,669	2529	89.8	87.8-91.8	176	10.2	8.2-12.2
18-24	117	41,582	101	84.4	77.0-91.8	16	15.6	8.2-23.0
25-34	220	50,001	190	85.3	79.6-91.0	30	14.7	9.0-20.4
35-44	269	41,067	230	84.0	78.5-89.5	39	16.0	10.5-21.5
45-54	358	42,047	331	91.0	86.7-95.3	27	9.0	4.7-13.3
55-64	625	46,890	587	93.2	90.7-95.7	38	6.8	4.3- 9.3
65+	1087	61,378	1063	97.2	95.6-98.8	24	2.8	1.2- 4.4
Less Than H.S.	131	18,583	114	83.1	73.1-93.1	17	16.9	6.9-26.9
H.S. or G.E.D.	764	70,769	712	85.2	80.7-89.7	52	14.8	10.3-19.3
Some Post-H.S.	922	120,424	869	91.7	89.0-94.4	53	8.3	5.6-11.0
College Graduate	880	75,550	826	92.5	90.0-95.0	54	7.5	5.0-10.0
Less than \$15,000	178	20,867	154	75.9	65.5-86.3	24	24.1	13.7-34.5
\$15,000- 24,999	335	33,704	295	83.7	77.4-90.0	40	16.3	10.0-22.6
\$25,000- 34,999	246	25,553	227	86.9	79.8-94.0	19	13.1	6.0-20.2
\$35,000- 49,999	366	34,228	340	88.8	83.5-94.1	26	11.2	5.9-16.5
\$50,000- 74,999	375	41,303	356	94.0	90.7-97.3	19	6.0	2.7- 9.3
\$75,000+	737	82,797	711	94.2	91.3-97.1	26	5.8	2.9- 8.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4917	582,430	4564	88.5	86.9-90.1	40	2.3	1.5- 3.1	207	5.4	4.4- 6.4	55	1.1	0.7- 1.5	51	2.7	1.9- 3.5
Male	2212	296,760	2035	87.3	85.1-89.5	24	2.9	1.5- 4.3	97	5.6	4.0- 7.2	27	1.2	0.6- 1.8	29	3.0	1.8- 4.2
Female	2705	285,669	2529	89.8	87.8-91.8	16	1.6	0.8- 2.4	110	5.3	3.9- 6.7	28	1.0	0.4- 1.6	22	2.3	1.1- 3.5
18-24	266	90,908	222	79.0	72.9-85.1	9	5.6	1.7- 9.5	19	8.3	4.4-12.2	5	1.2	0.0- 2.4	11	5.9	2.4- 9.4
25-34	509	108,187	437	84.5	80.8-88.2	13	3.4	1.4- 5.4	32	5.9	3.7- 8.1	13	1.7	0.5- 2.9	14	4.6	2.1- 7.1
35-44	508	86,159	439	84.5	80.4-88.6	10	3.3	0.9- 5.7	40	7.9	4.8-11.0	11	1.6	0.4- 2.8	8	2.7	0.7- 4.7
45-54	694	86,539	631	89.5	86.4-92.6	5	1.2	0.0- 2.4	38	5.7	3.3- 8.1	11	1.5	0.5- 2.5	9	2.0	0.6- 3.4
55-64	1127	94,598	1070	94.9	93.3-96.5	1	0.1	0.0- 0.3	43	3.8	2.4- 5.2	8	0.6	0.2- 1.0	5	0.7	0.1- 1.3
65+	1770	111,478	1727	97.1	96.1-98.1	1	0.1	0.0- 0.3	33	2.0	1.2- 2.8	6	0.4	0.0- 0.8	3	0.4	0.0- 1.0
Less Than H.S.	296	51,247	253	77.2	69.4-85.0	3	3.6	0.0- 8.3	30	13.4	7.3-19.5	5	1.8	0.0- 4.2	5	3.9	0.4- 7.4
H.S. or G.E.D.	1443	156,631	1333	85.5	82.6-88.4	20	4.3	2.1- 6.5	56	5.4	3.8- 7.0	17	1.3	0.5- 2.1	17	3.5	1.7- 5.3
Some Post-H.S.	1588	229,574	1483	90.9	88.7-93.1	7	1.0	0.2- 1.8	63	4.6	3.0- 6.2	19	1.1	0.5- 1.7	16	2.4	1.0- 3.8
College Graduate	1578	143,820	1484	92.1	90.1-94.1	10	1.6	0.4- 2.8	57	3.8	2.6- 5.0	14	0.8	0.2- 1.4	13	1.7	0.7- 2.7
Less than \$15,000	265	34,028	226	78.3	70.7-85.9	6	5.3	1.0- 9.6	24	14.1	7.2-21.0	5	1.3	0.1- 2.5	4	1.1	0.0- 2.3
\$15,000- 24,999	539	64,419	468	80.1	74.4-85.8	7	3.6	0.3- 6.9	49	12.2	7.3-17.1	8	1.3	0.1- 2.5	7	2.7	0.7- 4.7
\$25,000- 34,999	426	49,788	380	82.3	76.6-88.0	6	3.9	0.8- 7.0	28	6.8	3.9- 9.7	4	0.6	0.0- 1.2	8	6.4	1.9-10.9
\$35,000- 49,999	667	72,692	621	88.4	84.3-92.5	7	3.0	0.3- 5.7	25	5.1	2.6- 7.6	9	1.3	0.3- 2.3	5	2.1	0.1- 4.1
\$50,000- 74,999	765	89,744	721	92.1	89.2-95.0	4	1.3	0.0- 2.7	24	3.1	1.5- 4.7	10	1.5	0.1- 2.9	6	1.9	0.3- 3.5
\$75,000+	1554	188,348	1498	94.9	93.1-96.7				28	2.1	1.1- 3.1	16	1.2	0.6- 1.8	12	1.9	0.7- 3.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2212	296,760	2035	87.3	85.1-89.5	24	2.9	1.5- 4.3	97	5.6	4.0- 7.2	27	1.2	0.6- 1.8	29	3.0	1.8- 4.2
18-24	149	49,327	121	74.4	65.6-83.2	8	9.5	2.8-16.2	11	8.8	2.9-14.7	1	0.3	0.0- 0.9	8	7.1	2.2-12.0
25-34	289	58,186	247	83.8	78.9-88.7	5	2.3	0.3- 4.3	20	6.8	3.9- 9.7	9	2.7	0.3- 5.1	8	4.4	1.5- 7.3
35-44	239	45,092	209	84.9	78.8-91.0	6	3.1	0.6- 5.6	15	7.4	2.5-12.3	6	2.1	0.0- 4.3	3	2.6	0.0- 5.5
45-54	336	44,492	300	88.2	83.9-92.5	4	2.0	0.0- 4.4	21	5.8	3.1- 8.5	5	1.3	0.1- 2.5	6	2.7	0.2- 5.2
55-64	502	47,708	483	96.6	94.8-98.4				14	2.7	1.1- 4.3	4	0.5	0.0- 1.1	1	0.2	0.0- 0.6
65+	683	50,101	664	97.0	95.4-98.6				15	2.0	0.8- 3.2	2	0.5	0.0- 1.3	2	0.5	0.0- 1.3
Less Than H.S.	165	32,664	139	73.9	63.3-84.5	2	5.4	0.0-12.7	16	12.0	4.2-19.8	3	2.6	0.0- 6.1	5	6.2	0.7-11.7
H.S. or G.E.D.	679	85,862	621	85.8	81.7-89.9	13	5.0	2.1- 7.9	27	4.5	2.5- 6.5	8	1.0	0.2- 1.8	10	3.7	1.3- 6.1
Some Post-H.S.	666	109,150	614	90.0	86.7-93.3	4	1.2	0.0- 2.4	28	4.9	2.5- 7.3	14	1.7	0.7- 2.7	6	2.2	0.4- 4.0
College Graduate	698	68,270	658	91.6	88.7-94.5	5	1.9	0.1- 3.7	25	4.5	2.3- 6.7	2	0.2	0.0- 0.6	8	1.8	0.4- 3.2
Less than \$15,000	87	13,161	72	82.0	71.4-92.6	1	2.3	0.0- 6.8	10	12.9	3.5-22.3	2	1.6	0.0- 4.1	2	1.1	0.0- 3.1
\$15,000- 24,999	204	30,715	173	76.3	66.7-85.9	4	4.5	0.0- 9.6	20	14.2	5.8-22.6	3	1.2	0.0- 2.8	4	3.8	0.1- 7.5
\$25,000- 34,999	180	24,235	153	77.6	68.8-86.4	4	6.1	0.2-12.0	15	7.5	3.2-11.8	3	1.1	0.0- 2.5	5	7.6	0.9-14.3
\$35,000- 49,999	301	38,464	281	88.1	81.8-94.4	5	4.1	0.0- 9.0	8	4.6	0.9- 8.3	4	1.3	0.1- 2.5	3	2.0	0.0- 4.4
\$50,000- 74,999	390	48,441	365	90.6	86.1-95.1	4	2.4	0.0- 4.9	14	3.8	1.4- 6.2	5	1.9	0.0- 4.3	2	1.3	0.0- 3.3
\$75,000+	817	105,551	787	95.4	93.4-97.4				14	1.7	0.7- 2.7	8	0.8	0.2- 1.4	8	2.0	0.4- 3.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR3.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2705	285,669	2529	89.8	87.8-91.8	16	1.6	0.8- 2.4	110	5.3	3.9- 6.7	28	1.0	0.4- 1.6	22	2.3	1.1- 3.5
18-24	117	41,582	101	84.4	77.0-91.8	1	1.1	0.0- 3.3	8	7.7	2.4-13.0	4	2.3	0.0- 4.7	3	4.5	0.0- 9.6
25-34	220	50,001	190	85.3	79.6-91.0	8	4.6	1.3- 7.9	12	4.8	1.5- 8.1	4	0.5	0.0- 1.1	6	4.9	1.0- 8.8
35-44	269	41,067	230	84.0	78.5-89.5	4	3.6	0.0- 7.5	25	8.5	5.0-12.0	5	1.1	0.0- 2.3	5	2.7	0.2- 5.2
45-54	358	42,047	331	91.0	86.7-95.3	1	0.3	0.0- 0.9	17	5.7	2.0- 9.4	6	1.8	0.0- 3.6	3	1.2	0.0- 2.6
55-64	625	46,890	587	93.2	90.7-95.7	1	0.2	0.0- 0.6	29	4.9	2.7- 7.1	4	0.6	0.0- 1.4	4	1.1	0.0- 2.3
65+	1087	61,378	1063	97.2	95.6-98.8	1	0.1	0.0- 0.3	18	2.0	0.8- 3.2	4	0.3	0.1- 0.5	1	0.4	0.0- 1.2
Less Than H.S.	131	18,583	114	83.1	73.1-93.1	1	0.5	0.0- 1.5	14	15.9	5.9-25.9	2	0.5	0.0- 1.3			
H.S. or G.E.D.	764	70,769	712	85.2	80.7-89.7	7	3.4	0.7- 6.1	29	6.5	3.8- 9.2	9	1.7	0.3- 3.1	7	3.3	0.6- 6.0
Some Post-H.S.	922	120,424	869	91.7	89.0-94.4	3	0.8	0.0- 1.8	35	4.3	2.5- 6.1	5	0.5	0.0- 1.1	10	2.6	0.6- 4.6
College Graduate	880	75,550	826	92.5	90.0-95.0	5	1.4	0.0- 2.8	32	3.1	1.7- 4.5	12	1.4	0.4- 2.4	5	1.6	0.0- 3.2
Less than \$15,000	178	20,867	154	75.9	65.5-86.3	5	7.2	0.7-13.7	14	14.8	5.6-24.0	3	1.0	0.0- 2.2	2	1.1	0.0- 2.7
\$15,000- 24,999	335	33,704	295	83.7	77.4-90.0	3	2.7	0.0- 6.8	29	10.5	5.6-15.4	5	1.5	0.0- 3.1	3	1.6	0.0- 3.6
\$25,000- 34,999	246	25,553	227	86.9	79.8-94.0	2	1.7	0.0- 4.1	13	6.0	2.1- 9.9	1	0.1	0.0- 0.3	3	5.3	0.0-11.4
\$35,000- 49,999	366	34,228	340	88.8	83.5-94.1	2	1.8	0.0- 4.3	17	5.8	2.7- 8.9	5	1.3	0.0- 2.7	2	2.3	0.0- 5.6
\$50,000- 74,999	375	41,303	356	94.0	90.7-97.3				10	2.4	0.4- 4.4	5	1.1	0.0- 2.3	4	2.6	0.1- 5.1
\$75,000+	737	82,797	711	94.2	91.3-97.1				14	2.6	0.8- 4.4	8	1.6	0.2- 3.0	4	1.7	0.0- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 16: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4925	585,506	495	24.3	22.3-26.3	562	18.6	17.0-20.2	514	12.5	11.3-13.7	979	17.1	15.9-18.3	1133	14.2	13.2-15.2	1242	13.3	12.3-14.3
Male	2229	299,963	282	25.8	23.1-28.5	300	19.8	17.4-22.2	228	11.6	9.8-13.4	462	17.6	15.8-19.4	503	14.0	12.6-15.4	454	11.1	9.9-12.3
Female	2696	285,543	213	22.6	19.9-25.3	262	17.2	15.0-19.4	286	13.5	11.7-15.3	517	16.5	14.9-18.1	630	14.4	13.0-15.8	788	15.6	14.2-17.0
Native	172	23,897	27	31.6	21.0-42.2	28	22.3	12.9-31.7	25	11.6	6.7-16.5	41	19.1	11.5-26.7	30	9.1	5.2-13.0	21	6.3	2.8- 9.8
Non-Native	4702	553,973	462	23.9	21.9-25.9	530	18.4	16.8-20.0	483	12.6	11.4-13.8	933	17.1	15.9-18.3	1090	14.4	13.4-15.4	1204	13.6	12.6-14.6
Less Than H.S.	297	51,485	26	22.8	14.8-30.8	21	15.1	8.6-21.6	15	7.4	3.5-11.3	30	11.9	7.0-16.8	33	8.2	5.1-11.3	172	34.7	28.4-41.0
H.S. or G.E.D.	1446	157,202	175	29.3	25.6-33.0	117	13.1	10.6-15.6	128	11.8	9.4-14.2	267	16.3	14.1-18.5	299	13.8	12.0-15.6	460	15.8	14.0-17.6
Some Post-H.S.	1593	231,242	167	25.7	22.4-29.0	181	17.8	15.3-20.3	150	11.6	9.6-13.6	365	19.5	17.3-21.7	392	15.2	13.4-17.0	338	10.1	8.7-11.5
College Graduate	1578	144,443	127	17.2	14.3-20.1	242	26.9	23.8-30.0	219	16.4	14.0-18.8	317	16.1	14.1-18.1	407	15.3	13.5-17.1	266	8.1	6.9- 9.3
Less than \$15,000	262	33,660	29	32.5	23.3-41.7	16	10.7	5.0-16.4	16	8.1	3.8-12.4	39	14.8	8.9-20.7	61	14.4	10.1-18.7	101	19.7	14.8-24.6
\$15,000- 24,999	544	65,443	65	31.3	24.8-37.8	32	12.4	7.7-17.1	38	9.2	5.5-12.9	68	10.4	7.5-13.3	100	11.9	9.0-14.8	241	24.9	20.8-29.0
\$25,000- 34,999	425	49,899	53	31.6	24.5-38.7	36	15.2	10.1-20.3	26	7.5	4.0-11.0	64	14.5	10.2-18.8	84	12.3	9.0-15.6	162	18.9	15.2-22.6
\$35,000- 49,999	677	74,129	78	26.2	20.7-31.7	66	18.0	13.5-22.5	60	10.9	7.8-14.0	98	13.6	10.5-16.7	176	15.7	12.8-18.6	199	15.6	12.9-18.3
\$50,000- 74,999	766	90,360	69	20.3	15.8-24.8	103	22.0	17.9-26.1	81	13.0	9.9-16.1	177	18.7	15.6-21.8	200	16.8	14.1-19.5	136	9.1	7.3-10.9
\$75,000+	1557	188,843	112	15.2	12.3-18.1	256	24.3	21.4-27.2	261	19.0	16.5-21.5	430	22.9	20.5-25.3	355	13.9	12.3-15.5	143	4.6	3.6- 5.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 17: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2229	299,963	282	25.8	23.1-28.5	300	19.8	17.4-22.2	228	11.6	9.8-13.4	462	17.6	15.8-19.4	503	14.0	12.6-15.4	454	11.1	9.9-12.3
Native	75	11,330	13	31.4	15.7-47.1	13	27.9	11.8-44.0	10	10.3	3.4-17.2	15	14.7	6.1-23.3	15	10.7	4.4-17.0	9	5.0	1.3- 8.7
Non-Native	2123	283,575	266	25.7	23.0-28.4	285	19.6	17.2-22.0	214	11.6	9.8-13.4	443	17.8	15.8-19.8	478	14.1	12.7-15.5	437	11.2	10.0-12.4
Less Than H.S.	165	33,045	18	26.1	15.5-36.7	15	16.5	8.1-24.9	12	8.8	3.7-13.9	23	13.6	7.5-19.7	20	8.2	4.3-12.1	77	26.8	19.5-34.1
H.S. or G.E.D.	683	86,315	111	31.1	26.2-36.0	72	15.0	11.5-18.5	70	12.7	9.4-16.0	145	17.1	14.0-20.2	121	11.9	9.5-14.3	164	12.2	10.0-14.4
Some Post-H.S.	675	110,978	92	27.8	22.9-32.7	99	20.2	16.3-24.1	60	9.4	6.9-11.9	165	20.4	17.1-23.7	170	15.2	12.7-17.7	89	7.0	5.2- 8.8
College Graduate	704	69,118	61	16.1	12.2-20.0	114	27.1	22.6-31.6	85	14.7	11.4-18.0	129	15.9	12.8-19.0	191	17.3	14.6-20.0	124	9.0	7.2-10.8
Less than \$15,000	86	13,136	9	25.0	10.9-39.1	7	14.5	3.9-25.1	6	10.2	1.8-18.6	17	19.6	9.6-29.6	21	14.2	7.1-21.3	26	16.5	8.7-24.3
\$15,000- 24,999	208	31,718	35	34.4	24.6-44.2	16	13.6	6.2-21.0	15	7.4	3.3-11.5	33	12.7	7.6-17.8	38	11.3	6.8-15.8	71	20.7	14.6-26.8
\$25,000- 34,999	180	24,497	29	32.8	22.4-43.2	17	15.3	8.0-22.6	14	10.0	3.7-16.3	36	18.5	11.4-25.6	25	7.3	4.0-10.6	59	16.0	11.1-20.9
\$35,000- 49,999	310	39,572	47	29.9	22.1-37.7	33	17.4	11.3-23.5	31	11.0	6.7-15.3	37	11.2	7.1-15.3	76	15.4	11.3-19.5	86	15.1	11.2-19.0
\$50,000- 74,999	393	49,112	44	22.2	16.1-28.3	63	24.3	18.6-30.0	29	8.8	5.3-12.3	78	16.0	12.1-19.9	95	17.3	13.4-21.2	84	11.5	8.6-14.4
\$75,000+	819	105,996	65	15.6	11.7-19.5	141	24.5	20.6-28.4	121	16.9	13.8-20.0	215	22.9	19.6-26.2	198	15.5	13.1-17.9	79	4.6	3.4- 5.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 18: ELEVEN-LEVEL AGE CATEGORY (condensed to six for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2696	285,543	213	22.6	19.9-25.3	262	17.2	15.0-19.4	286	13.5	11.7-15.3	517	16.5	14.9-18.1	630	14.4	13.0-15.8	788	15.6	14.2-17.0
Native	97	12,567	14	31.7	17.4-46.0	15	17.3	7.9-26.7	15	12.8	5.7-19.9	26	23.1	11.1-35.1	15	7.6	2.9-12.3	12	7.4	1.7-13.1
Non-Native	2579	270,397	196	22.1	19.4-24.8	245	17.1	14.9-19.3	269	13.6	11.6-15.6	490	16.4	14.8-18.0	612	14.8	13.4-16.2	767	16.0	14.6-17.4
Less Than H.S.	132	18,441	8	16.8	5.4-28.2	6	12.7	2.5-22.9	3	4.8	0.0-11.1	7	8.7	0.5-16.9	13	8.3	3.2-13.4	95	48.7	36.7-60.7
H.S. or G.E.D.	763	70,887	64	27.0	21.5-32.5	45	10.7	7.4-14.0	58	10.8	7.5-14.1	122	15.4	12.5-18.3	178	16.0	13.3-18.7	296	20.2	17.3-23.1
Some Post-H.S.	918	120,264	75	23.8	19.1-28.5	82	15.6	12.1-19.1	90	13.7	10.6-16.8	200	18.7	15.8-21.6	222	15.2	12.8-17.6	249	13.0	11.0-15.0
College Graduate	874	75,325	66	18.3	14.2-22.4	128	26.8	22.5-31.1	134	18.0	14.9-21.1	188	16.2	13.7-18.7	216	13.4	11.2-15.6	142	7.3	5.7- 8.9
Less than \$15,000	176	20,524	20	37.2	25.4-49.0	9	8.3	2.0-14.6	10	6.7	2.0-11.4	22	11.7	4.6-18.8	40	14.5	9.2-19.8	75	21.6	15.1-28.1
\$15,000- 24,999	336	33,725	30	28.4	19.8-37.0	16	11.2	5.3-17.1	23	11.0	5.1-16.9	35	8.2	4.9-11.5	62	12.4	8.5-16.3	170	28.8	22.9-34.7
\$25,000- 34,999	245	25,403	24	30.4	20.6-40.2	19	15.0	7.9-22.1	12	5.1	1.8- 8.4	28	10.6	5.9-15.3	59	17.1	11.6-22.6	103	21.7	16.0-27.4
\$35,000- 49,999	367	34,557	31	22.0	14.4-29.6	33	18.8	12.1-25.5	29	10.8	6.5-15.1	61	16.3	11.6-21.0	100	16.0	11.9-20.1	113	16.1	12.2-20.0
\$50,000- 74,999	373	41,248	25	18.1	11.4-24.8	40	19.3	13.4-25.2	52	18.1	12.8-23.4	99	21.9	17.0-26.8	105	16.3	12.6-20.0	52	6.3	4.3- 8.3
\$75,000+	738	82,848	47	14.7	10.4-19.0	115	24.1	19.8-28.4	140	21.7	17.8-25.6	215	22.9	19.6-26.2	157	11.9	9.7-14.1	64	4.6	3.2- 6.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 19: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4925	585,506	3134	80.6	79.4-81.8	1791	19.4	18.2-20.6
Male	2229	299,963	1536	82.8	81.2-84.4	693	17.2	15.6-18.8
Female	2696	285,543	1598	78.3	76.7-79.9	1098	21.7	20.1-23.3
Native	172	23,897	142	92.1	88.4-95.8	30	7.9	4.2-11.6
Non-Native	4702	553,973	2962	80.2	79.0-81.4	1740	19.8	18.6-21.0
Less Than H.S.	297	51,485	110	62.2	55.5-68.9	187	37.8	31.1-44.5
H.S. or G.E.D.	1446	157,202	834	78.3	76.1-80.5	612	21.7	19.5-23.9
Some Post-H.S.	1593	231,242	1070	83.4	81.6-85.2	523	16.6	14.8-18.4
College Graduate	1578	144,443	1116	85.3	83.7-86.9	462	14.7	13.1-16.3
Less than \$15,000	262	33,660	133	74.5	68.8-80.2	129	25.5	19.8-31.2
\$15,000- 24,999	544	65,443	244	69.1	64.4-73.8	300	30.9	26.2-35.6
\$25,000- 34,999	425	49,899	217	75.0	70.5-79.5	208	25.0	20.5-29.5
\$35,000- 49,999	677	74,129	383	77.6	74.3-80.9	294	22.4	19.1-25.7
\$50,000- 74,999	766	90,360	531	83.5	81.0-86.0	235	16.5	14.0-19.0
\$75,000+	1557	188,843	1268	90.3	88.9-91.7	289	9.7	8.3-11.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 20: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2229	299,963	1536	82.8	81.2-84.4	693	17.2	15.6-18.8
Native	75	11,330	61	92.6	88.1-97.1	14	7.4	2.9-11.9
Non-Native	2123	283,575	1454	82.6	81.0-84.2	669	17.4	15.8-19.0
Less Than H.S.	165	33,045	79	70.1	62.5-77.7	86	29.9	22.3-37.5
H.S. or G.E.D.	683	86,315	459	82.9	80.2-85.6	224	17.1	14.4-19.8
Some Post-H.S.	675	110,978	512	86.6	84.2-89.0	163	13.4	11.0-15.8
College Graduate	704	69,118	484	82.8	80.3-85.3	220	17.2	14.7-19.7
Less than \$15,000	86	13,136	52	77.9	68.9-86.9	34	22.1	13.1-31.1
\$15,000- 24,999	208	31,718	115	73.4	66.5-80.3	93	26.6	19.7-33.5
\$25,000- 34,999	180	24,497	106	79.9	74.2-85.6	74	20.1	14.4-25.8
\$35,000- 49,999	310	39,572	184	78.2	73.5-82.9	126	21.8	17.1-26.5
\$50,000- 74,999	393	49,112	265	80.7	76.8-84.6	128	19.3	15.4-23.2
\$75,000+	819	105,996	655	89.4	87.4-91.4	164	10.6	8.6-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 21: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2696	285,543	1598	78.3	76.7-79.9	1098	21.7	20.1-23.3
Native	97	12,567	81	91.6	85.7-97.5	16	8.4	2.5-14.3
Non-Native	2579	270,397	1508	77.7	76.1-79.3	1071	22.3	20.7-23.9
Less Than H.S.	132	18,441	31	48.0	35.7-60.3	101	52.0	39.7-64.3
H.S. or G.E.D.	763	70,887	375	72.8	69.3-76.3	388	27.2	23.7-30.7
Some Post-H.S.	918	120,264	558	80.6	78.1-83.1	360	19.4	16.9-21.9
College Graduate	874	75,325	632	87.6	85.6-89.6	242	12.4	10.4-14.4
Less than \$15,000	176	20,524	81	72.3	64.9-79.7	95	27.7	20.3-35.1
\$15,000- 24,999	336	33,725	129	65.0	58.5-71.5	207	35.0	28.5-41.5
\$25,000- 34,999	245	25,403	111	70.2	63.5-76.9	134	29.8	23.1-36.5
\$35,000- 49,999	367	34,557	199	76.9	72.4-81.4	168	23.1	18.6-27.6
\$50,000- 74,999	373	41,248	266	86.9	84.0-89.8	107	13.1	10.2-16.0
\$75,000+	738	82,848	613	91.3	89.5-93.1	125	8.7	6.9-10.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 22: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4842	568,788	206	3.3	2.7- 3.9	2107	38.9	37.1-40.7	2069	45.8	43.8-47.8	460	12.0	10.6-13.4
Male	2187	291,452	4	0.4	0.0- 0.8	176	8.0	6.4- 9.6	1550	68.3	65.8-70.8	457	23.3	20.9-25.7
Female	2655	277,336	202	6.3	5.1- 7.5	1931	71.4	69.0-73.8	519	22.2	20.0-24.4	3	0.2	0.0- 0.4
Native	168	23,353	7	2.6	0.4- 4.8	70	40.7	30.5-50.9	75	49.0	38.4-59.6	16	7.7	3.4-12.0
Non-Native	4624	538,160	195	3.2	2.6- 3.8	2018	39.0	37.0-41.0	1969	45.5	43.5-47.5	442	12.3	10.9-13.7
18-24	258	87,712	6	2.0	0.2- 3.8	92	38.0	31.3-44.7	120	46.4	39.5-53.3	40	13.6	9.1-18.1
25-34	489	102,710	9	2.1	0.5- 3.7	157	36.0	31.1-40.9	246	47.0	41.9-52.1	77	15.0	11.5-18.5
35-44	497	84,824	7	2.2	0.2- 4.2	185	33.8	28.9-38.7	244	49.0	43.7-54.3	61	14.9	11.0-18.8
45-54	686	84,771	9	1.3	0.1- 2.5	266	36.5	32.2-40.8	329	48.9	44.4-53.4	82	13.3	10.2-16.4
55-64	1119	94,150	34	3.0	1.6- 4.4	513	41.2	37.9-44.5	471	46.2	42.7-49.7	101	9.5	7.5-11.5
65+	1759	111,220	138	7.7	6.1- 9.3	874	45.7	42.8-48.6	651	39.7	37.0-42.4	96	6.9	5.3- 8.5
Less Than H.S.	291	50,268	35	7.9	4.6-11.2	95	27.2	20.5-33.9	138	55.4	47.8-63.0	23	9.6	5.1-14.1
H.S. or G.E.D.	1415	151,446	76	4.4	2.8- 6.0	621	38.1	34.8-41.4	590	45.6	42.1-49.1	128	12.0	9.6-14.4
Some Post-H.S.	1568	225,291	55	2.3	1.5- 3.1	730	42.0	38.9-45.1	640	44.0	40.9-47.1	143	11.6	9.4-13.8
College Graduate	1556	140,506	40	2.0	1.2- 2.8	652	38.7	35.6-41.8	698	45.7	42.6-48.8	166	13.6	11.2-16.0
Less than \$15,000	259	33,352	31	8.1	4.2-12.0	129	41.7	33.5-49.9	86	44.6	36.0-53.2	13	5.6	1.9- 9.3
\$15,000- 24,999	537	63,073	40	5.6	2.9- 8.3	276	45.4	39.3-51.5	195	43.0	36.9-49.1	26	6.0	3.3- 8.7
\$25,000- 34,999	421	49,409	30	5.8	3.1- 8.5	186	42.0	35.3-48.7	167	38.3	31.8-44.8	38	14.0	8.7-19.3
\$35,000- 49,999	678	74,249	22	3.1	1.1- 5.1	298	36.8	31.7-41.9	300	49.2	43.9-54.5	58	10.9	7.6-14.2
\$50,000- 74,999	765	89,816	16	1.6	0.4- 2.8	308	38.6	34.1-43.1	354	45.0	40.5-49.5	87	14.9	11.6-18.2
\$75,000+	1549	186,706	26	1.4	0.6- 2.2	572	33.3	30.4-36.2	750	49.9	46.8-53.0	201	15.4	13.0-17.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 23: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2187	291,452	4	0.4	0.0- 0.8	176	8.0	6.4- 9.6	1550	68.3	65.8-70.8	457	23.3	20.9-25.7
Native	73	10,982				1	0.4	0.0- 1.2	56	83.2	73.8-92.6	16	16.4	7.2-25.6
Non-Native	2083	275,617	4	0.4	0.0- 0.8	169	8.1	6.5- 9.7	1471	67.7	65.2-70.2	439	23.8	21.4-26.2
18-24	145	47,521				10	8.2	2.7-13.7	95	66.8	58.2-75.4	40	25.0	17.2-32.8
25-34	277	55,265				21	9.4	5.5-13.3	180	63.0	56.5-69.5	76	27.7	21.8-33.6
35-44	234	44,544	1	0.7	0.0- 2.1	11	4.4	1.7- 7.1	161	66.5	59.4-73.6	61	28.5	21.8-35.2
45-54	333	43,850	1	0.9	0.0- 2.7	23	6.0	3.1- 8.9	228	67.9	62.0-73.8	81	25.2	19.7-30.7
55-64	504	48,094	1	0.3	0.0- 0.9	40	8.4	5.3-11.5	362	72.6	68.1-77.1	101	18.7	14.8-22.6
65+	685	51,038	1	0.5	0.0- 1.5	70	10.8	7.9-13.7	519	73.7	69.6-77.8	95	15.0	11.7-18.3
Less Than H.S.	163	32,523	1	1.2	0.0- 3.6	17	6.9	3.0-10.8	122	77.1	69.3-84.9	23	14.8	7.9-21.7
H.S. or G.E.D.	668	83,618	1	0.4	0.0- 1.2	69	11.2	7.7-14.7	472	67.0	62.3-71.7	126	21.4	17.3-25.5
Some Post-H.S.	664	107,903	1	0.2	0.0- 0.6	48	7.3	4.8- 9.8	473	68.3	63.8-72.8	142	24.2	20.1-28.3
College Graduate	689	66,767	1	0.2	0.0- 0.6	40	5.0	3.0- 7.0	482	66.1	61.6-70.6	166	28.7	24.4-33.0
Less than \$15,000	84	12,812				10	7.2	2.1-12.3	61	78.1	67.7-88.5	13	14.7	5.3-24.1
\$15,000- 24,999	203	29,913	1	1.3	0.0- 3.8	29	13.3	7.6-19.0	147	72.6	64.8-80.4	26	12.7	7.0-18.4
\$25,000- 34,999	178	24,235	1	0.5	0.0- 1.5	15	11.3	4.6-18.0	126	61.0	50.8-71.2	36	27.2	17.6-36.8
\$35,000- 49,999	311	39,714	1	0.8	0.0- 2.4	26	9.8	4.3-15.3	226	68.9	61.6-76.2	58	20.4	14.3-26.5
\$50,000- 74,999	392	48,932	1	0.6	0.0- 1.6	30	6.9	4.0- 9.8	275	65.5	59.4-71.6	86	27.0	21.3-32.7
\$75,000+	818	105,837				45	5.3	3.3- 7.3	572	67.6	63.5-71.7	201	27.1	23.2-31.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 24: REPORTED HEIGHT IN INCHES (HTIN4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2655	277,336	202	6.3	5.1- 7.5	1931	71.4	69.0-73.8	519	22.2	20.0-24.4	3	0.2	0.0- 0.4
Native	95	12,370	7	4.9	1.0- 8.8	69	76.4	65.2-87.6	19	18.6	7.8-29.4			
Non-Native	2541	262,543	191	6.2	4.8- 7.6	1849	71.3	68.8-73.8	498	22.3	19.9-24.7	3	0.2	0.0- 0.4
18-24	113	40,191	6	4.5	0.8- 8.2	82	73.3	64.7-81.9	25	22.2	14.0-30.4			
25-34	212	47,445	9	4.4	1.1- 7.7	136	66.9	59.8-74.0	66	28.3	21.6-35.0	1	0.3	0.0- 0.9
35-44	263	40,280	6	3.9	0.0- 7.8	174	66.4	59.5-73.3	83	29.7	23.2-36.2			
45-54	353	40,921	8	1.8	0.4- 3.2	243	69.1	63.4-74.8	101	28.4	22.9-33.9	1	0.7	0.0- 1.9
55-64	615	46,055	33	5.9	3.2- 8.6	473	75.5	71.2-79.8	109	18.6	14.9-22.3			
65+	1074	60,182	137	13.8	11.1-16.5	804	75.2	72.1-78.3	132	10.9	8.9-12.9	1	0.1	0.0- 0.3
Less Than H.S.	128	17,745	34	20.0	12.0-28.0	78	64.5	53.1-75.9	16	15.5	5.7-25.3			
H.S. or G.E.D.	747	67,828	75	9.3	6.0-12.6	552	71.1	66.4-75.8	118	19.2	15.1-23.3	2	0.5	0.0- 1.3
Some Post-H.S.	904	117,388	54	4.2	2.6- 5.8	682	73.9	70.0-77.8	167	21.7	18.0-25.4	1	0.1	0.0- 0.3
College Graduate	867	73,740	39	3.6	2.0- 5.2	612	69.1	65.0-73.2	216	27.3	23.4-31.2			
Less than \$15,000	175	20,539	31	13.1	6.8-19.4	119	63.1	52.3-73.9	25	23.7	13.3-34.1			
\$15,000- 24,999	334	33,160	39	9.5	4.8-14.2	247	74.3	67.2-81.4	48	16.2	10.3-22.1			
\$25,000- 34,999	243	25,174	29	10.8	5.5-16.1	171	71.5	63.3-79.7	41	16.4	9.3-23.5	2	1.2	0.0- 3.4
\$35,000- 49,999	367	34,535	21	5.6	1.9- 9.3	272	67.8	60.5-75.1	74	26.6	19.7-33.5			
\$50,000- 74,999	373	40,884	15	2.8	0.6- 5.0	278	76.5	71.0-82.0	79	20.4	15.3-25.5	1	0.3	0.0- 0.9
\$75,000+	731	80,869	26	3.3	1.7- 4.9	527	70.0	65.7-74.3	178	26.7	22.6-30.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 25: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4849	570,089	206	3.2	2.6- 3.8	2109	38.9	37.1-40.7	2074	45.9	43.9-47.9	460	12.0	10.8-13.2
Male	2193	292,620	4	0.4	0.0- 0.8	177	8.1	6.5- 9.7	1555	68.3	65.8-70.8	457	23.2	20.8-25.6
Female	2656	277,468	202	6.3	5.1- 7.5	1932	71.4	69.0-73.8	519	22.2	20.0-24.4	3	0.2	0.0- 0.4
Native	169	23,624	7	2.6	0.6- 4.6	70	40.2	30.0-50.4	76	49.6	39.2-60.0	16	7.6	3.3-11.9
Non-Native	4630	539,189	195	3.2	2.6- 3.8	2020	39.0	37.0-41.0	1973	45.6	43.6-47.6	442	12.3	10.9-13.7
18-24	258	87,712	6	2.0	0.2- 3.8	92	38.0	31.3-44.7	120	46.4	39.5-53.3	40	13.6	9.1-18.1
25-34	492	103,417	9	2.0	0.4- 3.6	158	36.0	31.1-40.9	248	47.1	42.2-52.0	77	14.9	11.4-18.4
35-44	500	85,361	7	2.2	0.2- 4.2	186	33.8	29.1-38.5	246	49.2	43.9-54.5	61	14.8	11.1-18.5
45-54	687	84,828	9	1.3	0.1- 2.5	266	36.4	32.1-40.7	330	48.9	44.4-53.4	82	13.3	10.2-16.4
55-64	1119	94,150	34	3.0	1.6- 4.4	513	41.2	37.9-44.5	471	46.2	42.7-49.7	101	9.5	7.5-11.5
65+	1759	111,220	138	7.7	6.1- 9.3	874	45.7	42.8-48.6	651	39.7	37.0-42.4	96	6.9	5.3- 8.5
Less Than H.S.	291	50,268	35	7.9	4.6-11.2	95	27.2	20.5-33.9	138	55.4	47.8-63.0	23	9.6	5.1-14.1
H.S. or G.E.D.	1415	151,446	76	4.4	2.8- 6.0	621	38.1	34.8-41.4	590	45.6	42.1-49.1	128	12.0	9.6-14.4
Some Post-H.S.	1569	225,563	55	2.3	1.5- 3.1	730	42.0	38.9-45.1	641	44.1	41.0-47.2	143	11.6	9.4-13.8
College Graduate	1562	141,536	40	2.0	1.2- 2.8	654	38.7	35.6-41.8	702	45.8	42.7-48.9	166	13.5	11.1-15.9
Less than \$15,000	260	33,600	31	8.0	4.1-11.9	129	41.3	33.1-49.5	87	45.0	36.4-53.6	13	5.6	1.9- 9.3
\$15,000- 24,999	539	63,405	40	5.6	2.9- 8.3	276	45.2	39.1-51.3	197	43.3	37.2-49.4	26	6.0	3.3- 8.7
\$25,000- 34,999	422	49,680	30	5.7	3.0- 8.4	186	41.7	35.0-48.4	168	38.6	32.1-45.1	38	13.9	8.6-19.2
\$35,000- 49,999	678	74,249	22	3.1	1.1- 5.1	298	36.8	31.7-41.9	300	49.2	43.9-54.5	58	10.9	7.6-14.2
\$50,000- 74,999	765	89,816	16	1.6	0.4- 2.8	308	38.6	34.1-43.1	354	45.0	40.5-49.5	87	14.9	11.6-18.2
\$75,000+	1551	186,895	26	1.4	0.6- 2.2	573	33.4	30.5-36.3	751	49.9	46.8-53.0	201	15.3	12.9-17.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 26: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2193	292,620	4	0.4	0.0- 0.8	177	8.1	6.5- 9.7	1555	68.3	65.8-70.8	457	23.2	20.8-25.6
Native	74	11,254				1	0.4	0.0- 1.2	57	83.6	74.6-92.6	16	16.0	7.0-25.0
Non-Native	2088	276,513	4	0.4	0.0- 0.8	170	8.2	6.6- 9.8	1475	67.7	65.2-70.2	439	23.7	21.3-26.1
18-24	145	47,521				10	8.2	2.7-13.7	95	66.8	58.2-75.4	40	25.0	17.2-32.8
25-34	280	55,972				22	9.7	5.6-13.8	182	63.0	56.5-69.5	76	27.3	21.4-33.2
35-44	236	44,948	1	0.7	0.0- 2.1	11	4.3	1.6- 7.0	163	66.8	59.7-73.9	61	28.2	21.5-34.9
45-54	334	43,907	1	0.9	0.0- 2.7	23	6.0	3.1- 8.9	229	68.0	62.1-73.9	81	25.1	19.6-30.6
55-64	504	48,094	1	0.3	0.0- 0.9	40	8.4	5.3-11.5	362	72.6	68.1-77.1	101	18.7	14.8-22.6
65+	685	51,038	1	0.5	0.0- 1.5	70	10.8	7.9-13.7	519	73.7	69.6-77.8	95	15.0	11.7-18.3
Less Than H.S.	163	32,523	1	1.2	0.0- 3.6	17	6.9	3.0-10.8	122	77.1	69.3-84.9	23	14.8	7.9-21.7
H.S. or G.E.D.	668	83,618	1	0.4	0.0- 1.2	69	11.2	7.7-14.7	472	67.0	62.3-71.7	126	21.4	17.3-25.5
Some Post-H.S.	665	108,175	1	0.2	0.0- 0.6	48	7.3	4.8- 9.8	474	68.4	63.9-72.9	142	24.1	20.0-28.2
College Graduate	694	67,663	1	0.2	0.0- 0.6	41	5.3	3.3- 7.3	486	66.1	61.6-70.6	166	28.3	24.0-32.6
Less than \$15,000	85	13,061				10	7.1	2.2-12.0	62	78.6	68.4-88.8	13	14.4	5.2-23.6
\$15,000- 24,999	205	30,245	1	1.3	0.0- 3.8	29	13.2	7.5-18.9	149	72.9	65.3-80.5	26	12.6	7.1-18.1
\$25,000- 34,999	179	24,506	1	0.5	0.0- 1.5	15	11.1	4.4-17.8	127	61.5	51.3-71.7	36	26.9	17.3-36.5
\$35,000- 49,999	311	39,714	1	0.8	0.0- 2.4	26	9.8	4.3-15.3	226	68.9	61.6-76.2	58	20.4	14.3-26.5
\$50,000- 74,999	392	48,932	1	0.6	0.0- 1.6	30	6.9	4.0- 9.8	275	65.5	59.4-71.6	86	27.0	21.3-32.7
\$75,000+	819	105,893				45	5.3	3.3- 7.3	573	67.6	63.5-71.7	201	27.1	23.2-31.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 27: REPORTED HEIGHT IN METERS (HTM4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2656	277,468	202	6.3	5.1- 7.5	1932	71.4	69.0-73.8	519	22.2	20.0-24.4	3	0.2	0.0- 0.4
Native	95	12,370	7	4.9	1.0- 8.8	69	76.4	65.2-87.6	19	18.6	7.8-29.4			
Non-Native	2542	262,675	191	6.2	4.8- 7.6	1850	71.3	68.8-73.8	498	22.3	19.9-24.7	3	0.2	0.0- 0.4
18-24	113	40,191	6	4.5	0.8- 8.2	82	73.3	64.7-81.9	25	22.2	14.0-30.4			
25-34	212	47,445	9	4.4	1.1- 7.7	136	66.9	59.8-74.0	66	28.3	21.6-35.0	1	0.3	0.0- 0.9
35-44	264	40,413	6	3.9	0.0- 7.8	175	66.5	59.6-73.4	83	29.6	23.1-36.1			
45-54	353	40,921	8	1.8	0.4- 3.2	243	69.1	63.4-74.8	101	28.4	22.9-33.9	1	0.7	0.0- 1.9
55-64	615	46,055	33	5.9	3.2- 8.6	473	75.5	71.2-79.8	109	18.6	14.9-22.3			
65+	1074	60,182	137	13.8	11.1-16.5	804	75.2	72.1-78.3	132	10.9	8.9-12.9	1	0.1	0.0- 0.3
Less Than H.S.	128	17,745	34	20.0	12.0-28.0	78	64.5	53.1-75.9	16	15.5	5.7-25.3			
H.S. or G.E.D.	747	67,828	75	9.3	6.0-12.6	552	71.1	66.4-75.8	118	19.2	15.1-23.3	2	0.5	0.0- 1.3
Some Post-H.S.	904	117,388	54	4.2	2.6- 5.8	682	73.9	70.0-77.8	167	21.7	18.0-25.4	1	0.1	0.0- 0.3
College Graduate	868	73,872	39	3.6	2.0- 5.2	613	69.2	65.1-73.3	216	27.2	23.3-31.1			
Less than \$15,000	175	20,539	31	13.1	6.8-19.4	119	63.1	52.3-73.9	25	23.7	13.3-34.1			
\$15,000- 24,999	334	33,160	39	9.5	4.8-14.2	247	74.3	67.2-81.4	48	16.2	10.3-22.1			
\$25,000- 34,999	243	25,174	29	10.8	5.5-16.1	171	71.5	63.3-79.7	41	16.4	9.3-23.5	2	1.2	0.0- 3.4
\$35,000- 49,999	367	34,535	21	5.6	1.9- 9.3	272	67.8	60.5-75.1	74	26.6	19.7-33.5			
\$50,000- 74,999	373	40,884	15	2.8	0.6- 5.0	278	76.5	71.0-82.0	79	20.4	15.3-25.5	1	0.3	0.0- 0.9
\$75,000+	732	81,002	26	3.3	1.7- 4.9	528	70.0	65.7-74.3	178	26.7	22.6-30.8			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 28: REPORTED WEIGHT IN KILOGRAMS (WTKG3).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4651	550,260	28	0.6	0.2- 1.0	1275	26.9	25.1-28.7	2098	43.5	41.5-45.5	953	21.4	19.8-23.0	245	6.2	5.2- 7.2	52	1.4	1.0- 1.8
Male	2173	289,147	2	0.2	0.0- 0.4	146	8.5	6.7-10.3	1063	47.7	45.0-50.4	717	31.3	28.8-33.8	201	10.1	8.3-11.9	44	2.3	1.5- 3.1
Female	2478	261,112	26	1.1	0.5- 1.7	1129	47.4	44.7-50.1	1035	38.8	36.3-41.3	236	10.5	8.7-12.3	44	1.9	1.3- 2.5	8	0.4	0.0- 0.8
Native	163	23,123	1	0.1	0.0- 0.3	29	19.5	11.1-27.9	77	41.5	31.5-51.5	47	30.6	20.4-40.8	7	7.5	0.0-15.1	2	0.8	0.0- 2.2
Non-Native	4441	520,506	27	0.6	0.2- 1.0	1236	27.3	25.5-29.1	1991	43.3	41.3-45.3	901	21.1	19.5-22.7	236	6.2	5.2- 7.2	50	1.4	1.0- 1.8
18-24	252	85,268	3	1.3	0.0- 3.1	101	41.7	34.8-48.6	97	37.6	30.9-44.3	33	12.3	7.8-16.8	16	6.1	3.0- 9.2	2	1.0	0.0- 2.4
25-34	479	100,840	1	0.3	0.0- 0.9	117	26.7	22.0-31.4	222	46.1	41.0-51.2	108	21.6	17.5-25.7	24	3.8	2.2- 5.4	7	1.4	0.2- 2.6
35-44	487	82,741	1	0.1	0.0- 0.3	114	20.4	16.3-24.5	190	39.7	34.6-44.8	138	28.3	23.6-33.0	36	9.9	6.2-13.6	8	1.6	0.2- 3.0
45-54	652	80,952				150	22.0	18.3-25.7	267	40.1	35.6-44.6	177	27.8	23.7-31.9	47	8.0	5.5-10.5	11	2.2	0.8- 3.6
55-64	1058	89,644	2	0.2	0.0- 0.6	246	21.3	18.6-24.0	485	47.2	43.7-50.7	244	23.5	20.6-26.4	67	6.5	4.7- 8.3	14	1.3	0.5- 2.1
65+	1698	107,936	21	1.5	0.7- 2.3	535	28.8	26.3-31.3	829	48.1	45.2-51.0	249	16.8	14.4-19.2	54	3.9	2.7- 5.1	10	0.9	0.3- 1.5
Less Than H.S.	279	48,029	4	2.1	0.0- 4.6	78	28.9	21.3-36.5	131	42.0	34.4-49.6	49	17.2	11.3-23.1	12	7.4	2.3-12.5	5	2.5	0.0- 5.2
H.S. or G.E.D.	1355	146,373	14	0.9	0.1- 1.7	371	26.4	23.1-29.7	614	43.3	39.8-46.8	268	22.0	19.1-24.9	73	6.2	4.4- 8.0	15	1.2	0.4- 2.0
Some Post-H.S.	1501	217,594	6	0.3	0.1- 0.5	401	26.3	23.4-29.2	664	43.7	40.4-47.0	321	21.7	19.2-24.2	91	6.8	5.2- 8.4	18	1.2	0.4- 2.0
College Graduate	1506	137,385	4	0.3	0.0- 0.7	420	27.6	24.7-30.5	685	44.1	41.0-47.2	314	22.0	19.3-24.7	69	4.8	3.4- 6.2	14	1.3	0.5- 2.1
Less than \$15,000	259	33,303	5	1.5	0.1- 2.9	73	26.5	19.1-33.9	116	43.2	34.8-51.6	48	21.7	14.4-29.0	13	4.5	1.8- 7.2	4	2.7	0.0- 5.6
\$15,000- 24,999	524	61,909	9	2.5	0.1- 4.9	166	31.6	25.7-37.5	230	39.2	33.3-45.1	92	19.1	14.6-23.6	20	6.0	2.3- 9.7	7	1.5	0.3- 2.7
\$25,000- 34,999	401	47,659	4	0.5	0.0- 1.1	105	24.0	18.1-29.9	183	48.8	41.9-55.7	80	17.7	12.8-22.6	25	7.6	3.5-11.7	4	1.3	0.0- 2.7
\$35,000- 49,999	655	71,216	2	0.2	0.0- 0.6	172	25.6	20.7-30.5	320	47.9	42.6-53.2	124	20.6	16.5-24.7	30	4.3	2.5- 6.1	7	1.3	0.0- 2.7
\$50,000- 74,999	730	86,680	1	0.3	0.0- 0.9	185	27.4	23.1-31.7	321	41.9	37.4-46.4	165	21.9	18.0-25.8	49	7.3	4.9- 9.7	9	1.2	0.4- 2.0
\$75,000+	1520	183,834	3	0.1	0.0- 0.3	353	22.7	20.0-25.4	691	43.6	40.5-46.7	370	25.3	22.6-28.0	91	7.0	5.2- 8.8	12	1.2	0.4- 2.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 29: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2173	289,147	2	0.2	0.0- 0.4	146	8.5	6.7-10.3	1063	47.7	45.0-50.4	717	31.3	28.8-33.8	201	10.1	8.3-11.9	44	2.3	1.5- 3.1
Native	74	11,254				7	9.5	1.3-17.7	36	41.6	26.7-56.5	22	32.0	16.9-47.1	7	15.4	0.7-30.1	2	1.6	0.0- 4.3
Non-Native	2067	272,772	2	0.2	0.0- 0.4	137	8.4	6.4-10.4	1004	47.6	44.9-50.3	690	31.5	29.0-34.0	192	10.0	8.2-11.8	42	2.3	1.5- 3.1
18-24	143	46,709				28	21.6	13.2-30.0	70	46.7	37.5-55.9	29	19.7	12.3-27.1	14	10.1	4.4-15.8	2	1.8	0.0- 4.3
25-34	278	55,652	1	0.5	0.0- 1.5	21	8.0	4.5-11.5	145	53.4	46.9-59.9	86	30.3	24.2-36.4	19	5.8	3.1- 8.5	6	2.1	0.3- 3.9
35-44	232	44,053				10	3.9	1.2- 6.6	87	38.2	30.9-45.5	97	38.6	31.5-45.7	31	16.6	10.3-22.9	7	2.8	0.4- 5.2
45-54	331	43,331				13	4.2	1.5- 6.9	136	41.6	35.3-47.9	135	38.9	32.8-45.0	38	12.2	7.9-16.5	9	3.1	0.7- 5.5
55-64	501	47,468				20	3.9	2.1- 5.7	238	50.6	45.5-55.7	181	33.7	29.0-38.4	51	9.6	6.9-12.3	11	2.2	0.6- 3.8
65+	679	50,651	1	0.5	0.0- 1.5	53	8.7	5.8-11.6	384	53.6	49.1-58.1	185	27.9	23.8-32.0	47	7.6	5.2-10.0	9	1.8	0.4- 3.2
Less Than H.S.	160	31,952				21	19.4	10.0-28.8	83	44.4	34.4-54.4	40	21.4	13.6-29.2	11	11.0	3.6-18.4	5	3.8	0.0- 7.7
H.S. or G.E.D.	661	82,420				52	9.8	6.3-13.3	325	47.9	43.0-52.8	206	30.8	26.5-35.1	66	9.8	7.1-12.5	12	1.6	0.4- 2.8
Some Post-H.S.	659	106,831	1	0.3	0.0- 0.9	36	5.9	3.5- 8.3	306	48.0	43.3-52.7	231	32.2	27.9-36.5	68	11.2	8.3-14.1	17	2.5	1.1- 3.9
College Graduate	691	67,639	1	0.4	0.0- 1.2	36	5.5	3.1- 7.9	348	48.7	44.0-53.4	240	35.2	30.7-39.7	56	8.3	5.8-10.8	10	1.9	0.7- 3.1
Less than \$15,000	85	12,887				7	7.4	1.7-13.1	44	52.2	38.5-65.9	25	29.0	17.2-40.8	5	4.4	0.3- 8.5	4	7.1	0.0-14.7
\$15,000- 24,999	204	30,356				26	18.0	10.2-25.8	104	45.2	36.2-54.2	54	23.9	16.8-31.0	15	10.7	3.6-17.8	5	2.1	0.0- 4.3
\$25,000- 34,999	177	23,972				16	5.8	2.3- 9.3	85	54.0	44.0-64.0	53	25.1	16.9-33.3	21	13.8	6.2-21.4	2	1.3	0.0- 3.1
\$35,000- 49,999	308	38,828				25	11.9	5.6-18.2	155	49.8	42.4-57.2	98	29.7	23.2-36.2	24	6.3	3.6- 9.0	6	2.3	0.0- 4.8
\$50,000- 74,999	390	48,835	1	0.6	0.0- 1.6	24	8.1	4.2-12.0	186	46.3	40.0-52.6	127	31.0	25.3-36.7	44	12.1	8.0-16.2	8	2.0	0.6- 3.4
\$75,000+	816	105,568				24	3.5	1.7- 5.3	396	47.5	43.2-51.8	306	36.2	32.1-40.3	79	10.8	8.1-13.5	11	2.0	0.6- 3.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 30: REPORTED WEIGHT IN KILOGRAMS (WTKG3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2478	261,112	26	1.1	0.5- 1.7	1129	47.4	44.7-50.1	1035	38.8	36.3-41.3	236	10.5	8.7-12.3	44	1.9	1.3- 2.5	8	0.4	0.0- 0.8
Native	89	11,869	1	0.1	0.0- 0.3	22	29.1	15.6-42.6	41	41.4	27.7-55.1	25	29.4	15.7-43.1						
Non-Native	2374	247,734	25	1.1	0.5- 1.7	1099	48.2	45.5-50.9	987	38.7	36.0-41.4	211	9.6	8.0-11.2	44	2.0	1.2- 2.8	8	0.4	0.0- 0.8
18-24	109	38,559	3	2.9	0.0- 6.6	73	66.0	56.4-75.6	27	26.5	17.5-35.5	4	3.4	0.0- 7.1	2	1.2	0.0- 2.8			
25-34	201	45,188				96	49.9	42.1-57.7	77	37.2	29.6-44.8	22	11.0	6.1-15.9	5	1.4	0.0- 2.8	1	0.5	0.0- 1.5
35-44	255	38,688	1	0.3	0.0- 0.9	104	39.1	31.8-46.4	103	41.5	34.2-48.8	41	16.5	10.8-22.2	5	2.3	0.1- 4.5	1	0.3	0.0- 0.9
45-54	321	37,621				137	42.4	35.9-48.9	131	38.3	32.0-44.6	42	14.9	9.6-20.2	9	3.3	0.8- 5.8	2	1.0	0.0- 2.6
55-64	557	42,176	2	0.5	0.0- 1.1	226	40.9	36.0-45.8	247	43.3	38.4-48.2	63	12.0	8.5-15.5	16	3.0	1.4- 4.6	3	0.3	0.0- 0.7
65+	1019	57,285	20	2.4	1.2- 3.6	482	46.6	42.9-50.3	445	43.3	39.6-47.0	64	7.0	5.0- 9.0	7	0.6	0.0- 1.2	1	0.1	0.0- 0.3
Less Than H.S.	119	16,077	4	6.2	0.0-13.6	57	47.7	35.2-60.2	48	37.1	25.5-48.7	9	8.7	0.3-17.1	1	0.3	0.0- 0.9			
H.S. or G.E.D.	694	63,954	14	2.1	0.5- 3.7	319	47.8	42.5-53.1	289	37.3	32.4-42.2	62	10.5	7.2-13.8	7	1.6	0.2- 3.0	3	0.6	0.0- 1.4
Some Post-H.S.	842	110,763	5	0.3	0.0- 0.7	365	45.9	41.4-50.4	358	39.6	35.1-44.1	90	11.5	8.6-14.4	23	2.6	1.2- 4.0	1	0.0	0.0- 0.0
College Graduate	815	69,745	3	0.2	0.0- 0.4	384	49.0	44.5-53.5	337	39.6	35.1-44.1	74	9.2	6.7-11.7	13	1.3	0.5- 2.1	4	0.7	0.0- 1.5
Less than \$15,000	174	20,416	5	2.4	0.0- 4.8	66	38.6	28.0-49.2	72	37.5	27.1-47.9	23	17.1	8.1-26.1	8	4.5	1.0- 8.0			
\$15,000- 24,999	320	31,553	9	5.0	0.3- 9.7	140	44.7	36.3-53.1	126	33.4	26.0-40.8	38	14.5	8.4-20.6	5	1.5	0.0- 3.3	2	0.9	0.0- 2.3
\$25,000- 34,999	224	23,687	4	1.1	0.0- 2.3	89	42.5	33.1-51.9	98	43.5	34.1-52.9	27	10.2	5.3-15.1	4	1.4	0.0- 3.6	2	1.3	0.0- 3.5
\$35,000- 49,999	347	32,388	2	0.5	0.0- 1.5	147	42.1	34.5-49.7	165	45.7	38.1-53.3	26	9.6	5.1-14.1	6	2.0	0.2- 3.8	1	0.1	0.0- 0.3
\$50,000- 74,999	340	37,845				161	52.5	45.4-59.6	135	36.2	29.5-42.9	38	10.1	5.8-14.4	5	1.1	0.1- 2.1	1	0.1	0.0- 0.3
\$75,000+	704	78,266	3	0.2	0.0- 0.4	329	48.8	44.1-53.5	295	38.5	34.0-43.0	64	10.4	7.5-13.3	12	2.0	0.6- 3.4	1	0.2	0.0- 0.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 31: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4612	542,395	31	0.7	0.3- 1.1	1376	32.5	30.5-34.5	1724	36.1	34.3-37.9	939	18.4	17.0-19.8	542	12.4	11.2-13.6
Male	2166	287,887	8	0.3	0.1- 0.5	447	24.6	22.1-27.1	937	41.1	38.4-43.8	502	20.8	18.6-23.0	272	13.2	11.4-15.0
Female	2446	254,508	23	1.1	0.5- 1.7	929	41.5	38.8-44.2	787	30.4	27.9-32.9	437	15.7	13.7-17.7	270	11.3	9.5-13.1
Native	161	22,141	2	0.8	0.0- 2.2	32	20.9	12.7-29.1	61	39.0	28.4-49.6	39	21.3	13.1-29.5	27	18.0	9.0-27.0
Non-Native	4406	514,207	29	0.7	0.3- 1.1	1335	33.2	31.2-35.2	1639	35.7	33.7-37.7	892	18.4	17.0-19.8	511	12.1	10.9-13.3
18-24	245	82,995	3	1.2	0.0- 2.8	133	54.5	47.6-61.4	64	27.6	21.3-33.9	27	10.0	6.1-13.9	18	6.7	3.4-10.0
25-34	465	97,625	3	0.6	0.0- 1.4	164	39.0	33.9-44.1	179	36.3	31.4-41.2	70	14.0	10.5-17.5	49	10.1	7.2-13.0
35-44	481	82,004	2	0.3	0.0- 0.7	131	26.3	21.6-31.0	162	33.1	28.2-38.0	113	21.8	17.7-25.9	73	18.4	13.9-22.9
45-54	649	80,285	1	0.3	0.0- 0.9	162	23.6	19.9-27.3	237	38.0	33.5-42.5	145	21.0	17.3-24.7	104	17.0	13.5-20.5
55-64	1057	89,567	3	0.3	0.0- 0.7	280	25.1	22.2-28.0	388	38.7	35.2-42.2	230	21.8	18.9-24.7	156	14.1	11.7-16.5
65+	1691	107,330	19	1.2	0.6- 1.8	496	27.2	24.7-29.7	685	40.9	38.0-43.8	350	21.3	18.8-23.8	141	9.5	7.7-11.3
Less Than H.S.	278	47,914	2	1.6	0.0- 4.1	84	32.9	25.1-40.7	99	33.5	26.2-40.8	63	21.1	15.0-27.2	30	11.0	5.5-16.5
H.S. or G.E.D.	1344	144,164	16	1.2	0.4- 2.0	400	34.0	30.5-37.5	467	30.8	27.7-33.9	288	20.1	17.4-22.8	173	13.9	11.4-16.4
Some Post-H.S.	1487	214,483	6	0.2	0.0- 0.4	399	30.2	27.1-33.3	583	38.3	35.2-41.4	306	18.0	15.6-20.4	193	13.3	11.1-15.5
College Graduate	1493	134,956	7	0.5	0.0- 1.1	489	34.3	31.2-37.4	570	39.0	35.9-42.1	282	16.5	14.1-18.9	145	9.6	7.8-11.4
Less than \$15,000	253	31,838	4	0.9	0.0- 1.9	74	30.1	22.1-38.1	82	35.2	26.8-43.6	48	16.7	10.4-23.0	45	17.1	11.2-23.0
\$15,000- 24,999	519	60,815	10	2.8	0.4- 5.2	169	36.9	30.6-43.2	157	25.9	20.8-31.0	109	18.3	14.0-22.6	74	16.1	11.2-21.0
\$25,000- 34,999	400	47,620	3	1.0	0.0- 2.2	107	28.0	21.5-34.5	143	36.3	29.8-42.8	88	21.3	15.6-27.0	59	13.4	9.3-17.5
\$35,000- 49,999	651	70,690	4	0.6	0.0- 1.2	187	31.4	26.1-36.7	245	37.7	32.4-43.0	139	17.9	14.2-21.6	76	12.4	9.1-15.7
\$50,000- 74,999	729	86,359	3	0.2	0.0- 0.4	210	34.5	29.8-39.2	277	34.6	30.3-38.9	152	19.3	15.8-22.8	87	11.4	8.5-14.3
\$75,000+	1505	180,756	1	0.0	0.0- 0.0	429	29.8	26.9-32.7	607	39.4	36.3-42.5	317	19.5	17.1-21.9	151	11.3	9.1-13.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 32: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2166	287,887	8	0.3	0.1- 0.5	447	24.6	22.1-27.1	937	41.1	38.4-43.8	502	20.8	18.6-23.0	272	13.2	11.4-15.0
Native	74	11,254				15	19.1	8.3-29.9	35	47.8	31.9-63.7	15	14.6	5.8-23.4	9	18.5	3.6-33.4
Non-Native	2061	271,780	8	0.4	0.2- 0.6	428	24.9	22.4-27.4	882	40.4	37.7-43.1	483	21.2	19.0-23.4	260	13.1	11.3-14.9
18-24	142	46,471	1	0.3	0.0- 0.9	67	47.8	38.4-57.2	42	30.0	21.6-38.4	20	13.6	7.3-19.9	12	8.3	3.4-13.2
25-34	278	55,652	2	0.8	0.0- 2.0	82	32.5	26.2-38.8	114	39.4	32.9-45.9	55	19.0	13.9-24.1	25	8.4	5.1-11.7
35-44	231	43,785				38	16.6	11.1-22.1	94	41.4	34.0-48.8	55	19.4	13.9-24.9	44	22.7	15.8-29.6
45-54	329	43,018				40	12.5	8.2-16.8	136	42.9	36.4-49.4	94	25.5	20.2-30.8	59	19.1	14.0-24.2
55-64	500	47,390	1	0.3	0.0- 0.9	82	15.2	11.7-18.7	217	46.9	41.8-52.0	127	23.7	19.6-27.8	73	13.8	10.5-17.1
65+	678	50,576	4	0.5	0.0- 1.1	136	20.4	16.5-24.3	331	46.2	41.7-50.7	148	23.2	19.1-27.3	59	9.7	7.0-12.4
Less Than H.S.	160	31,952	1	0.5	0.0- 1.5	37	29.2	19.2-39.2	69	37.4	27.8-47.0	33	19.3	12.0-26.6	20	13.7	6.1-21.3
H.S. or G.E.D.	657	81,741	3	0.4	0.0- 1.0	144	27.4	22.5-32.3	255	34.2	29.7-38.7	160	23.8	19.7-27.9	95	14.2	10.9-17.5
Some Post-H.S.	658	106,709	2	0.2	0.0- 0.4	120	21.5	17.4-25.6	286	43.9	39.2-48.6	157	19.9	16.4-23.4	93	14.4	11.3-17.5
College Graduate	689	67,180	2	0.5	0.0- 1.3	145	23.6	19.5-27.7	326	46.7	42.0-51.4	152	19.2	15.7-22.7	64	10.1	7.4-12.8
Less than \$15,000	84	12,812	1	1.2	0.0- 3.6	15	16.7	6.3-27.1	40	51.1	37.4-64.8	16	15.1	6.9-23.3	12	15.9	6.1-25.7
\$15,000- 24,999	202	29,849	1	0.6	0.0- 1.8	57	34.1	24.9-43.3	75	31.9	23.9-39.9	45	18.4	11.9-24.9	24	14.9	7.5-22.3
\$25,000- 34,999	177	23,972	1	0.4	0.0- 1.2	38	22.2	13.4-31.0	76	44.7	34.9-54.5	34	18.2	10.2-26.2	28	14.6	8.7-20.5
\$35,000- 49,999	308	38,828	1	0.2	0.0- 0.6	71	28.4	21.1-35.7	127	39.6	32.3-46.9	68	18.2	13.1-23.3	41	13.6	8.9-18.3
\$50,000- 74,999	390	48,835				72	25.1	19.0-31.2	173	38.8	32.9-44.7	91	23.2	18.1-28.3	54	12.9	9.0-16.8
\$75,000+	814	105,255				147	19.4	15.9-22.9	369	44.8	40.5-49.1	211	23.5	20.0-27.0	87	12.3	9.4-15.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 33: BODY MASS INDEX (kilograms per meter-squared) (_BMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2446	254,508	23	1.1	0.5- 1.7	929	41.5	38.8-44.2	787	30.4	27.9-32.9	437	15.7	13.7-17.7	270	11.3	9.5-13.1
Native	87	10,887	2	1.6	0.0- 4.3	17	22.9	10.7-35.1	26	29.9	16.6-43.2	24	28.2	14.9-41.5	18	17.5	8.1-26.9
Non-Native	2345	242,427	21	1.0	0.4- 1.6	907	42.4	39.7-45.1	757	30.4	27.9-32.9	409	15.2	13.4-17.0	251	11.0	9.2-12.8
18-24	103	36,524	2	2.3	0.0- 5.6	66	63.0	52.8-73.2	22	24.5	15.3-33.7	7	5.4	1.1- 9.7	6	4.7	0.6- 8.8
25-34	187	41,973	1	0.4	0.0- 1.2	82	47.7	39.5-55.9	65	32.2	24.6-39.8	15	7.3	3.2-11.4	24	12.3	7.0-17.6
35-44	250	38,219	2	0.7	0.0- 1.7	93	37.5	30.2-44.8	68	23.7	17.8-29.6	58	24.6	18.1-31.1	29	13.6	7.9-19.3
45-54	320	37,266	1	0.7	0.0- 2.1	122	36.5	30.2-42.8	101	32.4	26.3-38.5	51	15.8	10.7-20.9	45	14.7	10.2-19.2
55-64	557	42,176	2	0.3	0.0- 0.7	198	36.2	31.5-40.9	171	29.6	25.3-33.9	103	19.6	15.5-23.7	83	14.4	10.7-18.1
65+	1013	56,754	15	1.8	0.8- 2.8	360	33.3	29.8-36.8	354	36.1	32.4-39.8	202	19.6	16.5-22.7	82	9.2	7.0-11.4
Less Than H.S.	118	15,962	1	3.7	0.0-10.8	47	40.4	27.9-52.9	30	25.6	14.8-36.4	30	24.7	13.9-35.5	10	5.5	1.0-10.0
H.S. or G.E.D.	687	62,424	13	2.2	0.8- 3.6	256	42.5	37.2-47.8	212	26.4	22.1-30.7	128	15.3	12.0-18.6	78	13.6	9.7-17.5
Some Post-H.S.	829	107,774	4	0.3	0.0- 0.7	279	38.8	34.1-43.5	297	32.7	28.4-37.0	149	16.0	12.9-19.1	100	12.3	9.4-15.2
College Graduate	804	67,776	5	0.6	0.0- 1.2	344	45.0	40.5-49.5	244	31.5	27.2-35.8	130	13.7	10.8-16.6	81	9.2	6.7-11.7
Less than \$15,000	169	19,026	3	0.7	0.0- 1.5	59	39.0	28.0-50.0	42	24.5	14.7-34.3	32	17.8	9.2-26.4	33	18.0	10.6-25.4
\$15,000- 24,999	317	30,966	9	4.9	0.6- 9.2	112	39.6	31.2-48.0	82	20.1	14.0-26.2	64	18.3	12.6-24.0	50	17.2	10.9-23.5
\$25,000- 34,999	223	23,648	2	1.6	0.0- 4.0	69	34.0	24.6-43.4	67	27.8	19.6-36.0	54	24.5	16.5-32.5	31	12.1	6.6-17.6
\$35,000- 49,999	343	31,862	3	1.0	0.0- 2.4	116	35.0	27.4-42.6	118	35.5	28.1-42.9	71	17.5	12.4-22.6	35	10.9	6.4-15.4
\$50,000- 74,999	339	37,525	3	0.5	0.0- 1.1	138	46.7	39.4-54.0	104	29.2	22.7-35.7	61	14.3	10.0-18.6	33	9.4	5.1-13.7
\$75,000+	691	75,501	1	0.1	0.0- 0.3	282	44.4	39.7-49.1	238	31.9	27.6-36.2	106	13.9	10.8-17.0	64	9.8	7.1-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 34: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4612	542,395	50	1.2	0.8- 1.6	1352	31.8	29.8-33.8	1722	36.0	34.2-37.8	1488	31.0	29.2-32.8
Male	2166	287,887	14	0.8	0.2- 1.4	436	23.8	21.3-26.3	936	40.9	38.2-43.6	780	34.5	32.0-37.0
Female	2446	254,508	36	1.6	0.8- 2.4	916	40.9	38.2-43.6	786	30.4	27.9-32.9	708	27.1	24.7-29.5
Native	161	22,141	3	1.2	0.0- 2.8	31	20.5	12.3-28.7	61	39.0	28.4-49.6	66	39.3	28.7-49.9
Non-Native	4406	514,207	47	1.2	0.6- 1.8	1312	32.4	30.4-34.4	1637	35.6	33.6-37.6	1410	30.7	28.9-32.5
18-24	245	82,995	8	3.4	0.9- 5.9	127	52.0	44.9-59.1	65	27.9	21.6-34.2	45	16.7	11.8-21.6
25-34	465	97,625	3	0.6	0.0- 1.4	163	39.0	33.9-44.1	178	35.6	30.7-40.5	121	24.8	20.5-29.1
35-44	481	82,004	2	0.3	0.0- 0.7	129	25.8	21.1-30.5	164	33.7	28.8-38.6	186	40.2	34.9-45.5
45-54	649	80,285	4	1.0	0.0- 2.0	159	23.0	19.3-26.7	235	37.5	33.0-42.0	251	38.6	34.1-43.1
55-64	1057	89,567	3	0.3	0.0- 0.7	280	25.1	22.2-28.0	388	38.7	35.2-42.2	386	35.9	32.6-39.2
65+	1691	107,330	30	1.7	0.9- 2.5	484	26.6	24.1-29.1	683	40.8	37.9-43.7	494	30.9	28.2-33.6
Less Than H.S.	278	47,914	3	1.8	0.0- 4.3	83	32.7	24.9-40.5	99	33.5	26.2-40.8	93	32.1	24.7-39.5
H.S. or G.E.D.	1344	144,164	23	1.9	0.9- 2.9	390	33.0	29.5-36.5	468	31.1	28.0-34.2	463	34.1	30.8-37.4
Some Post-H.S.	1487	214,483	12	0.9	0.1- 1.7	393	29.6	26.5-32.7	579	37.8	34.7-40.9	503	31.7	28.8-34.6
College Graduate	1493	134,956	12	0.9	0.3- 1.5	482	33.7	30.6-36.8	571	39.2	36.1-42.3	428	26.3	23.6-29.0
Less than \$15,000	253	31,838	5	1.3	0.0- 2.7	73	29.7	21.7-37.7	81	34.9	26.5-43.3	94	34.2	26.4-42.0
\$15,000- 24,999	519	60,815	16	4.7	1.8- 7.6	163	35.0	28.7-41.3	156	25.4	20.3-30.5	184	35.0	29.1-40.9
\$25,000- 34,999	400	47,620	6	1.2	0.0- 2.4	104	27.8	21.3-34.3	142	36.2	29.7-42.7	148	34.7	28.2-41.2
\$35,000- 49,999	651	70,690	5	0.9	0.0- 1.9	185	31.0	25.7-36.3	246	37.8	32.5-43.1	215	30.3	25.6-35.0
\$50,000- 74,999	729	86,359	3	0.2	0.0- 0.4	210	34.5	29.8-39.2	277	34.6	30.3-38.9	239	30.7	26.6-34.8
\$75,000+	1505	180,756	4	0.6	0.0- 1.4	423	29.0	26.1-31.9	607	39.2	36.1-42.3	471	31.2	28.3-34.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 35: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2166	287,887	14	0.8	0.2- 1.4	436	23.8	21.3-26.3	936	40.9	38.2-43.6	780	34.5	32.0-37.0
Native	74	11,254	1	0.9	0.0- 2.7	14	18.2	7.4-29.0	35	47.8	31.9-63.7	24	33.2	17.7-48.7
Non-Native	2061	271,780	13	0.8	0.2- 1.4	418	24.1	21.6-26.6	881	40.3	37.6-43.0	749	34.8	32.3-37.3
18-24	142	46,471	3	2.1	0.0- 5.0	64	45.4	36.0-54.8	43	30.6	22.0-39.2	32	21.9	14.5-29.3
25-34	278	55,652	2	0.8	0.0- 2.0	81	32.4	26.1-38.7	113	38.2	31.9-44.5	82	28.7	22.8-34.6
35-44	231	43,785				36	15.6	10.1-21.1	96	42.4	35.0-49.8	99	42.0	34.6-49.4
45-54	329	43,018	2	1.0	0.0- 2.6	38	11.5	7.4-15.6	134	41.9	35.4-48.4	155	45.6	39.3-51.9
55-64	500	47,390	1	0.3	0.0- 0.9	82	15.2	11.7-18.7	217	46.9	41.8-52.0	200	37.6	32.7-42.5
65+	678	50,576	6	0.7	0.1- 1.3	133	19.9	16.0-23.8	330	46.1	41.6-50.6	209	33.2	28.7-37.7
Less Than H.S.	160	31,952	2	0.8	0.0- 2.0	36	28.8	18.8-38.8	69	37.4	27.8-47.0	53	33.0	23.4-42.6
H.S. or G.E.D.	657	81,741	4	0.6	0.0- 1.2	140	26.7	21.8-31.6	256	34.7	30.2-39.2	257	38.1	33.4-42.8
Some Post-H.S.	658	106,709	5	1.3	0.0- 2.7	117	20.4	16.3-24.5	283	43.1	38.4-47.8	253	35.2	30.9-39.5
College Graduate	689	67,180	3	0.5	0.0- 1.3	142	23.0	18.9-27.1	327	46.9	42.2-51.6	217	29.6	25.5-33.7
Less than \$15,000	84	12,812	2	2.1	0.0- 5.0	14	15.8	5.6-26.0	39	50.4	36.7-64.1	29	31.7	19.5-43.9
\$15,000- 24,999	202	29,849	1	0.6	0.0- 1.8	57	34.1	24.9-43.3	74	30.8	22.8-38.8	70	34.4	25.6-43.2
\$25,000- 34,999	177	23,972	2	0.4	0.0- 1.2	37	22.1	13.3-30.9	76	44.7	34.9-54.5	62	32.8	23.6-42.0
\$35,000- 49,999	308	38,828	2	0.8	0.0- 2.0	69	27.7	20.4-35.0	128	39.7	32.4-47.0	109	31.8	25.3-38.3
\$50,000- 74,999	390	48,835				72	25.1	19.0-31.2	173	38.8	32.9-44.7	145	36.1	30.2-42.0
\$75,000+	814	105,255	2	0.9	0.0- 2.3	142	18.0	14.7-21.3	369	44.5	40.2-48.8	301	36.6	32.5-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 36: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI5CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Underweight			Normal Weight			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2446	254,508	36	1.6	0.8- 2.4	916	40.9	38.2-43.6	786	30.4	27.9-32.9	708	27.1	24.7-29.5
Native	87	10,887	2	1.6	0.0- 4.3	17	22.9	10.7-35.1	26	29.9	16.6-43.2	42	45.7	31.6-59.8
Non-Native	2345	242,427	34	1.7	0.9- 2.5	894	41.8	39.1-44.5	756	30.4	27.9-32.9	661	26.2	23.8-28.6
18-24	103	36,524	5	5.0	0.5- 9.5	63	60.4	50.2-70.6	22	24.5	15.3-33.7	13	10.2	4.5-15.9
25-34	187	41,973	1	0.4	0.0- 1.2	82	47.7	39.5-55.9	65	32.2	24.6-39.8	39	19.6	13.1-26.1
35-44	250	38,219	2	0.7	0.0- 1.7	93	37.5	30.2-44.8	68	23.7	17.8-29.6	87	38.2	30.8-45.6
45-54	320	37,266	2	0.9	0.0- 2.3	121	36.3	30.2-42.4	101	32.4	26.3-38.5	96	30.5	24.4-36.6
55-64	557	42,176	2	0.3	0.0- 0.7	198	36.2	31.5-40.9	171	29.6	25.3-33.9	186	34.0	29.3-38.7
65+	1013	56,754	24	2.6	1.4- 3.8	351	32.5	29.0-36.0	353	36.1	32.4-39.8	285	28.9	25.4-32.4
Less Than H.S.	118	15,962	1	3.7	0.0-10.8	47	40.4	27.9-52.9	30	25.6	14.8-36.4	40	30.2	19.0-41.4
H.S. or G.E.D.	687	62,424	19	3.6	1.4- 5.8	250	41.1	35.8-46.4	212	26.4	22.1-30.7	206	28.9	24.2-33.6
Some Post-H.S.	829	107,774	7	0.5	0.1- 0.9	276	38.6	33.9-43.3	296	32.6	28.3-36.9	250	28.3	24.4-32.2
College Graduate	804	67,776	9	1.2	0.2- 2.2	340	44.3	39.8-48.8	244	31.5	27.2-35.8	211	22.9	19.2-26.6
Less than \$15,000	169	19,026	3	0.7	0.0- 1.5	59	39.0	28.0-50.0	42	24.5	14.7-34.3	65	35.8	25.6-46.0
\$15,000- 24,999	317	30,966	15	8.6	3.1-14.1	106	35.9	27.5-44.3	82	20.1	14.0-26.2	114	35.5	27.7-43.3
\$25,000- 34,999	223	23,648	4	1.9	0.0- 4.3	67	33.6	24.2-43.0	66	27.7	19.5-35.9	86	36.7	27.7-45.7
\$35,000- 49,999	343	31,862	3	1.0	0.0- 2.4	116	35.0	27.4-42.6	118	35.5	28.1-42.9	106	28.5	22.0-35.0
\$50,000- 74,999	339	37,525	3	0.5	0.0- 1.1	138	46.7	39.4-54.0	104	29.2	22.7-35.7	94	23.6	17.7-29.5
\$75,000+	691	75,501	2	0.1	0.0- 0.3	281	44.3	39.6-49.0	238	31.9	27.6-36.2	170	23.7	19.8-27.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 37: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4612	542,395	1402	33.0	31.0-35.0	3210	67.0	65.0-69.0
Male	2166	287,887	450	24.6	22.1-27.1	1716	75.4	72.9-77.9
Female	2446	254,508	952	42.6	39.9-45.3	1494	57.4	54.7-60.1
Native	161	22,141	34	21.7	13.5-29.9	127	78.3	70.1-86.5
Non-Native	4406	514,207	1359	33.7	31.7-35.7	3047	66.3	64.3-68.3
18-24	245	82,995	135	55.4	48.5-62.3	110	44.6	37.7-51.5
25-34	465	97,625	166	39.6	34.5-44.7	299	60.4	55.3-65.5
35-44	481	82,004	131	26.1	21.4-30.8	350	73.9	69.2-78.6
45-54	649	80,285	163	24.0	20.3-27.7	486	76.0	72.3-79.7
55-64	1057	89,567	283	25.4	22.5-28.3	774	74.6	71.7-77.5
65+	1691	107,330	514	28.3	25.8-30.8	1177	71.7	69.2-74.2
Less Than H.S.	278	47,914	86	34.5	26.5-42.5	192	65.5	57.5-73.5
H.S. or G.E.D.	1344	144,164	413	34.8	31.1-38.5	931	65.2	61.5-68.9
Some Post-H.S.	1487	214,483	405	30.4	27.3-33.5	1082	69.6	66.5-72.7
College Graduate	1493	134,956	494	34.6	31.5-37.7	999	65.4	62.3-68.5
Less than \$15,000	253	31,838	78	30.9	22.9-38.9	175	69.1	61.1-77.1
\$15,000- 24,999	519	60,815	179	39.7	33.4-46.0	340	60.3	54.0-66.6
\$25,000- 34,999	400	47,620	110	29.0	22.5-35.5	290	71.0	64.5-77.5
\$35,000- 49,999	651	70,690	190	31.9	26.6-37.2	461	68.1	62.8-73.4
\$50,000- 74,999	729	86,359	213	34.7	30.0-39.4	516	65.3	60.6-70.0
\$75,000+	1505	180,756	427	29.6	26.7-32.5	1078	70.4	67.5-73.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 38: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2166	287,887	450	24.6	22.1-27.1	1716	75.4	72.9-77.9
Native	74	11,254	15	19.1	8.3-29.9	59	80.9	70.1-91.7
Non-Native	2061	271,780	431	25.0	22.5-27.5	1630	75.0	72.5-77.5
18-24	142	46,471	67	47.5	38.1-56.9	75	52.5	43.1-61.9
25-34	278	55,652	83	33.2	26.9-39.5	195	66.8	60.5-73.1
35-44	231	43,785	36	15.6	10.1-21.1	195	84.4	78.9-89.9
45-54	329	43,018	40	12.5	8.2-16.8	289	87.5	83.2-91.8
55-64	500	47,390	83	15.5	12.0-19.0	417	84.5	81.0-88.0
65+	678	50,576	139	20.7	16.8-24.6	539	79.3	75.4-83.2
Less Than H.S.	160	31,952	38	29.6	19.6-39.6	122	70.4	60.4-80.4
H.S. or G.E.D.	657	81,741	144	27.3	22.4-32.2	513	72.7	67.8-77.6
Some Post-H.S.	658	106,709	122	21.7	17.6-25.8	536	78.3	74.2-82.4
College Graduate	689	67,180	145	23.5	19.4-27.6	544	76.5	72.4-80.6
Less than \$15,000	84	12,812	16	17.9	7.3-28.5	68	82.1	71.5-92.7
\$15,000- 24,999	202	29,849	58	34.7	25.5-43.9	144	65.3	56.1-74.5
\$25,000- 34,999	177	23,972	39	22.6	13.8-31.4	138	77.4	68.6-86.2
\$35,000- 49,999	308	38,828	71	28.5	21.2-35.8	237	71.5	64.2-78.8
\$50,000- 74,999	390	48,835	72	25.1	19.0-31.2	318	74.9	68.8-81.0
\$75,000+	814	105,255	144	18.9	15.4-22.4	670	81.1	77.6-84.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 39: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI5).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2446	254,508	952	42.6	39.9-45.3	1494	57.4	54.7-60.1
Native	87	10,887	19	24.5	12.2-36.8	68	75.5	63.2-87.8
Non-Native	2345	242,427	928	43.4	40.7-46.1	1417	56.6	53.9-59.3
18-24	103	36,524	68	65.4	55.4-75.4	35	34.6	24.6-44.6
25-34	187	41,973	83	48.2	40.0-56.4	104	51.8	43.6-60.0
35-44	250	38,219	95	38.1	30.8-45.4	155	61.9	54.6-69.2
45-54	320	37,266	123	37.2	30.9-43.5	197	62.8	56.5-69.1
55-64	557	42,176	200	36.5	31.8-41.2	357	63.5	58.8-68.2
65+	1013	56,754	375	35.1	31.6-38.6	638	64.9	61.4-68.4
Less Than H.S.	118	15,962	48	44.2	31.5-56.9	70	55.8	43.1-68.5
H.S. or G.E.D.	687	62,424	269	44.7	39.4-50.0	418	55.3	50.0-60.6
Some Post-H.S.	829	107,774	283	39.1	34.4-43.8	546	60.9	56.2-65.6
College Graduate	804	67,776	349	45.5	41.0-50.0	455	54.5	50.0-59.0
Less than \$15,000	169	19,026	62	39.7	28.7-50.7	107	60.3	49.3-71.3
\$15,000- 24,999	317	30,966	121	44.5	35.9-53.1	196	55.5	46.9-64.1
\$25,000- 34,999	223	23,648	71	35.6	26.2-45.0	152	64.4	55.0-73.8
\$35,000- 49,999	343	31,862	119	36.0	28.4-43.6	224	64.0	56.4-71.6
\$50,000- 74,999	339	37,525	141	47.2	39.9-54.5	198	52.8	45.5-60.1
\$75,000+	691	75,501	283	44.4	39.7-49.1	408	55.6	50.9-60.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 40: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4927	581,914	3774	65.8	63.8-67.8	445	13.0	11.6-14.4	407	12.0	10.6-13.4	202	6.0	5.0- 7.0	65	2.2	1.6- 2.8	34	1.1	0.7- 1.5
Male	2221	298,027	1677	67.9	65.4-70.4	216	12.5	10.5-14.5	201	11.7	9.9-13.5	84	4.8	3.6- 6.0	26	1.9	1.1- 2.7	17	1.2	0.4- 2.0
Female	2706	283,886	2097	63.6	60.9-66.3	229	13.7	11.7-15.7	206	12.3	10.3-14.3	118	7.2	5.6- 8.8	39	2.4	1.4- 3.4	17	0.9	0.3- 1.5
Native	170	23,708	90	47.2	36.8-57.6	28	18.8	11.2-26.4	24	14.0	7.3-20.7	16	9.3	4.2-14.4	8	5.4	0.5-10.3	4	5.2	0.0-12.5
Non-Native	4703	550,372	3644	66.7	64.7-68.7	413	12.8	11.4-14.2	378	11.8	10.4-13.2	183	5.8	4.8- 6.8	57	2.0	1.4- 2.6	28	0.8	0.4- 1.2
18-24	266	90,715	185	68.0	61.5-74.5	46	17.3	12.0-22.6	25	10.6	6.3-14.9	6	2.3	0.3- 4.3	2	0.8	0.0- 2.0	2	1.0	0.0- 2.6
25-34	495	104,521	186	38.0	33.1-42.9	119	23.7	19.4-28.0	101	19.4	15.5-23.3	67	13.9	10.4-17.4	16	3.6	1.6- 5.6	6	1.3	0.1- 2.5
35-44	508	86,950	117	25.2	20.7-29.7	80	15.6	12.1-19.1	170	32.4	27.7-37.1	88	15.4	11.9-18.9	34	7.8	4.9-10.7	19	3.6	1.2- 6.0
45-54	695	86,674	444	65.6	61.5-69.7	129	18.0	14.7-21.3	83	10.9	8.4-13.4	30	4.5	2.7- 6.3	6	0.8	0.2- 1.4	3	0.3	0.0- 0.7
55-64	1132	95,292	1050	92.2	90.2-94.2	53	5.2	3.6- 6.8	15	1.2	0.4- 2.0	8	0.8	0.2- 1.4	4	0.4	0.0- 0.8	2	0.2	0.0- 0.4
65+	1786	113,140	1753	97.8	97.0-98.6	16	1.0	0.4- 1.6	10	0.6	0.2- 1.0	2	0.1	0.1- 0.1	3	0.2	0.0- 0.6	2	0.3	0.0- 0.7
Less Than H.S.	296	51,220	249	67.8	59.6-76.0	18	13.4	6.9-19.9	13	6.5	2.4-10.6	8	5.8	1.5-10.1	4	3.0	0.1- 5.9	4	3.4	0.0- 7.5
H.S. or G.E.D.	1445	155,371	1185	72.2	68.9-75.5	111	11.5	9.0-14.0	85	10.2	7.8-12.6	46	4.4	3.0- 5.8	13	1.5	0.5- 2.5	5	0.3	0.1- 0.5
Some Post-H.S.	1595	230,477	1211	65.0	61.9-68.1	147	12.5	10.1-14.9	132	12.7	10.3-15.1	62	6.1	4.3- 7.9	31	2.7	1.5- 3.9	12	1.0	0.4- 1.6
College Graduate	1577	143,321	1117	59.5	56.4-62.6	169	15.6	13.1-18.1	177	14.9	12.5-17.3	85	7.4	5.6- 9.2	17	1.7	0.7- 2.7	12	0.9	0.3- 1.5
Less than \$15,000	266	34,087	234	79.6	72.2-87.0	14	8.6	3.9-13.3	8	5.0	0.7- 9.3	6	3.7	0.0- 7.4	2	2.0	0.0- 5.1	2	1.2	0.0- 3.2
\$15,000- 24,999	546	65,514	467	75.3	69.2-81.4	31	10.3	5.8-14.8	23	7.6	3.9-11.3	14	3.8	1.4- 6.2	9	1.5	0.5- 2.5	2	1.5	0.0- 4.0
\$25,000- 34,999	426	49,803	360	74.0	67.7-80.3	31	12.8	7.9-17.7	23	7.9	4.0-11.8	5	3.3	0.2- 6.4	5	1.5	0.1- 2.9	2	0.6	0.0- 1.4
\$35,000- 49,999	678	74,197	553	70.3	65.0-75.6	60	14.4	10.1-18.7	36	8.6	5.3-11.9	20	4.0	1.6- 6.4	4	1.6	0.0- 3.4	5	1.1	0.0- 2.3
\$50,000- 74,999	768	90,492	587	66.3	61.8-70.8	73	12.1	9.0-15.2	61	12.6	9.1-16.1	31	6.3	3.8- 8.8	11	2.0	0.6- 3.4	5	0.6	0.0- 1.2
\$75,000+	1558	188,853	986	53.2	50.1-56.3	192	14.9	12.5-17.3	225	18.4	15.9-20.9	109	9.0	7.0-11.0	33	3.6	2.2- 5.0	13	1.0	0.4- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 41: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2221	298,027	1677	67.9	65.4-70.4	216	12.5	10.5-14.5	201	11.7	9.9-13.5	84	4.8	3.6- 6.0	26	1.9	1.1- 2.7	17	1.2	0.4- 2.0
Native	74	11,254	48	56.4	40.3-72.5	9	14.9	4.3-25.5	11	11.7	3.9-19.5	3	3.1	0.0- 6.6	2	6.1	0.0-15.1	1	7.9	0.0-22.2
Non-Native	2115	281,652	1605	68.5	65.8-71.2	204	12.2	10.2-14.2	188	11.6	9.8-13.4	79	4.9	3.7- 6.1	24	1.8	1.0- 2.6	15	0.9	0.3- 1.5
18-24	150	49,625	111	73.4	65.0-81.8	24	16.6	9.2-24.0	9	5.8	1.9- 9.7	3	1.5	0.0- 3.5	1	0.9	0.0- 2.7	2	1.8	0.0- 4.5
25-34	281	56,356	135	49.0	42.5-55.5	58	19.5	14.4-24.6	54	18.9	13.8-24.0	25	8.9	5.0-12.8	6	2.6	0.2- 5.0	3	1.2	0.0- 2.6
35-44	240	45,874	72	30.8	23.9-37.7	35	13.9	9.0-18.8	78	31.9	25.0-38.8	34	13.0	8.1-17.9	14	6.8	2.9-10.7	7	3.5	0.0- 7.4
45-54	336	44,571	204	62.8	56.7-68.9	62	17.9	13.2-22.6	46	12.5	8.6-16.4	19	5.5	2.8- 8.2	3	0.9	0.0- 2.1	2	0.4	0.0- 1.0
55-64	508	48,369	470	92.0	89.1-94.9	27	6.0	3.5- 8.5	6	1.0	0.0- 2.0	2	0.2	0.0- 0.6	1	0.4	0.0- 1.2	2	0.4	0.0- 1.0
65+	692	51,449	673	97.4	96.0-98.8	10	1.4	0.4- 2.4	6	1.0	0.2- 1.8	1	0.1	0.0- 0.3	1	0.0	0.0- 0.0	1	0.2	0.0- 0.6
Less Than H.S.	164	32,680	134	66.7	56.1-77.3	11	14.4	5.8-23.0	10	6.5	1.8-11.2	2	2.7	0.0- 6.4	4	4.7	0.0- 9.4	3	5.0	0.0-11.3
H.S. or G.E.D.	683	86,003	537	72.4	67.9-76.9	60	11.0	7.7-14.3	50	10.0	7.1-12.9	26	4.8	2.6- 7.0	8	1.5	0.3- 2.7	2	0.2	0.0- 0.6
Some Post-H.S.	673	110,468	498	68.0	63.5-72.5	71	11.5	8.4-14.6	67	13.2	9.9-16.5	23	4.6	2.4- 6.8	8	1.7	0.5- 2.9	6	1.0	0.2- 1.8
College Graduate	697	68,061	505	62.7	58.2-67.2	74	15.0	11.5-18.5	74	13.9	10.6-17.2	32	5.8	3.6- 8.0	6	1.5	0.1- 2.9	6	1.0	0.2- 1.8
Less than \$15,000	87	13,161	81	91.2	82.6-99.8	1	1.7	0.0- 5.0	3	2.0	0.0- 4.7				2	5.2	0.0-13.0			
\$15,000- 24,999	208	31,718	181	77.6	68.4-86.8	13	11.6	4.2-19.0	8	6.3	1.8-10.8	2	0.8	0.0- 2.0	3	0.9	0.0- 2.1	1	2.8	0.0- 8.1
\$25,000- 34,999	181	24,556	155	78.3	69.5-87.1	14	12.2	5.3-19.1	8	4.1	1.0- 7.2	2	4.0	0.0- 9.5	1	0.8	0.0- 2.4	1	0.7	0.0- 2.1
\$35,000- 49,999	311	39,714	253	73.2	65.9-80.5	25	12.8	6.7-18.9	21	9.5	4.8-14.2	8	3.0	0.3- 5.7	2	1.1	0.0- 2.9	2	0.5	0.0- 1.1
\$50,000- 74,999	393	49,112	294	66.4	60.3-72.5	41	11.7	7.8-15.6	34	13.0	8.5-17.5	15	5.9	2.6- 9.2	6	2.2	0.2- 4.2	3	0.8	0.0- 1.8
\$75,000+	819	105,922	529	56.3	52.0-60.6	104	14.7	11.6-17.8	115	17.8	14.5-21.1	52	7.4	5.2- 9.6	12	2.8	1.0- 4.6	7	1.1	0.3- 1.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 42: RISK FACTOR FOR NUMBER OF CHILDREN IN HOUSEHOLD (_CHLDCNT).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No Children Household			One Children			Two Children			Three Children			Four Children			Five or More Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2706	283,886	2097	63.6	60.9-66.3	229	13.7	11.7-15.7	206	12.3	10.3-14.3	118	7.2	5.6- 8.8	39	2.4	1.4- 3.4	17	0.9	0.3- 1.5
Native	96	12,454	42	38.9	25.0-52.8	19	22.4	11.4-33.4	13	16.0	5.6-26.4	13	15.0	6.2-23.8	6	4.7	0.4- 9.0	3	2.9	0.0- 6.2
Non-Native	2588	268,720	2039	64.8	62.1-67.5	209	13.3	11.3-15.3	190	12.0	10.0-14.0	104	6.8	5.2- 8.4	33	2.3	1.3- 3.3	13	0.7	0.3- 1.1
18-24	116	41,090	74	61.5	51.9-71.1	22	18.1	10.7-25.5	16	16.4	8.8-24.0	3	3.3	0.0- 7.0	1	0.7	0.0- 2.1			
25-34	214	48,165	51	25.1	18.4-31.8	61	28.8	21.7-35.9	47	20.1	14.2-26.0	42	19.9	13.6-26.2	10	4.7	1.4- 8.0	3	1.5	0.0- 3.5
35-44	268	41,075	45	19.0	12.9-25.1	45	17.4	12.1-22.7	92	32.9	26.2-39.6	54	18.0	12.7-23.3	20	9.0	4.7-13.3	12	3.8	1.4- 6.2
45-54	359	42,102	240	68.5	62.8-74.2	67	18.1	13.4-22.8	37	9.1	5.8-12.4	11	3.4	1.0- 5.8	3	0.7	0.0- 1.5	1	0.2	0.0- 0.6
55-64	624	46,923	580	92.5	90.0-95.0	26	4.4	2.4- 6.4	9	1.4	0.4- 2.4	6	1.3	0.1- 2.5	3	0.3	0.0- 0.7			
65+	1094	61,692	1080	98.1	96.9-99.3	6	0.7	0.1- 1.3	4	0.4	0.0- 0.8	1	0.0	0.0- 0.0	2	0.4	0.0- 1.0	1	0.3	0.0- 0.9
Less Than H.S.	132	18,539	115	69.8	57.1-82.5	7	11.6	2.4-20.8	3	6.6	0.0-14.6	6	11.3	1.9-20.7				1	0.6	0.0- 1.8
H.S. or G.E.D.	762	69,368	648	71.9	67.0-76.8	51	12.0	8.3-15.7	35	10.4	6.5-14.3	20	3.8	1.8- 5.8	5	1.5	0.0- 3.1	3	0.4	0.0- 0.8
Some Post-H.S.	922	120,009	713	62.2	57.7-66.7	76	13.5	10.2-16.8	65	12.1	8.8-15.4	39	7.5	4.8-10.2	23	3.6	1.8- 5.4	6	1.1	0.1- 2.1
College Graduate	880	75,260	612	56.5	52.0-61.0	95	16.0	12.5-19.5	103	15.8	12.7-18.9	53	8.9	6.2-11.6	11	2.0	0.6- 3.4	6	0.9	0.1- 1.7
Less than \$15,000	179	20,926	153	72.3	62.1-82.5	13	12.9	5.6-20.2	5	6.9	0.0-13.8	6	6.1	0.2-12.0				2	1.9	0.0- 5.0
\$15,000- 24,999	338	33,795	286	73.2	65.4-81.0	18	9.1	3.8-14.4	15	8.9	3.2-14.6	12	6.6	2.1-11.1	6	2.0	0.2- 3.8	1	0.3	0.0- 0.9
\$25,000- 34,999	245	25,247	205	69.8	60.8-78.8	17	13.3	6.4-20.2	15	11.6	4.7-18.5	3	2.6	0.0- 5.5	4	2.2	0.0- 4.7	1	0.4	0.0- 1.2
\$35,000- 49,999	367	34,483	300	67.0	59.6-74.4	35	16.3	10.4-22.2	15	7.6	2.9-12.3	12	5.1	1.4- 8.8	2	2.2	0.0- 5.1	3	1.8	0.0- 4.0
\$50,000- 74,999	375	41,381	293	66.2	59.3-73.1	32	12.6	7.7-17.5	27	12.2	6.9-17.5	16	6.8	2.9-10.7	5	1.8	0.0- 3.6	2	0.4	0.0- 1.0
\$75,000+	739	82,931	457	49.2	44.5-53.9	88	15.2	11.7-18.7	110	19.1	15.2-23.0	57	10.9	7.8-14.0	21	4.7	2.3- 7.1	6	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

**TABLE 43: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4957	588,739	300	8.8	7.4-10.2	1457	26.9	25.3-28.5	1608	39.6	37.6-41.6	1592	24.7	23.3-26.1
Male	2240	301,067	167	11.1	9.1-13.1	687	28.9	26.5-31.3	678	37.0	34.3-39.7	708	23.1	21.1-25.1
Female	2717	287,672	133	6.5	4.9- 8.1	770	24.8	22.6-27.0	930	42.3	39.8-44.8	884	26.4	24.2-28.6
Native	173	24,005	29	26.1	15.3-36.9	47	28.1	19.5-36.7	58	35.8	26.2-45.4	39	10.0	6.1-13.9
Non-Native	4732	557,267	267	8.1	6.9- 9.3	1396	26.9	25.3-28.5	1530	39.7	37.7-41.7	1539	25.4	23.8-27.0
18-24	270	92,112	19	10.6	5.9-15.3	112	36.1	30.0-42.2	99	43.1	36.4-49.8	40	10.1	6.8-13.4
25-34	511	108,973	20	6.1	3.2- 9.0	126	22.7	18.8-26.6	161	37.7	32.8-42.6	204	33.5	29.2-37.8
35-44	514	87,704	14	5.4	2.3- 8.5	124	23.5	19.2-27.8	145	35.9	30.8-41.0	231	35.3	30.8-39.8
45-54	698	86,803	25	7.0	4.1- 9.9	176	23.0	19.5-26.5	246	43.2	38.7-47.7	251	26.9	23.4-30.4
55-64	1137	95,669	32	5.0	3.0- 7.0	296	25.6	22.7-28.5	419	45.2	41.7-48.7	390	24.2	21.7-26.7
65+	1784	113,111	187	17.2	14.7-19.7	612	30.1	27.6-32.6	523	33.9	31.2-36.6	462	18.8	16.8-20.8
Less Than H.S.	300	52,022	300	100.0	100.0- 100									
H.S. or G.E.D.	1457	158,420				1457	100.0	100.0- 100						
Some Post-H.S.	1608	232,889							1608	100.0	100.0- 100			
College Graduate	1592	145,408										1592	100.0	100.0- 100
Less than \$15,000	265	34,071	42	18.7	12.0-25.4	106	35.2	27.4-43.0	75	33.3	25.1-41.5	42	12.7	7.6-17.8
\$15,000- 24,999	544	65,459	74	20.9	15.2-26.6	228	34.0	28.5-39.5	156	33.8	27.7-39.9	86	11.2	8.1-14.3
\$25,000- 34,999	428	50,246	37	10.7	6.6-14.8	160	32.8	26.7-38.9	152	41.9	35.2-48.6	79	14.7	10.2-19.2
\$35,000- 49,999	678	74,248	30	5.5	3.0- 8.0	246	34.5	29.6-39.4	212	39.5	34.2-44.8	190	20.4	16.7-24.1
\$50,000- 74,999	769	90,518	18	4.3	1.9- 6.7	185	22.4	18.7-26.1	271	42.3	37.8-46.8	295	31.0	27.1-34.9
\$75,000+	1560	188,784	26	3.3	1.7- 4.9	288	17.5	15.1-19.9	505	42.0	38.9-45.1	741	37.2	34.3-40.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2240	301,067	167	11.1	9.1-13.1	687	28.9	26.5-31.3	678	37.0	34.3-39.7	708	23.1	21.1-25.1
Native	76	11,439	16	34.1	16.9-51.3	21	24.6	13.0-36.2	24	30.8	17.7-43.9	15	10.5	4.0-17.0
Non-Native	2132	284,507	149	10.1	8.1-12.1	658	29.2	26.7-31.7	642	37.1	34.4-39.8	683	23.6	21.4-25.8
18-24	151	49,930	13	14.5	6.9-22.1	70	38.5	29.9-47.1	52	41.2	32.2-50.2	16	5.8	2.7- 8.9
25-34	290	58,601	14	7.1	3.2-11.0	83	26.9	21.4-32.4	94	37.2	30.7-43.7	99	28.8	23.3-34.3
35-44	243	46,175	10	7.7	2.4-13.0	70	27.2	20.7-33.7	63	31.1	24.0-38.2	100	34.0	27.5-40.5
45-54	339	44,663	21	10.4	5.7-15.1	99	25.7	20.6-30.8	112	39.9	33.6-46.2	107	23.9	19.0-28.8
55-64	511	48,587	21	7.2	3.9-10.5	137	25.8	21.5-30.1	191	44.2	39.1-49.3	162	22.8	19.1-26.5
65+	693	51,500	86	19.2	15.1-23.3	224	28.7	24.8-32.6	163	29.0	24.7-33.3	220	23.1	19.8-26.4
Less Than H.S.	167	33,289	167	100.0	100.0- 100									
H.S. or G.E.D.	687	87,035				687	100.0	100.0- 100						
Some Post-H.S.	678	111,325							678	100.0	100.0- 100			
College Graduate	708	69,418										708	100.0	100.0- 100
Less than \$15,000	87	13,161	20	27.8	15.3-40.3	32	32.7	20.2-45.2	21	24.5	12.3-36.7	14	15.0	5.8-24.2
\$15,000- 24,999	208	31,718	41	27.1	18.3-35.9	82	31.7	23.7-39.7	46	28.2	19.2-37.2	39	13.0	8.1-17.9
\$25,000- 34,999	182	24,693	26	16.9	9.5-24.3	73	34.7	25.7-43.7	52	36.9	26.9-46.9	31	11.4	5.7-17.1
\$35,000- 49,999	311	39,714	19	8.2	3.9-12.5	120	37.5	30.2-44.8	95	37.2	29.8-44.6	77	17.2	12.5-21.9
\$50,000- 74,999	393	49,112	15	6.6	2.7-10.5	117	28.4	22.9-33.9	135	39.6	33.5-45.7	126	25.3	20.2-30.4
\$75,000+	821	105,852	21	4.7	2.3- 7.1	180	21.2	17.7-24.7	256	40.3	36.0-44.6	364	33.8	30.1-37.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR LEVEL OF EDUCATED COMPLETED (_EDUCAG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Did not Graduate High School			Graduated High School			Attended College Tech School			Graduated College Tech School		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2717	287,672	133	6.5	4.9- 8.1	770	24.8	22.6-27.0	930	42.3	39.8-44.8	884	26.4	24.2-28.6
Native	97	12,567	13	18.8	6.8-30.8	26	31.3	18.8-43.8	34	40.3	26.8-53.8	24	9.7	4.8-14.6
Non-Native	2600	272,760	118	5.9	4.5- 7.3	738	24.5	22.3-26.7	888	42.3	39.6-45.0	856	27.3	25.1-29.5
18-24	119	42,182	6	5.9	1.0-10.8	42	33.4	24.6-42.2	47	45.5	35.9-55.1	24	15.3	9.2-21.4
25-34	221	50,372	6	5.0	0.7- 9.3	43	17.9	12.4-23.4	67	38.1	30.5-45.7	105	38.9	31.8-46.0
35-44	271	41,529	4	2.8	0.0- 5.9	54	19.4	13.7-25.1	82	41.2	33.9-48.5	131	36.7	30.2-43.2
45-54	359	42,140	4	3.3	0.0- 7.0	77	20.1	15.6-24.6	134	46.6	40.3-52.9	144	30.0	24.9-35.1
55-64	626	47,083	11	2.7	0.9- 4.5	159	25.5	21.6-29.4	228	46.2	41.5-50.9	228	25.6	22.1-29.1
65+	1091	61,611	101	15.6	12.5-18.7	388	31.3	28.2-34.4	360	37.9	34.4-41.4	242	15.2	13.0-17.4
Less Than H.S.	133	18,733	133	100.0	100.0- 100									
H.S. or G.E.D.	770	71,385				770	100.0	100.0- 100						
Some Post-H.S.	930	121,564							930	100.0	100.0- 100			
College Graduate	884	75,990										884	100.0	100.0- 100
Less than \$15,000	178	20,909	22	13.0	5.7-20.3	74	36.8	26.8-46.8	54	38.9	28.1-49.7	28	11.3	5.2-17.4
\$15,000- 24,999	336	33,741	33	15.1	8.2-22.0	146	36.3	28.9-43.7	110	39.1	31.1-47.1	47	9.6	5.7-13.5
\$25,000- 34,999	246	25,553	11	4.7	1.0- 8.4	87	30.9	22.9-38.9	100	46.6	37.6-55.6	48	17.8	10.9-24.7
\$35,000- 49,999	367	34,534	11	2.5	0.9- 4.1	126	31.1	24.6-37.6	117	42.2	34.6-49.8	113	24.1	18.4-29.8
\$50,000- 74,999	376	41,406	3	1.6	0.0- 4.1	68	15.2	10.9-19.5	136	45.5	38.6-52.4	169	37.7	31.4-44.0
\$75,000+	739	82,931	5	1.6	0.0- 3.4	108	12.8	9.9-15.7	249	44.1	39.4-48.8	377	41.5	37.2-45.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 46: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4250	503,966	266	6.8	5.6- 8.0	546	13.0	11.6-14.4	428	10.0	8.8-11.2	679	14.7	13.3-16.1	2331	55.5	53.5-57.5
Male	2004	264,758	87	5.0	3.6- 6.4	208	12.0	10.0-14.0	182	9.3	7.5-11.1	311	15.0	13.0-17.0	1216	58.7	55.8-61.6
Female	2246	239,208	179	8.7	6.9-10.5	338	14.1	11.9-16.3	246	10.7	8.9-12.5	368	14.5	12.5-16.5	1115	52.0	49.1-54.9
Native	154	20,621	23	22.0	11.8-32.2	41	26.9	16.7-37.1	27	15.7	9.0-22.4	21	12.5	6.4-18.6	42	23.0	15.2-30.8
Non-Native	4062	478,398	242	6.2	5.2- 7.2	498	12.3	10.9-13.7	399	9.7	8.3-11.1	646	14.7	13.3-16.1	2277	57.1	54.9-59.3
18-24	206	70,061	22	12.9	7.8-18.0	40	21.3	14.8-27.8	25	12.8	7.7-17.9	34	15.5	10.0-21.0	85	37.4	30.1-44.7
25-34	460	97,199	13	3.3	1.3- 5.3	39	9.4	6.3-12.5	44	11.1	7.8-14.4	85	17.8	13.9-21.7	279	58.4	53.3-63.5
35-44	472	80,267	20	4.8	2.4- 7.2	39	11.0	6.9-15.1	30	6.5	3.8- 9.2	51	10.9	7.6-14.2	332	66.8	61.5-72.1
45-54	647	80,545	24	5.5	3.0- 8.0	42	5.6	3.6- 7.6	40	7.4	4.9- 9.9	77	10.2	7.7-12.7	464	71.3	67.0-75.6
55-64	991	83,036	54	5.5	3.9- 7.1	84	9.4	7.0-11.8	78	7.7	5.7- 9.7	136	15.0	12.1-17.9	639	62.5	58.8-66.2
65+	1455	91,228	129	9.4	7.4-11.4	300	22.2	19.5-24.9	208	13.7	11.5-15.9	294	18.2	15.8-20.6	524	36.5	33.6-39.4
Less Than H.S.	227	39,726	42	16.0	9.9-22.1	74	34.4	26.0-42.8	37	13.6	8.3-18.9	30	10.4	5.9-14.9	44	25.6	17.8-33.4
H.S. or G.E.D.	1213	129,667	106	9.3	6.9-11.7	228	17.2	14.3-20.1	160	12.7	10.2-15.2	246	19.8	16.7-22.9	473	41.1	37.4-44.8
Some Post-H.S.	1371	201,451	75	5.6	3.8- 7.4	156	11.0	8.6-13.4	152	10.4	8.2-12.6	212	14.6	12.1-17.1	776	58.4	54.9-61.9
College Graduate	1433	132,480	42	3.3	1.9- 4.7	86	5.6	4.0- 7.2	79	5.6	3.8- 7.4	190	11.4	9.4-13.4	1036	74.2	71.3-77.1
Less than \$15,000	266	34,087	266	100.0	100.0- 100												
\$15,000- 24,999	546	65,514				546	100.0	100.0- 100									
\$25,000- 34,999	428	50,246							428	100.0	100.0- 100						
\$35,000- 49,999	679	74,310										679	100.0	100.0- 100			
\$50,000- 74,999	769	90,518													769	100.0	100.0- 100
\$75,000+	1562	189,291													1562	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 47: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2004	264,758	87	5.0	3.6- 6.4	208	12.0	10.0-14.0	182	9.3	7.5-11.1	311	15.0	13.0-17.0	1216	58.7	55.8-61.6
Native	65	9,395	9	15.4	3.2-27.6	13	26.1	8.5-43.7	15	19.4	8.6-30.2	5	9.8	0.4-19.2	23	29.2	16.1-42.3
Non-Native	1914	251,173	78	4.7	3.3- 6.1	191	11.3	9.3-13.3	165	8.9	7.1-10.7	296	14.9	12.7-17.1	1184	60.2	57.3-63.1
18-24	116	38,076	6	6.8	1.3-12.3	19	19.4	10.8-28.0	14	12.2	5.3-19.1	24	19.7	11.5-27.9	53	41.9	31.9-51.9
25-34	263	52,486	6	2.7	0.5- 4.9	23	10.0	5.7-14.3	26	11.6	7.1-16.1	46	17.0	11.9-22.1	162	58.7	52.0-65.4
35-44	222	42,329	6	4.0	0.7- 7.3	16	9.6	4.1-15.1	11	5.2	1.5- 8.9	23	9.9	5.4-14.4	166	71.4	64.0-78.8
45-54	321	42,496	15	6.5	3.0-10.0	23	6.7	3.4-10.0	25	9.4	5.1-13.7	36	9.8	6.1-13.5	222	67.6	61.3-73.9
55-64	455	43,076	19	4.2	2.0- 6.4	34	8.6	5.3-11.9	30	6.1	3.6- 8.6	55	14.4	10.1-18.7	317	66.7	61.4-72.0
65+	619	45,567	34	6.4	3.9- 8.9	93	18.5	14.4-22.6	74	10.8	8.1-13.5	126	18.9	15.4-22.4	292	45.4	40.7-50.1
Less Than H.S.	142	27,867	20	13.1	6.4-19.8	41	30.8	20.8-40.8	26	15.0	8.1-21.9	19	11.6	5.5-17.7	36	29.4	19.6-39.2
H.S. or G.E.D.	604	74,183	32	5.8	3.3- 8.3	82	13.5	10.0-17.0	73	11.6	8.3-14.9	120	20.1	15.8-24.4	297	49.0	43.9-54.1
Some Post-H.S.	605	98,210	21	3.3	1.3- 5.3	46	9.1	5.8-12.4	52	9.3	6.2-12.4	95	15.0	11.3-18.7	391	63.3	58.2-68.4
College Graduate	651	63,990	14	3.1	1.1- 5.1	39	6.5	4.1- 8.9	31	4.4	2.2- 6.6	77	10.7	8.0-13.4	490	75.4	71.3-79.5
Less than \$15,000	87	13,161	87	100.0	100.0- 100												
\$15,000- 24,999	208	31,718				208	100.0	100.0- 100									
\$25,000- 34,999	182	24,693							182	100.0	100.0- 100						
\$35,000- 49,999	311	39,714										311	100.0	100.0- 100			
\$50,000- 74,999	393	49,112													393	100.0	100.0- 100
\$75,000+	823	106,360													823	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 7: DEMOGRAPHICS**

TABLE 48: RISK FACTOR FOR INCOME CATEGORIES (_INCOMG).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less Than 15,000			\$15,000 It 25,000			\$25,000 It 35,000			\$35,000 It 50,000			\$50,000 or More		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2246	239,208	179	8.7	6.9-10.5	338	14.1	11.9-16.3	246	10.7	8.9-12.5	368	14.5	12.5-16.5	1115	52.0	49.1-54.9
Native	89	11,226	14	27.4	12.3-42.5	28	27.5	15.7-39.3	12	12.6	4.0-21.2	16	14.7	6.5-22.9	19	17.7	8.1-27.3
Non-Native	2148	227,225	164	7.8	6.2- 9.4	307	13.5	11.3-15.7	234	10.6	8.8-12.4	350	14.3	12.3-16.3	1093	53.7	50.8-56.6
18-24	90	31,985	16	20.3	11.3-29.3	21	23.7	14.3-33.1	11	13.6	6.0-21.2	10	10.4	3.5-17.3	32	32.0	21.8-42.2
25-34	197	44,713	7	4.0	0.7- 7.3	16	8.6	3.9-13.3	18	10.6	5.5-15.7	39	18.8	12.5-25.1	117	58.1	50.1-66.1
35-44	250	37,938	14	5.7	2.4- 9.0	23	12.6	6.5-18.7	19	8.0	4.1-11.9	28	12.0	7.3-16.7	166	61.7	54.3-69.1
45-54	326	38,049	9	4.4	0.7- 8.1	19	4.3	1.9- 6.7	15	5.1	2.2- 8.0	41	10.6	7.1-14.1	242	75.5	69.8-81.2
55-64	536	39,960	35	6.9	4.4- 9.4	50	10.2	7.1-13.3	48	9.4	6.1-12.7	81	15.7	11.8-19.6	322	57.9	52.8-63.0
65+	836	45,661	95	12.4	9.7-15.1	207	25.9	22.2-29.6	134	16.6	13.5-19.7	168	17.5	14.6-20.4	232	27.6	24.1-31.1
Less Than H.S.	85	11,859	22	22.9	10.6-35.2	33	42.8	27.1-58.5	11	10.2	2.4-18.0	11	7.4	2.5-12.3	8	16.8	3.7-29.9
H.S. or G.E.D.	609	55,484	74	13.9	9.8-18.0	146	22.1	17.4-26.8	87	14.2	10.3-18.1	126	19.4	15.1-23.7	176	30.4	25.5-35.3
Some Post-H.S.	766	103,241	54	7.9	5.2-10.6	110	12.8	9.7-15.9	100	11.5	8.6-14.4	117	14.1	10.8-17.4	385	53.7	49.0-58.4
College Graduate	782	68,491	28	3.4	1.4- 5.4	47	4.7	2.7- 6.7	48	6.6	3.9- 9.3	113	12.2	9.3-15.1	546	73.1	68.8-77.4
Less than \$15,000	179	20,926	179	100.0	100.0- 100												
\$15,000- 24,999	338	33,795				338	100.0	100.0- 100									
\$25,000- 34,999	246	25,553							246	100.0	100.0- 100						
\$35,000- 49,999	368	34,596										368	100.0	100.0- 100			
\$50,000- 74,999	376	41,406													376	100.0	100.0- 100
\$75,000+	739	82,931													739	100.0	100.0- 100

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 8: TOBACCO USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	89
2	MALES ONLY	90
3	FEMALES ONLY	91
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	92
5	MALES ONLY	93
6	FEMALES ONLY	94

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

**TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4823	565,981	531	13.7	12.3-15.1	194	5.1	4.1- 6.1	1392	24.5	22.9-26.1	2706	56.7	54.7-58.7
Male	2174	288,137	295	16.0	13.8-18.2	96	5.9	4.5- 7.3	722	27.9	25.5-30.3	1061	50.2	47.5-52.9
Female	2649	277,844	236	11.3	9.5-13.1	98	4.2	3.0- 5.4	670	21.0	19.0-23.0	1645	63.5	61.0-66.0
Native	163	22,262	44	26.3	17.3-35.3	19	15.7	6.9-24.5	48	23.0	15.2-30.8	52	34.9	24.9-44.9
Non-Native	4610	536,443	479	13.1	11.7-14.5	171	4.5	3.7- 5.3	1332	24.6	23.0-26.2	2628	57.8	55.8-59.8
18-24	256	87,529	34	13.9	9.2-18.6	15	6.8	3.3-10.3	30	12.4	7.9-16.9	177	66.9	60.4-73.4
25-34	486	101,911	77	16.2	12.5-19.9	35	6.2	3.8- 8.6	99	20.7	16.6-24.8	275	56.9	51.8-62.0
35-44	496	84,018	75	17.4	13.3-21.5	27	5.9	3.4- 8.4	95	20.6	16.3-24.9	299	56.0	50.9-61.1
45-54	684	84,642	92	15.7	12.4-19.0	29	5.6	3.2- 8.0	157	20.9	17.6-24.2	406	57.8	53.5-62.1
55-64	1107	92,142	149	15.1	12.6-17.6	44	4.1	2.7- 5.5	316	28.5	25.4-31.6	598	52.2	48.7-55.7
65+	1752	111,352	101	5.8	4.4- 7.2	43	2.5	1.7- 3.3	687	40.2	37.3-43.1	921	51.5	48.6-54.4
Less Than H.S.	286	48,988	50	25.5	18.2-32.8	13	6.0	1.9-10.1	94	27.6	21.1-34.1	129	40.9	33.3-48.5
H.S. or G.E.D.	1409	151,222	237	21.9	18.8-25.0	67	5.8	4.0- 7.6	408	22.7	20.0-25.4	697	49.6	46.1-53.1
Some Post-H.S.	1560	223,916	164	11.0	9.0-13.0	73	5.6	4.0- 7.2	489	27.2	24.5-29.9	834	56.3	53.2-59.4
College Graduate	1555	140,406	80	5.1	3.7- 6.5	41	3.1	1.9- 4.3	396	21.0	18.6-23.4	1038	70.8	68.1-73.5
Less than \$15,000	262	33,722	54	25.7	18.1-33.3	18	6.0	2.5- 9.5	61	14.4	9.7-19.1	129	53.9	45.5-62.3
\$15,000- 24,999	530	61,972	85	18.4	13.5-23.3	24	6.0	3.1- 8.9	158	24.0	19.3-28.7	263	51.5	45.4-57.6
\$25,000- 34,999	417	49,327	59	19.0	13.7-24.3	21	8.5	4.0-13.0	136	25.8	20.1-31.5	201	46.7	40.0-53.4
\$35,000- 49,999	671	72,861	77	15.2	11.1-19.3	32	5.1	2.7- 7.5	205	24.4	20.3-28.5	357	55.4	50.1-60.7
\$50,000- 74,999	755	87,916	84	14.6	11.1-18.1	24	4.2	2.2- 6.2	233	27.3	23.2-31.4	414	53.9	49.2-58.6
\$75,000+	1548	187,107	113	9.1	7.1-11.1	57	4.4	3.0- 5.8	445	25.6	22.9-28.3	933	60.9	57.8-64.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2174	288,137	295	16.0	13.8-18.2	96	5.9	4.5- 7.3	722	27.9	25.5-30.3	1061	50.2	47.5-52.9
Native	73	10,233	23	28.5	15.4-41.6	8	20.2	4.7-35.7	24	27.7	15.4-40.0	18	23.5	11.9-35.1
Non-Native	2070	273,051	267	15.5	13.3-17.7	84	5.1	3.7- 6.5	690	27.9	25.5-30.3	1029	51.4	48.7-54.1
18-24	142	46,951	20	14.4	7.7-21.1	8	7.2	1.9-12.5	20	14.7	8.0-21.4	94	63.6	54.4-72.8
25-34	276	54,951	49	18.0	12.9-23.1	21	7.1	4.0-10.2	62	23.5	17.6-29.4	144	51.5	44.8-58.2
35-44	234	43,884	42	20.9	14.4-27.4	12	6.6	2.7-10.5	53	23.3	17.0-29.6	127	49.3	41.9-56.7
45-54	332	43,377	52	18.9	13.6-24.2	18	7.7	3.8-11.6	73	21.3	16.2-26.4	189	52.1	45.6-58.6
55-64	495	46,353	78	17.4	13.5-21.3	17	4.1	1.9- 6.3	161	30.2	25.7-34.7	239	48.3	43.2-53.4
65+	681	50,839	53	7.5	5.1- 9.9	19	3.0	1.4- 4.6	352	53.2	48.7-57.7	257	36.2	31.9-40.5
Less Than H.S.	158	30,724	37	31.0	21.2-40.8	9	8.4	1.9-14.9	65	30.4	22.0-38.8	47	30.2	20.6-39.8
H.S. or G.E.D.	663	83,113	130	23.7	19.4-28.0	32	6.0	3.6- 8.4	222	26.2	22.3-30.1	279	44.1	39.2-49.0
Some Post-H.S.	657	106,324	88	12.1	9.4-14.8	34	6.3	3.8- 8.8	237	31.6	27.3-35.9	298	49.9	45.2-54.6
College Graduate	692	67,162	40	5.8	3.6- 8.0	21	4.1	2.1- 6.1	197	22.9	19.4-26.4	434	67.2	62.9-71.5
Less than \$15,000	85	12,936	23	28.1	15.6-40.6	5	7.9	0.3-15.5	21	17.5	8.9-26.1	36	46.5	32.6-60.4
\$15,000- 24,999	201	28,915	43	25.4	17.2-33.6	9	7.1	2.2-12.0	68	26.7	19.3-34.1	81	40.8	32.0-49.6
\$25,000- 34,999	177	24,108	29	19.3	11.5-27.1	9	10.8	3.2-18.4	60	26.9	18.3-35.5	79	42.9	33.1-52.7
\$35,000- 49,999	307	39,251	43	16.0	10.5-21.5	17	6.7	2.8-10.6	106	25.3	19.4-31.2	141	52.0	44.6-59.4
\$50,000- 74,999	383	47,339	56	19.1	13.8-24.4	15	4.9	2.0- 7.8	140	32.8	26.9-38.7	172	43.2	36.9-49.5
\$75,000+	815	104,940	72	11.1	8.2-14.0	33	4.6	2.8- 6.4	268	28.9	25.2-32.6	442	55.3	51.0-59.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	Smoke everyday			Smoke some days			Former smoker			Never smoked		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2649	277,844	236	11.3	9.5-13.1	98	4.2	3.0- 5.4	670	21.0	19.0-23.0	1645	63.5	61.0-66.0
Native	90	12,030	21	24.4	12.2-36.6	11	12.0	3.2-20.8	24	19.0	9.4-28.6	34	44.6	30.3-58.9
Non-Native	2540	263,392	212	10.6	8.8-12.4	87	3.9	2.7- 5.1	642	21.2	19.0-23.4	1599	64.4	61.9-66.9
18-24	114	40,578	14	13.3	6.4-20.2	7	6.2	1.5-10.9	10	9.7	3.6-15.8	83	70.8	61.6-80.0
25-34	210	46,959	28	14.1	8.4-19.8	14	5.2	1.9- 8.5	37	17.4	11.5-23.3	131	63.3	55.7-70.9
35-44	262	40,134	33	13.6	8.7-18.5	15	5.2	2.3- 8.1	42	17.8	12.1-23.5	172	63.4	56.3-70.5
45-54	352	41,265	40	12.4	8.3-16.5	11	3.4	1.0- 5.8	84	20.5	16.0-25.0	217	63.7	57.8-69.6
55-64	612	45,789	71	12.8	9.5-16.1	27	4.2	2.2- 6.2	155	26.7	22.6-30.8	359	56.2	51.5-60.9
65+	1071	60,512	48	4.4	3.0- 5.8	24	2.0	1.0- 3.0	335	29.2	25.9-32.5	664	64.4	60.9-67.9
Less Than H.S.	128	18,263	13	16.4	6.0-26.8	4	1.9	0.0- 3.9	29	22.9	12.9-32.9	82	58.9	46.7-71.1
H.S. or G.E.D.	746	68,110	107	19.7	15.4-24.0	35	5.5	3.1- 7.9	186	18.4	15.1-21.7	418	56.3	51.4-61.2
Some Post-H.S.	903	117,592	76	9.9	7.2-12.6	39	5.0	3.0- 7.0	252	23.1	19.6-26.6	536	62.0	57.7-66.3
College Graduate	863	73,244	40	4.4	2.6- 6.2	20	2.3	1.1- 3.5	199	19.3	16.0-22.6	604	74.0	70.3-77.7
Less than \$15,000	177	20,786	31	24.3	14.7-33.9	13	4.9	1.8- 8.0	40	12.4	7.1-17.7	93	58.4	48.0-68.8
\$15,000- 24,999	329	33,057	42	12.4	7.1-17.7	15	5.1	1.6- 8.6	90	21.7	15.6-27.8	182	60.9	53.1-68.7
\$25,000- 34,999	240	25,219	30	18.8	11.5-26.1	12	6.3	1.4-11.2	76	24.7	17.1-32.3	122	50.3	41.3-59.3
\$35,000- 49,999	364	33,610	34	14.2	8.1-20.3	15	3.2	1.2- 5.2	99	23.2	17.1-29.3	216	59.3	51.9-66.7
\$50,000- 74,999	372	40,576	28	9.3	5.2-13.4	9	3.4	0.9- 5.9	93	20.9	15.6-26.2	242	66.4	60.1-72.7
\$75,000+	733	82,167	41	6.4	4.0- 8.8	24	4.2	2.0- 6.4	177	21.3	17.8-24.8	491	68.1	63.8-72.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4823	565,981	4098	81.3	79.7-82.9	725	18.7	17.1-20.3
Male	2174	288,137	1783	78.1	75.7-80.5	391	21.9	19.5-24.3
Female	2649	277,844	2315	84.6	82.6-86.6	334	15.4	13.4-17.4
Native	163	22,262	100	57.9	47.5-68.3	63	42.1	31.7-52.5
Non-Native	4610	536,443	3960	82.4	80.8-84.0	650	17.6	16.0-19.2
18-24	256	87,529	207	79.3	73.6-85.0	49	20.7	15.0-26.4
25-34	486	101,911	374	77.6	73.5-81.7	112	22.4	18.3-26.5
35-44	496	84,018	394	76.7	72.2-81.2	102	23.3	18.8-27.8
45-54	684	84,642	563	78.7	74.8-82.6	121	21.3	17.4-25.2
55-64	1107	92,142	914	80.7	77.8-83.6	193	19.3	16.4-22.2
65+	1752	111,352	1608	91.7	90.1-93.3	144	8.3	6.7- 9.9
Less Than H.S.	286	48,988	223	68.5	60.9-76.1	63	31.5	23.9-39.1
H.S. or G.E.D.	1409	151,222	1105	72.3	69.0-75.6	304	27.7	24.4-31.0
Some Post-H.S.	1560	223,916	1323	83.4	81.0-85.8	237	16.6	14.2-19.0
College Graduate	1555	140,406	1434	91.8	90.0-93.6	121	8.2	6.4-10.0
Less than \$15,000	262	33,722	190	68.2	60.2-76.2	72	31.8	23.8-39.8
\$15,000- 24,999	530	61,972	421	75.5	70.2-80.8	109	24.5	19.2-29.8
\$25,000- 34,999	417	49,327	337	72.5	66.2-78.8	80	27.5	21.2-33.8
\$35,000- 49,999	671	72,861	562	79.7	75.2-84.2	109	20.3	15.8-24.8
\$50,000- 74,999	755	87,916	647	81.2	77.5-84.9	108	18.8	15.1-22.5
\$75,000+	1548	187,107	1378	86.5	84.1-88.9	170	13.5	11.1-15.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2174	288,137	1783	78.1	75.7-80.5	391	21.9	19.5-24.3
Native	73	10,233	42	51.3	36.0-66.6	31	48.7	33.4-64.0
Non-Native	2070	273,051	1719	79.3	76.9-81.7	351	20.7	18.3-23.1
18-24	142	46,951	114	78.3	70.3-86.3	28	21.7	13.7-29.7
25-34	276	54,951	206	74.9	69.2-80.6	70	25.1	19.4-30.8
35-44	234	43,884	180	72.5	65.4-79.6	54	27.5	20.4-34.6
45-54	332	43,377	262	73.4	67.3-79.5	70	26.6	20.5-32.7
55-64	495	46,353	400	78.5	74.2-82.8	95	21.5	17.2-25.8
65+	681	50,839	609	89.4	86.7-92.1	72	10.6	7.9-13.3
Less Than H.S.	158	30,724	112	60.6	50.4-70.8	46	39.4	29.2-49.6
H.S. or G.E.D.	663	83,113	501	70.3	65.6-75.0	162	29.7	25.0-34.4
Some Post-H.S.	657	106,324	535	81.5	78.0-85.0	122	18.5	15.0-22.0
College Graduate	692	67,162	631	90.1	87.2-93.0	61	9.9	7.0-12.8
Less than \$15,000	85	12,936	57	64.0	50.7-77.3	28	36.0	22.7-49.3
\$15,000- 24,999	201	28,915	149	67.5	58.7-76.3	52	32.5	23.7-41.3
\$25,000- 34,999	177	24,108	139	69.9	60.3-79.5	38	30.1	20.5-39.7
\$35,000- 49,999	307	39,251	247	77.3	70.8-83.8	60	22.7	16.2-29.2
\$50,000- 74,999	383	47,339	312	76.0	70.3-81.7	71	24.0	18.3-29.7
\$75,000+	815	104,940	710	84.3	81.0-87.6	105	15.7	12.4-19.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 8: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2649	277,844	2315	84.6	82.6-86.6	334	15.4	13.4-17.4
Native	90	12,030	58	63.6	50.1-77.1	32	36.4	22.9-49.9
Non-Native	2540	263,392	2241	85.5	83.5-87.5	299	14.5	12.5-16.5
18-24	114	40,578	93	80.5	72.5-88.5	21	19.5	11.5-27.5
25-34	210	46,959	168	80.7	74.4-87.0	42	19.3	13.0-25.6
35-44	262	40,134	214	81.2	75.7-86.7	48	18.8	13.3-24.3
45-54	352	41,265	301	84.2	79.7-88.7	51	15.8	11.3-20.3
55-64	612	45,789	514	83.0	79.3-86.7	98	17.0	13.3-20.7
65+	1071	60,512	999	93.6	91.8-95.4	72	6.4	4.6- 8.2
Less Than H.S.	128	18,263	111	81.7	71.3-92.1	17	18.3	7.9-28.7
H.S. or G.E.D.	746	68,110	604	74.8	70.1-79.5	142	25.2	20.5-29.9
Some Post-H.S.	903	117,592	788	85.1	81.8-88.4	115	14.9	11.6-18.2
College Graduate	863	73,244	803	93.3	91.1-95.5	60	6.7	4.5- 8.9
Less than \$15,000	177	20,786	133	70.8	61.0-80.6	44	29.2	19.4-39.0
\$15,000- 24,999	329	33,057	272	82.5	76.4-88.6	57	17.5	11.4-23.6
\$25,000- 34,999	240	25,219	198	75.0	66.8-83.2	42	25.0	16.8-33.2
\$35,000- 49,999	364	33,610	315	82.6	76.3-88.9	49	17.4	11.1-23.7
\$50,000- 74,999	372	40,576	335	87.3	82.6-92.0	37	12.7	8.0-17.4
\$75,000+	733	82,167	668	89.4	86.3-92.5	65	10.6	7.5-13.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 9: ALCOHOL CONSUMPTION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)	
1 MALES AND FEMALES	96
2 MALES ONLY	97
3 FEMALES ONLY	98
DRINK-OCCASIONS-PER-DAY (DROCDY3_)	
4 MALES AND FEMALES	99
5 MALES ONLY	100
6 FEMALES ONLY	101
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)	
7 MALES AND FEMALES	102
8 MALES ONLY	103
9 FEMALES ONLY	104
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)	
10 MALES AND FEMALES	105
11 MALES ONLY	106
12 FEMALES ONLY	107
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)	
13 MALES AND FEMALES	108
14 MALES ONLY	109
15 FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 1: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4778	560,004	2781	61.1	59.3-62.9	1997	38.9	37.1-40.7
Male	2154	286,132	1403	67.3	64.8-69.8	751	32.7	30.2-35.2
Female	2624	273,872	1378	54.5	52.0-57.0	1246	45.5	43.0-48.0
Native	161	21,419	64	39.6	30.0-49.2	97	60.4	50.8-70.0
Non-Native	4568	531,516	2684	61.8	59.8-63.8	1884	38.2	36.2-40.2
18-24	254	86,449	149	59.9	53.2-66.6	105	40.1	33.4-46.8
25-34	482	100,755	347	70.1	65.4-74.8	135	29.9	25.2-34.6
35-44	493	83,517	340	66.6	61.5-71.7	153	33.4	28.3-38.5
45-54	677	83,284	478	69.8	65.7-73.9	199	30.2	26.1-34.3
55-64	1105	92,425	675	61.4	58.1-64.7	430	38.6	35.3-41.9
65+	1731	109,904	779	43.6	40.7-46.5	952	56.4	53.5-59.3
Less Than H.S.	278	47,361	106	41.8	34.0-49.6	172	58.2	50.4-66.0
H.S. or G.E.D.	1388	149,125	723	55.4	51.9-58.9	665	44.6	41.1-48.1
Some Post-H.S.	1550	222,196	930	63.6	60.5-66.7	620	36.4	33.3-39.5
College Graduate	1550	140,046	1019	69.5	66.6-72.4	531	30.5	27.6-33.4
Less than \$15,000	260	33,061	86	44.1	35.5-52.7	174	55.9	47.3-64.5
\$15,000- 24,999	524	61,293	218	45.3	39.2-51.4	306	54.7	48.6-60.8
\$25,000- 34,999	417	49,208	208	54.0	47.3-60.7	209	46.0	39.3-52.7
\$35,000- 49,999	668	72,450	389	62.3	57.2-67.4	279	37.7	32.6-42.8
\$50,000- 74,999	753	87,711	482	68.8	64.7-72.9	271	31.2	27.1-35.3
\$75,000+	1535	185,463	1134	73.5	70.6-76.4	401	26.5	23.6-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 2: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2154	286,132	1403	67.3	64.8-69.8	751	32.7	30.2-35.2
Native	71	10,035	35	48.3	33.0-63.6	36	51.7	36.4-67.0
Non-Native	2053	271,451	1346	67.7	65.2-70.2	707	32.3	29.8-34.8
18-24	142	46,951	90	65.0	56.0-74.0	52	35.0	26.0-44.0
25-34	274	54,278	213	77.0	71.3-82.7	61	23.0	17.3-28.7
35-44	230	43,210	163	71.0	64.1-77.9	67	29.0	22.1-35.9
45-54	332	43,437	238	71.9	66.2-77.6	94	28.1	22.4-33.8
55-64	495	46,907	325	65.1	60.2-70.0	170	34.9	30.0-39.8
65+	671	50,008	370	54.8	50.3-59.3	301	45.2	40.7-49.7
Less Than H.S.	153	30,463	76	52.9	42.7-63.1	77	47.1	36.9-57.3
H.S. or G.E.D.	655	82,276	397	62.2	57.5-66.9	258	37.8	33.1-42.5
Some Post-H.S.	652	105,736	454	72.0	67.9-76.1	198	28.0	23.9-32.1
College Graduate	691	67,015	474	72.6	68.7-76.5	217	27.4	23.5-31.3
Less than \$15,000	84	12,951	39	56.2	43.1-69.3	45	43.8	30.7-56.9
\$15,000- 24,999	200	28,849	102	54.3	45.3-63.3	98	45.7	36.7-54.7
\$25,000- 34,999	175	23,814	104	61.2	51.4-71.0	71	38.8	29.0-48.6
\$35,000- 49,999	305	38,857	184	64.4	57.1-71.7	121	35.6	28.3-42.9
\$50,000- 74,999	382	47,240	251	70.6	65.1-76.1	131	29.4	23.9-34.9
\$75,000+	810	104,287	623	77.9	74.4-81.4	187	22.1	18.6-25.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 3: ADULTS WHO REPORTED HAVING HAD AT LEAST ONE DRINK OF ALCOHOL IN THE PAST 30 DAYS. (DRNKANY5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2624	273,872	1378	54.5	52.0-57.0	1246	45.5	43.0-48.0
Native	90	11,384	29	32.0	20.0-44.0	61	68.0	56.0-80.0
Non-Native	2515	260,065	1338	55.6	52.9-58.3	1177	44.4	41.7-47.1
18-24	112	39,499	59	53.9	43.9-63.9	53	46.1	36.1-56.1
25-34	208	46,476	134	61.9	54.3-69.5	74	38.1	30.5-45.7
35-44	263	40,307	177	61.9	54.6-69.2	86	38.1	30.8-45.4
45-54	345	39,847	240	67.6	61.7-73.5	105	32.4	26.5-38.3
55-64	610	45,518	350	57.6	52.9-62.3	260	42.4	37.7-47.1
65+	1060	59,895	409	34.2	30.9-37.5	651	65.8	62.5-69.1
Less Than H.S.	125	16,898	30	21.9	11.7-32.1	95	78.1	67.9-88.3
H.S. or G.E.D.	733	66,849	326	47.0	41.9-52.1	407	53.0	47.9-58.1
Some Post-H.S.	898	116,459	476	56.1	51.8-60.4	422	43.9	39.6-48.2
College Graduate	859	73,031	545	66.7	62.6-70.8	314	33.3	29.2-37.4
Less than \$15,000	176	20,110	47	36.3	25.5-47.1	129	63.7	52.9-74.5
\$15,000- 24,999	324	32,444	116	37.4	29.4-45.4	208	62.6	54.6-70.6
\$25,000- 34,999	242	25,394	104	47.4	38.4-56.4	138	52.6	43.6-61.6
\$35,000- 49,999	363	33,593	205	59.8	52.5-67.1	158	40.2	32.9-47.5
\$50,000- 74,999	371	40,471	231	66.8	60.7-72.9	140	33.2	27.1-39.3
\$75,000+	725	81,176	511	68.0	63.3-72.7	214	32.0	27.3-36.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 4: DRINK-OCCASIONS-PER-DAY (DROCDY3_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4778	560,004	1700	37.1	35.3-38.9	637	14.6	13.2-16.0	183	4.2	3.4- 5.0	261	5.1	4.3- 5.9	1997	38.9	37.1-40.7
Male	2154	286,132	754	36.2	33.7-38.7	351	17.4	15.2-19.6	119	6.2	4.8- 7.6	179	7.5	6.1- 8.9	751	32.7	30.2-35.2
Female	2624	273,872	946	38.1	35.6-40.6	286	11.7	9.9-13.5	64	2.1	1.3- 2.9	82	2.6	1.8- 3.4	1246	45.5	43.0-48.0
Native	161	21,419	48	31.1	22.1-40.1	10	5.4	1.5- 9.3	3	1.2	0.0- 2.8	3	1.8	0.0- 4.5	97	60.4	50.8-70.0
Non-Native	4568	531,516	1635	37.4	35.4-39.4	619	14.9	13.5-16.3	174	4.2	3.4- 5.0	256	5.3	4.5- 6.1	1884	38.2	36.2-40.2
18-24	254	86,449	88	35.7	29.2-42.2	43	17.0	11.9-22.1	10	4.2	1.5- 6.9	8	3.0	0.8- 5.2	105	40.1	33.4-46.8
25-34	482	100,755	220	44.7	39.6-49.8	90	16.7	13.2-20.2	20	5.3	2.8- 7.8	17	3.4	1.6- 5.2	135	29.9	25.2-34.6
35-44	493	83,517	230	42.0	36.9-47.1	71	15.8	11.9-19.7	16	3.1	1.5- 4.7	23	5.7	3.2- 8.2	153	33.4	28.3-38.5
45-54	677	83,284	279	40.9	36.6-45.2	128	18.1	14.8-21.4	38	5.3	3.3- 7.3	33	5.5	3.3- 7.7	199	30.2	26.1-34.3
55-64	1105	92,425	401	35.4	32.1-38.7	159	14.6	12.1-17.1	48	5.1	3.3- 6.9	67	6.4	4.6- 8.2	430	38.6	35.3-41.9
65+	1731	109,904	469	26.5	24.0-29.0	146	7.7	6.3- 9.1	51	2.7	1.9- 3.5	113	6.6	5.2- 8.0	952	56.4	53.5-59.3
Less Than H.S.	278	47,361	62	20.1	14.2-26.0	22	11.9	6.2-17.6	8	3.8	0.3- 7.3	14	6.0	2.3- 9.7	172	58.2	50.4-66.0
H.S. or G.E.D.	1388	149,125	457	35.0	31.7-38.3	139	10.3	8.1-12.5	41	4.1	2.5- 5.7	86	6.0	4.4- 7.6	665	44.6	41.1-48.1
Some Post-H.S.	1550	222,196	574	39.3	36.2-42.4	225	16.4	13.9-18.9	56	3.8	2.6- 5.0	75	4.2	3.0- 5.4	620	36.4	33.3-39.5
College Graduate	1550	140,046	605	41.6	38.5-44.7	251	17.4	15.0-19.8	78	5.3	3.7- 6.9	85	5.1	3.7- 6.5	531	30.5	27.6-33.4
Less than \$15,000	260	33,061	56	30.9	22.3-39.5	18	7.4	3.3-11.5	7	3.3	0.0- 6.6	5	2.5	0.0- 5.4	174	55.9	47.3-64.5
\$15,000- 24,999	524	61,293	140	27.3	21.8-32.8	37	9.0	5.1-12.9	8	2.3	0.0- 4.7	33	6.7	4.0- 9.4	306	54.7	48.6-60.8
\$25,000- 34,999	417	49,208	136	34.4	27.9-40.9	36	10.8	6.3-15.3	18	4.7	1.6- 7.8	18	4.1	1.6- 6.6	209	46.0	39.3-52.7
\$35,000- 49,999	668	72,450	232	37.7	32.4-43.0	94	15.1	11.4-18.8	19	4.2	1.8- 6.6	44	5.3	3.3- 7.3	279	37.7	32.6-42.8
\$50,000- 74,999	753	87,711	307	42.3	37.8-46.8	109	18.2	14.3-22.1	24	3.6	1.8- 5.4	42	4.7	2.9- 6.5	271	31.2	27.1-35.3
\$75,000+	1535	185,463	659	43.1	40.0-46.2	288	18.6	16.1-21.1	91	5.6	4.2- 7.0	96	6.2	4.6- 7.8	401	26.5	23.6-29.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 5: DRINK-OCCASIONS-PER-DAY (DROCDY3_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2154	286,132	754	36.2	33.7-38.7	351	17.4	15.2-19.6	119	6.2	4.8- 7.6	179	7.5	6.1- 8.9	751	32.7	30.2-35.2
Native	71	10,035	22	34.0	19.7-48.3	8	10.7	2.7-18.7	3	2.7	0.0- 5.8	2	0.9	0.0- 2.3	36	51.7	36.4-67.0
Non-Native	2053	271,451	722	36.3	33.6-39.0	338	17.5	15.3-19.7	111	6.1	4.7- 7.5	175	7.8	6.4- 9.2	707	32.3	29.8-34.8
18-24	142	46,951	46	32.7	24.1-41.3	27	19.7	12.3-27.1	10	7.8	2.9-12.7	7	4.8	1.1- 8.5	52	35.0	26.0-44.0
25-34	274	54,278	122	44.1	37.4-50.8	61	20.2	14.9-25.5	16	7.6	3.7-11.5	14	5.0	2.1- 7.9	61	23.0	17.3-28.7
35-44	230	43,210	94	39.0	31.7-46.3	40	18.9	13.0-24.8	11	4.2	1.5- 6.9	18	8.8	4.5-13.1	67	29.0	22.1-35.9
45-54	332	43,437	124	39.0	32.7-45.3	67	18.2	13.5-22.9	22	6.4	3.1- 9.7	25	8.3	4.8-11.8	94	28.1	22.4-33.8
55-64	495	46,907	170	32.4	27.7-37.1	85	17.9	13.8-22.0	31	7.3	4.4-10.2	39	7.6	4.9-10.3	170	34.9	30.0-39.8
65+	671	50,008	194	30.0	25.7-34.3	71	9.8	7.3-12.3	29	4.0	2.2- 5.8	76	11.0	8.3-13.7	301	45.2	40.7-49.7
Less Than H.S.	153	30,463	39	24.4	16.2-32.6	18	15.5	7.7-23.3	7	3.9	0.0- 7.8	12	9.0	3.1-14.9	77	47.1	36.9-57.3
H.S. or G.E.D.	655	82,276	234	36.1	31.4-40.8	75	11.5	8.4-14.6	29	6.0	3.5- 8.5	59	8.6	6.1-11.1	258	37.8	33.1-42.5
Some Post-H.S.	652	105,736	245	40.2	35.5-44.9	117	19.2	15.3-23.1	36	6.1	3.7- 8.5	56	6.4	4.2- 8.6	198	28.0	23.9-32.1
College Graduate	691	67,015	235	35.3	30.8-39.8	141	22.7	18.8-26.6	47	7.7	5.0-10.4	51	7.0	4.6- 9.4	217	27.4	23.5-31.3
Less than \$15,000	84	12,951	22	33.8	19.7-47.9	11	13.3	4.5-22.1	3	5.7	0.0-13.3	3	3.3	0.0- 8.8	45	43.8	30.7-56.9
\$15,000- 24,999	200	28,849	56	29.3	20.9-37.7	18	11.5	4.8-18.2	6	2.6	0.0- 5.3	22	10.9	5.6-16.2	98	45.7	36.7-54.7
\$25,000- 34,999	175	23,814	59	32.1	22.9-41.3	21	15.0	7.2-22.8	12	8.9	2.4-15.4	12	5.0	1.5- 8.5	71	38.8	29.0-48.6
\$35,000- 49,999	305	38,857	93	33.4	26.3-40.5	47	17.1	11.6-22.6	15	7.2	2.7-11.7	29	6.7	3.4-10.0	121	35.6	28.3-42.9
\$50,000- 74,999	382	47,240	144	38.7	32.6-44.8	63	21.2	15.5-26.9	11	3.7	1.0- 6.4	33	7.0	4.1- 9.9	131	29.4	23.9-34.9
\$75,000+	810	104,287	325	40.8	36.5-45.1	169	20.5	17.0-24.0	62	7.7	5.3-10.1	67	8.9	6.5-11.3	187	22.1	18.6-25.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 6: DRINK-OCCASIONS-PER-DAY (DROCDY3_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2624	273,872	946	38.1	35.6-40.6	286	11.7	9.9-13.5	64	2.1	1.3- 2.9	82	2.6	1.8- 3.4	1246	45.5	43.0-48.0
Native	90	11,384	26	28.5	17.1-39.9	2	0.8	0.0- 2.0				1	2.6	0.0- 7.7	61	68.0	56.0-80.0
Non-Native	2515	260,065	913	38.6	35.9-41.3	281	12.1	10.3-13.9	63	2.3	1.5- 3.1	81	2.6	1.8- 3.4	1177	44.4	41.7-47.1
18-24	112	39,499	42	39.4	29.6-49.2	16	13.7	7.0-20.4				1	0.8	0.0- 2.4	53	46.1	36.1-56.1
25-34	208	46,476	98	45.3	37.5-53.1	29	12.6	7.7-17.5	4	2.7	0.0- 5.6	3	1.4	0.0- 3.0	74	38.1	30.5-45.7
35-44	263	40,307	136	45.3	38.2-52.4	31	12.4	7.5-17.3	5	1.9	0.0- 3.9	5	2.4	0.0- 4.8	86	38.1	30.8-45.4
45-54	345	39,847	155	43.0	36.9-49.1	61	18.0	13.3-22.7	16	4.1	1.9- 6.3	8	2.5	0.5- 4.5	105	32.4	26.5-38.3
55-64	610	45,518	231	38.4	33.9-42.9	74	11.2	8.5-13.9	17	2.8	1.2- 4.4	28	5.1	2.7- 7.5	260	42.4	37.7-47.1
65+	1060	59,895	275	23.7	20.8-26.6	75	5.9	4.3- 7.5	22	1.6	0.8- 2.4	37	3.0	2.0- 4.0	651	65.8	62.5-69.1
Less Than H.S.	125	16,898	23	12.3	6.2-18.4	4	5.6	0.0-12.5	1	3.6	0.0-10.5	2	0.5	0.0- 1.3	95	78.1	67.9-88.3
H.S. or G.E.D.	733	66,849	223	33.6	28.7-38.5	64	8.8	6.3-11.3	12	1.6	0.6- 2.6	27	2.9	1.5- 4.3	407	53.0	47.9-58.1
Some Post-H.S.	898	116,459	329	38.5	34.2-42.8	108	13.8	10.7-16.9	20	1.6	0.8- 2.4	19	2.1	0.9- 3.3	422	43.9	39.6-48.2
College Graduate	859	73,031	370	47.4	42.9-51.9	110	12.7	9.8-15.6	31	3.2	1.6- 4.8	34	3.5	2.1- 4.9	314	33.3	29.2-37.4
Less than \$15,000	176	20,110	34	29.0	18.2-39.8	7	3.6	0.5- 6.7	4	1.8	0.0- 3.8	2	1.9	0.0- 5.0	129	63.7	52.9-74.5
\$15,000- 24,999	324	32,444	84	25.6	18.5-32.7	19	6.9	2.6-11.2	2	1.9	0.0- 5.4	11	3.0	0.6- 5.4	208	62.6	54.6-70.6
\$25,000- 34,999	242	25,394	77	36.5	27.7-45.3	15	6.9	2.2-11.6	6	0.7	0.1- 1.3	6	3.3	0.0- 6.8	138	52.6	43.6-61.6
\$35,000- 49,999	363	33,593	139	42.7	35.3-50.1	47	12.8	8.3-17.3	4	0.7	0.0- 1.5	15	3.6	1.6- 5.6	158	40.2	32.9-47.5
\$50,000- 74,999	371	40,471	163	46.5	39.6-53.4	46	14.8	9.5-20.1	13	3.4	1.0- 5.8	9	2.1	0.3- 3.9	140	33.2	27.1-39.3
\$75,000+	725	81,176	334	46.1	41.4-50.8	119	16.2	12.7-19.7	29	2.9	1.7- 4.1	29	2.8	1.6- 4.0	214	32.0	27.3-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 7: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4727	553,570	3917	75.9	74.1-77.7	810	24.1	22.3-25.9
Male	2125	282,199	1609	69.0	66.3-71.7	516	31.0	28.3-33.7
Female	2602	271,371	2308	83.1	80.9-85.3	294	16.9	14.7-19.1
Native	159	21,128	123	76.6	68.6-84.6	36	23.4	15.4-31.4
Non-Native	4520	525,490	3756	76.0	74.2-77.8	764	24.0	22.2-25.8
18-24	251	85,878	159	63.0	56.3-69.7	92	37.0	30.3-43.7
25-34	478	100,253	298	63.0	58.1-67.9	180	37.0	32.1-41.9
35-44	483	81,916	352	69.7	64.8-74.6	131	30.3	25.4-35.2
45-54	671	82,307	510	75.5	71.6-79.4	161	24.5	20.6-28.4
55-64	1094	91,561	936	84.9	82.4-87.4	158	15.1	12.6-17.6
65+	1714	107,985	1626	94.9	93.7-96.1	88	5.1	3.9- 6.3
Less Than H.S.	273	46,343	236	78.0	70.7-85.3	37	22.0	14.7-29.3
H.S. or G.E.D.	1369	146,842	1138	76.6	73.5-79.7	231	23.4	20.3-26.5
Some Post-H.S.	1535	220,577	1238	73.4	70.3-76.5	297	26.6	23.5-29.7
College Graduate	1539	138,866	1294	78.4	75.5-81.3	245	21.6	18.7-24.5
Less than \$15,000	259	33,002	224	77.3	69.5-85.1	35	22.7	14.9-30.5
\$15,000- 24,999	516	60,304	453	80.3	74.8-85.8	63	19.7	14.2-25.2
\$25,000- 34,999	415	48,905	354	77.6	71.5-83.7	61	22.4	16.3-28.5
\$35,000- 49,999	663	71,871	556	77.2	72.5-81.9	107	22.8	18.1-27.5
\$50,000- 74,999	745	86,971	616	75.1	70.6-79.6	129	24.9	20.4-29.4
\$75,000+	1518	183,365	1158	70.7	67.6-73.8	360	29.3	26.2-32.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 8: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2125	282,199	1609	69.0	66.3-71.7	516	31.0	28.3-33.7
Native	71	10,035	52	75.4	63.4-87.4	19	24.6	12.6-36.6
Non-Native	2025	267,635	1535	68.8	66.1-71.5	490	31.2	28.5-33.9
18-24	141	46,796	81	55.8	46.6-65.0	60	44.2	35.0-53.4
25-34	272	54,062	149	54.4	47.7-61.1	123	45.6	38.9-52.3
35-44	226	42,437	148	62.1	54.7-69.5	78	37.9	30.5-45.3
45-54	328	42,698	231	70.7	64.8-76.6	97	29.3	23.4-35.2
55-64	490	46,532	392	80.0	75.9-84.1	98	20.0	15.9-24.1
65+	658	48,333	598	91.5	89.0-94.0	60	8.5	6.0-11.0
Less Than H.S.	148	29,445	119	72.1	62.3-81.9	29	27.9	18.1-37.7
H.S. or G.E.D.	647	81,157	493	70.1	65.4-74.8	154	29.9	25.2-34.6
Some Post-H.S.	642	104,649	459	65.3	60.6-70.0	183	34.7	30.0-39.4
College Graduate	686	66,642	536	72.1	67.6-76.6	150	27.9	23.4-32.4
Less than \$15,000	84	12,951	62	64.8	51.1-78.5	22	35.2	21.5-48.9
\$15,000- 24,999	197	28,372	158	74.5	66.1-82.9	39	25.5	17.1-33.9
\$25,000- 34,999	173	23,512	133	71.2	61.6-80.8	40	28.8	19.2-38.4
\$35,000- 49,999	301	38,349	239	74.5	67.8-81.2	62	25.5	18.8-32.2
\$50,000- 74,999	378	46,844	290	68.5	62.0-75.0	88	31.5	25.0-38.0
\$75,000+	799	103,023	567	63.6	59.3-67.9	232	36.4	32.1-40.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 9: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2602	271,371	2308	83.1	80.9-85.3	294	16.9	14.7-19.1
Native	88	11,094	71	77.6	66.6-88.6	17	22.4	11.4-33.4
Non-Native	2495	257,855	2221	83.4	81.0-85.8	274	16.6	14.2-19.0
18-24	110	39,082	78	71.7	62.7-80.7	32	28.3	19.3-37.3
25-34	206	46,191	149	73.1	66.0-80.2	57	26.9	19.8-34.0
35-44	257	39,479	204	78.0	71.9-84.1	53	22.0	15.9-28.1
45-54	343	39,609	279	80.7	76.0-85.4	64	19.3	14.6-24.0
55-64	604	45,029	544	89.9	87.0-92.8	60	10.1	7.2-13.0
65+	1056	59,652	1028	97.6	96.6-98.6	28	2.4	1.4- 3.4
Less Than H.S.	125	16,898	117	88.2	78.4-98.0	8	11.8	2.0-21.6
H.S. or G.E.D.	722	65,685	645	84.8	80.9-88.7	77	15.2	11.3-19.1
Some Post-H.S.	893	115,929	779	80.6	76.7-84.5	114	19.4	15.5-23.3
College Graduate	853	72,224	758	84.2	80.7-87.7	95	15.8	12.3-19.3
Less than \$15,000	175	20,050	162	85.3	76.5-94.1	13	14.7	5.9-23.5
\$15,000- 24,999	319	31,933	295	85.5	78.6-92.4	24	14.5	7.6-21.4
\$25,000- 34,999	242	25,394	221	83.5	75.9-91.1	21	16.5	8.9-24.1
\$35,000- 49,999	362	33,522	317	80.2	73.5-86.9	45	19.8	13.1-26.5
\$50,000- 74,999	367	40,127	326	82.7	76.8-88.6	41	17.3	11.4-23.2
\$75,000+	719	80,342	591	79.8	76.1-83.5	128	20.2	16.5-23.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4744	555,898	998	18.8	17.4-20.2	381	8.5	7.3- 9.7	627	14.7	13.3-16.1	437	10.3	9.1-11.5	304	8.4	7.2- 9.6	1997	39.2	37.2-41.2
Male	2134	283,462	360	14.5	12.7-16.3	178	9.1	7.5-10.7	335	16.7	14.7-18.7	280	13.7	11.7-15.7	230	13.0	11.0-15.0	751	33.0	30.5-35.5
Female	2610	272,436	638	23.3	21.1-25.5	203	7.9	6.5- 9.3	292	12.6	10.8-14.4	157	6.8	5.4- 8.2	74	3.7	2.5- 4.9	1246	45.7	43.0-48.4
Native	157	20,523	13	6.8	2.7-10.9	11	8.6	2.5-14.7	16	10.8	4.7-16.9	12	6.2	2.1-10.3	8	4.6	1.3- 7.9	97	63.0	53.4-72.6
Non-Native	4539	528,423	975	19.3	17.9-20.7	366	8.5	7.3- 9.7	600	14.8	13.4-16.2	423	10.5	9.3-11.7	291	8.5	7.3- 9.7	1884	38.4	36.4-40.4
18-24	252	85,865	35	14.4	9.7-19.1	16	7.5	3.6-11.4	35	12.8	8.3-17.3	31	11.9	7.6-16.2	30	13.0	8.3-17.7	105	40.3	33.6-47.0
25-34	477	99,982	73	15.0	11.5-18.5	53	10.3	7.4-13.2	105	22.2	17.9-26.5	71	13.9	10.6-17.2	40	8.5	5.6-11.4	135	30.2	25.5-34.9
35-44	490	82,772	111	18.4	14.7-22.1	55	10.6	7.3-13.9	84	16.4	12.7-20.1	51	11.2	7.9-14.5	36	9.8	6.5-13.1	153	33.7	28.6-38.8
45-54	674	82,894	154	21.7	18.2-25.2	79	11.6	8.9-14.3	116	17.1	13.8-20.4	66	9.8	7.1-12.5	60	9.5	7.0-12.0	199	30.3	26.2-34.4
55-64	1098	91,581	247	22.6	19.7-25.5	88	7.5	5.7- 9.3	162	14.4	12.0-16.8	104	10.0	7.8-12.2	67	6.7	4.9- 8.5	430	38.9	35.6-42.2
65+	1717	109,135	368	20.8	18.4-23.2	88	4.7	3.5- 5.9	124	7.0	5.6- 8.4	114	6.1	4.7- 7.5	71	4.6	3.2- 6.0	952	56.8	53.9-59.7
Less Than H.S.	270	46,040	37	9.3	5.8-12.8	10	4.3	1.0- 7.6	12	4.4	1.3- 7.5	16	8.4	3.3-13.5	23	13.8	7.7-19.9	172	59.9	52.1-67.7
H.S. or G.E.D.	1379	148,328	275	18.1	15.6-20.6	85	6.6	4.6- 8.6	143	11.6	9.2-14.0	109	9.3	7.1-11.5	102	9.5	7.3-11.7	665	44.9	41.4-48.4
Some Post-H.S.	1541	220,857	329	19.4	16.9-21.9	129	9.1	7.1-11.1	211	15.8	13.3-18.3	154	11.0	9.0-13.0	98	8.1	6.1-10.1	620	36.6	33.5-39.7
College Graduate	1542	139,398	355	21.6	19.1-24.1	157	11.0	9.0-13.0	261	19.7	17.0-22.4	158	11.0	9.0-13.0	80	6.0	4.4- 7.6	531	30.7	27.8-33.6
Less than \$15,000	259	32,881	30	12.6	6.1-19.1	7	4.6	0.3- 8.9	23	12.6	6.7-18.5	12	7.5	2.4-12.6	13	6.5	2.2-10.8	174	56.2	47.6-64.8
\$15,000- 24,999	520	60,751	90	14.3	10.4-18.2	20	5.2	2.1- 8.3	35	7.8	4.3-11.3	31	7.4	3.9-10.9	38	10.2	6.3-14.1	306	55.1	49.0-61.2
\$25,000- 34,999	413	48,901	87	16.9	12.4-21.4	24	7.6	3.7-11.5	44	15.0	9.7-20.3	24	5.9	3.0- 8.8	25	8.4	3.9-12.9	209	46.2	39.5-52.9
\$35,000- 49,999	660	71,458	146	20.2	16.1-24.3	54	9.4	6.1-12.7	81	14.4	10.3-18.5	60	9.9	6.8-13.0	40	7.8	4.7-10.9	279	38.3	33.2-43.4
\$50,000- 74,999	749	87,217	188	23.4	19.7-27.1	55	7.8	5.3-10.3	120	18.8	14.9-22.7	73	10.7	7.8-13.6	42	7.9	5.0-10.8	271	31.4	27.3-35.5
\$75,000+	1529	184,713	339	20.3	17.8-22.8	187	11.1	9.1-13.1	278	18.2	15.8-20.6	205	14.7	12.3-17.1	119	9.2	7.2-11.2	401	26.6	23.7-29.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2134	283,462	360	14.5	12.7-16.3	178	9.1	7.5-10.7	335	16.7	14.7-18.7	280	13.7	11.7-15.7	230	13.0	11.0-15.0	751	33.0	30.5-35.5
Native	70	9,854	7	7.9	1.6-14.2	6	12.5	1.3-23.7	8	12.9	3.1-22.7	7	6.9	0.4-13.4	6	7.0	0.7-13.3	36	52.7	37.4-68.0
Non-Native	2035	269,078	350	14.8	12.8-16.8	168	8.9	7.3-10.5	318	16.6	14.4-18.8	271	14.0	12.0-16.0	221	13.1	11.1-15.1	707	32.5	30.0-35.0
18-24	140	46,366	15	10.7	5.0-16.4	9	7.2	2.1-12.3	18	12.6	6.5-18.7	22	14.9	8.4-21.4	24	19.1	11.7-26.5	52	35.5	26.3-44.7
25-34	271	53,775	29	10.2	6.3-14.1	29	10.3	6.4-14.2	64	23.6	17.9-29.3	57	20.5	15.0-26.0	31	12.1	7.6-16.6	61	23.2	17.5-28.9
35-44	228	42,773	36	11.3	7.4-15.2	21	11.1	5.8-16.4	43	19.0	13.1-24.9	32	13.5	8.6-18.4	29	15.8	10.1-21.5	67	29.3	22.4-36.2
45-54	329	43,047	56	17.3	12.4-22.2	36	12.1	7.8-16.4	60	17.7	12.8-22.6	38	10.4	6.7-14.1	45	14.1	9.6-18.6	94	28.4	22.7-34.1
55-64	492	46,621	83	16.0	12.5-19.5	42	8.5	5.4-11.6	91	18.2	14.3-22.1	58	12.4	8.9-15.9	48	9.9	6.8-13.0	170	35.1	30.2-40.0
65+	664	49,540	138	21.7	17.8-25.6	40	5.8	3.6-8.0	59	9.2	6.7-11.7	73	9.6	7.2-12.0	53	8.2	5.7-10.7	301	45.6	40.9-50.3
Less Than H.S.	147	29,553	21	10.6	5.5-15.7	7	5.6	0.7-10.5	9	6.0	1.3-10.7	13	10.0	3.1-16.9	20	19.2	10.8-27.6	77	48.6	38.0-59.2
H.S. or G.E.D.	650	81,730	122	15.5	12.2-18.8	42	7.3	4.6-10.0	84	13.7	10.4-17.0	72	11.8	8.5-15.1	72	13.7	10.2-17.2	258	38.0	33.3-42.7
Some Post-H.S.	648	105,011	105	15.2	11.9-18.5	62	10.6	7.5-13.7	109	18.0	14.3-21.7	98	15.5	12.0-19.0	76	12.4	9.1-15.7	198	28.2	23.9-32.5
College Graduate	686	66,526	111	13.7	10.8-16.6	67	10.5	7.6-13.4	133	23.2	19.1-27.3	97	14.8	11.5-18.1	61	10.2	7.3-13.1	217	27.6	23.7-31.5
Less than \$15,000	83	12,771	11	11.8	1.4-22.2	2	5.6	0.0-13.6	9	12.3	3.7-20.9	7	14.2	2.8-25.6	9	11.7	2.7-20.7	45	44.4	31.1-57.7
\$15,000- 24,999	200	28,849	33	15.1	9.0-21.2	8	4.9	0.8-9.0	17	10.2	3.9-16.5	18	10.3	4.0-16.6	26	13.8	7.9-19.7	98	45.7	36.7-54.7
\$25,000- 34,999	172	23,540	30	10.0	5.9-14.1	14	12.6	5.0-20.2	23	16.6	9.0-24.2	17	10.4	4.7-16.1	17	11.1	3.7-18.5	71	39.3	29.3-49.3
\$35,000- 49,999	299	37,961	48	13.8	9.1-18.5	23	9.1	4.6-13.6	42	17.7	11.6-23.8	36	11.6	6.9-16.3	29	11.3	6.2-16.4	121	36.5	29.2-43.8
\$50,000- 74,999	379	47,041	69	17.4	12.9-21.9	30	7.5	4.4-10.6	63	17.1	12.2-22.0	50	15.2	10.3-20.1	36	13.2	8.3-18.1	131	29.6	24.1-35.1
\$75,000+	806	103,743	138	14.5	11.6-17.4	89	10.4	7.9-12.9	161	20.7	17.2-24.2	139	18.2	14.9-21.5	92	13.9	10.8-17.0	187	22.2	18.7-25.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER WEEK (_DRNKWEK)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2610	272,436	638	23.3	21.1-25.5	203	7.9	6.5-9.3	292	12.6	10.8-14.4	157	6.8	5.4- 8.2	74	3.7	2.5- 4.9	1246	45.7	43.0-48.4
Native	87	10,669	6	5.8	0.7-10.9	5	5.0	0.3- 9.7	8	8.7	1.3-16.1	5	5.5	0.4-10.6	2	2.3	0.0- 5.4	61	72.6	61.4-83.8
Non-Native	2504	259,345	625	24.0	21.8-26.2	198	8.1	6.5- 9.7	282	12.9	10.9-14.9	152	6.9	5.5- 8.3	70	3.6	2.4- 4.8	1177	44.5	41.8-47.2
18-24	112	39,499	20	18.7	11.1-26.3	7	7.9	2.0-13.8	17	13.1	6.6-19.6	9	8.3	2.8-13.8	6	5.9	1.2-10.6	53	46.1	36.1-56.1
25-34	206	46,207	44	20.4	14.3-26.5	24	10.3	5.8-14.8	41	20.5	14.0-27.0	14	6.2	2.7- 9.7	9	4.4	0.9- 7.9	74	38.3	30.7-45.9
35-44	262	39,999	75	26.0	19.9-32.1	34	10.1	6.4-13.8	41	13.5	9.0-18.0	19	8.7	4.4-13.0	7	3.4	0.5- 6.3	86	38.4	31.1-45.7
45-54	345	39,847	98	26.5	21.2-31.8	43	11.0	7.5-14.5	56	16.3	11.8-20.8	28	9.1	5.2-13.0	15	4.6	2.1- 7.1	105	32.4	26.5-38.3
55-64	606	44,960	164	29.4	25.1-33.7	46	6.3	4.3- 8.3	71	10.4	7.9-12.9	46	7.4	5.0- 9.8	19	3.4	1.6- 5.2	260	42.9	38.2-47.6
65+	1053	59,595	230	20.1	17.4-22.8	48	3.8	2.6- 5.0	65	5.2	3.8- 6.6	41	3.3	2.1- 4.5	18	1.6	0.8- 2.4	651	66.1	62.8-69.4
Less Than H.S.	123	16,486	16	6.9	3.0-10.8	3	1.9	0.0- 4.3	3	1.5	0.0- 3.3	3	5.5	0.0-12.6	3	4.2	0.0-11.3	95	80.1	70.1-90.1
H.S. or G.E.D.	729	66,598	153	21.2	17.1-25.3	43	5.8	3.4- 8.2	59	9.1	6.4-11.8	37	6.3	3.6- 9.0	30	4.4	2.4- 6.4	407	53.2	48.1-58.3
Some Post-H.S.	893	115,846	224	23.2	19.7-26.7	67	7.7	5.2-10.2	102	13.8	10.5-17.1	56	6.9	4.7- 9.1	22	4.1	2.1- 6.1	422	44.2	39.9-48.5
College Graduate	856	72,871	244	28.9	24.8-33.0	90	11.4	8.7-14.1	128	16.6	13.3-19.9	61	7.5	5.0-10.0	19	2.2	1.0- 3.4	314	33.4	29.3-37.5
Less than \$15,000	176	20,110	19	13.1	5.1-21.1	5	3.9	0.0- 8.6	14	12.7	4.7-20.7	5	3.3	0.0- 7.0	4	3.3	0.0- 7.0	129	63.7	52.9-74.5
\$15,000- 24,999	320	31,902	57	13.6	8.7-18.5	12	5.4	0.9- 9.9	18	5.5	2.2- 8.8	13	4.8	1.3- 8.3	12	7.0	1.7-12.3	208	63.7	55.7-71.7
\$25,000- 34,999	241	25,361	57	23.2	15.8-30.6	10	2.9	0.7- 5.1	21	13.6	6.5-20.7	7	1.8	0.0- 3.6	8	5.8	0.7-10.9	138	52.7	43.7-61.7
\$35,000- 49,999	361	33,497	98	27.6	20.9-34.3	31	9.7	5.0-14.4	39	10.6	5.7-15.5	24	7.9	4.2-11.6	11	3.9	1.2- 6.6	158	40.3	33.0-47.6
\$50,000- 74,999	370	40,175	119	30.5	24.4-36.6	25	8.2	4.3-12.1	57	20.7	14.4-27.0	23	5.4	2.7- 8.1	6	1.7	0.0- 3.7	140	33.5	27.2-39.8
\$75,000+	723	80,969	201	27.6	23.5-31.7	98	11.9	9.2-14.6	117	14.9	12.0-17.8	66	10.3	7.2-13.4	27	3.2	1.8- 4.6	214	32.1	27.4-36.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

**TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4744	555,898	4497	93.5	92.5-94.5	247	6.5	5.5- 7.5
Male	2134	283,462	2002	92.7	91.1-94.3	132	7.3	5.7- 8.9
Female	2610	272,436	2495	94.2	92.8-95.6	115	5.8	4.4- 7.2
Native	157	20,523	150	96.2	93.1-99.3	7	3.8	0.7- 6.9
Non-Native	4539	528,423	4304	93.5	92.5-94.5	235	6.5	5.5- 7.5
18-24	252	85,865	227	90.1	86.2-94.0	25	9.9	6.0-13.8
25-34	477	99,982	444	92.9	90.2-95.6	33	7.1	4.4- 9.8
35-44	490	82,772	461	92.4	89.5-95.3	29	7.6	4.7-10.5
45-54	674	82,894	623	92.6	90.4-94.8	51	7.4	5.2- 9.6
55-64	1098	91,581	1039	94.2	92.4-96.0	59	5.8	4.0- 7.6
65+	1717	109,135	1667	97.2	96.2-98.2	50	2.8	1.8- 3.8
Less Than H.S.	270	46,040	256	90.8	85.5-96.1	14	9.2	3.9-14.5
H.S. or G.E.D.	1379	148,328	1289	91.5	89.5-93.5	90	8.5	6.5-10.5
Some Post-H.S.	1541	220,857	1466	94.2	92.6-95.8	75	5.8	4.2- 7.4
College Graduate	1542	139,398	1474	95.1	93.7-96.5	68	4.9	3.5- 6.3
Less than \$15,000	259	32,881	249	95.8	92.5-99.1	10	4.2	0.9- 7.5
\$15,000- 24,999	520	60,751	486	91.5	87.8-95.2	34	8.5	4.8-12.2
\$25,000- 34,999	413	48,901	394	94.3	91.0-97.6	19	5.7	2.4- 9.0
\$35,000- 49,999	660	71,458	629	93.8	91.3-96.3	31	6.2	3.7- 8.7
\$50,000- 74,999	749	87,217	712	93.5	91.0-96.0	37	6.5	4.0- 9.0
\$75,000+	1529	184,713	1439	93.6	92.0-95.2	90	6.4	4.8- 8.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2134	283,462	2002	92.7	91.1-94.3	132	7.3	5.7- 8.9
Native	70	9,854	65	94.6	89.3-99.9	5	5.4	0.1-10.7
Non-Native	2035	269,078	1911	92.8	91.2-94.4	124	7.2	5.6- 8.8
18-24	140	46,366	124	88.9	83.4-94.4	16	11.1	5.6-16.6
25-34	271	53,775	253	93.1	89.6-96.6	18	6.9	3.4-10.4
35-44	228	42,773	212	91.8	87.7-95.9	16	8.2	4.1-12.3
45-54	329	43,047	302	92.2	89.1-95.3	27	7.8	4.7-10.9
55-64	492	46,621	460	93.0	90.1-95.9	32	7.0	4.1- 9.9
65+	664	49,540	641	96.7	95.1-98.3	23	3.3	1.7- 4.9
Less Than H.S.	147	29,553	137	90.0	83.3-96.7	10	10.0	3.3-16.7
H.S. or G.E.D.	650	81,730	601	90.1	87.0-93.2	49	9.9	6.8-13.0
Some Post-H.S.	648	105,011	608	94.2	92.0-96.4	40	5.8	3.6- 8.0
College Graduate	686	66,526	653	94.8	92.6-97.0	33	5.2	3.0- 7.4
Less than \$15,000	83	12,771	78	94.6	88.3- 100	5	5.4	0.0-11.7
\$15,000- 24,999	200	28,849	183	91.2	86.5-95.9	17	8.8	4.1-13.5
\$25,000- 34,999	172	23,540	162	94.6	90.3-98.9	10	5.4	1.1- 9.7
\$35,000- 49,999	299	37,961	282	93.4	89.7-97.1	17	6.6	2.9-10.3
\$50,000- 74,999	379	47,041	358	92.0	87.9-96.1	21	8.0	3.9-12.1
\$75,000+	806	103,743	758	92.9	90.5-95.3	48	7.1	4.7- 9.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 9: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN 14 DRINKS PER WEEK AND ADULT WOMEN HAVING MORE THAN 7 DRINKS PER WEEK) (_RFDRHV5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2610	272,436	2495	94.2	92.8-95.6	115	5.8	4.4- 7.2
Native	87	10,669	85	97.7	94.6- 100	2	2.3	0.0- 5.4
Non-Native	2504	259,345	2393	94.1	92.7-95.5	111	5.9	4.5- 7.3
18-24	112	39,499	103	91.5	86.0-97.0	9	8.5	3.0-14.0
25-34	206	46,207	191	92.7	88.6-96.8	15	7.3	3.2-11.4
35-44	262	39,999	249	93.1	88.8-97.4	13	6.9	2.6-11.2
45-54	345	39,847	321	93.0	89.9-96.1	24	7.0	3.9-10.1
55-64	606	44,960	579	95.4	93.4-97.4	27	4.6	2.6- 6.6
65+	1053	59,595	1026	97.5	96.5-98.5	27	2.5	1.5- 3.5
Less Than H.S.	123	16,486	119	92.4	83.2- 100	4	7.6	0.0-16.8
H.S. or G.E.D.	729	66,598	688	93.3	90.8-95.8	41	6.7	4.2- 9.2
Some Post-H.S.	893	115,846	858	94.3	91.9-96.7	35	5.7	3.3- 8.1
College Graduate	856	72,871	821	95.3	93.3-97.3	35	4.7	2.7- 6.7
Less than \$15,000	176	20,110	171	96.5	92.8- 100	5	3.5	0.0- 7.2
\$15,000- 24,999	320	31,902	303	91.7	86.2-97.2	17	8.3	2.8-13.8
\$25,000- 34,999	241	25,361	232	94.1	89.0-99.2	9	5.9	0.8-11.0
\$35,000- 49,999	361	33,497	347	94.3	91.0-97.6	14	5.7	2.4- 9.0
\$50,000- 74,999	370	40,175	354	95.2	92.3-98.1	16	4.8	1.9- 7.7
\$75,000+	723	80,969	681	94.5	92.3-96.7	42	5.5	3.3- 7.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)	
1 MALES AND FEMALES	113
2 MALES ONLY	114
3 FEMALES ONLY	115
FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)	
4 MALES AND FEMALES	116
5 MALES ONLY	117
6 FEMALES ONLY	118
BEAN INTAKE IN TIMES PER DAY (BEANDAY_)	
7 MALES AND FEMALES	119
8 MALES ONLY	120
9 FEMALES ONLY	121
DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)	
10 MALES AND FEMALES	122
11 MALES ONLY	123
12 FEMALES ONLY	124
ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)	
13 MALES AND FEMALES	125
14 MALES ONLY	126
15 FEMALES ONLY	127
VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)	
16 MALES AND FEMALES	128
17 MALES ONLY	129
18 FEMALES ONLY	130

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 10: FRUITS AND VEGETABLES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)	
19	MALES AND FEMALES	131
20	MALES ONLY	132
21	FEMALES ONLY	133
	TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)	
22	MALES AND FEMALES	134
23	MALES ONLY	135
24	FEMALES ONLY	136
	CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)	
25	MALES AND FEMALES	137
26	MALES ONLY	138
27	FEMALES ONLY	139
	CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGL1)	
28	MALES AND FEMALES	140
29	MALES ONLY	141
30	FEMALES ONLY	142

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 1: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4624	540,583	1814	42.7	40.7-44.7	961	17.6	16.2-19.0	32	1.2	0.6- 1.8	6	0.1	0.1- 0.1	1811	38.5	36.5-40.5
Male	2071	273,485	873	45.2	42.5-47.9	452	19.4	17.2-21.6	19	1.3	0.5- 2.1	6	0.2	0.0- 0.4	721	33.8	31.3-36.3
Female	2553	267,099	941	40.1	37.4-42.8	509	15.7	13.9-17.5	13	1.1	0.3- 1.9				1090	43.2	40.5-45.9
Native	156	21,503	60	42.1	31.5-52.7	44	22.4	14.8-30.0	3	5.1	0.0-10.8				49	30.3	20.5-40.1
Non-Native	4421	512,252	1735	42.6	40.6-44.6	907	17.3	15.9-18.7	29	1.0	0.4- 1.6	6	0.1	0.0- 0.3	1744	38.9	36.9-40.9
18-24	236	81,126	122	49.8	42.7-56.9	30	13.8	8.7-18.9	7	3.4	0.7- 6.1				77	33.0	26.3-39.7
25-34	463	97,858	230	49.3	44.2-54.4	56	11.4	8.3-14.5	4	1.4	0.0- 3.0				173	37.9	32.8-43.0
35-44	474	80,200	225	48.0	42.7-53.3	69	14.1	10.4-17.8	2	0.6	0.0- 1.6	1	0.1	0.0- 0.3	177	37.1	32.0-42.2
45-54	665	82,395	283	41.3	37.0-45.6	90	14.8	11.5-18.1	2	0.2	0.0- 0.4				290	43.7	39.2-48.2
55-64	1079	90,187	397	36.7	33.4-40.0	213	20.0	17.3-22.7	6	0.9	0.1- 1.7	2	0.3	0.0- 0.7	461	42.1	38.6-45.6
65+	1670	104,906	548	33.5	30.8-36.2	494	28.8	26.3-31.3	11	0.8	0.2- 1.4	3	0.2	0.0- 0.4	614	36.8	33.9-39.7
Less Than H.S.	269	46,268	77	34.7	26.9-42.5	72	22.7	16.0-29.4	3	2.3	0.0- 5.0	1	0.2	0.0- 0.6	116	40.1	32.3-47.9
H.S. or G.E.D.	1326	140,624	468	38.8	35.3-42.3	287	19.1	16.4-21.8	12	1.5	0.3- 2.7	3	0.2	0.0- 0.6	556	40.3	36.8-43.8
Some Post-H.S.	1505	215,466	619	44.9	41.6-48.2	309	16.7	14.3-19.1	9	1.2	0.2- 2.2	1	0.0	0.0- 0.0	567	37.1	34.0-40.2
College Graduate	1513	137,158	647	46.0	42.7-49.3	292	15.7	13.5-17.9	8	0.5	0.1- 0.9	1	0.0	0.0- 0.0	565	37.8	34.7-40.9
Less than \$15,000	245	32,123	87	42.9	34.1-51.7	59	18.6	12.7-24.5	2	1.6	0.0- 4.3	2	0.4	0.0- 1.2	95	36.5	28.1-44.9
\$15,000- 24,999	509	58,201	187	40.7	34.4-47.0	109	18.0	13.3-22.7	6	2.4	0.2- 4.6	1	0.3	0.0- 0.9	206	38.5	32.4-44.6
\$25,000- 34,999	409	48,207	141	38.2	31.5-44.9	103	21.0	15.7-26.3	7	4.0	0.1- 7.9				158	36.8	30.3-43.3
\$35,000- 49,999	643	69,350	231	39.4	34.1-44.7	160	19.4	15.5-23.3	6	1.9	0.1- 3.7				246	39.3	34.0-44.6
\$50,000- 74,999	731	84,435	311	46.1	41.4-50.8	143	18.6	14.9-22.3	1	0.5	0.0- 1.5	1	0.0	0.0- 0.0	275	34.7	30.4-39.0
\$75,000+	1502	182,049	651	45.7	42.6-48.8	246	13.8	11.8-15.8	6	0.3	0.0- 0.7	1	0.0	0.0- 0.0	598	40.1	37.0-43.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 2: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2071	273,485	873	45.2	42.5-47.9	452	19.4	17.2-21.6	19	1.3	0.5- 2.1	6	0.2	0.0- 0.4	721	33.8	31.3-36.3
Native	71	9,926	26	42.8	26.9-58.7	22	26.0	14.0-38.0	1	4.0	0.0-11.6				22	27.2	14.7-39.7
Non-Native	1970	258,822	834	45.1	42.2-48.0	424	19.1	16.9-21.3	18	1.2	0.4- 2.0	6	0.2	0.0- 0.4	688	34.3	31.6-37.0
18-24	130	43,003	73	54.4	44.6-64.2	18	16.1	8.7-23.5	6	5.5	0.6-10.4				33	24.1	16.1-32.1
25-34	260	52,264	133	51.3	44.4-58.2	38	14.7	9.8-19.6	1	0.2	0.0- 0.6				88	33.8	27.3-40.3
35-44	219	41,242	104	47.1	39.5-54.7	35	15.2	9.9-20.5	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	78	37.0	29.6-44.4
45-54	319	41,889	147	44.8	38.3-51.3	54	18.0	12.7-23.3	1	0.2	0.0- 0.6				117	37.0	30.7-43.3
55-64	482	45,512	190	38.7	33.6-43.8	105	21.9	17.6-26.2	4	1.2	0.0- 2.6	2	0.5	0.0- 1.3	181	37.7	32.6-42.8
65+	649	48,003	223	35.9	31.4-40.4	199	29.8	25.7-33.9	6	0.7	0.1- 1.3	3	0.3	0.0- 0.7	218	33.3	29.0-37.6
Less Than H.S.	149	28,913	51	39.6	29.2-50.0	43	24.8	15.6-34.0	2	2.6	0.0- 6.3	1	0.4	0.0- 1.2	52	32.6	23.0-42.2
H.S. or G.E.D.	619	76,642	239	43.3	38.2-48.4	130	17.8	14.3-21.3	8	1.8	0.2- 3.4	3	0.4	0.0- 1.0	239	36.6	31.9-41.3
Some Post-H.S.	630	102,043	280	47.1	42.2-52.0	126	18.9	15.2-22.6	6	1.3	0.0- 2.9	1	0.0	0.0- 0.0	217	32.8	28.3-37.3
College Graduate	670	65,406	303	47.5	42.8-52.2	153	20.0	16.3-23.7	3	0.3	0.0- 0.7	1	0.0	0.0- 0.0	210	32.3	27.8-36.8
Less than \$15,000	80	12,395	28	38.9	24.8-53.0	17	19.4	9.2-29.6	1	0.4	0.0- 1.2	2	1.1	0.0- 2.9	32	40.2	26.3-54.1
\$15,000- 24,999	190	27,145	82	45.4	36.0-54.8	36	16.6	10.1-23.1	3	2.4	0.0- 5.7	1	0.7	0.0- 2.1	68	34.9	26.1-43.7
\$25,000- 34,999	171	23,338	70	44.6	34.4-54.8	48	22.6	14.6-30.6	4	4.4	0.0-10.5				49	28.4	19.4-37.4
\$35,000- 49,999	291	36,873	109	40.5	32.9-48.1	73	21.5	15.4-27.6	4	2.7	0.0- 5.8				105	35.2	27.8-42.6
\$50,000- 74,999	368	44,845	164	47.0	40.5-53.5	78	22.6	16.9-28.3	1	1.0	0.0- 2.8	1	0.1	0.0- 0.3	124	29.5	24.0-35.0
\$75,000+	784	101,371	348	46.9	42.6-51.2	161	17.4	14.5-20.3	4	0.3	0.0- 0.7	1	0.0	0.0- 0.0	270	35.3	31.2-39.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 3: FRUIT JUICE INTAKE IN TIMES PER DAY (FTJUDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.											
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2553	267,099	941	40.1	37.4-42.8	509	15.7	13.9-17.5	13	1.1	0.3- 1.9	1090	43.2	40.5-45.9
Native	85	11,577	34	41.6	27.3-55.9	22	19.4	9.6-29.2	2	6.0	0.0-14.0	27	33.0	18.5-47.5
Non-Native	2451	253,430	901	40.1	37.4-42.8	483	15.5	13.7-17.3	11	0.8	0.2- 1.4	1056	43.5	40.8-46.2
18-24	106	38,123	49	44.7	34.5-54.9	12	11.3	4.8-17.8	1	1.0	0.0- 3.0	44	43.0	32.8-53.2
25-34	203	45,594	97	46.9	39.1-54.7	18	7.6	3.7-11.5	3	2.8	0.0- 5.9	85	42.7	34.9-50.5
35-44	255	38,957	121	48.8	41.4-56.2	34	13.0	7.5-18.5	1	0.9	0.0- 2.7	99	37.3	30.2-44.4
45-54	346	40,506	136	37.7	31.6-43.8	36	11.4	7.3-15.5	1	0.2	0.0- 0.6	173	50.6	44.3-56.9
55-64	597	44,675	207	34.7	30.2-39.2	108	18.1	14.4-21.8	2	0.6	0.0- 1.6	280	46.7	42.0-51.4
65+	1021	56,902	325	31.5	28.0-35.0	295	28.0	24.7-31.3	5	0.8	0.0- 1.8	396	39.7	36.0-43.4
Less Than H.S.	120	17,354	26	26.4	15.0-37.8	29	19.2	10.4-28.0	1	1.7	0.0- 5.0	64	52.7	40.2-65.2
H.S. or G.E.D.	707	63,982	229	33.4	28.5-38.3	157	20.6	16.3-24.9	4	1.1	0.0- 2.5	317	44.8	39.7-49.9
Some Post-H.S.	875	113,423	339	43.0	38.5-47.5	183	14.8	12.1-17.5	3	1.2	0.0- 2.6	350	41.0	36.5-45.5
College Graduate	843	71,752	344	44.7	40.2-49.2	139	11.9	9.4-14.4	5	0.6	0.0- 1.4	355	42.8	38.3-47.3
Less than \$15,000	165	19,728	59	45.5	34.3-56.7	42	18.1	11.0-25.2	1	2.4	0.0- 6.9	63	34.1	23.7-44.5
\$15,000- 24,999	319	31,057	105	36.6	28.2-45.0	73	19.2	12.5-25.9	3	2.4	0.0- 5.5	138	41.8	33.6-50.0
\$25,000- 34,999	238	24,870	71	32.2	23.8-40.6	55	19.5	12.4-26.6	3	3.6	0.0- 8.5	109	44.7	35.7-53.7
\$35,000- 49,999	352	32,477	122	38.1	30.7-45.5	87	17.0	12.3-21.7	2	0.9	0.0- 2.3	141	43.9	36.3-51.5
\$50,000- 74,999	363	39,589	147	45.2	38.3-52.1	65	14.1	9.8-18.4				151	40.7	34.0-47.4
\$75,000+	718	80,678	303	44.1	39.4-48.8	85	9.3	6.9-11.7	2	0.4	0.0- 1.0	328	46.2	41.5-50.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 4: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4652	544,824	2064	48.1	46.1-50.1	2077	40.8	38.8-42.8	262	4.9	4.1- 5.7	82	1.5	1.1- 1.9	4	0.1	0.0- 0.3	163	4.6	3.6- 5.6
Male	2080	275,506	1134	56.0	53.3-58.7	759	33.8	31.3-36.3	62	2.8	2.0- 3.6	23	1.2	0.6- 1.8	2	0.1	0.0- 0.3	100	6.1	4.7- 7.5
Female	2572	269,318	930	40.0	37.3-42.7	1318	48.0	45.3-50.7	200	7.0	5.8- 8.2	59	1.9	1.3- 2.5	2	0.1	0.1- 0.1	63	3.1	1.9- 4.3
Native	157	21,683	79	52.0	41.4-62.6	66	37.1	27.1-47.1	7	7.8	1.3-14.3							5	3.1	0.0- 6.4
Non-Native	4447	516,189	1964	48.0	46.0-50.0	1988	40.9	38.9-42.9	254	4.8	4.0- 5.6	82	1.6	1.2- 2.0	4	0.1	0.0- 0.3	155	4.7	3.7- 5.7
18-24	243	83,358	143	61.0	54.3-67.7	77	29.8	23.5-36.1	8	2.7	0.7- 4.7	3	0.7	0.0- 1.7				12	5.8	2.5- 9.1
25-34	466	98,396	228	48.8	43.7-53.9	173	38.0	32.9-43.1	24	4.7	2.7- 6.7	9	1.7	0.5- 2.9				32	6.8	4.1- 9.5
35-44	476	80,750	215	44.2	38.9-49.5	201	42.4	37.1-47.7	28	5.7	3.2- 8.2	9	1.8	0.4- 3.2	1	0.3	0.0- 0.9	22	5.6	3.1- 8.1
45-54	668	82,806	309	48.5	44.0-53.0	293	42.3	37.8-46.8	36	5.1	3.1- 7.1	10	1.3	0.3- 2.3	2	0.2	0.0- 0.4	18	2.6	1.2- 4.0
55-64	1077	90,042	481	46.0	42.5-49.5	471	42.2	38.7-45.7	61	5.3	3.7- 6.9	26	2.3	1.3- 3.3				38	4.3	2.5- 6.1
65+	1685	105,562	680	42.8	39.9-45.7	838	47.5	44.6-50.4	104	5.8	4.4- 7.2	24	1.1	0.5- 1.7				39	2.8	1.6- 4.0
Less Than H.S.	268	46,863	124	48.6	40.6-56.6	113	35.9	28.3-43.5	5	2.3	0.0- 4.8							26	13.2	7.5-18.9
H.S. or G.E.D.	1340	142,566	638	51.4	47.9-54.9	560	37.2	33.7-40.7	52	3.5	2.3- 4.7	23	1.4	0.6- 2.2	3	0.3	0.0- 0.7	64	6.1	4.3- 7.9
Some Post-H.S.	1511	216,942	710	50.4	47.1-53.7	663	40.6	37.5-43.7	76	4.4	3.2- 5.6	20	1.2	0.6- 1.8				42	3.4	2.0- 4.8
College Graduate	1521	137,338	588	41.0	37.9-44.1	733	46.3	43.2-49.4	129	7.9	6.1- 9.7	39	2.6	1.6- 3.6	1	0.0	0.0- 0.0	31	2.1	1.1- 3.1
Less than \$15,000	250	32,418	107	44.4	35.8-53.0	117	44.1	35.5-52.7	12	4.7	0.8- 8.6				1	0.1	0.0- 0.3	13	6.7	2.2-11.2
\$15,000- 24,999	509	58,767	237	55.1	49.0-61.2	214	32.8	27.3-38.3	22	2.3	0.9- 3.7	8	1.0	0.0- 2.0				28	8.7	4.8-12.6
\$25,000- 34,999	407	48,272	185	51.9	45.0-58.8	175	35.4	29.1-41.7	24	5.3	2.6- 8.0	1	0.1	0.0- 0.3				22	7.3	3.4-11.2
\$35,000- 49,999	649	69,727	294	49.5	44.0-55.0	286	39.5	34.4-44.6	38	5.3	2.9- 7.7	5	0.5	0.0- 1.1	1	0.4	0.0- 1.2	25	4.9	2.5- 7.3
\$50,000- 74,999	739	86,197	327	46.0	41.3-50.7	338	43.9	39.2-48.6	32	4.2	2.2- 6.2	19	2.9	1.3- 4.5	1	0.1	0.0- 0.3	22	2.8	1.4- 4.2
\$75,000+	1503	181,686	661	45.4	42.3-48.5	670	43.3	40.2-46.4	103	6.3	4.9- 7.7	35	2.0	1.2- 2.8	1	0.0	0.0- 0.0	33	3.0	1.6- 4.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 5: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2080	275,506	1134	56.0	53.3-58.7	759	33.8	31.3-36.3	62	2.8	2.0- 3.6	23	1.2	0.6- 1.8	2	0.1	0.0- 0.3	100	6.1	4.7- 7.5
Native	72	10,107	42	64.4	50.3-78.5	26	25.2	14.0-36.4	2	8.5	0.0-19.7							2	1.8	0.0- 4.5
Non-Native	1979	260,870	1077	55.7	53.0-58.4	721	34.0	31.3-36.7	60	2.6	1.8- 3.4	23	1.2	0.6- 1.8	2	0.1	0.0- 0.3	96	6.3	4.7- 7.9
18-24	132	43,793	85	67.8	58.8-76.8	32	21.5	13.7-29.3	5	3.1	0.2- 6.0	2	1.0	0.0- 2.6				8	6.6	1.9-11.3
25-34	264	53,156	141	52.5	45.6-59.4	85	33.3	26.8-39.8	10	2.9	0.9- 4.9	4	1.9	0.1- 3.7				24	9.4	5.5-13.3
35-44	221	41,888	127	51.7	44.1-59.3	70	36.5	29.1-43.9	7	3.2	0.3- 6.1	2	1.1	0.0- 2.7	1	0.6	0.0- 1.8	14	7.0	2.9-11.1
45-54	320	41,914	186	58.6	52.1-65.1	114	35.7	29.4-42.0	6	1.8	0.2- 3.4	4	0.8	0.0- 1.6				10	3.2	0.8- 5.6
55-64	480	45,348	263	55.2	49.9-60.5	173	34.1	29.2-39.0	17	3.5	1.5- 5.5	6	1.2	0.0- 2.4				21	5.9	3.0- 8.8
65+	651	47,837	330	52.6	47.9-57.3	276	39.6	35.1-44.1	17	2.4	1.0- 3.8	5	1.0	0.0- 2.0				23	4.4	2.2- 6.6
Less Than H.S.	150	29,444	76	52.0	41.6-62.4	53	31.6	21.8-41.4	1	1.7	0.0- 5.0							20	14.7	7.4-22.0
H.S. or G.E.D.	626	77,751	360	59.0	54.1-63.9	203	29.1	24.6-33.6	14	2.2	0.6- 3.8	9	1.5	0.3- 2.7	1	0.3	0.0- 0.9	39	7.8	5.1-10.5
Some Post-H.S.	632	102,732	361	58.1	53.4-62.8	228	34.6	30.1-39.1	15	2.2	0.8- 3.6	4	0.6	0.0- 1.4				24	4.5	2.3- 6.7
College Graduate	669	65,099	337	51.2	46.5-55.9	272	38.6	34.1-43.1	32	5.0	3.0- 7.0	10	2.2	0.6- 3.8	1	0.0	0.0- 0.0	17	2.9	1.3- 4.5
Less than \$15,000	81	12,546	36	43.5	29.8-57.2	32	38.2	24.5-51.9	4	7.0	0.0-16.0				1	0.2	0.0- 0.6	8	11.1	2.5-19.7
\$15,000- 24,999	188	26,618	103	59.5	50.5-68.5	63	26.7	19.1-34.3	2	0.9	0.0- 2.3	2	1.0	0.0- 2.6				18	11.9	5.6-18.2
\$25,000- 34,999	170	23,522	92	59.3	49.7-68.9	63	30.2	21.8-38.6	4	2.2	0.0- 4.6							11	8.4	2.3-14.5
\$35,000- 49,999	292	36,980	163	59.9	52.5-67.3	104	29.0	22.5-35.5	7	2.7	0.3- 5.1				1	0.7	0.0- 2.1	17	7.8	3.5-12.1
\$50,000- 74,999	375	46,476	197	53.0	46.5-59.5	147	38.6	32.3-44.9	13	3.2	0.8- 5.6	6	2.6	0.2- 5.0				12	2.5	0.9- 4.1
\$75,000+	782	101,049	434	54.8	50.5-59.1	288	37.1	32.8-41.4	28	3.1	1.7- 4.5	9	1.2	0.2- 2.2				23	3.9	2.1- 5.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 6: FRUIT INTAKE IN TIMES PER DAY (FRUTDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2572	269,318	930	40.0	37.3-42.7	1318	48.0	45.3-50.7	200	7.0	5.8- 8.2	59	1.9	1.3- 2.5	2	0.1	0.1- 0.1	63	3.1	1.9- 4.3
Native	85	11,577	37	41.2	26.7-55.7	40	47.4	32.9-61.9	5	7.1	0.2-14.0							3	4.2	0.0- 9.7
Non-Native	2468	255,319	887	40.0	37.3-42.7	1267	47.9	45.2-50.6	194	7.0	5.8- 8.2	59	2.0	1.4- 2.6	2	0.1	0.1- 0.1	59	3.0	1.8- 4.2
18-24	111	39,565	58	53.3	43.3-63.3	45	39.1	29.5-48.7	3	2.2	0.0- 4.7	1	0.5	0.0- 1.5				4	4.9	0.2- 9.6
25-34	202	45,240	87	44.4	36.6-52.2	88	43.5	35.7-51.3	14	6.7	3.0-10.4	5	1.5	0.1- 2.9				8	3.9	0.6- 7.2
35-44	255	38,862	88	36.1	28.8-43.4	131	48.8	41.4-56.2	21	8.4	4.3-12.5	7	2.7	0.3- 5.1				8	4.0	0.9- 7.1
45-54	348	40,892	123	38.1	32.0-44.2	179	49.1	42.8-55.4	30	8.6	5.3-11.9	6	1.8	0.2- 3.4	2	0.4	0.0- 1.0	8	1.9	0.5- 3.3
55-64	597	44,694	218	36.6	32.1-41.1	298	50.3	45.6-55.0	44	7.0	4.5- 9.5	20	3.4	1.6- 5.2				17	2.7	1.3- 4.1
65+	1034	57,725	350	34.7	31.2-38.2	562	54.1	50.4-57.8	87	8.5	6.3-10.7	19	1.3	0.7- 1.9				16	1.4	0.6- 2.2
Less Than H.S.	118	17,420	48	42.9	30.4-55.4	60	43.2	30.9-55.5	4	3.2	0.0- 6.9							6	10.7	1.1-20.3
H.S. or G.E.D.	714	64,815	278	42.4	37.1-47.7	357	46.9	41.8-52.0	38	5.0	3.0- 7.0	14	1.3	0.5- 2.1	2	0.3	0.0- 0.7	25	4.1	1.9- 6.3
Some Post-H.S.	879	114,210	349	43.4	38.9-47.9	435	46.0	41.5-50.5	61	6.4	4.4- 8.4	16	1.7	0.7- 2.7				18	2.4	0.8- 4.0
College Graduate	852	72,239	251	31.8	27.5-36.1	461	53.3	48.8-57.8	97	10.6	7.9-13.3	29	3.0	1.6- 4.4				14	1.3	0.5- 2.1
Less than \$15,000	169	19,872	71	45.0	34.0-56.0	85	47.9	36.9-58.9	8	3.2	0.7- 5.7							5	4.0	0.0- 8.7
\$15,000- 24,999	321	32,149	134	51.5	43.1-59.9	151	37.8	30.2-45.4	20	3.5	1.3- 5.7	6	1.1	0.0- 2.3				10	6.1	1.2-11.0
\$25,000- 34,999	237	24,749	93	44.8	35.6-54.0	112	40.4	31.6-49.2	20	8.3	3.6-13.0	1	0.2	0.0- 0.6				11	6.2	0.9-11.5
\$35,000- 49,999	357	32,747	131	37.7	30.3-45.1	182	51.4	44.0-58.8	31	8.3	4.4-12.2	5	1.0	0.0- 2.2				8	1.6	0.4- 2.8
\$50,000- 74,999	364	39,720	130	37.9	31.0-44.8	191	50.2	43.3-57.1	19	5.4	2.3- 8.5	13	3.3	1.3- 5.3	1	0.2	0.0- 0.6	10	3.1	0.7- 5.5
\$75,000+	721	80,637	227	33.6	29.1-38.1	382	51.1	46.4-55.8	75	10.3	7.6-13.0	26	2.9	1.5- 4.3	1	0.1	0.0- 0.3	10	2.0	0.2- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 7: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4620	540,117	3478	74.4	72.6-76.2	178	4.3	3.5- 5.1	9	0.2	0.0- 0.4	4	0.1	0.1- 0.1	951	21.1	19.5-22.7
Male	2061	271,534	1586	75.7	73.2-78.2	76	4.0	2.8- 5.2	5	0.2	0.0- 0.6	1	0.0	0.0- 0.0	393	20.1	17.7-22.5
Female	2559	268,583	1892	73.0	70.5-75.5	102	4.6	3.2- 6.0	4	0.2	0.0- 0.6	3	0.1	0.0- 0.3	558	22.1	19.7-24.5
Native	154	20,731	114	69.9	59.5-80.3	5	5.4	0.0-12.1							35	24.7	15.5-33.9
Non-Native	4419	512,747	3329	74.5	72.7-76.3	171	4.2	3.4- 5.0	8	0.2	0.0- 0.4	4	0.1	0.1- 0.1	907	21.0	19.2-22.8
18-24	239	81,954	167	68.9	62.2-75.6	9	4.0	1.3- 6.7	2	0.7	0.0- 2.1				61	26.5	20.2-32.8
25-34	461	97,725	342	73.0	68.3-77.7	21	4.7	2.5- 6.9	1	0.4	0.0- 1.2				97	21.9	17.6-26.2
35-44	472	79,363	371	77.0	72.5-81.5	16	4.5	2.0- 7.0				2	0.4	0.0- 1.0	83	18.2	14.1-22.3
45-54	667	82,521	523	77.4	73.5-81.3	25	5.2	2.7- 7.7							119	17.4	14.1-20.7
55-64	1081	90,427	828	76.7	73.6-79.8	34	3.3	1.9- 4.7	2	0.2	0.0- 0.4	1	0.0	0.0- 0.0	216	19.8	16.9-22.7
65+	1664	104,255	1228	74.3	71.8-76.8	70	4.0	3.0- 5.0	4	0.1	0.0- 0.3	1	0.0	0.0- 0.0	361	21.5	19.1-23.9
Less Than H.S.	261	44,761	173	63.6	55.4-71.8	13	6.9	2.0-11.8							75	29.5	21.9-37.1
H.S. or G.E.D.	1326	140,976	920	68.7	65.2-72.2	60	5.3	3.5- 7.1	4	0.1	0.0- 0.3	2	0.0	0.0- 0.0	340	25.9	22.6-29.2
Some Post-H.S.	1517	217,210	1144	75.2	72.3-78.1	46	3.3	2.1- 4.5	3	0.5	0.0- 1.1				324	21.1	18.4-23.8
College Graduate	1508	136,205	1238	82.9	80.4-85.4	58	3.8	2.4- 5.2	2	0.0	0.0- 0.0	2	0.2	0.0- 0.6	208	13.1	10.9-15.3
Less than \$15,000	241	31,073	148	58.3	49.5-67.1	19	9.3	3.6-15.0							74	32.4	24.2-40.6
\$15,000- 24,999	504	57,888	341	67.0	61.1-72.9	29	7.4	3.5-11.3	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	132	25.5	20.2-30.8
\$25,000- 34,999	407	47,914	302	72.0	65.9-78.1	19	6.5	3.0-10.0	2	1.0	0.0- 2.8				84	20.5	15.0-26.0
\$35,000- 49,999	649	70,128	476	70.9	65.6-76.2	23	3.4	1.4- 5.4	1	0.1	0.0- 0.3				149	25.6	20.5-30.7
\$50,000- 74,999	737	85,658	571	78.5	74.8-82.2	24	3.9	2.1- 5.7				1	0.2	0.0- 0.6	141	17.4	13.9-20.9
\$75,000+	1497	181,238	1242	82.0	79.5-84.5	34	1.8	1.0- 2.6	4	0.4	0.0- 1.0	1	0.0	0.0- 0.0	216	15.8	13.3-18.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 8: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2061	271,534	1586	75.7	73.2-78.2	76	4.0	2.8- 5.2	5	0.2	0.0- 0.6	1	0.0	0.0- 0.0	393	20.1	17.7-22.5
Native	70	9,354	52	73.5	60.2-86.8	1	2.9	0.0- 8.6							17	23.6	11.1-36.1
Non-Native	1963	257,962	1513	75.8	73.3-78.3	74	4.1	2.9- 5.3	4	0.1	0.0- 0.3	1	0.0	0.0- 0.0	371	20.0	17.6-22.4
18-24	130	43,019	91	69.2	60.0-78.4	4	2.9	0.0- 5.8	1	0.1	0.0- 0.3				34	27.7	18.7-36.7
25-34	257	52,059	191	73.2	67.1-79.3	12	5.5	2.4- 8.6	1	0.8	0.0- 2.4				53	20.5	15.0-26.0
35-44	216	40,217	170	80.3	74.4-86.2	6	2.7	0.3- 5.1				1	0.2	0.0- 0.6	39	16.8	11.3-22.3
45-54	320	41,834	246	75.2	69.3-81.1	13	6.2	2.3-10.1							61	18.6	13.5-23.7
55-64	481	45,411	386	80.0	75.7-84.3	9	2.0	0.6- 3.4	2	0.4	0.0- 1.0				84	17.7	13.6-21.8
65+	645	47,423	494	76.7	72.8-80.6	32	4.5	2.7- 6.3	1	0.1	0.0- 0.3				118	18.8	15.1-22.5
Less Than H.S.	144	27,701	102	70.6	60.8-80.4	4	2.9	0.0- 6.2							38	26.5	16.9-36.1
H.S. or G.E.D.	620	76,877	441	69.5	64.6-74.4	27	5.0	2.6- 7.4	2	0.2	0.0- 0.4				150	25.3	20.6-30.0
Some Post-H.S.	632	102,065	493	76.8	72.7-80.9	18	3.0	1.4- 4.6	2	0.5	0.0- 1.3				119	19.6	15.7-23.5
College Graduate	662	64,411	549	83.7	80.2-87.2	27	4.7	2.3- 7.1	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	84	11.4	8.5-14.3
Less than \$15,000	78	11,466	50	61.0	47.1-74.9	5	3.7	0.0- 7.4							23	35.4	21.7-49.1
\$15,000- 24,999	184	26,114	123	66.4	57.6-75.2	9	5.8	1.1-10.5							52	27.8	19.6-36.0
\$25,000- 34,999	169	23,017	126	69.3	59.9-78.7	14	11.6	4.7-18.5	2	2.1	0.0- 5.6				27	16.9	9.6-24.2
\$35,000- 49,999	293	37,106	213	71.1	63.5-78.7	10	1.8	0.6- 3.0							70	27.1	19.5-34.7
\$50,000- 74,999	372	45,848	289	78.5	73.4-83.6	16	5.4	2.3- 8.5							67	16.1	11.8-20.4
\$75,000+	776	100,421	653	83.7	80.4-87.0	14	1.6	0.6- 2.6	2	0.1	0.0- 0.3	1	0.1	0.0- 0.3	106	14.5	11.4-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 9: BEAN INTAKE IN TIMES PER DAY (BEANDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2559	268,583	1892	73.0	70.5-75.5	102	4.6	3.2- 6.0	4	0.2	0.0- 0.6	3	0.1	0.0- 0.3	558	22.1	19.7-24.5
Native	84	11,376	62	66.9	51.8-82.0	4	7.4	0.0-18.6							18	25.7	12.4-39.0
Non-Native	2456	254,784	1816	73.2	70.7-75.7	97	4.4	3.2- 5.6	4	0.3	0.0- 0.7	3	0.1	0.0- 0.3	536	22.0	19.6-24.4
18-24	109	38,935	76	68.4	59.0-77.8	5	5.1	0.4- 9.8	1	1.4	0.0- 4.1				27	25.1	16.5-33.7
25-34	204	45,665	151	72.7	65.4-80.0	9	3.8	1.1- 6.5							44	23.6	16.5-30.7
35-44	256	39,146	201	73.6	66.7-80.5	10	6.3	1.8-10.8				1	0.5	0.0- 1.5	44	19.6	13.7-25.5
45-54	347	40,686	277	79.7	74.4-85.0	12	4.2	0.7- 7.7							58	16.1	11.6-20.6
55-64	600	45,016	442	73.3	69.0-77.6	25	4.6	2.2- 7.0				1	0.1	0.0- 0.3	132	22.1	18.2-26.0
65+	1019	56,832	734	72.3	69.0-75.6	38	3.6	2.2- 5.0	3	0.2	0.0- 0.4	1	0.1	0.0- 0.3	243	23.8	20.7-26.9
Less Than H.S.	117	17,060	71	52.2	39.3-65.1	9	13.4	2.2-24.6							37	34.4	22.1-46.7
H.S. or G.E.D.	706	64,099	479	67.6	62.7-72.5	33	5.7	3.2- 8.2	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3	190	26.5	22.0-31.0
Some Post-H.S.	885	115,145	651	73.7	69.8-77.6	28	3.5	1.7- 5.3	1	0.5	0.0- 1.5				205	22.4	18.7-26.1
College Graduate	846	71,794	689	82.1	78.8-85.4	31	3.0	1.8- 4.2	1	0.0	0.0- 0.0	1	0.3	0.0- 0.9	124	14.6	11.5-17.7
Less than \$15,000	163	19,607	98	56.7	45.5-67.9	14	12.5	3.9-21.1							51	30.7	20.5-40.9
\$15,000- 24,999	320	31,773	218	67.5	59.5-75.5	20	8.7	2.8-14.6	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	80	23.6	16.9-30.3
\$25,000- 34,999	238	24,897	176	74.5	66.7-82.3	5	1.7	0.1- 3.3							57	23.8	16.0-31.6
\$35,000- 49,999	356	33,021	263	70.7	63.6-77.8	13	5.3	1.6- 9.0	1	0.1	0.0- 0.3				79	23.9	17.2-30.6
\$50,000- 74,999	365	39,810	282	78.5	73.0-84.0	8	2.2	0.6- 3.8				1	0.5	0.0- 1.5	74	18.8	13.5-24.1
\$75,000+	721	80,817	589	79.8	75.7-83.9	20	2.1	1.1- 3.1	2	0.7	0.0- 2.1				110	17.4	13.5-21.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 10: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4636	543,154	3249	69.6	67.8-71.4	800	16.5	15.1-17.9	33	1.0	0.6- 1.4	14	0.5	0.3- 0.7	1	0.0	0.0- 0.0	539	12.5	11.1-13.9
Male	2072	274,052	1487	70.9	68.4-73.4	278	13.5	11.5-15.5	11	0.8	0.2- 1.4	7	0.6	0.2- 1.0	1	0.1	0.0- 0.3	288	14.1	12.1-16.1
Female	2564	269,103	1762	68.3	65.8-70.8	522	19.5	17.3-21.7	22	1.1	0.5- 1.7	7	0.3	0.0- 0.7				251	10.8	9.0-12.6
Native	154	21,037	105	61.2	50.4-72.0	26	16.2	7.6-24.8	3	3.4	0.0- 7.3	1	1.6	0.0- 4.7				19	17.5	8.7-26.3
Non-Native	4434	515,038	3111	69.9	68.1-71.7	769	16.6	15.2-18.0	30	0.9	0.5- 1.3	13	0.4	0.2- 0.6	1	0.0	0.0- 0.0	510	12.2	10.8-13.6
18-24	240	82,784	168	70.0	63.5-76.5	37	14.4	9.5-19.3	3	1.0	0.0- 2.2	2	0.9	0.0- 2.1				30	13.7	8.6-18.8
25-34	465	98,585	310	65.5	60.6-70.4	91	19.7	15.6-23.8	8	2.3	0.5- 4.1	2	0.5	0.0- 1.3	1	0.2	0.0- 0.6	53	11.7	8.4-15.0
35-44	473	79,636	329	70.0	65.1-74.9	88	17.5	13.4-21.6	3	0.5	0.0- 1.1	6	1.3	0.1- 2.5				47	10.6	7.3-13.9
45-54	671	83,147	489	72.8	68.7-76.9	123	16.9	13.6-20.2	3	0.3	0.0- 0.7	2	0.2	0.0- 0.4				54	9.9	6.8-13.0
55-64	1082	90,384	789	72.7	69.6-75.8	168	13.9	11.5-16.3	7	0.8	0.0- 1.6	1	0.1	0.0- 0.3				117	12.5	10.0-15.0
65+	1669	104,770	1143	68.3	65.6-71.0	286	15.9	13.9-17.9	9	0.7	0.1- 1.3	1	0.0	0.0- 0.0				230	15.1	12.9-17.3
Less Than H.S.	264	45,540	168	58.4	50.2-66.6	28	10.1	4.8-15.4	2	1.9	0.0- 4.6							66	29.5	21.7-37.3
H.S. or G.E.D.	1329	141,565	919	70.4	67.1-73.7	196	14.0	11.6-16.4	9	0.9	0.1- 1.7	3	0.1	0.0- 0.3				202	14.6	12.1-17.1
Some Post-H.S.	1517	218,299	1068	70.4	67.5-73.3	259	17.2	14.7-19.7	9	0.6	0.0- 1.2	6	0.6	0.0- 1.2				175	11.2	9.2-13.2
College Graduate	1515	136,684	1086	71.1	68.2-74.0	315	20.0	17.5-22.5	13	1.3	0.5- 2.1	5	0.8	0.0- 1.6	1	0.2	0.0- 0.6	95	6.7	4.9- 8.5
Less than \$15,000	246	31,656	142	56.2	47.4-65.0	47	18.1	11.2-25.0	1	0.2	0.0- 0.6							56	25.5	17.7-33.3
\$15,000- 24,999	507	58,573	352	69.0	63.1-74.9	72	12.6	8.5-16.7	4	0.7	0.0- 1.7							79	17.6	12.7-22.5
\$25,000- 34,999	406	48,289	288	70.5	64.4-76.6	60	15.3	10.4-20.2	2	0.8	0.0- 2.0	1	0.3	0.0- 0.9				55	13.2	8.9-17.5
\$35,000- 49,999	647	69,863	458	70.6	65.5-75.7	104	14.7	11.0-18.4	6	1.8	0.2- 3.4	1	0.5	0.0- 1.5				78	12.4	8.5-16.3
\$50,000- 74,999	737	85,663	528	72.5	68.4-76.6	124	16.6	13.1-20.1	5	1.3	0.0- 2.9	4	0.7	0.0- 1.5	1	0.3	0.0- 0.9	75	8.6	6.4-10.8
\$75,000+	1506	182,397	1083	70.7	67.8-73.6	299	19.3	16.8-21.8	12	1.0	0.4- 1.6	7	0.7	0.1- 1.3				105	8.4	6.4-10.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 11: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2072	274,052	1487	70.9	68.4-73.4	278	13.5	11.5-15.5	11	0.8	0.2- 1.4	7	0.6	0.2- 1.0	1	0.1	0.0- 0.3	288	14.1	12.1-16.1
Native	70	9,500	46	54.5	38.8-70.2	12	19.9	4.4-35.4				1	3.6	0.0-10.7				11	21.9	9.0-34.8
Non-Native	1972	259,856	1420	71.4	68.9-73.9	262	13.2	11.2-15.2	11	0.9	0.3- 1.5	6	0.5	0.1- 0.9	1	0.1	0.0- 0.3	272	13.8	11.6-16.0
18-24	131	43,650	93	71.5	62.5-80.5	16	10.9	4.8-17.0	2	1.2	0.0- 3.0	2	1.6	0.0- 4.0				18	14.7	7.3-22.1
25-34	261	52,920	170	63.1	56.4-69.8	51	19.8	14.3-25.3	4	2.8	0.1- 5.5	2	1.0	0.0- 2.4	1	0.4	0.0- 1.2	33	12.9	8.4-17.4
35-44	217	40,490	169	78.3	72.0-84.6	23	8.9	4.8-13.0	1	0.3	0.0- 0.9	2	0.9	0.0- 2.3				22	11.7	6.4-17.0
45-54	323	42,255	231	70.9	65.0-76.8	50	16.2	11.3-21.1	1	0.2	0.0- 0.6	1	0.1	0.0- 0.3				40	12.5	8.2-16.8
55-64	483	45,536	359	73.8	69.1-78.5	55	10.8	7.7-13.9										69	15.4	11.5-19.3
65+	645	47,631	458	70.6	66.3-74.9	80	12.2	9.3-15.1	3	0.3	0.0- 0.7							104	16.9	13.2-20.6
Less Than H.S.	146	28,138	95	61.0	50.2-71.8	13	8.2	1.9-14.5	1	2.1	0.0- 6.0							37	28.7	18.7-38.7
H.S. or G.E.D.	620	76,888	431	70.5	65.8-75.2	71	12.1	8.8-15.4	4	0.9	0.0- 2.1							114	16.5	12.8-20.2
Some Post-H.S.	636	103,568	453	70.9	66.6-75.2	93	15.2	11.7-18.7	1	0.4	0.0- 1.2	3	0.7	0.0- 1.7				86	12.7	9.6-15.8
College Graduate	667	64,978	506	75.6	71.5-79.7	100	14.4	11.1-17.7	5	1.0	0.0- 2.0	4	1.3	0.0- 2.7	1	0.4	0.0- 1.2	51	7.3	4.9- 9.7
Less than \$15,000	80	12,033	44	59.0	45.3-72.7	15	19.5	7.5-31.5	1	0.4	0.0- 1.2							20	21.1	10.9-31.3
\$15,000- 24,999	187	26,722	126	67.6	59.0-76.2	20	9.4	4.5-14.3										41	23.0	15.0-31.0
\$25,000- 34,999	168	23,393	116	68.9	59.7-78.1	22	13.8	6.9-20.7	2	1.6	0.0- 4.1							28	15.8	9.1-22.5
\$35,000- 49,999	293	37,091	204	64.0	56.2-71.8	35	13.9	8.4-19.4	4	2.4	0.0- 4.9	1	0.9	0.0- 2.7				49	18.8	11.9-25.7
\$50,000- 74,999	373	45,896	271	73.3	67.6-79.0	49	13.6	9.1-18.1	1	1.3	0.0- 3.7	1	0.6	0.0- 1.8	1	0.5	0.0- 1.5	50	10.7	7.4-14.0
\$75,000+	785	101,681	593	75.6	71.9-79.3	114	13.4	10.7-16.1	3	0.4	0.0- 1.0	4	0.8	0.0- 1.8				71	9.8	7.1-12.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 12: DARK GREEN VEGETABLE INTAKE IN TIMES PER DAY (GRENDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2564	269,103	1762	68.3	65.8-70.8	522	19.5	17.3-21.7	22	1.1	0.5- 1.7	7	0.3	0.0- 0.7	251	10.8	9.0-12.6
Native	84	11,537	59	66.8	52.7-80.9	14	13.2	4.4-22.0	3	6.2	0.0-13.1				8	13.8	1.6-26.0
Non-Native	2462	255,183	1691	68.3	65.8-70.8	507	20.0	17.8-22.2	19	0.8	0.4- 1.2	7	0.4	0.0- 0.8	238	10.5	8.7-12.3
18-24	109	39,135	75	68.4	59.0-77.8	21	18.4	10.6-26.2	1	0.8	0.0- 2.4				12	12.4	5.5-19.3
25-34	204	45,665	140	68.3	60.9-75.7	40	19.7	13.4-26.0	4	1.7	0.0- 3.5				20	10.3	5.2-15.4
35-44	256	39,146	160	61.4	54.1-68.7	65	26.5	19.8-33.2	2	0.7	0.0- 1.7	4	1.9	0.0- 3.9	25	9.5	5.4-13.6
45-54	348	40,892	258	74.7	69.0-80.4	73	17.6	13.3-21.9	2	0.3	0.0- 0.9	1	0.2	0.0- 0.6	14	7.2	2.7-11.7
55-64	599	44,848	430	71.5	67.2-75.8	113	17.0	13.7-20.3	7	1.7	0.1- 3.3	1	0.1	0.0- 0.3	48	9.6	6.7-12.5
65+	1024	57,139	685	66.3	62.8-69.8	206	19.0	16.3-21.7	6	1.0	0.0- 2.2	1	0.1	0.0- 0.3	126	13.6	10.9-16.3
Less Than H.S.	118	17,401	73	54.3	41.4-67.2	15	13.2	3.8-22.6	1	1.7	0.0- 5.0				29	30.8	18.1-43.5
H.S. or G.E.D.	709	64,677	488	70.3	65.6-75.0	125	16.2	12.5-19.9	5	0.8	0.0- 1.6	3	0.3	0.0- 0.7	88	12.4	9.1-15.7
Some Post-H.S.	881	114,732	615	69.9	65.8-74.0	166	19.0	15.5-22.5	8	0.8	0.0- 1.6	3	0.5	0.0- 1.1	89	9.8	7.3-12.3
College Graduate	848	71,706	580	67.0	62.7-71.3	215	25.0	21.3-28.7	8	1.5	0.3- 2.7	1	0.3	0.0- 0.9	44	6.2	3.7- 8.7
Less than \$15,000	166	19,623	98	54.6	43.4-65.8	32	17.2	9.0-25.4							36	28.2	17.2-39.2
\$15,000- 24,999	320	31,852	226	70.2	62.4-78.0	52	15.4	9.1-21.7	4	1.4	0.0- 3.4				38	13.1	7.4-18.8
\$25,000- 34,999	238	24,897	172	72.0	64.0-80.0	38	16.6	9.7-23.5				1	0.6	0.0- 1.8	27	10.8	5.3-16.3
\$35,000- 49,999	354	32,772	254	78.1	72.2-84.0	69	15.5	10.2-20.8	2	1.0	0.0- 2.6				29	5.3	3.1- 7.5
\$50,000- 74,999	364	39,766	257	71.6	65.5-77.7	75	20.1	14.6-25.6	4	1.3	0.0- 2.7	3	0.8	0.0- 2.0	25	6.1	3.4- 8.8
\$75,000+	721	80,716	490	64.5	59.8-69.2	185	26.7	22.4-31.0	9	1.7	0.3- 3.1	3	0.5	0.0- 1.3	34	6.6	3.9- 9.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 13: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4626	540,691	3541	74.2	72.4-76.0	358	7.2	6.2- 8.2	8	0.4	0.0- 0.8	4	0.1	0.0- 0.3	715	18.1	16.5-19.7
Male	2070	273,926	1511	70.8	68.3-73.3	137	6.9	5.5- 8.3	4	0.3	0.0- 0.7	2	0.2	0.0- 0.4	416	21.8	19.4-24.2
Female	2556	266,765	2030	77.7	75.3-80.1	221	7.6	6.2- 9.0	4	0.4	0.0- 1.0	2	0.0	0.0- 0.0	299	14.3	12.3-16.3
Native	152	20,727	108	69.8	60.4-79.2	9	8.1	1.6-14.6	1	0.1	0.0- 0.3				34	21.9	13.9-29.9
Non-Native	4427	513,248	3397	74.4	72.6-76.2	347	7.2	6.2- 8.2	7	0.4	0.0- 0.8	4	0.1	0.0- 0.3	672	17.9	16.3-19.5
18-24	239	82,049	158	66.0	59.3-72.7	16	6.5	3.2- 9.8	4	2.2	0.0- 4.4	1	0.4	0.0- 1.2	60	24.9	18.8-31.0
25-34	462	97,502	336	71.4	66.7-76.1	36	7.9	5.2-10.6				1	0.2	0.0- 0.6	89	20.5	16.2-24.8
35-44	471	79,589	354	75.3	70.8-79.8	31	6.7	4.2- 9.2							86	18.0	13.9-22.1
45-54	670	83,000	506	74.2	70.3-78.1	45	7.0	4.6- 9.4	1	0.1	0.0- 0.3				118	18.7	15.2-22.2
55-64	1080	90,235	851	78.4	75.5-81.3	73	6.1	4.5- 7.7	1	0.1	0.0- 0.3	1	0.1	0.0- 0.3	154	15.4	12.7-18.1
65+	1669	104,762	1308	78.8	76.4-81.2	153	8.5	6.9-10.1	2	0.1	0.1- 0.1	1	0.1	0.0- 0.3	205	12.6	10.6-14.6
Less Than H.S.	265	44,816	182	67.2	59.6-74.8	11	3.9	1.2- 6.6							72	28.9	21.5-36.3
H.S. or G.E.D.	1324	140,687	953	68.0	64.5-71.5	99	8.5	6.3-10.7	4	0.4	0.0- 1.0	1	0.0	0.0- 0.0	267	23.1	20.0-26.2
Some Post-H.S.	1512	217,606	1166	75.4	72.5-78.3	116	6.7	5.1- 8.3	3	0.6	0.0- 1.4	1	0.1	0.0- 0.3	226	17.2	14.7-19.7
College Graduate	1514	136,515	1235	81.4	78.9-83.9	128	7.6	6.0- 9.2	1	0.0	0.0- 0.0	2	0.2	0.0- 0.6	148	10.8	8.6-13.0
Less than \$15,000	245	31,563	167	67.7	59.5-75.9	24	12.0	5.7-18.3	1	0.2	0.0- 0.6	2	1.2	0.0- 3.2	51	18.9	12.4-25.4
\$15,000- 24,999	511	59,184	378	69.4	63.5-75.3	37	7.4	4.3-10.5	3	1.0	0.0- 2.6				93	22.2	16.7-27.7
\$25,000- 34,999	406	48,301	299	69.4	62.9-75.9	36	8.7	5.2-12.2							71	21.9	15.8-28.0
\$35,000- 49,999	646	69,652	483	70.4	65.3-75.5	50	8.1	5.2-11.0				1	0.1	0.0- 0.3	112	21.5	16.8-26.2
\$50,000- 74,999	736	85,820	577	77.4	73.3-81.5	55	6.8	4.4- 9.2	1	0.5	0.0- 1.5				103	15.3	11.8-18.8
\$75,000+	1500	180,776	1180	76.8	74.1-79.5	108	6.3	4.9- 7.7	3	0.5	0.0- 1.3				209	16.4	13.9-18.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 14: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2070	273,926	1511	70.8	68.3-73.3	137	6.9	5.5- 8.3	4	0.3	0.0- 0.7	2	0.2	0.0- 0.4	416	21.8	19.4-24.2
Native	69	9,353	41	58.0	42.9-73.1	5	7.4	0.0-16.2							23	34.6	20.5-48.7
Non-Native	1972	259,995	1447	71.1	68.4-73.8	132	7.0	5.6- 8.4	4	0.3	0.0- 0.7	2	0.2	0.0- 0.6	387	21.3	18.9-23.7
18-24	131	43,445	85	65.6	56.4-74.8	9	6.3	1.8-10.8	2	1.8	0.0- 4.3	1	0.7	0.0- 2.1	34	25.6	17.2-34.0
25-34	260	52,614	179	66.1	59.6-72.6	20	8.4	4.7-12.1				1	0.4	0.0- 1.2	60	25.0	18.9-31.1
35-44	218	40,916	160	73.8	67.1-80.5	13	6.5	2.6-10.4							45	19.6	13.5-25.7
45-54	323	42,255	230	68.3	62.2-74.4	16	6.9	3.2-10.6							77	24.9	19.2-30.6
55-64	480	45,307	365	75.2	70.5-79.9	23	4.7	2.5- 6.9	1	0.1	0.0- 0.3				91	20.0	15.7-24.3
65+	646	47,819	484	76.4	72.5-80.3	53	7.4	5.0- 9.8	1	0.1	0.0- 0.3				108	16.1	12.6-19.6
Less Than H.S.	145	28,023	96	66.9	57.1-76.7	6	4.2	0.5- 7.9							43	28.9	19.5-38.3
H.S. or G.E.D.	618	76,809	415	65.7	60.8-70.6	41	8.4	5.5-11.3	2	0.6	0.0- 1.8				160	25.4	21.1-29.7
Some Post-H.S.	637	103,580	460	70.3	65.8-74.8	44	6.4	4.0- 8.8	1	0.4	0.0- 1.2	1	0.3	0.0- 0.9	131	22.6	18.5-26.7
College Graduate	667	65,034	539	79.6	75.7-83.5	44	6.6	4.2- 9.0	1	0.1	0.0- 0.3	1	0.4	0.0- 1.2	82	13.3	10.0-16.6
Less than \$15,000	80	12,033	46	58.0	44.1-71.9	8	13.9	2.5-25.3	1	0.4	0.0- 1.2	1	2.6	0.0- 7.7	24	25.1	13.9-36.3
\$15,000- 24,999	188	26,843	129	63.4	54.0-72.8	10	6.5	1.8-11.2							49	30.1	20.9-39.3
\$25,000- 34,999	169	23,529	116	62.2	52.2-72.2	16	12.8	6.1-19.5							37	25.0	16.0-34.0
\$35,000- 49,999	293	37,056	199	62.0	54.4-69.6	21	7.9	3.6-12.2							73	30.1	22.8-37.4
\$50,000- 74,999	373	46,282	277	74.6	68.9-80.3	30	7.1	3.8-10.4	1	0.9	0.0- 2.7				65	17.3	12.6-22.0
\$75,000+	781	100,701	599	74.9	71.0-78.8	42	5.2	3.2- 7.2	2	0.4	0.0- 1.2				138	19.5	16.0-23.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 15: ORANGE-COLORED VEGETABLE INTAKE IN TIMES PER DAY (ORNGDAY_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2556	266,765	2030	77.7	75.3-80.1	221	7.6	6.2- 9.0	4	0.4	0.0- 1.0	2	0.0	0.0- 0.0	299	14.3	12.3-16.3
Native	83	11,374	67	79.6	68.2-91.0	4	8.7	0.0-17.7	1	0.2	0.0- 0.6				11	11.6	3.8-19.4
Non-Native	2455	253,253	1950	77.7	75.3-80.1	215	7.5	6.1- 8.9	3	0.4	0.0- 1.0	2	0.0	0.0- 0.0	285	14.3	12.1-16.5
18-24	108	38,604	73	66.5	56.9-76.1	7	6.7	1.8-11.6	2	2.7	0.0- 6.4				26	24.2	15.6-32.8
25-34	202	44,888	157	77.6	70.9-84.3	16	7.2	3.3-11.1							29	15.1	9.2-21.0
35-44	253	38,673	194	77.0	70.9-83.1	18	6.8	3.5-10.1							41	16.2	10.9-21.5
45-54	347	40,744	276	80.3	75.6-85.0	29	7.1	4.4- 9.8	1	0.2	0.0- 0.6				41	12.4	8.3-16.5
55-64	600	44,928	486	81.7	78.2-85.2	50	7.5	5.1- 9.9				1	0.1	0.0- 0.3	63	10.7	7.8-13.6
65+	1023	56,943	824	80.8	77.7-83.9	100	9.5	7.3-11.7	1	0.0	0.0- 0.0	1	0.1	0.0- 0.3	97	9.6	7.2-12.0
Less Than H.S.	120	16,792	86	67.7	55.5-79.9	5	3.4	0.0- 7.1							29	28.9	16.7-41.1
H.S. or G.E.D.	706	63,878	538	70.7	65.6-75.8	58	8.6	5.7-11.5	2	0.2	0.0- 0.4	1	0.1	0.0- 0.3	107	20.4	15.7-25.1
Some Post-H.S.	875	114,026	706	79.9	76.2-83.6	72	6.9	4.7- 9.1	2	0.9	0.0- 2.1				95	12.3	9.4-15.2
College Graduate	847	71,481	696	83.1	79.8-86.4	84	8.5	6.1-10.9				1	0.1	0.0- 0.3	66	8.4	5.9-10.9
Less than \$15,000	165	19,531	121	73.6	63.6-83.6	16	10.9	3.6-18.2				1	0.3	0.0- 0.9	27	15.2	7.2-23.2
\$15,000- 24,999	323	32,342	249	74.4	67.1-81.7	27	8.2	3.9-12.5	3	1.8	0.0- 4.7				44	15.6	9.5-21.7
\$25,000- 34,999	237	24,772	183	76.2	68.2-84.2	20	4.8	2.3- 7.3							34	19.0	11.0-27.0
\$35,000- 49,999	353	32,597	284	79.8	73.9-85.7	29	8.3	4.0-12.6				1	0.1	0.0- 0.3	39	11.8	7.1-16.5
\$50,000- 74,999	363	39,539	300	80.6	74.7-86.5	25	6.4	3.1- 9.7							38	12.9	7.8-18.0
\$75,000+	719	80,075	581	79.1	75.2-83.0	66	7.8	5.6-10.0	1	0.7	0.0- 2.1				71	12.4	9.1-15.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 16: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4619	540,494	2559	58.1	56.1-60.1	1905	37.6	35.8-39.4	72	1.5	1.1- 1.9	30	0.7	0.3- 1.1	53	2.0	1.2- 2.8
Male	2063	273,480	1273	63.3	60.6-66.0	725	32.5	30.0-35.0	28	1.6	0.8- 2.4	10	0.6	0.2- 1.0	27	2.0	1.0- 3.0
Female	2556	267,015	1286	52.9	50.2-55.6	1180	42.8	40.3-45.3	44	1.4	0.8- 2.0	20	0.9	0.3- 1.5	26	2.0	1.0- 3.0
Native	150	20,042	84	58.2	48.0-68.4	60	37.0	27.0-47.0	3	3.5	0.0- 7.6				3	1.3	0.0- 2.7
Non-Native	4420	513,334	2442	58.0	56.0-60.0	1831	37.8	35.8-39.8	69	1.5	1.1- 1.9	30	0.8	0.4- 1.2	48	2.0	1.2- 2.8
18-24	240	82,583	158	67.9	61.4-74.4	68	25.6	19.7-31.5	4	1.6	0.0- 3.2	3	1.1	0.0- 2.5	7	3.8	0.9- 6.7
25-34	461	97,330	269	58.2	53.1-63.3	166	35.7	30.8-40.6	8	1.5	0.3- 2.7	4	0.6	0.0- 1.2	14	3.9	1.5- 6.3
35-44	471	79,635	261	56.2	50.9-61.5	186	38.9	33.8-44.0	15	2.7	1.3- 4.1	5	1.0	0.0- 2.0	4	1.2	0.0- 2.4
45-54	666	81,987	356	55.1	50.6-59.6	297	42.7	38.4-47.0	3	0.4	0.0- 0.8	2	0.2	0.0- 0.6	8	1.7	0.3- 3.1
55-64	1082	90,625	617	57.9	54.4-61.4	437	39.5	36.0-43.0	17	1.6	0.8- 2.4	5	0.5	0.1- 0.9	6	0.5	0.1- 0.9
65+	1664	104,804	882	54.8	51.9-57.7	733	42.1	39.2-45.0	25	1.5	0.9- 2.1	10	0.7	0.1- 1.3	14	0.9	0.3- 1.5
Less Than H.S.	262	44,701	157	62.0	54.2-69.8	96	32.1	24.8-39.4							9	5.9	1.4-10.4
H.S. or G.E.D.	1320	140,567	741	58.6	55.1-62.1	528	36.0	32.7-39.3	18	1.6	0.6- 2.6	8	0.7	0.1- 1.3	25	3.1	1.7- 4.5
Some Post-H.S.	1513	217,810	839	58.0	54.9-61.1	628	38.3	35.2-41.4	23	1.4	0.6- 2.2	8	0.7	0.1- 1.3	15	1.6	0.6- 2.6
College Graduate	1512	136,302	814	56.7	53.6-59.8	649	39.8	36.7-42.9	31	2.2	1.2- 3.2	14	1.0	0.4- 1.6	4	0.3	0.0- 0.7
Less than \$15,000	242	30,860	135	62.6	54.4-70.8	99	33.9	26.1-41.7	1	0.3	0.0- 0.9				7	3.3	0.2- 6.4
\$15,000- 24,999	505	58,542	281	60.7	54.6-66.8	205	33.1	27.6-38.6	6	0.8	0.0- 1.6	2	0.9	0.0- 2.5	11	4.5	1.2- 7.8
\$25,000- 34,999	406	48,174	230	59.9	53.2-66.6	166	38.0	31.5-44.5	3	0.6	0.0- 1.4	2	0.2	0.0- 0.4	5	1.3	0.0- 2.9
\$35,000- 49,999	649	70,042	342	53.1	47.6-58.6	281	40.4	35.1-45.7	14	2.5	0.7- 4.3	3	0.6	0.0- 1.4	9	3.5	0.8- 6.2
\$50,000- 74,999	737	86,000	412	57.4	52.7-62.1	299	38.7	34.2-43.2	17	2.7	1.3- 4.1	4	0.6	0.0- 1.2	5	0.7	0.0- 1.5
\$75,000+	1499	181,191	821	56.7	53.6-59.8	634	40.2	37.1-43.3	24	1.4	0.6- 2.2	13	0.9	0.3- 1.5	7	0.8	0.0- 1.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 17: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2063	273,480	1273	63.3	60.6-66.0	725	32.5	30.0-35.0	28	1.6	0.8- 2.4	10	0.6	0.2- 1.0	27	2.0	1.0- 3.0
Native	67	9,182	35	58.9	44.2-73.6	29	34.6	21.1-48.1	2	5.8	0.0-13.8				1	0.8	0.0- 2.4
Non-Native	1966	259,603	1216	63.2	60.5-65.9	689	32.6	30.1-35.1	26	1.5	0.7- 2.3	10	0.6	0.2- 1.0	25	2.0	1.0- 3.0
18-24	132	43,974	86	67.4	58.6-76.2	37	26.2	18.0-34.4	3	2.3	0.0- 5.0	2	1.0	0.0- 2.6	4	3.2	0.0- 6.7
25-34	258	52,268	167	64.1	57.4-70.8	77	29.9	23.6-36.2	5	2.0	0.0- 4.0	2	0.6	0.0- 1.6	7	3.3	0.6- 6.0
35-44	217	40,798	145	65.8	58.5-73.1	63	29.9	22.8-37.0	5	2.1	0.1- 4.1	2	1.0	0.0- 2.4	2	1.2	0.0- 2.8
45-54	320	41,940	197	61.7	55.4-68.0	115	34.9	28.8-41.0	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9	6	2.8	0.3- 5.3
55-64	482	45,616	297	61.4	56.3-66.5	175	36.5	31.4-41.6	7	1.7	0.3- 3.1	1	0.1	0.0- 0.3	2	0.2	0.0- 0.6
65+	644	47,694	378	60.7	56.2-65.2	252	37.1	32.8-41.4	7	1.2	0.2- 2.2	1	0.1	0.0- 0.3	6	0.9	0.0- 2.1
Less Than H.S.	146	28,552	87	64.8	55.2-74.4	55	31.2	22.0-40.4							4	4.1	0.0- 8.6
H.S. or G.E.D.	614	76,448	371	62.1	57.2-67.0	213	31.7	27.2-36.2	11	2.3	0.5- 4.1	4	0.8	0.0- 1.8	15	3.2	1.4- 5.0
Some Post-H.S.	633	103,065	385	61.4	56.7-66.1	231	34.8	30.3-39.3	9	1.7	0.5- 2.9	2	0.5	0.0- 1.3	6	1.7	0.1- 3.3
College Graduate	667	64,935	429	67.4	63.1-71.7	224	30.2	26.1-34.3	8	1.4	0.2- 2.6	4	0.9	0.0- 1.9	2	0.1	0.0- 0.3
Less than \$15,000	79	11,852	53	70.4	57.5-83.3	25	28.5	15.6-41.4							1	1.0	0.0- 3.0
\$15,000- 24,999	184	26,501	110	65.4	56.8-74.0	64	28.4	20.8-36.0	4	1.5	0.0- 3.3	1	0.2	0.0- 0.6	5	4.5	0.0- 9.2
\$25,000- 34,999	167	23,255	102	64.8	55.4-74.2	60	31.9	22.7-41.1	2	1.0	0.0- 2.4	1	0.3	0.0- 0.9	2	2.0	0.0- 4.9
\$35,000- 49,999	294	37,172	178	60.4	53.0-67.8	103	31.9	24.8-39.0	6	3.4	0.3- 6.5	1	0.7	0.0- 2.1	6	3.6	0.5- 6.7
\$50,000- 74,999	374	46,305	227	61.9	55.6-68.2	136	34.9	28.8-41.0	7	2.5	0.5- 4.5	1	0.2	0.0- 0.6	3	0.5	0.0- 1.1
\$75,000+	780	101,136	484	62.2	57.9-66.5	281	35.0	30.9-39.1	6	0.7	0.1- 1.3	3	0.6	0.0- 1.4	6	1.4	0.0- 3.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 18: VEGETABLE INTAKE IN TIMES PER DAY (VEGEDA1_)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2556	267,015	1286	52.9	50.2-55.6	1180	42.8	40.3-45.3	44	1.4	0.8- 2.0	20	0.9	0.3- 1.5	26	2.0	1.0- 3.0
Native	83	10,861	49	57.7	43.6-71.8	31	39.0	24.9-53.1	1	1.6	0.0- 4.7				2	1.7	0.0- 4.1
Non-Native	2454	253,732	1226	52.6	49.9-55.3	1142	43.1	40.4-45.8	43	1.4	0.8- 2.0	20	0.9	0.3- 1.5	23	1.9	0.9- 2.9
18-24	108	38,609	72	68.4	59.0-77.8	31	25.0	16.6-33.4	1	0.9	0.0- 2.7	1	1.2	0.0- 3.6	3	4.5	0.0- 9.6
25-34	203	45,062	102	51.3	43.5-59.1	89	42.5	34.7-50.3	3	1.0	0.0- 2.4	2	0.5	0.0- 1.3	7	4.7	1.0- 8.4
35-44	254	38,836	116	46.2	38.8-53.6	123	48.3	40.9-55.7	10	3.2	1.0- 5.4	3	1.0	0.0- 2.4	2	1.3	0.0- 3.1
45-54	346	40,047	159	48.2	42.1-54.3	182	50.8	44.7-56.9	2	0.4	0.0- 1.0	1	0.2	0.0- 0.6	2	0.5	0.0- 1.3
55-64	600	45,010	320	54.4	49.7-59.1	262	42.5	37.8-47.2	10	1.5	0.5- 2.5	4	0.9	0.0- 1.9	4	0.8	0.0- 1.6
65+	1020	57,109	504	49.9	46.2-53.6	481	46.2	42.5-49.9	18	1.7	0.7- 2.7	9	1.3	0.3- 2.3	8	0.8	0.2- 1.4
Less Than H.S.	116	16,149	70	57.2	44.5-69.9	41	33.7	21.7-45.7							5	9.1	0.0-18.9
H.S. or G.E.D.	706	64,119	370	54.5	49.4-59.6	315	41.1	36.0-46.2	7	0.8	0.2- 1.4	4	0.6	0.0- 1.2	10	3.0	0.8- 5.2
Some Post-H.S.	880	114,745	454	55.0	50.5-59.5	397	41.5	37.2-45.8	14	1.1	0.3- 1.9	6	1.0	0.0- 2.0	9	1.5	0.1- 2.9
College Graduate	845	71,367	385	47.1	42.6-51.6	425	48.5	44.0-53.0	23	2.9	1.5- 4.3	10	1.2	0.4- 2.0	2	0.4	0.0- 1.0
Less than \$15,000	163	19,008	82	57.7	47.1-68.3	74	37.2	27.2-47.2	1	0.4	0.0- 1.2				6	4.7	0.0- 9.6
\$15,000- 24,999	321	32,041	171	56.8	48.6-65.0	141	36.9	29.1-44.7	2	0.3	0.0- 0.7	1	1.5	0.0- 4.4	6	4.5	0.2- 8.8
\$25,000- 34,999	239	24,919	128	55.4	46.4-64.4	106	43.7	34.7-52.7	1	0.3	0.0- 0.9	1	0.1	0.0- 0.3	3	0.6	0.0- 1.4
\$35,000- 49,999	355	32,870	164	44.8	37.4-52.2	178	50.0	42.6-57.4	8	1.4	0.2- 2.6	2	0.4	0.0- 1.0	3	3.3	0.0- 7.8
\$50,000- 74,999	363	39,695	185	52.1	45.2-59.0	163	43.2	36.3-50.1	10	2.9	0.9- 4.9	3	1.0	0.0- 2.2	2	0.9	0.0- 2.3
\$75,000+	719	80,055	337	49.7	45.0-54.4	353	46.8	42.1-51.5	18	2.2	0.8- 3.6	10	1.2	0.4- 2.0	1	0.1	0.0- 0.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 19: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4579	535,500	1535	37.2	35.2-39.2	2039	41.5	39.5-43.5	602	12.2	11.0-13.4	284	5.7	4.7- 6.7	6	0.1	0.0- 0.3	113	3.2	2.4- 4.0
Male	2050	270,753	831	42.2	39.5-44.9	858	39.2	36.5-41.9	198	9.3	7.7-10.9	92	4.9	3.5- 6.3	4	0.2	0.0- 0.4	67	4.3	3.1- 5.5
Female	2529	264,748	704	32.1	29.6-34.6	1181	43.9	41.2-46.6	404	15.2	13.4-17.0	192	6.7	5.5- 7.9	2	0.1	0.1- 0.1	46	2.2	1.2- 3.2
Native	156	21,503	54	37.3	26.7-47.9	59	30.1	20.9-39.3	28	19.1	11.3-26.9	11	10.9	3.5-18.3				4	2.6	0.0- 5.7
Non-Native	4377	507,376	1465	37.2	35.2-39.2	1953	41.7	39.7-43.7	572	12.0	10.8-13.2	272	5.6	4.6- 6.6	6	0.1	0.0- 0.3	109	3.3	2.5- 4.1
18-24	234	80,493	104	46.8	39.7-53.9	84	34.7	28.0-41.4	27	10.6	6.5-14.7	12	4.9	1.8- 8.0				7	3.0	0.6- 5.4
25-34	461	97,432	185	39.8	34.7-44.9	176	38.2	33.1-43.3	46	9.9	7.0-12.8	30	6.5	4.0- 9.0				24	5.4	3.0- 7.8
35-44	469	79,248	174	37.1	32.0-42.2	188	40.2	34.9-45.5	60	12.1	8.6-15.6	29	6.3	3.8- 8.8	2	0.4	0.0- 1.0	16	3.9	1.7- 6.1
45-54	663	82,186	240	37.5	33.2-41.8	294	43.8	39.3-48.3	84	12.1	9.2-15.0	31	4.6	2.8- 6.4	2	0.2	0.0- 0.4	12	1.8	0.6- 3.0
55-64	1070	89,428	363	34.0	30.7-37.3	456	42.3	38.8-45.8	148	13.2	10.8-15.6	73	6.7	4.9- 8.5	1	0.2	0.0- 0.6	29	3.6	2.0- 5.2
65+	1645	102,801	462	30.5	27.8-33.2	822	48.0	45.1-50.9	232	14.5	12.3-16.7	106	5.3	4.1- 6.5				23	1.7	0.7- 2.7
Less Than H.S.	259	45,480	91	38.9	30.7-47.1	111	36.5	28.7-44.3	30	8.6	4.9-12.3	9	5.9	1.6-10.2				18	10.1	4.8-15.4
H.S. or G.E.D.	1314	139,205	475	39.4	35.9-42.9	590	41.0	37.5-44.5	131	9.9	7.7-12.1	67	4.9	3.3- 6.5	5	0.5	0.0- 1.1	46	4.2	2.8- 5.6
Some Post-H.S.	1487	213,056	531	38.7	35.4-42.0	650	41.3	38.0-44.6	196	12.6	10.4-14.8	79	4.9	3.5- 6.3				31	2.4	1.4- 3.4
College Graduate	1508	136,690	435	32.2	29.1-35.3	681	43.6	40.5-46.7	244	15.0	12.6-17.4	129	7.9	6.1- 9.7	1	0.0	0.0- 0.0	18	1.3	0.5- 2.1
Less than \$15,000	244	31,908	84	38.0	29.4-46.6	109	40.8	32.2-49.4	27	10.0	4.9-15.1	15	7.1	2.0-12.2	1	0.1	0.0- 0.3	8	4.0	0.7- 7.3
\$15,000- 24,999	502	57,269	183	42.3	36.0-48.6	209	34.3	28.6-40.0	61	11.0	7.3-14.7	30	5.2	2.5- 7.9	1	0.4	0.0- 1.0	18	6.9	3.2-10.6
\$25,000- 34,999	402	47,655	132	40.9	34.0-47.8	181	36.1	29.8-42.4	52	11.8	7.7-15.9	23	7.7	3.4-12.0				14	3.4	1.2- 5.6
\$35,000- 49,999	640	68,781	210	37.1	31.6-42.6	305	44.7	39.2-50.2	67	8.2	5.7-10.7	39	6.0	3.5- 8.5	1	0.4	0.0- 1.2	18	3.6	1.4- 5.8
\$50,000- 74,999	727	84,075	236	35.5	31.0-40.0	326	41.6	37.1-46.1	112	15.4	11.9-18.9	39	5.9	3.5- 8.3	1	0.1	0.0- 0.3	13	1.5	0.5- 2.5
\$75,000+	1493	180,607	505	35.3	32.2-38.4	647	42.5	39.4-45.6	205	13.6	11.4-15.8	106	5.9	4.5- 7.3	1	0.0	0.0- 0.0	29	2.6	1.4- 3.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 20: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2050	270,753	831	42.2	39.5-44.9	858	39.2	36.5-41.9	198	9.3	7.7-10.9	92	4.9	3.5- 6.3	4	0.2	0.0- 0.4	67	4.3	3.1- 5.5
Native	71	9,926	26	40.7	25.0-56.4	29	32.1	19.2-45.0	10	14.6	4.6-24.6	4	10.7	0.0-22.7				2	1.9	0.0- 4.8
Non-Native	1950	256,297	793	42.4	39.5-45.3	814	39.2	36.5-41.9	186	9.0	7.4-10.6	88	4.7	3.3- 6.1	4	0.2	0.0- 0.4	65	4.5	3.3- 5.7
18-24	128	42,370	57	47.1	37.1-57.1	43	32.4	23.2-41.6	13	9.0	3.7-14.3	9	7.3	2.0-12.6				6	4.2	0.9- 7.5
25-34	260	52,264	111	41.4	34.7-48.1	92	36.6	29.9-43.3	23	8.7	5.0-12.4	15	5.7	2.4- 9.0				19	7.7	4.0-11.4
35-44	216	40,774	103	45.9	38.3-53.5	79	36.6	29.2-44.0	15	8.3	3.6-13.0	9	4.6	1.1- 8.1	2	0.9	0.0- 2.3	8	3.8	1.1- 6.5
45-54	318	41,752	141	43.8	37.3-50.3	134	42.4	35.9-48.9	27	8.8	5.1-12.5	10	2.9	0.7- 5.1				6	2.1	0.0- 4.3
55-64	478	45,186	196	40.6	35.5-45.7	183	37.8	32.7-42.9	58	11.1	8.0-14.2	24	5.1	2.7- 7.5	1	0.4	0.0- 1.2	16	5.0	2.1- 7.9
65+	638	46,836	221	36.7	32.2-41.2	320	48.1	43.4-52.8	61	9.3	6.6-12.0	24	3.5	1.9- 5.1				12	2.4	0.6- 4.2
Less Than H.S.	147	28,739	56	40.8	30.2-51.4	61	35.6	25.6-45.6	10	5.7	1.4-10.0	7	8.1	1.6-14.6				13	9.8	3.7-15.9
H.S. or G.E.D.	613	75,684	265	45.1	40.0-50.2	246	36.8	31.9-41.7	47	6.9	4.5- 9.3	25	5.0	2.6- 7.4	3	0.7	0.0- 1.5	27	5.5	3.1- 7.9
Some Post-H.S.	621	100,872	264	42.4	37.5-47.3	262	40.7	36.0-45.4	56	10.3	7.2-13.4	20	3.1	1.3- 4.9				19	3.6	1.8- 5.4
College Graduate	666	64,977	246	39.7	35.0-44.4	286	40.8	36.1-45.5	85	12.0	9.1-14.9	40	6.1	3.7- 8.5	1	0.0	0.0- 0.0	8	1.5	0.3- 2.7
Less than \$15,000	79	12,180	29	37.0	23.3-50.7	35	42.7	28.6-56.8	3	1.4	0.0- 3.0	6	10.7	0.5-20.9	1	0.2	0.0- 0.6	5	8.0	0.2-15.8
\$15,000- 24,999	186	26,461	84	46.3	36.9-55.7	74	36.5	27.7-45.3	11	5.0	1.5- 8.5	7	3.8	0.1- 7.5	1	0.8	0.0- 2.4	9	7.7	2.2-13.2
\$25,000- 34,999	167	22,995	66	45.3	34.9-55.7	62	29.1	20.5-37.7	23	12.9	6.2-19.6	9	8.1	1.2-15.0				7	4.7	0.8- 8.6
\$35,000- 49,999	289	36,639	116	42.4	34.6-50.2	135	42.2	34.6-49.8	15	3.9	1.4- 6.4	12	5.5	1.8- 9.2	1	0.7	0.0- 2.1	10	5.3	1.4- 9.2
\$50,000- 74,999	366	44,648	136	39.0	32.7-45.3	161	41.1	34.8-47.4	46	11.9	7.6-16.2	16	6.5	2.6-10.4				7	1.4	0.2- 2.6
\$75,000+	778	100,495	322	41.9	37.6-46.2	319	39.8	35.5-44.1	83	11.8	8.7-14.9	34	3.4	2.0- 4.8				20	3.2	1.6- 4.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 21: TOTAL FRUITS CONSUMED PER DAY (_FRUTSUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2529	264,748	704	32.1	29.6-34.6	1181	43.9	41.2-46.6	404	15.2	13.4-17.0	192	6.7	5.5- 7.9	2	0.1	0.1- 0.1	46	2.2	1.2- 3.2
Native	85	11,577	28	34.4	20.1-48.7	30	28.5	15.6-41.4	18	22.9	11.3-34.5	7	11.0	1.6-20.4				2	3.2	0.0- 8.5
Non-Native	2427	251,079	672	32.0	29.3-34.7	1139	44.4	41.7-47.1	386	14.9	12.9-16.9	184	6.5	5.3- 7.7	2	0.1	0.1- 0.1	44	2.1	1.1- 3.1
18-24	106	38,123	47	46.5	36.3-56.7	41	37.2	27.4-47.0	14	12.4	5.9-18.9	3	2.3	0.0- 5.0				1	1.6	0.0- 4.5
25-34	201	45,168	74	38.1	30.3-45.9	84	40.2	32.6-47.8	23	11.4	6.5-16.3	15	7.5	3.2-11.8				5	2.8	0.0- 5.7
35-44	253	38,475	71	27.8	21.3-34.3	109	44.0	36.6-51.4	45	16.1	10.8-21.4	20	8.0	4.1-11.9				8	4.0	0.7- 7.3
45-54	345	40,434	99	31.0	25.1-36.9	160	45.2	38.9-51.5	57	15.6	11.3-19.9	21	6.4	3.3- 9.5	2	0.4	0.0- 1.0	6	1.5	0.3- 2.7
55-64	592	44,241	167	27.3	23.2-31.4	273	46.9	42.2-51.6	90	15.3	11.8-18.8	49	8.3	5.8-10.8				13	2.2	0.8- 3.6
65+	1007	55,965	241	25.4	22.1-28.7	502	47.9	44.2-51.6	171	18.8	15.7-21.9	82	6.9	5.1- 8.7				11	1.0	0.2- 1.8
Less Than H.S.	112	16,741	35	35.7	23.0-48.4	50	38.1	25.6-50.6	20	13.5	6.6-20.4	2	2.1	0.0- 5.6				5	10.5	0.5-20.5
H.S. or G.E.D.	701	63,521	210	32.7	27.8-37.6	344	46.0	40.7-51.3	84	13.5	9.8-17.2	42	4.9	2.9- 6.9	2	0.3	0.0- 0.7	19	2.6	1.2- 4.0
Some Post-H.S.	866	112,184	267	35.4	30.9-39.9	388	42.0	37.5-46.5	140	14.8	11.9-17.7	59	6.5	4.3- 8.7				12	1.4	0.4- 2.4
College Graduate	842	71,714	189	25.4	21.3-29.5	395	46.2	41.7-50.7	159	17.8	14.5-21.1	89	9.6	7.1-12.1				10	1.1	0.3- 1.9
Less than \$15,000	165	19,728	55	38.7	27.5-49.9	74	39.6	28.8-50.4	24	15.3	7.5-23.1	9	5.0	0.1- 9.9				3	1.4	0.0- 3.6
\$15,000- 24,999	316	30,808	99	38.8	30.4-47.2	135	32.5	24.9-40.1	50	16.1	9.8-22.4	23	6.4	2.5-10.3				9	6.2	1.1-11.3
\$25,000- 34,999	235	24,660	66	36.9	27.7-46.1	119	42.7	33.7-51.7	29	10.8	6.1-15.5	14	7.4	1.9-12.9				7	2.2	0.2- 4.2
\$35,000- 49,999	351	32,142	94	31.0	23.7-38.3	170	47.6	40.0-55.2	52	13.1	8.6-17.6	27	6.7	3.2-10.2				8	1.6	0.4- 2.8
\$50,000- 74,999	361	39,428	100	31.5	24.8-38.2	165	42.1	35.4-48.8	66	19.3	13.8-24.8	23	5.2	2.8- 7.6	1	0.2	0.0- 0.6	6	1.6	0.2- 3.0
\$75,000+	715	80,112	183	27.1	22.8-31.4	328	45.8	41.1-50.5	122	16.0	12.7-19.3	72	9.0	6.5-11.5	1	0.1	0.0- 0.3	9	1.9	0.1- 3.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 22: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4519	529,256	1112	26.8	25.0-28.6	1938	41.6	39.6-43.6	891	17.9	16.5-19.3	545	12.6	11.2-14.0	16	0.4	0.2- 0.6	17	0.7	0.3- 1.1
Male	2018	267,243	595	30.6	27.9-33.3	882	42.0	39.3-44.7	345	16.2	14.2-18.2	177	10.0	8.2-11.8	8	0.7	0.1- 1.3	11	0.7	0.1- 1.3
Female	2501	262,012	517	22.9	20.5-25.3	1056	41.3	38.6-44.0	546	19.6	17.4-21.8	368	15.2	13.2-17.2	8	0.2	0.0- 0.4	6	0.7	0.0- 1.5
Native	146	19,287	42	27.0	18.2-35.8	59	41.0	30.2-51.8	29	18.1	9.7-26.5	13	11.5	4.2-18.8	2	2.1	0.0- 5.6	1	0.4	0.0- 1.2
Non-Native	4329	503,771	1060	26.7	24.9-28.5	1857	41.6	39.6-43.6	855	17.9	16.3-19.5	528	12.6	11.2-14.0	14	0.4	0.2- 0.6	15	0.7	0.3- 1.1
18-24	235	80,458	76	35.0	28.1-41.9	89	36.4	29.5-43.3	37	14.4	9.5-19.3	28	11.6	7.1-16.1	3	1.3	0.0- 2.7	2	1.2	0.0- 3.0
25-34	452	95,922	124	26.1	21.6-30.6	170	39.3	34.2-44.4	79	16.2	12.5-19.9	68	15.6	11.7-19.5	2	0.5	0.0- 1.1	9	2.4	0.6- 4.2
35-44	467	78,660	108	23.6	19.1-28.1	201	42.1	36.8-47.4	85	18.1	14.0-22.2	71	15.6	11.7-19.5	1	0.3	0.0- 0.9	1	0.3	0.0- 0.9
45-54	661	81,212	149	24.3	20.4-28.2	300	44.9	40.4-49.4	137	20.7	17.0-24.4	73	9.9	7.4-12.4	2	0.2	0.0- 0.6			
55-64	1067	89,344	262	26.2	23.1-29.3	473	44.9	41.4-48.4	210	17.5	15.0-20.0	118	11.2	9.0-13.4	2	0.1	0.0- 0.3	2	0.1	0.0- 0.3
65+	1606	100,588	385	25.8	23.1-28.5	695	42.7	39.8-45.6	337	20.2	17.8-22.6	180	10.9	9.1-12.7	6	0.3	0.1- 0.5	3	0.2	0.0- 0.4
Less Than H.S.	245	41,706	93	40.9	32.5-49.3	95	32.8	25.2-40.4	37	13.6	8.3-18.9	15	8.4	3.1-13.7	1	0.1	0.0- 0.3	4	4.1	0.0- 8.6
H.S. or G.E.D.	1288	137,404	366	29.8	26.3-33.3	555	41.0	37.3-44.7	226	16.7	14.2-19.2	127	11.3	8.9-13.7	5	0.2	0.0- 0.4	9	1.0	0.2- 1.8
Some Post-H.S.	1490	214,581	364	25.4	22.5-28.3	642	43.6	40.3-46.9	295	17.8	15.3-20.3	183	12.6	10.4-14.8	3	0.5	0.0- 1.1	3	0.2	0.0- 0.6
College Graduate	1488	134,601	287	21.6	18.9-24.3	644	42.1	39.0-45.2	331	20.6	18.1-23.1	218	14.9	12.5-17.3	7	0.7	0.1- 1.3	1	0.0	0.0- 0.0
Less than \$15,000	235	30,090	79	39.7	30.9-48.5	85	33.0	25.0-41.0	46	15.5	9.4-21.6	22	10.4	4.7-16.1	3	1.4	0.0- 3.6			
\$15,000- 24,999	493	57,079	140	35.2	28.9-41.5	211	36.9	31.0-42.8	83	13.7	9.8-17.6	53	11.5	7.2-15.8	1	0.1	0.0- 0.3	5	2.6	0.0- 5.3
\$25,000- 34,999	399	47,133	110	29.1	22.6-35.6	173	42.6	35.7-49.5	78	17.0	12.5-21.5	37	11.1	6.6-15.6	1	0.2	0.0- 0.6			
\$35,000- 49,999	638	69,179	170	29.4	24.3-34.5	258	39.9	34.6-45.2	131	17.9	14.0-21.8	74	12.1	8.6-15.6	3	0.6	0.0- 1.6	2	0.2	0.0- 0.4
\$50,000- 74,999	730	85,090	180	23.1	19.4-26.8	308	43.4	38.7-48.1	143	17.6	14.1-21.1	94	15.1	11.6-18.6	3	0.6	0.0- 1.4	2	0.2	0.0- 0.6
\$75,000+	1479	178,778	286	21.0	18.3-23.7	672	44.2	41.1-47.3	319	21.2	18.5-23.9	196	13.0	10.8-15.2	4	0.3	0.0- 0.7	2	0.3	0.0- 0.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 23: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2018	267,243	595	30.6	27.9-33.3	882	42.0	39.3-44.7	345	16.2	14.2-18.2	177	10.0	8.2-11.8	8	0.7	0.1- 1.3	11	0.7	0.1- 1.3
Native	65	8,795	18	28.2	15.1-41.3	27	44.3	28.0-60.6	15	19.7	7.7-31.7	3	3.0	0.0- 7.3	1	3.9	0.0-11.3	1	0.8	0.0- 2.4
Non-Native	1926	254,348	571	30.7	28.0-33.4	843	41.9	39.0-44.8	324	16.0	13.8-18.2	172	10.2	8.4-12.0	7	0.6	0.2- 1.0	9	0.7	0.1- 1.3
18-24	129	42,484	40	34.6	25.0-44.2	50	37.9	28.5-47.3	19	13.3	6.8-19.8	16	11.0	5.1-16.9	3	2.4	0.0- 5.1	1	0.8	0.0- 2.4
25-34	250	51,034	77	29.6	23.3-35.9	92	36.3	29.6-43.0	40	15.7	10.8-20.6	34	15.3	10.0-20.6	2	0.9	0.0- 2.3	5	2.1	0.0- 4.3
35-44	214	39,987	61	28.6	21.5-35.7	97	44.0	36.4-51.6	33	17.2	11.1-23.3	22	9.6	5.1-14.1				1	0.6	0.0- 1.8
45-54	317	41,519	91	29.0	23.1-34.9	148	45.9	39.4-52.4	59	18.7	13.8-23.6	18	6.1	2.6- 9.6	1	0.3	0.0- 0.9			
55-64	472	44,781	145	31.3	26.4-36.2	215	46.5	41.2-51.8	76	13.2	9.9-16.5	34	8.8	5.7-11.9				2	0.2	0.0- 0.6
65+	626	46,249	178	30.5	26.0-35.0	278	43.0	38.3-47.7	116	19.0	15.3-22.7	50	7.1	4.7- 9.5	2	0.3	0.0- 0.7	2	0.2	0.0- 0.4
Less Than H.S.	141	26,976	51	41.2	30.2-52.2	59	35.6	25.4-45.8	22	15.1	7.7-22.5	7	6.1	0.8-11.4				2	1.9	0.0- 5.2
H.S. or G.E.D.	600	74,844	201	32.8	27.9-37.7	257	40.8	35.7-45.9	82	13.9	10.4-17.4	51	11.0	7.5-14.5	2	0.2	0.0- 0.4	7	1.2	0.2- 2.2
Some Post-H.S.	619	100,956	173	28.3	23.8-32.8	270	43.4	38.5-48.3	116	16.9	13.4-20.4	55	10.0	7.1-12.9	3	1.0	0.0- 2.2	2	0.4	0.0- 1.2
College Graduate	655	63,988	170	27.3	23.0-31.6	295	43.7	39.0-48.4	124	17.9	14.4-21.4	63	10.1	7.0-13.2	3	0.9	0.0- 2.1			
Less than \$15,000	78	11,604	33	50.1	35.8-64.4	25	26.2	14.2-38.2	13	11.2	3.4-19.0	5	9.4	0.0-20.2	2	3.1	0.0- 8.4			
\$15,000- 24,999	178	25,647	57	37.9	28.3-47.5	84	40.9	31.7-50.1	20	12.1	5.8-18.4	15	7.1	2.6-11.6				2	2.0	0.0- 5.5
\$25,000- 34,999	162	22,361	51	33.3	23.5-43.1	69	40.5	30.3-50.7	24	13.3	7.2-19.4	17	12.5	5.2-19.8	1	0.4	0.0- 1.2			
\$35,000- 49,999	291	36,908	97	34.6	27.0-42.2	119	39.6	32.2-47.0	46	13.7	8.6-18.8	27	11.0	6.3-15.7	1	0.9	0.0- 2.7	1	0.1	0.0- 0.3
\$50,000- 74,999	369	45,613	117	27.6	22.3-32.9	141	40.5	34.0-47.0	67	15.6	11.1-20.1	41	15.3	10.0-20.6	1	0.5	0.0- 1.5	2	0.4	0.0- 1.0
\$75,000+	763	98,948	181	24.4	20.7-28.1	371	46.5	42.0-51.0	148	20.3	16.6-24.0	59	7.8	5.4-10.2	2	0.5	0.0- 1.3	2	0.5	0.0- 1.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 24: TOTAL VEGETABLES CONSUMED PER DAY (_VEGESUM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, < 1 per day			1 - 2 per day			>2, <= 3 per day			>3, < 8 per day			8+ per day			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2501	262,012	517	22.9	20.5-25.3	1056	41.3	38.6-44.0	546	19.6	17.4-21.8	368	15.2	13.2-17.2	8	0.2	0.0- 0.4	6	0.7	0.0- 1.5
Native	81	10,492	24	25.9	14.1-37.7	32	38.2	24.1-52.3	14	16.7	4.9-28.5	10	18.6	6.3-30.9	1	0.6	0.0- 1.8			
Non-Native	2403	249,423	489	22.7	20.3-25.1	1014	41.4	38.7-44.1	531	19.9	17.7-22.1	356	15.1	13.1-17.1	7	0.2	0.0- 0.4	6	0.7	0.0- 1.5
18-24	106	37,974	36	35.6	25.8-45.4	39	34.8	25.2-44.4	18	15.7	8.4-23.0	12	12.4	5.5-19.3				1	1.6	0.0- 4.7
25-34	202	44,888	47	22.1	15.8-28.4	78	42.6	34.8-50.4	39	16.8	11.3-22.3	34	15.9	10.2-21.6				4	2.7	0.0- 5.8
35-44	253	38,673	47	18.5	12.8-24.2	104	40.2	32.9-47.5	52	19.0	13.5-24.5	49	21.7	15.2-28.2	1	0.5	0.0- 1.5			
45-54	344	39,693	58	19.4	14.1-24.7	152	43.8	37.7-49.9	78	22.8	17.5-28.1	55	13.8	10.1-17.5	1	0.2	0.0- 0.6			
55-64	595	44,564	117	21.0	17.1-24.9	258	43.4	38.7-48.1	134	21.7	17.8-25.6	84	13.6	10.5-16.7	2	0.2	0.0- 0.6			
65+	980	54,340	207	21.8	18.5-25.1	417	42.6	38.9-46.3	221	21.2	18.3-24.1	130	14.1	11.4-16.8	4	0.3	0.1- 0.5	1	0.1	0.0- 0.3
Less Than H.S.	104	14,730	42	40.5	27.6-53.4	36	27.6	17.0-38.2	15	10.7	4.4-17.0	8	12.6	1.6-23.6	1	0.4	0.0- 1.2	2	8.2	0.0-18.8
H.S. or G.E.D.	688	62,559	165	26.1	21.2-31.0	298	41.3	36.2-46.4	144	20.0	16.1-23.9	76	11.5	8.2-14.8	3	0.3	0.0- 0.7	2	0.8	0.0- 2.0
Some Post-H.S.	871	113,625	191	22.8	18.9-26.7	372	43.7	39.2-48.2	179	18.5	15.0-22.0	128	15.0	11.9-18.1				1	0.1	0.0- 0.3
College Graduate	833	70,614	117	16.5	12.8-20.2	349	40.7	36.4-45.0	207	23.1	19.4-26.8	155	19.2	15.7-22.7	4	0.5	0.0- 1.1	1	0.1	0.0- 0.3
Less than \$15,000	157	18,487	46	33.2	22.0-44.4	60	37.3	26.5-48.1	33	18.2	9.8-26.6	17	11.0	4.5-17.5	1	0.3	0.0- 0.9			
\$15,000- 24,999	315	31,432	83	33.0	24.8-41.2	127	33.6	26.0-41.2	63	15.0	10.1-19.9	38	15.1	8.2-22.0	1	0.2	0.0- 0.6	3	3.1	0.0- 7.2
\$25,000- 34,999	237	24,772	59	25.3	16.9-33.7	104	44.5	35.5-53.5	54	20.3	13.6-27.0	20	9.9	4.0-15.8						
\$35,000- 49,999	347	32,271	73	23.4	16.7-30.1	139	40.2	32.8-47.6	85	22.5	16.4-28.6	47	13.4	7.9-18.9	2	0.3	0.0- 0.7	1	0.2	0.0- 0.6
\$50,000- 74,999	361	39,477	63	18.0	12.9-23.1	167	46.6	39.7-53.5	76	19.8	14.1-25.5	53	14.9	10.4-19.4	2	0.7	0.0- 1.9			
\$75,000+	716	79,830	105	16.7	13.2-20.2	301	41.4	36.7-46.1	171	22.2	18.3-26.1	137	19.6	15.9-23.3	2	0.1	0.0- 0.3			

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 25: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4579	535,500	2931	59.6	57.6-61.6	1648	40.4	38.4-42.4
Male	2050	270,753	1152	53.5	50.8-56.2	898	46.5	43.8-49.2
Female	2529	264,748	1779	65.8	63.1-68.5	750	34.2	31.5-36.9
Native	156	21,503	98	60.1	49.5-70.7	58	39.9	29.3-50.5
Non-Native	4377	507,376	2803	59.4	57.4-61.4	1574	40.6	38.6-42.6
18-24	234	80,493	123	50.2	43.1-57.3	111	49.8	42.7-56.9
25-34	461	97,432	252	54.7	49.6-59.8	209	45.3	40.2-50.4
35-44	469	79,248	279	59.0	53.7-64.3	190	41.0	35.7-46.3
45-54	663	82,186	411	60.7	56.2-65.2	252	39.3	34.8-43.8
55-64	1070	89,428	678	62.4	58.9-65.9	392	37.6	34.1-41.1
65+	1645	102,801	1160	67.8	65.1-70.5	485	32.2	29.5-34.9
Less Than H.S.	259	45,480	150	51.0	42.8-59.2	109	49.0	40.8-57.2
H.S. or G.E.D.	1314	139,205	793	56.3	52.6-60.0	521	43.7	40.0-47.4
Some Post-H.S.	1487	213,056	925	58.9	55.6-62.2	562	41.1	37.8-44.4
College Graduate	1508	136,690	1055	66.6	63.5-69.7	453	33.4	30.3-36.5
Less than \$15,000	244	31,908	152	58.0	49.2-66.8	92	42.0	33.2-50.8
\$15,000- 24,999	502	57,269	301	50.8	44.5-57.1	201	49.2	42.9-55.5
\$25,000- 34,999	402	47,655	256	55.6	48.7-62.5	146	44.4	37.5-51.3
\$35,000- 49,999	640	68,781	412	59.3	53.8-64.8	228	40.7	35.2-46.2
\$50,000- 74,999	727	84,075	478	63.0	58.5-67.5	249	37.0	32.5-41.5
\$75,000+	1493	180,607	959	62.1	59.0-65.2	534	37.9	34.8-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 26: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2050	270,753	1152	53.5	50.8-56.2	898	46.5	43.8-49.2
Native	71	9,926	43	57.5	42.0-73.0	28	42.5	27.0-58.0
Non-Native	1950	256,297	1092	53.2	50.3-56.1	858	46.8	43.9-49.7
18-24	128	42,370	65	48.7	38.9-58.5	63	51.3	41.5-61.1
25-34	260	52,264	130	50.9	44.0-57.8	130	49.1	42.2-56.0
35-44	216	40,774	105	50.3	42.7-57.9	111	49.7	42.1-57.3
45-54	318	41,752	171	54.1	47.6-60.6	147	45.9	39.4-52.4
55-64	478	45,186	266	54.4	49.1-59.7	212	45.6	40.3-50.9
65+	638	46,836	405	60.9	56.2-65.6	233	39.1	34.4-43.8
Less Than H.S.	147	28,739	78	49.4	38.8-60.0	69	50.6	40.0-61.2
H.S. or G.E.D.	613	75,684	321	49.4	44.3-54.5	292	50.6	45.5-55.7
Some Post-H.S.	621	100,872	338	54.0	49.1-58.9	283	46.0	41.1-50.9
College Graduate	666	64,977	412	58.9	54.2-63.6	254	41.1	36.4-45.8
Less than \$15,000	79	12,180	45	55.0	40.9-69.1	34	45.0	30.9-59.1
\$15,000- 24,999	186	26,461	93	45.9	36.7-55.1	93	54.1	44.9-63.3
\$25,000- 34,999	167	22,995	94	50.0	39.6-60.4	73	50.0	39.6-60.4
\$35,000- 49,999	289	36,639	163	52.2	44.4-60.0	126	47.8	40.0-55.6
\$50,000- 74,999	366	44,648	223	59.6	53.3-65.9	143	40.4	34.1-46.7
\$75,000+	778	100,495	436	55.0	50.7-59.3	342	45.0	40.7-49.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 27: CONSUME FRUIT 1 OR MORE TIMES PER DAY (_FRTL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming fruit 1 or more times a day			Reported consuming fruit LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2529	264,748	1779	65.8	63.1-68.5	750	34.2	31.5-36.9
Native	85	11,577	55	62.4	47.9-76.9	30	37.6	23.1-52.1
Non-Native	2427	251,079	1711	65.9	63.2-68.6	716	34.1	31.4-36.8
18-24	106	38,123	58	51.9	41.7-62.1	48	48.1	37.9-58.3
25-34	201	45,168	122	59.1	51.3-66.9	79	40.9	33.1-48.7
35-44	253	38,475	174	68.2	61.3-75.1	79	31.8	24.9-38.7
45-54	345	40,434	240	67.6	61.7-73.5	105	32.4	26.5-38.3
55-64	592	44,241	412	70.5	66.4-74.6	180	29.5	25.4-33.6
65+	1007	55,965	755	73.6	70.3-76.9	252	26.4	23.1-29.7
Less Than H.S.	112	16,741	72	53.8	40.7-66.9	40	46.2	33.1-59.3
H.S. or G.E.D.	701	63,521	472	64.6	59.5-69.7	229	35.4	30.3-40.5
Some Post-H.S.	866	112,184	587	63.2	58.7-67.7	279	36.8	32.3-41.3
College Graduate	842	71,714	643	73.6	69.5-77.7	199	26.4	22.3-30.5
Less than \$15,000	165	19,728	107	59.9	48.7-71.1	58	40.1	28.9-51.3
\$15,000- 24,999	316	30,808	208	55.0	46.4-63.6	108	45.0	36.4-53.6
\$25,000- 34,999	235	24,660	162	60.9	51.7-70.1	73	39.1	29.9-48.3
\$35,000- 49,999	351	32,142	249	67.3	60.0-74.6	102	32.7	25.4-40.0
\$50,000- 74,999	361	39,428	255	66.9	60.2-73.6	106	33.1	26.4-39.8
\$75,000+	715	80,112	523	70.9	66.4-75.4	192	29.1	24.6-33.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

**TABLE 28: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4519	529,256	3390	72.5	70.7-74.3	1129	27.5	25.7-29.3
Male	2018	267,243	1412	68.7	66.0-71.4	606	31.3	28.6-34.0
Female	2501	262,012	1978	76.4	74.0-78.8	523	23.6	21.2-26.0
Native	146	19,287	103	72.7	63.9-81.5	43	27.3	18.5-36.1
Non-Native	4329	503,771	3254	72.6	70.6-74.6	1075	27.4	25.4-29.4
18-24	235	80,458	157	63.8	56.9-70.7	78	36.2	29.3-43.1
25-34	452	95,922	319	71.6	66.9-76.3	133	28.4	23.7-33.1
35-44	467	78,660	358	76.1	71.4-80.8	109	23.9	19.2-28.6
45-54	661	81,212	512	75.7	71.8-79.6	149	24.3	20.4-28.2
55-64	1067	89,344	803	73.7	70.6-76.8	264	26.3	23.2-29.4
65+	1606	100,588	1218	74.1	71.4-76.8	388	25.9	23.2-28.6
Less Than H.S.	245	41,706	148	54.9	46.3-63.5	97	45.1	36.5-53.7
H.S. or G.E.D.	1288	137,404	913	69.2	65.7-72.7	375	30.8	27.3-34.3
Some Post-H.S.	1490	214,581	1123	74.4	71.5-77.3	367	25.6	22.7-28.5
College Graduate	1488	134,601	1200	78.3	75.6-81.0	288	21.7	19.0-24.4
Less than \$15,000	235	30,090	156	60.3	51.5-69.1	79	39.7	30.9-48.5
\$15,000- 24,999	493	57,079	348	62.2	55.7-68.7	145	37.8	31.3-44.3
\$25,000- 34,999	399	47,133	289	70.9	64.4-77.4	110	29.1	22.6-35.6
\$35,000- 49,999	638	69,179	466	70.4	65.3-75.5	172	29.6	24.5-34.7
\$50,000- 74,999	730	85,090	548	76.6	72.9-80.3	182	23.4	19.7-27.1
\$75,000+	1479	178,778	1191	78.8	76.1-81.5	288	21.2	18.5-23.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 29: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2018	267,243	1412	68.7	66.0-71.4	606	31.3	28.6-34.0
Native	65	8,795	46	71.0	57.9-84.1	19	29.0	15.9-42.1
Non-Native	1926	254,348	1346	68.6	65.9-71.3	580	31.4	28.7-34.1
18-24	129	42,484	88	64.6	54.8-74.4	41	35.4	25.6-45.2
25-34	250	51,034	168	68.4	62.1-74.7	82	31.6	25.3-37.9
35-44	214	39,987	152	70.8	63.7-77.9	62	29.2	22.1-36.3
45-54	317	41,519	226	71.0	65.1-76.9	91	29.0	23.1-34.9
55-64	472	44,781	325	68.5	63.6-73.4	147	31.5	26.6-36.4
65+	626	46,249	446	69.4	64.9-73.9	180	30.6	26.1-35.1
Less Than H.S.	141	26,976	88	56.9	45.9-67.9	53	43.1	32.1-54.1
H.S. or G.E.D.	600	74,844	392	65.9	61.0-70.8	208	34.1	29.2-39.0
Some Post-H.S.	619	100,956	444	71.3	66.8-75.8	175	28.7	24.2-33.2
College Graduate	655	63,988	485	72.7	68.4-77.0	170	27.3	23.0-31.6
Less than \$15,000	78	11,604	45	49.9	35.6-64.2	33	50.1	35.8-64.4
\$15,000- 24,999	178	25,647	119	60.1	50.3-69.9	59	39.9	30.1-49.7
\$25,000- 34,999	162	22,361	111	66.7	56.9-76.5	51	33.3	23.5-43.1
\$35,000- 49,999	291	36,908	193	65.2	57.6-72.8	98	34.8	27.2-42.4
\$50,000- 74,999	369	45,613	250	72.0	66.7-77.3	119	28.0	22.7-33.3
\$75,000+	763	98,948	580	75.1	71.2-79.0	183	24.9	21.0-28.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 10: FRUITS AND VEGETABLES**

TABLE 30: CONSUME VEGETABLES 1 OR MORE TIMES PER DAY (_VEGLT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Reported consuming vegetables 1 or more times a day			Reported consuming vegetables LT 1 time a day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2501	262,012	1978	76.4	74.0-78.8	523	23.6	21.2-26.0
Native	81	10,492	57	74.1	62.3-85.9	24	25.9	14.1-37.7
Non-Native	2403	249,423	1908	76.6	74.1-79.1	495	23.4	20.9-25.9
18-24	106	37,974	69	62.9	52.9-72.9	37	37.1	27.1-47.1
25-34	202	44,888	151	75.2	68.3-82.1	51	24.8	17.9-31.7
35-44	253	38,673	206	81.5	75.8-87.2	47	18.5	12.8-24.2
45-54	344	39,693	286	80.6	75.3-85.9	58	19.4	14.1-24.7
55-64	595	44,564	478	79.0	75.1-82.9	117	21.0	17.1-24.9
65+	980	54,340	772	78.1	74.8-81.4	208	21.9	18.6-25.2
Less Than H.S.	104	14,730	60	51.3	38.0-64.6	44	48.7	35.4-62.0
H.S. or G.E.D.	688	62,559	521	73.0	68.1-77.9	167	27.0	22.1-31.9
Some Post-H.S.	871	113,625	679	77.2	73.3-81.1	192	22.8	18.9-26.7
College Graduate	833	70,614	715	83.4	79.7-87.1	118	16.6	12.9-20.3
Less than \$15,000	157	18,487	111	66.8	55.6-78.0	46	33.2	22.0-44.4
\$15,000- 24,999	315	31,432	229	63.9	55.5-72.3	86	36.1	27.7-44.5
\$25,000- 34,999	237	24,772	178	74.7	66.3-83.1	59	25.3	16.9-33.7
\$35,000- 49,999	347	32,271	273	76.4	69.7-83.1	74	23.6	16.9-30.3
\$50,000- 74,999	361	39,477	298	82.0	76.9-87.1	63	18.0	12.9-23.1
\$75,000+	716	79,830	611	83.3	79.8-86.8	105	16.7	13.2-20.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015**

SECTION 11: EXERCISE (PHYSICAL ACTIVITY) CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	144
2 MALES ONLY	145
3 FEMALES ONLY	146
PHYSICAL ACTIVITY CATEGORIES (_PACAT1)	
4 MALES AND FEMALES	147
5 MALES ONLY	148
6 FEMALES ONLY	149
PHYSICAL ACTIVITY INDEX (_PAINDX1)	
7 MALES AND FEMALES	150
8 MALES ONLY	151
9 FEMALES ONLY	152
MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)	
10 MALES AND FEMALES	153
11 MALES ONLY	154
12 FEMALES ONLY	155
AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)	
13 MALES AND FEMALES	156
14 MALES ONLY	157
15 FEMALES ONLY	158
AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)	
16 MALES AND FEMALES	159
17 MALES ONLY	160
18 FEMALES ONLY	161

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 1: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4633	540,806	3328	73.2	71.4-75.0	1305	26.8	25.0-28.6
Male	2068	273,188	1466	71.8	69.3-74.3	602	28.2	25.7-30.7
Female	2565	267,619	1862	74.6	72.2-77.0	703	25.4	23.0-27.8
Native	151	20,416	108	71.0	61.0-81.0	43	29.0	19.0-39.0
Non-Native	4433	513,272	3183	73.2	71.4-75.0	1250	26.8	25.0-28.6
18-24	241	82,863	190	79.2	73.5-84.9	51	20.8	15.1-26.5
25-34	455	95,676	346	78.2	74.1-82.3	109	21.8	17.7-25.9
35-44	471	79,875	358	75.0	70.5-79.5	113	25.0	20.5-29.5
45-54	668	82,839	491	71.5	67.4-75.6	177	28.5	24.4-32.6
55-64	1081	90,422	780	70.0	66.7-73.3	301	30.0	26.7-33.3
65+	1682	105,538	1139	66.9	64.2-69.6	543	33.1	30.4-35.8
Less Than H.S.	268	45,055	166	61.4	53.4-69.4	102	38.6	30.6-46.6
H.S. or G.E.D.	1324	140,450	845	64.8	61.5-68.1	479	35.2	31.9-38.5
Some Post-H.S.	1514	217,713	1068	74.6	71.9-77.3	446	25.4	22.7-28.1
College Graduate	1515	136,474	1238	83.3	80.9-85.7	277	16.7	14.3-19.1
Less than \$15,000	243	31,476	161	68.6	60.6-76.6	82	31.4	23.4-39.4
\$15,000- 24,999	507	58,655	337	70.0	64.7-75.3	170	30.0	24.7-35.3
\$25,000- 34,999	405	47,826	258	65.8	59.5-72.1	147	34.2	27.9-40.5
\$35,000- 49,999	652	69,965	442	68.3	63.2-73.4	210	31.7	26.6-36.8
\$50,000- 74,999	737	85,698	549	75.9	72.0-79.8	188	24.1	20.2-28.0
\$75,000+	1497	180,641	1171	78.3	75.8-80.8	326	21.7	19.2-24.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 2: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2068	273,188	1466	71.8	69.3-74.3	602	28.2	25.7-30.7
Native	67	8,966	51	77.2	65.4-89.0	16	22.8	11.0-34.6
Non-Native	1971	259,526	1390	71.4	68.9-73.9	581	28.6	26.1-31.1
18-24	132	43,974	101	77.0	68.8-85.2	31	23.0	14.8-31.2
25-34	255	51,362	187	75.7	70.0-81.4	68	24.3	18.6-30.0
35-44	218	41,067	162	74.8	68.3-81.3	56	25.2	18.7-31.7
45-54	320	41,947	222	66.9	60.8-73.0	98	33.1	27.0-39.2
55-64	482	45,486	339	69.1	64.2-74.0	143	30.9	26.0-35.8
65+	650	47,806	448	67.5	63.2-71.8	202	32.5	28.2-36.8
Less Than H.S.	145	28,028	87	62.1	51.7-72.5	58	37.9	27.5-48.3
H.S. or G.E.D.	618	76,565	395	64.1	59.4-68.8	223	35.9	31.2-40.6
Some Post-H.S.	636	103,215	439	72.8	68.7-76.9	197	27.2	23.1-31.3
College Graduate	666	64,900	542	83.3	80.0-86.6	124	16.7	13.4-20.0
Less than \$15,000	79	12,008	59	77.7	66.5-88.9	20	22.3	11.1-33.5
\$15,000- 24,999	186	26,697	122	65.9	57.3-74.5	64	34.1	25.5-42.7
\$25,000- 34,999	168	22,997	108	64.4	54.8-74.0	60	35.6	26.0-45.2
\$35,000- 49,999	294	36,941	197	69.2	62.1-76.3	97	30.8	23.7-37.9
\$50,000- 74,999	373	45,985	261	71.2	65.7-76.7	112	28.8	23.3-34.3
\$75,000+	779	100,768	593	75.4	71.7-79.1	186	24.6	20.9-28.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 3: ADULTS WHO REPORTED DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, had physical activity or exercise			No physical activity or exercise		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2565	267,619	1862	74.6	72.2-77.0	703	25.4	23.0-27.8
Native	84	11,450	57	66.1	51.4-80.8	27	33.9	19.2-48.6
Non-Native	2462	253,746	1793	75.1	72.7-77.5	669	24.9	22.5-27.3
18-24	109	38,889	89	81.8	74.0-89.6	20	18.2	10.4-26.0
25-34	200	44,313	159	81.2	75.1-87.3	41	18.8	12.7-24.9
35-44	253	38,808	196	75.2	68.7-81.7	57	24.8	18.3-31.3
45-54	348	40,892	269	76.3	70.8-81.8	79	23.7	18.2-29.2
55-64	599	44,935	441	71.0	66.5-75.5	158	29.0	24.5-33.5
65+	1032	57,732	691	66.4	62.9-69.9	341	33.6	30.1-37.1
Less Than H.S.	123	17,027	79	60.3	47.8-72.8	44	39.7	27.2-52.2
H.S. or G.E.D.	706	63,885	450	65.8	61.1-70.5	256	34.2	29.5-38.9
Some Post-H.S.	878	114,498	629	76.1	72.6-79.6	249	23.9	20.4-27.4
College Graduate	849	71,574	696	83.4	80.1-86.7	153	16.6	13.3-19.9
Less than \$15,000	164	19,468	102	63.0	52.2-73.8	62	37.0	26.2-47.8
\$15,000- 24,999	321	31,958	215	73.4	66.9-79.9	106	26.6	20.1-33.1
\$25,000- 34,999	237	24,829	150	67.2	59.0-75.4	87	32.8	24.6-41.0
\$35,000- 49,999	358	33,023	245	67.3	60.2-74.4	113	32.7	25.6-39.8
\$50,000- 74,999	364	39,713	288	81.3	76.0-86.6	76	18.7	13.4-24.0
\$75,000+	718	79,874	578	81.9	78.6-85.2	140	18.1	14.8-21.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 4: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4421	519,088	1307	27.2	25.4-29.0	824	19.5	17.9-21.1	884	23.0	21.2-24.8	1406	30.3	28.5-32.1
Male	1994	263,913	565	26.5	24.0-29.0	358	18.5	16.3-20.7	421	23.4	20.9-25.9	650	31.6	29.1-34.1
Female	2427	255,175	742	27.8	25.4-30.2	466	20.7	18.3-23.1	463	22.6	20.2-25.0	756	28.9	26.5-31.3
Native	144	19,687	41	32.3	21.5-43.1	28	15.9	8.8-23.0	28	18.6	10.6-26.6	47	33.2	22.8-43.6
Non-Native	4236	493,136	1258	27.0	25.2-28.8	788	19.8	18.2-21.4	843	23.1	21.3-24.9	1347	30.2	28.4-32.0
18-24	237	81,569	66	28.1	21.6-34.6	48	19.5	14.0-25.0	64	29.1	22.6-35.6	59	23.3	17.4-29.2
25-34	437	91,416	97	20.1	16.0-24.2	96	24.0	19.3-28.7	124	30.0	25.1-34.9	120	25.9	21.4-30.4
35-44	458	77,462	116	23.9	19.4-28.4	100	21.6	17.1-26.1	117	25.8	21.1-30.5	125	28.6	23.7-33.5
45-54	651	81,067	173	27.7	23.6-31.8	138	20.5	16.8-24.2	151	21.1	17.6-24.6	189	30.8	26.5-35.1
55-64	1055	88,138	311	28.8	25.7-31.9	199	17.7	15.0-20.4	223	20.5	17.8-23.2	322	32.9	29.4-36.4
65+	1572	98,127	544	34.0	31.3-36.7	243	14.9	12.7-17.1	205	13.4	11.4-15.4	580	37.7	34.8-40.6
Less Than H.S.	243	41,662	65	24.9	17.5-32.3	31	13.5	7.4-19.6	39	17.8	11.3-24.3	108	43.8	35.2-52.4
H.S. or G.E.D.	1252	133,641	344	25.5	22.2-28.8	186	16.0	13.3-18.7	210	18.8	15.7-21.9	512	39.7	36.2-43.2
Some Post-H.S.	1453	210,277	419	27.5	24.6-30.4	273	19.7	17.0-22.4	287	24.3	21.2-27.4	474	28.5	25.6-31.4
College Graduate	1467	132,888	476	29.0	26.1-31.9	333	24.8	21.9-27.7	347	26.7	23.8-29.6	311	19.5	17.0-22.0
Less than \$15,000	222	29,632	62	25.2	17.6-32.8	35	18.1	10.8-25.4	40	22.4	14.2-30.6	85	34.3	25.9-42.7
\$15,000- 24,999	475	55,166	126	24.4	18.9-29.9	73	16.3	11.2-21.4	86	23.8	17.7-29.9	190	35.4	29.5-41.3
\$25,000- 34,999	388	46,601	98	21.6	16.1-27.1	65	17.7	12.4-23.0	65	21.9	15.4-28.4	160	38.8	32.1-45.5
\$35,000- 49,999	632	68,029	192	27.4	22.5-32.3	105	15.9	12.0-19.8	110	22.3	17.4-27.2	225	34.4	29.1-39.7
\$50,000- 74,999	721	84,126	225	27.9	23.8-32.0	138	20.8	16.7-24.9	155	24.2	20.1-28.3	203	27.1	23.0-31.2
\$75,000+	1450	174,789	459	30.8	27.9-33.7	314	22.0	19.3-24.7	325	22.8	20.1-25.5	352	24.3	21.6-27.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 5: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1994	263,913	565	26.5	24.0-29.0	358	18.5	16.3-20.7	421	23.4	20.9-25.9	650	31.6	29.1-34.1
Native	66	8,858	21	37.1	20.4-53.8	10	11.7	3.5-19.9	16	22.8	10.3-35.3	19	28.3	15.2-41.4
Non-Native	1901	250,637	536	25.9	23.4-28.4	343	18.8	16.4-21.2	396	23.3	20.8-25.8	626	32.0	29.3-34.7
18-24	130	43,654	39	31.5	22.3-40.7	23	16.0	9.1-22.9	31	26.6	18.0-35.2	37	25.9	17.5-34.3
25-34	243	48,652	57	21.6	15.9-27.3	41	18.0	12.5-23.5	70	31.6	24.9-38.3	75	28.9	22.6-35.2
35-44	213	40,208	42	18.2	12.1-24.3	46	23.1	16.4-29.8	63	29.8	22.7-36.9	62	28.8	21.7-35.9
45-54	310	40,994	76	24.9	19.2-30.6	66	21.6	16.1-27.1	63	17.8	13.1-22.5	105	35.7	29.4-42.0
55-64	471	44,341	125	27.0	22.3-31.7	84	18.3	14.0-22.6	109	20.7	16.6-24.8	153	34.0	28.9-39.1
65+	623	45,472	226	35.8	31.3-40.3	98	14.8	11.5-18.1	85	13.8	10.7-16.9	214	35.7	31.2-40.2
Less Than H.S.	136	26,553	37	27.2	17.0-37.4	17	14.5	6.3-22.7	20	16.1	8.3-23.9	62	42.2	31.2-53.2
H.S. or G.E.D.	592	73,909	162	25.6	20.9-30.3	83	14.3	10.8-17.8	107	20.2	15.7-24.7	240	40.0	34.9-45.1
Some Post-H.S.	615	99,917	169	27.0	22.7-31.3	109	18.6	14.7-22.5	129	24.2	19.7-28.7	208	30.2	25.9-34.5
College Graduate	650	63,362	196	26.4	22.3-30.5	149	24.9	20.6-29.2	165	28.9	24.4-33.4	140	19.8	16.1-23.5
Less than \$15,000	73	11,311	20	23.7	12.1-35.3	12	15.2	5.4-25.0	19	35.9	20.8-51.0	22	25.2	13.0-37.4
\$15,000- 24,999	179	25,434	44	22.2	14.6-29.8	30	15.1	7.7-22.5	34	23.2	14.6-31.8	71	39.5	30.3-48.7
\$25,000- 34,999	162	22,496	44	20.5	12.7-28.3	20	14.9	7.5-22.3	28	23.2	13.4-33.0	70	41.4	31.2-51.6
\$35,000- 49,999	287	35,982	90	31.9	24.5-39.3	42	14.0	8.7-19.3	52	21.2	14.5-27.9	103	32.9	25.6-40.2
\$50,000- 74,999	365	45,229	102	28.6	22.5-34.7	67	17.7	12.8-22.6	78	22.2	16.7-27.7	118	31.5	25.6-37.4
\$75,000+	752	97,334	224	27.3	23.4-31.2	156	21.9	18.2-25.6	174	23.7	20.0-27.4	198	27.1	23.2-31.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 6: PHYSICAL ACTIVITY CATEGORIES (_PACAT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Highly Active			Active			Insufficiently Active			Inactive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2427	255,175	742	27.8	25.4-30.2	466	20.7	18.3-23.1	463	22.6	20.2-25.0	756	28.9	26.5-31.3
Native	78	10,829	20	28.3	14.8-41.8	18	19.3	8.7-29.9	12	15.2	4.8-25.6	28	37.2	22.1-52.3
Non-Native	2335	242,499	722	28.0	25.6-30.4	445	20.7	18.3-23.1	447	22.8	20.3-25.3	721	28.4	25.9-30.9
18-24	107	37,915	27	24.2	15.4-33.0	25	23.5	14.9-32.1	33	31.9	22.5-41.3	22	20.4	12.2-28.6
25-34	194	42,765	40	18.5	12.4-24.6	55	30.8	23.2-38.4	54	28.1	20.7-35.5	45	22.5	15.8-29.2
35-44	245	37,253	74	30.1	23.4-36.8	54	20.1	14.0-26.2	54	21.5	15.0-28.0	63	28.3	21.4-35.2
45-54	341	40,072	97	30.5	24.6-36.4	72	19.3	14.6-24.0	88	24.4	18.9-29.9	84	25.8	20.1-31.5
55-64	584	43,797	186	30.7	26.4-35.0	115	17.1	13.8-20.4	114	20.4	16.5-24.3	169	31.8	27.1-36.5
65+	949	52,655	318	32.4	28.9-35.9	145	15.1	12.4-17.8	120	13.0	10.5-15.5	366	39.5	35.6-43.4
Less Than H.S.	107	15,109	28	20.9	10.9-30.9	14	11.8	3.2-20.4	19	20.7	9.5-31.9	46	46.5	32.8-60.2
H.S. or G.E.D.	660	59,733	182	25.3	20.8-29.8	103	18.3	13.8-22.8	103	17.1	13.0-21.2	272	39.3	34.2-44.4
Some Post-H.S.	838	110,360	250	28.0	24.1-31.9	164	20.6	16.7-24.5	158	24.4	20.1-28.7	266	26.9	23.2-30.6
College Graduate	817	69,526	280	31.3	27.2-35.4	184	24.8	20.7-28.9	182	24.7	20.8-28.6	171	19.2	15.7-22.7
Less than \$15,000	149	18,320	42	26.2	16.0-36.4	23	19.8	9.6-30.0	21	14.1	5.7-22.5	63	39.9	28.5-51.3
\$15,000- 24,999	296	29,733	82	26.4	18.8-34.0	43	17.4	10.1-24.7	52	24.3	15.7-32.9	119	32.0	24.7-39.3
\$25,000- 34,999	226	24,105	54	22.6	15.0-30.2	45	20.3	12.7-27.9	37	20.8	12.4-29.2	90	36.4	27.8-45.0
\$35,000- 49,999	345	32,047	102	22.3	17.0-27.6	63	18.0	12.3-23.7	58	23.6	16.3-30.9	122	36.1	28.7-43.5
\$50,000- 74,999	356	38,897	123	27.0	21.5-32.5	71	24.4	17.9-30.9	77	26.6	20.3-32.9	85	22.0	16.3-27.7
\$75,000+	698	77,455	235	35.3	30.8-39.8	158	22.2	18.3-26.1	151	21.8	17.9-25.7	154	20.8	17.1-24.5

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 7: PHYSICAL ACTIVITY INDEX (_PAINDX1)**

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4458	521,921	2168	47.0	45.0-49.0	2290	53.0	51.0-55.0
Male	2003	264,919	932	45.2	42.3-48.1	1071	54.8	51.9-57.7
Female	2455	257,003	1236	48.9	46.2-51.6	1219	51.1	48.4-53.8
Native	144	19,687	69	48.2	37.2-59.2	75	51.8	40.8-62.8
Non-Native	4273	495,969	2083	47.0	45.0-49.0	2190	53.0	51.0-55.0
18-24	238	81,664	115	47.6	40.5-54.7	123	52.4	45.3-59.5
25-34	438	91,644	194	44.3	39.0-49.6	244	55.7	50.4-61.0
35-44	460	77,953	218	45.9	40.6-51.2	242	54.1	48.8-59.4
45-54	653	81,304	313	48.3	43.8-52.8	340	51.7	47.2-56.2
55-64	1060	88,606	515	46.8	43.3-50.3	545	53.2	49.7-56.7
65+	1598	99,442	813	49.6	46.7-52.5	785	50.4	47.5-53.3
Less Than H.S.	244	41,945	97	38.9	30.5-47.3	147	61.1	52.7-69.5
H.S. or G.E.D.	1268	134,748	546	42.0	38.3-45.7	722	58.0	54.3-61.7
Some Post-H.S.	1466	211,468	705	47.5	44.2-50.8	761	52.5	49.2-55.8
College Graduate	1474	133,142	816	53.9	50.6-57.2	658	46.1	42.8-49.4
Less than \$15,000	226	29,828	101	43.7	34.7-52.7	125	56.3	47.3-65.3
\$15,000- 24,999	483	55,667	207	41.3	34.8-47.8	276	58.7	52.2-65.2
\$25,000- 34,999	393	46,984	168	39.8	33.1-46.5	225	60.2	53.5-66.9
\$35,000- 49,999	636	68,501	301	43.6	38.1-49.1	335	56.4	50.9-61.9
\$50,000- 74,999	721	84,126	363	48.7	44.0-53.4	358	51.3	46.6-56.0
\$75,000+	1458	175,540	781	53.1	49.8-56.4	677	46.9	43.6-50.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 8: PHYSICAL ACTIVITY INDEX (_PAIDX1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2003	264,919	932	45.2	42.3-48.1	1071	54.8	51.9-57.7
Native	66	8,858	31	48.9	33.0-64.8	35	51.1	35.2-67.0
Non-Native	1910	251,643	888	45.0	42.1-47.9	1022	55.0	52.1-57.9
18-24	131	43,748	63	47.6	37.8-57.4	68	52.4	42.6-62.2
25-34	244	48,879	99	39.8	32.9-46.7	145	60.2	53.3-67.1
35-44	214	40,536	89	41.8	34.2-49.4	125	58.2	50.6-65.8
45-54	311	41,085	143	46.6	40.1-53.1	168	53.4	46.9-59.9
55-64	472	44,369	210	45.3	40.0-50.6	262	54.7	49.4-60.0
65+	627	45,709	328	50.8	46.1-55.5	299	49.2	44.5-53.9
Less Than H.S.	136	26,553	54	41.7	30.5-52.9	82	58.3	47.1-69.5
H.S. or G.E.D.	598	74,588	251	40.4	35.3-45.5	347	59.6	54.5-64.7
Some Post-H.S.	616	100,145	279	45.7	40.8-50.6	337	54.3	49.4-59.2
College Graduate	652	63,460	347	51.4	46.7-56.1	305	48.6	43.9-53.3
Less than \$15,000	74	11,361	33	39.2	25.5-52.9	41	60.8	47.1-74.5
\$15,000- 24,999	180	25,524	75	37.5	28.1-46.9	105	62.5	53.1-71.9
\$25,000- 34,999	164	22,614	66	35.8	26.0-45.6	98	64.2	54.4-74.0
\$35,000- 49,999	288	36,309	133	46.4	38.6-54.2	155	53.6	45.8-61.4
\$50,000- 74,999	365	45,229	169	46.3	39.8-52.8	196	53.7	47.2-60.2
\$75,000+	756	97,754	384	49.4	44.9-53.9	372	50.6	46.1-55.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 9: PHYSICAL ACTIVITY INDEX (_PAINDX1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Aerobic Recommendations			Did Not Meet Aerobic Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2455	257,003	1236	48.9	46.2-51.6	1219	51.1	48.4-53.8
Native	78	10,829	38	47.6	32.7-62.5	40	52.4	37.5-67.3
Non-Native	2363	244,327	1195	49.2	46.5-51.9	1168	50.8	48.1-53.5
18-24	107	37,915	52	47.7	37.5-57.9	55	52.3	42.1-62.5
25-34	194	42,765	95	49.3	41.3-57.3	99	50.7	42.7-58.7
35-44	246	37,417	129	50.4	43.0-57.8	117	49.6	42.2-57.0
45-54	342	40,219	170	50.0	43.7-56.3	172	50.0	43.7-56.3
55-64	588	44,237	305	48.3	43.6-53.0	283	51.7	47.0-56.4
65+	971	53,733	485	48.6	44.7-52.5	486	51.4	47.5-55.3
Less Than H.S.	108	15,391	43	34.0	21.8-46.2	65	66.0	53.8-78.2
H.S. or G.E.D.	670	60,159	295	44.0	38.7-49.3	375	56.0	50.7-61.3
Some Post-H.S.	850	111,323	426	49.1	44.6-53.6	424	50.9	46.4-55.4
College Graduate	822	69,682	469	56.2	51.7-60.7	353	43.8	39.3-48.3
Less than \$15,000	152	18,467	68	46.4	34.6-58.2	84	53.6	41.8-65.4
\$15,000- 24,999	303	30,142	132	44.5	35.9-53.1	171	55.5	46.9-64.1
\$25,000- 34,999	229	24,370	102	43.5	34.3-52.7	127	56.5	47.3-65.7
\$35,000- 49,999	348	32,192	168	40.6	33.3-47.9	180	59.4	52.1-66.7
\$50,000- 74,999	356	38,897	194	51.4	44.5-58.3	162	48.6	41.7-55.5
\$75,000+	702	77,786	397	57.6	52.9-62.3	305	42.4	37.7-47.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 10: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4552	529,637	1117	27.6	25.8-29.4	3435	72.4	70.6-74.2
Male	2029	266,907	530	29.7	27.0-32.4	1499	70.3	67.6-73.0
Female	2523	262,729	587	25.4	22.9-27.9	1936	74.6	72.1-77.1
Native	147	19,541	43	29.2	19.0-39.4	104	70.8	60.6-81.0
Non-Native	4358	503,369	1065	27.5	25.5-29.5	3293	72.5	70.5-74.5
18-24	235	80,964	103	42.9	35.8-50.0	132	57.1	50.0-64.2
25-34	444	92,878	153	34.9	29.8-40.0	291	65.1	60.0-70.2
35-44	464	78,404	120	26.3	21.6-31.0	344	73.7	69.0-78.4
45-54	659	81,289	154	21.2	17.7-24.7	505	78.8	75.3-82.3
55-64	1066	89,135	239	22.2	19.3-25.1	827	77.8	74.9-80.7
65+	1649	103,418	340	19.8	17.4-22.2	1309	80.2	77.8-82.6
Less Than H.S.	260	44,289	46	23.4	15.8-31.0	214	76.6	69.0-84.2
H.S. or G.E.D.	1294	136,186	263	22.8	19.7-25.9	1031	77.2	74.1-80.3
Some Post-H.S.	1492	214,396	341	27.9	24.8-31.0	1151	72.1	69.0-75.2
College Graduate	1496	133,715	465	33.2	30.1-36.3	1031	66.8	63.7-69.9
Less than \$15,000	236	30,774	51	27.5	19.1-35.9	185	72.5	64.1-80.9
\$15,000- 24,999	495	57,385	92	22.8	16.9-28.7	403	77.2	71.3-83.1
\$25,000- 34,999	398	46,583	88	25.7	19.4-32.0	310	74.3	68.0-80.6
\$35,000- 49,999	640	68,026	155	25.2	20.3-30.1	485	74.8	69.9-79.7
\$50,000- 74,999	728	85,134	176	27.4	22.9-31.9	552	72.6	68.1-77.1
\$75,000+	1482	178,301	421	29.9	27.0-32.8	1061	70.1	67.2-73.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 11: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2029	266,907	530	29.7	27.0-32.4	1499	70.3	67.6-73.0
Native	65	8,454	27	46.5	30.2-62.8	38	53.5	37.2-69.8
Non-Native	1935	253,865	496	29.1	26.4-31.8	1439	70.9	68.2-73.6
18-24	128	42,710	64	50.2	40.4-60.0	64	49.8	40.0-59.6
25-34	249	49,645	96	39.5	32.6-46.4	153	60.5	53.6-67.4
35-44	213	40,080	55	25.2	18.7-31.7	158	74.8	68.3-81.3
45-54	314	40,997	73	20.6	15.5-25.7	241	79.4	74.3-84.5
55-64	479	45,262	104	22.7	18.0-27.4	375	77.3	72.6-82.0
65+	635	46,931	135	19.1	15.4-22.8	500	80.9	77.2-84.6
Less Than H.S.	142	27,821	35	33.4	22.4-44.4	107	66.6	55.6-77.6
H.S. or G.E.D.	604	73,956	127	24.2	19.7-28.7	477	75.8	71.3-80.3
Some Post-H.S.	624	101,573	144	28.8	24.1-33.5	480	71.2	66.5-75.9
College Graduate	656	63,077	222	35.6	31.1-40.1	434	64.4	59.9-68.9
Less than \$15,000	77	11,622	17	29.9	15.6-44.2	60	70.1	55.8-84.4
\$15,000- 24,999	182	26,200	42	28.0	18.8-37.2	140	72.0	62.8-81.2
\$25,000- 34,999	163	22,131	46	31.7	21.7-41.7	117	68.3	58.3-78.3
\$35,000- 49,999	286	35,520	66	26.2	19.1-33.3	220	73.8	66.7-80.9
\$50,000- 74,999	366	45,628	87	26.8	20.7-32.9	279	73.2	67.1-79.3
\$75,000+	772	99,205	223	30.3	26.2-34.4	549	69.7	65.6-73.8

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 12: MUSCLE STRENGTHENING RECOMMENDATION (_PASTRNG)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Meet Muscle Strengthening Recommendations			Did not Meet Muscle Strengthening Recommendations		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2523	262,729	587	25.4	22.9-27.9	1936	74.6	72.1-77.1
Native	82	11,087	16	16.0	6.0-26.0	66	84.0	74.0-94.0
Non-Native	2423	249,505	569	25.9	23.4-28.4	1854	74.1	71.6-76.6
18-24	107	38,254	39	34.7	25.1-44.3	68	65.3	55.7-74.9
25-34	195	43,233	57	29.7	22.3-37.1	138	70.3	62.9-77.7
35-44	251	38,324	65	27.4	20.3-34.5	186	72.6	65.5-79.7
45-54	345	40,293	81	21.8	16.7-26.9	264	78.2	73.1-83.3
55-64	587	43,873	135	21.6	17.9-25.3	452	78.4	74.7-82.1
65+	1014	56,486	205	20.4	17.5-23.3	809	79.6	76.7-82.5
Less Than H.S.	118	16,468	11	6.3	2.2-10.4	107	93.7	89.6-97.8
H.S. or G.E.D.	690	62,229	136	21.3	16.8-25.8	554	78.7	74.2-83.2
Some Post-H.S.	868	112,822	197	27.2	22.9-31.5	671	72.8	68.5-77.1
College Graduate	840	70,638	243	31.0	26.9-35.1	597	69.0	64.9-73.1
Less than \$15,000	159	19,152	34	26.1	15.7-36.5	125	73.9	63.5-84.3
\$15,000- 24,999	313	31,185	50	18.5	11.1-25.9	263	81.5	74.1-88.9
\$25,000- 34,999	235	24,453	42	20.2	12.8-27.6	193	79.8	72.4-87.2
\$35,000- 49,999	354	32,506	89	24.1	17.6-30.6	265	75.9	69.4-82.4
\$50,000- 74,999	362	39,506	89	28.1	21.6-34.6	273	71.9	65.4-78.4
\$75,000+	710	79,097	198	29.5	25.0-34.0	512	70.5	66.0-75.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 13: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4400	513,371	701	17.7	16.1-19.3	1436	29.1	27.3-30.9	374	9.8	8.6-11.0	1889	43.3	41.3-45.3
Male	1974	259,931	328	18.5	16.1-20.9	589	26.6	24.2-29.0	187	11.3	9.3-13.3	870	43.7	41.0-46.4
Female	2426	253,440	373	17.0	14.8-19.2	847	31.8	29.3-34.3	187	8.4	6.8-10.0	1019	42.9	40.2-45.6
Native	140	18,812	29	24.7	14.3-35.1	38	23.6	14.8-32.4	13	5.0	1.9- 8.1	60	46.7	35.5-57.9
Non-Native	4220	488,579	668	17.5	15.9-19.1	1386	29.4	27.6-31.2	358	10.0	8.6-11.4	1808	43.1	41.1-45.1
18-24	233	79,990	66	28.3	21.8-34.8	47	19.3	13.6-25.0	37	15.1	10.2-20.0	83	37.3	30.4-44.2
25-34	430	89,727	84	19.3	15.0-23.6	106	25.0	20.3-29.7	60	15.0	11.1-18.9	180	40.7	35.4-46.0
35-44	457	77,055	76	16.0	12.1-19.9	139	29.3	24.4-34.2	42	10.1	6.8-13.4	200	44.7	39.4-50.0
45-54	646	79,910	105	15.5	12.2-18.8	204	32.6	28.3-36.9	47	5.7	3.9- 7.5	290	46.2	41.7-50.7
55-64	1049	87,625	155	15.3	12.6-18.0	354	31.5	28.2-34.8	82	7.0	5.2- 8.8	458	46.1	42.6-49.6
65+	1574	97,756	215	13.3	11.1-15.5	586	36.2	33.3-39.1	106	6.7	5.1- 8.3	667	43.8	40.9-46.7
Less Than H.S.	237	40,850	27	16.2	8.6-23.8	67	22.4	15.9-28.9	16	7.8	3.3-12.3	127	53.6	44.8-62.4
H.S. or G.E.D.	1248	131,420	143	13.8	11.1-16.5	391	27.9	24.6-31.2	110	9.2	7.0-11.4	604	49.1	45.4-52.8
Some Post-H.S.	1451	209,624	214	17.6	14.9-20.3	484	29.8	26.9-32.7	115	10.1	7.9-12.3	638	42.5	39.2-45.8
College Graduate	1459	130,903	316	22.4	19.7-25.1	492	31.4	28.5-34.3	133	10.7	8.5-12.9	518	35.5	32.4-38.6
Less than \$15,000	223	29,572	28	13.6	7.3-19.9	70	29.6	21.4-37.8	21	14.8	7.4-22.2	104	42.0	33.0-51.0
\$15,000- 24,999	473	54,466	43	11.8	6.9-16.7	158	29.4	23.7-35.1	44	11.2	6.7-15.7	228	47.6	41.1-54.1
\$25,000- 34,999	387	45,792	47	13.5	8.6-18.4	119	25.7	20.0-31.4	36	11.8	6.9-16.7	185	49.1	42.0-56.2
\$35,000- 49,999	626	66,802	98	16.5	12.4-20.6	197	26.6	21.9-31.3	53	8.9	5.6-12.2	278	48.1	42.6-53.6
\$50,000- 74,999	714	83,504	113	18.8	14.7-22.9	247	30.0	25.9-34.1	58	8.6	5.9-11.3	296	42.6	37.9-47.3
\$75,000+	1449	174,419	299	21.6	18.9-24.3	475	31.2	28.3-34.1	113	8.3	6.5-10.1	562	38.9	35.8-42.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 14: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1974	259,931	328	18.5	16.1-20.9	589	26.6	24.2-29.0	187	11.3	9.3-13.3	870	43.7	41.0-46.4
Native	64	8,345	19	38.4	21.3-55.5	11	12.1	4.3-19.9	7	7.4	1.1-13.7	27	42.1	26.8-57.4
Non-Native	1883	247,168	305	17.8	15.4-20.2	569	27.0	24.5-29.5	177	11.4	9.4-13.4	832	43.8	40.9-46.7
18-24	128	42,710	41	32.9	23.5-42.3	21	14.8	7.7-21.9	23	17.3	10.0-24.6	43	35.0	25.6-44.4
25-34	238	47,360	47	19.2	13.5-24.9	50	21.1	15.2-27.0	41	19.4	13.5-25.3	100	40.2	33.3-47.1
35-44	212	39,919	32	14.4	9.1-19.7	55	26.5	19.4-33.6	23	10.9	6.2-15.6	102	48.2	40.4-56.0
45-54	307	40,290	50	15.2	10.5-19.9	91	30.8	24.7-36.9	23	5.7	3.2- 8.2	143	48.2	41.5-54.9
55-64	469	44,139	67	15.7	11.6-19.8	141	29.4	24.7-34.1	36	7.3	4.6-10.0	225	47.6	42.3-52.9
65+	616	44,920	91	13.4	10.1-16.7	231	37.4	32.9-41.9	41	6.3	4.1- 8.5	253	43.0	38.3-47.7
Less Than H.S.	133	26,197	19	22.5	11.5-33.5	33	18.8	11.4-26.2	14	11.4	4.3-18.5	67	47.3	36.1-58.5
H.S. or G.E.D.	590	72,470	73	14.6	10.9-18.3	174	25.6	21.1-30.1	51	9.6	6.5-12.7	292	50.1	44.8-55.4
Some Post-H.S.	608	99,373	88	17.9	13.8-22.0	188	27.9	23.6-32.2	53	11.0	7.7-14.3	279	43.2	38.3-48.1
College Graduate	642	61,719	147	22.0	18.1-25.9	194	28.9	24.6-33.2	69	13.5	10.0-17.0	232	35.5	31.0-40.0
Less than \$15,000	73	11,218	9	10.9	2.9-18.9	23	27.5	15.0-40.0	8	20.0	5.7-34.3	33	41.6	27.3-55.9
\$15,000- 24,999	175	24,657	18	13.7	5.5-21.9	54	23.9	16.5-31.3	22	14.2	7.1-21.3	81	48.2	38.4-58.0
\$25,000- 34,999	160	21,798	26	16.4	8.6-24.2	39	18.4	11.3-25.5	18	14.8	6.8-22.8	77	50.3	39.7-60.9
\$35,000- 49,999	282	35,127	40	16.2	10.3-22.1	90	29.8	22.5-37.1	25	10.1	5.0-15.2	127	43.9	36.1-51.7
\$50,000- 74,999	359	44,738	55	18.4	12.7-24.1	111	27.9	22.2-33.6	30	8.4	4.9-11.9	163	45.3	38.8-51.8
\$75,000+	752	96,965	150	20.4	16.7-24.1	231	28.7	24.6-32.8	68	10.1	7.4-12.8	303	40.8	36.5-45.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 15: AEROBIC AND STRENGTHENING GUIDELINE (_PAREC1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Met Aerobic Guidelines Only			Met Strengthening Guidelines Only			Did Not Meet Either Guideline		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2426	253,440	373	17.0	14.8-19.2	847	31.8	29.3-34.3	187	8.4	6.8-10.0	1019	42.9	40.2-45.6
Native	76	10,466	10	13.8	3.6-24.0	27	32.7	18.8-46.6	6	3.2	0.3- 6.1	33	50.3	35.0-65.6
Non-Native	2337	241,411	363	17.2	15.0-19.4	817	31.8	29.3-34.3	181	8.7	6.9-10.5	976	42.3	39.6-45.0
18-24	105	37,280	25	23.0	14.4-31.6	26	24.6	15.8-33.4	14	12.6	5.9-19.3	40	39.9	29.7-50.1
25-34	192	42,366	37	19.4	12.9-25.9	56	29.4	22.0-36.8	19	10.0	5.1-14.9	80	41.2	33.2-49.2
35-44	245	37,135	44	17.6	11.7-23.5	84	32.4	25.7-39.1	19	9.2	4.5-13.9	98	40.9	33.5-48.3
45-54	339	39,619	55	15.8	11.1-20.5	113	34.4	28.5-40.3	24	5.7	3.3- 8.1	147	44.2	37.9-50.5
55-64	580	43,485	88	14.8	11.5-18.1	213	33.7	29.2-38.2	46	6.8	4.6- 9.0	233	44.7	39.8-49.6
65+	958	52,836	124	13.3	10.6-16.0	355	35.1	31.6-38.6	65	7.0	5.0- 9.0	414	44.6	40.7-48.5
Less Than H.S.	104	14,653	8	4.9	1.0- 8.8	34	28.9	16.7-41.1	2	1.3	0.0- 3.1	60	64.9	52.4-77.4
H.S. or G.E.D.	658	58,950	70	12.7	8.8-16.6	217	30.8	25.9-35.7	59	8.7	5.8-11.6	312	47.8	42.5-53.1
Some Post-H.S.	843	110,251	126	17.3	13.6-21.0	296	31.5	27.4-35.6	62	9.3	6.4-12.2	359	41.8	37.3-46.3
College Graduate	817	69,185	169	22.8	18.9-26.7	298	33.6	29.3-37.9	64	8.1	5.6-10.6	286	35.4	31.1-39.7
Less than \$15,000	150	18,354	19	15.3	6.5-24.1	47	30.9	19.9-41.9	13	11.7	3.7-19.7	71	42.2	30.8-53.6
\$15,000- 24,999	298	29,809	25	10.2	4.3-16.1	104	34.0	25.8-42.2	22	8.7	2.8-14.6	147	47.1	38.3-55.9
\$25,000- 34,999	227	23,994	21	10.7	4.8-16.6	80	32.2	23.6-40.8	18	9.0	3.5-14.5	108	48.0	38.6-57.4
\$35,000- 49,999	344	31,675	58	16.8	11.1-22.5	107	23.0	17.7-28.3	28	7.5	3.6-11.4	151	52.7	45.1-60.3
\$50,000- 74,999	355	38,766	58	19.1	13.2-25.0	136	32.5	26.4-38.6	28	8.9	4.6-13.2	133	39.5	32.6-46.4
\$75,000+	697	77,454	149	23.1	18.8-27.4	244	34.4	29.9-38.9	45	6.1	3.9- 8.3	259	36.5	32.0-41.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)
TABLE 16: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4400	513,371	701	17.7	16.1-19.3	3699	82.3	80.7-83.9
Male	1974	259,931	328	18.5	16.1-20.9	1646	81.5	79.1-83.9
Female	2426	253,440	373	17.0	14.8-19.2	2053	83.0	80.8-85.2
Native	140	18,812	29	24.7	14.3-35.1	111	75.3	64.9-85.7
Non-Native	4220	488,579	668	17.5	15.9-19.1	3552	82.5	80.9-84.1
18-24	233	79,990	66	28.3	21.8-34.8	167	71.7	65.2-78.2
25-34	430	89,727	84	19.3	15.0-23.6	346	80.7	76.4-85.0
35-44	457	77,055	76	16.0	12.1-19.9	381	84.0	80.1-87.9
45-54	646	79,910	105	15.5	12.2-18.8	541	84.5	81.2-87.8
55-64	1049	87,625	155	15.3	12.6-18.0	894	84.7	82.0-87.4
65+	1574	97,756	215	13.3	11.1-15.5	1359	86.7	84.5-88.9
Less Than H.S.	237	40,850	27	16.2	8.6-23.8	210	83.8	76.2-91.4
H.S. or G.E.D.	1248	131,420	143	13.8	11.1-16.5	1105	86.2	83.5-88.9
Some Post-H.S.	1451	209,624	214	17.6	14.9-20.3	1237	82.4	79.7-85.1
College Graduate	1459	130,903	316	22.4	19.7-25.1	1143	77.6	74.9-80.3
Less than \$15,000	223	29,572	28	13.6	7.3-19.9	195	86.4	80.1-92.7
\$15,000- 24,999	473	54,466	43	11.8	6.9-16.7	430	88.2	83.3-93.1
\$25,000- 34,999	387	45,792	47	13.5	8.6-18.4	340	86.5	81.6-91.4
\$35,000- 49,999	626	66,802	98	16.5	12.4-20.6	528	83.5	79.4-87.6
\$50,000- 74,999	714	83,504	113	18.8	14.7-22.9	601	81.2	77.1-85.3
\$75,000+	1449	174,419	299	21.6	18.9-24.3	1150	78.4	75.7-81.1

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 17: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1974	259,931	328	18.5	16.1-20.9	1646	81.5	79.1-83.9
Native	64	8,345	19	38.4	21.3-55.5	45	61.6	44.5-78.7
Non-Native	1883	247,168	305	17.8	15.4-20.2	1578	82.2	79.8-84.6
18-24	128	42,710	41	32.9	23.5-42.3	87	67.1	57.7-76.5
25-34	238	47,360	47	19.2	13.5-24.9	191	80.8	75.1-86.5
35-44	212	39,919	32	14.4	9.1-19.7	180	85.6	80.3-90.9
45-54	307	40,290	50	15.2	10.5-19.9	257	84.8	80.1-89.5
55-64	469	44,139	67	15.7	11.6-19.8	402	84.3	80.2-88.4
65+	616	44,920	91	13.4	10.1-16.7	525	86.6	83.3-89.9
Less Than H.S.	133	26,197	19	22.5	11.5-33.5	114	77.5	66.5-88.5
H.S. or G.E.D.	590	72,470	73	14.6	10.9-18.3	517	85.4	81.7-89.1
Some Post-H.S.	608	99,373	88	17.9	13.8-22.0	520	82.1	78.0-86.2
College Graduate	642	61,719	147	22.0	18.1-25.9	495	78.0	74.1-81.9
Less than \$15,000	73	11,218	9	10.9	2.9-18.9	64	89.1	81.1-97.1
\$15,000- 24,999	175	24,657	18	13.7	5.5-21.9	157	86.3	78.1-94.5
\$25,000- 34,999	160	21,798	26	16.4	8.6-24.2	134	83.6	75.8-91.4
\$35,000- 49,999	282	35,127	40	16.2	10.3-22.1	242	83.8	77.9-89.7
\$50,000- 74,999	359	44,738	55	18.4	12.7-24.1	304	81.6	75.9-87.3
\$75,000+	752	96,965	150	20.4	16.7-24.1	602	79.6	75.9-83.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 11: EXERCISE (PHYSICAL ACTIVITY)**

TABLE 18: AEROBIC AND STRENGTHENING (2-LEVEL) (_PASTAE1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Met Both Guidelines			Did Not Meet Both Guidelines		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2426	253,440	373	17.0	14.8-19.2	2053	83.0	80.8-85.2
Native	76	10,466	10	13.8	3.6-24.0	66	86.2	76.0-96.4
Non-Native	2337	241,411	363	17.2	15.0-19.4	1974	82.8	80.6-85.0
18-24	105	37,280	25	23.0	14.4-31.6	80	77.0	68.4-85.6
25-34	192	42,366	37	19.4	12.9-25.9	155	80.6	74.1-87.1
35-44	245	37,135	44	17.6	11.7-23.5	201	82.4	76.5-88.3
45-54	339	39,619	55	15.8	11.1-20.5	284	84.2	79.5-88.9
55-64	580	43,485	88	14.8	11.5-18.1	492	85.2	81.9-88.5
65+	958	52,836	124	13.3	10.6-16.0	834	86.7	84.0-89.4
Less Than H.S.	104	14,653	8	4.9	1.0- 8.8	96	95.1	91.2-99.0
H.S. or G.E.D.	658	58,950	70	12.7	8.8-16.6	588	87.3	83.4-91.2
Some Post-H.S.	843	110,251	126	17.3	13.6-21.0	717	82.7	79.0-86.4
College Graduate	817	69,185	169	22.8	18.9-26.7	648	77.2	73.3-81.1
Less than \$15,000	150	18,354	19	15.3	6.5-24.1	131	84.7	75.9-93.5
\$15,000- 24,999	298	29,809	25	10.2	4.3-16.1	273	89.8	83.9-95.7
\$25,000- 34,999	227	23,994	21	10.7	4.8-16.6	206	89.3	83.4-95.2
\$35,000- 49,999	344	31,675	58	16.8	11.1-22.5	286	83.2	77.5-88.9
\$50,000- 74,999	355	38,766	58	19.1	13.2-25.0	297	80.9	75.0-86.8
\$75,000+	697	77,454	149	23.1	18.8-27.4	548	76.9	72.6-81.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 12: ARTHRITIS BURDEN CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	LIMITED USUAL ACTIVITIES (_LMTACT1)	
1	MALES AND FEMALES	163
2	MALES ONLY	164
3	FEMALES ONLY	165
	LIMITED WORK ACTIVITIES (_LMTWRK1)	
4	MALES AND FEMALES	166
5	MALES ONLY	167
6	FEMALES ONLY	168
	LIMITED SOCIAL ACTIVITIES (_LMTSCL1)	
7	MALES AND FEMALES	169
8	MALES ONLY	170
9	FEMALES ONLY	171

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 1: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4836	576,061	677	10.0	9.0-11.0	805	11.6	10.6-12.6	3354	78.5	77.1-79.9
Male	2199	296,916	234	7.8	6.6- 9.0	309	10.4	9.0-11.8	1656	81.8	80.0-83.6
Female	2637	279,145	443	12.3	10.7-13.9	496	12.8	11.4-14.2	1698	75.0	73.0-77.0
Native	161	22,426	37	19.6	11.6-27.6	19	6.6	3.1-10.1	105	73.8	65.2-82.4
Non-Native	4625	546,437	635	9.6	8.6-10.6	779	11.8	10.8-12.8	3211	78.6	77.2-80.0
18-24	267	91,333	4	1.9	0.0- 3.9	5	2.5	0.3- 4.7	258	95.6	92.7-98.5
25-34	501	105,828	10	2.4	0.8- 4.0	16	2.6	1.2- 4.0	475	95.0	92.8-97.2
35-44	506	86,330	27	5.4	3.0- 7.8	28	5.4	3.0- 7.8	451	89.3	86.2-92.4
45-54	690	85,768	67	10.4	7.5-13.3	85	12.5	9.6-15.4	538	77.1	73.2-81.0
55-64	1117	94,021	186	16.5	14.0-19.0	200	18.3	15.6-21.0	731	65.2	61.9-68.5
65+	1712	108,256	380	21.9	19.5-24.3	466	26.3	23.8-28.8	866	51.8	48.9-54.7
Less Than H.S.	281	49,901	67	19.2	13.7-24.7	53	12.4	8.3-16.5	161	68.4	61.7-75.1
H.S. or G.E.D.	1406	154,463	220	10.0	8.4-11.6	257	11.7	9.9-13.5	929	78.3	75.9-80.7
Some Post-H.S.	1566	227,009	222	9.8	8.2-11.4	262	12.5	10.7-14.3	1082	77.7	75.3-80.1
College Graduate	1570	143,238	167	7.0	5.6- 8.4	231	9.7	8.1-11.3	1172	83.3	81.3-85.3
Less than \$15,000	250	32,817	69	20.8	14.5-27.1	50	13.2	8.1-18.3	131	66.1	58.5-73.7
\$15,000- 24,999	528	63,739	120	15.5	12.0-19.0	83	9.8	7.1-12.5	325	74.7	70.2-79.2
\$25,000- 34,999	414	48,100	77	11.7	8.2-15.2	81	13.0	9.3-16.7	256	75.3	70.4-80.2
\$35,000- 49,999	670	73,102	116	12.5	9.6-15.4	131	14.6	11.3-17.9	423	72.9	68.6-77.2
\$50,000- 74,999	757	89,373	80	8.3	6.1-10.5	142	12.2	9.8-14.6	535	79.6	76.5-82.7
\$75,000+	1547	187,705	123	6.2	4.6- 7.8	202	10.1	8.5-11.7	1222	83.7	81.5-85.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 2: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2199	296,916	234	7.8	6.6-9.0	309	10.4	9.0-11.8	1656	81.8	80.0-83.6
Native	74	11,084	13	11.7	4.4-19.0	9	7.5	1.8-13.2	52	80.8	71.4-90.2
Non-Native	2094	280,817	219	7.6	6.4-8.8	296	10.6	9.2-12.0	1579	81.8	80.0-83.6
18-24	150	49,705				1	0.7	0.0-2.1	149	99.3	97.9-100
25-34	286	57,783	7	3.2	0.7-5.7	10	2.9	1.1-4.7	269	93.9	90.8-97.0
35-44	241	45,808	12	5.4	2.1-8.7	14	5.4	2.1-8.7	215	89.1	84.6-93.6
45-54	333	43,820	21	6.4	3.3-9.5	47	13.9	9.6-18.2	265	79.7	74.6-84.8
55-64	507	48,330	71	14.0	10.5-17.5	81	17.4	13.3-21.5	355	68.7	64.0-73.4
65+	667	49,551	121	18.4	14.9-21.9	155	24.1	20.0-28.2	391	57.5	53.0-62.0
Less Than H.S.	156	31,903	32	14.8	8.5-21.1	22	9.8	4.9-14.7	102	75.4	67.8-83.0
H.S. or G.E.D.	673	86,224	71	6.7	4.9-8.5	95	8.8	6.8-10.8	507	84.5	81.8-87.2
Some Post-H.S.	667	110,007	72	7.3	5.3-9.3	100	12.8	10.1-15.5	495	79.9	76.6-83.2
College Graduate	699	67,967	59	6.9	4.7-9.1	92	9.2	7.0-11.4	548	83.9	81.0-86.8
Less than \$15,000	84	12,864	17	13.9	5.9-21.9	12	11.3	4.2-18.4	55	74.8	64.4-85.2
\$15,000- 24,999	198	30,458	34	14.1	8.4-19.8	24	8.1	4.2-12.0	140	77.7	70.8-84.6
\$25,000- 34,999	176	23,709	28	9.4	5.5-13.3	23	9.5	5.0-14.0	125	81.1	75.0-87.2
\$35,000- 49,999	308	39,442	41	9.8	6.1-13.5	55	14.8	9.7-19.9	212	75.4	69.5-81.3
\$50,000- 74,999	388	48,437	41	8.2	5.1-11.3	68	12.6	9.3-15.9	279	79.2	74.7-83.7
\$75,000+	817	105,714	49	4.7	3.1-6.3	105	10.2	7.8-12.6	663	85.0	82.3-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed. Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 3: LIMITED USUAL ACTIVITIES (_LMTACT1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited usual activities			Told have arthritis and no limited usual activities			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2637	279,145	443	12.3	10.7-13.9	496	12.8	11.4-14.2	1698	75.0	73.0-77.0
Native	87	11,342	24	27.2	13.9-40.5	10	5.8	1.3-10.3	53	67.0	53.5-80.5
Non-Native	2531	265,619	416	11.7	10.1-13.3	483	13.1	11.5-14.7	1632	75.2	73.2-77.2
18-24	117	41,628	4	4.2	0.0- 8.5	4	4.6	0.3- 8.9	109	91.2	85.1-97.3
25-34	215	48,045	3	1.4	0.0- 3.0	6	2.3	0.1- 4.5	206	96.3	93.6-99.0
35-44	265	40,522	15	5.3	2.2- 8.4	14	5.3	2.2- 8.4	236	89.5	85.2-93.8
45-54	357	41,948	46	14.7	9.6-19.8	38	11.0	7.3-14.7	273	74.3	68.6-80.0
55-64	610	45,691	115	19.3	15.4-23.2	119	19.2	15.7-22.7	376	61.5	57.0-66.0
65+	1045	58,705	259	24.9	21.6-28.2	311	28.1	24.8-31.4	475	47.0	43.3-50.7
Less Than H.S.	125	17,998	35	27.1	16.7-37.5	31	17.1	10.0-24.2	59	55.8	44.0-67.6
H.S. or G.E.D.	733	68,239	149	14.3	11.4-17.2	162	15.3	12.2-18.4	422	70.4	66.3-74.5
Some Post-H.S.	899	117,002	150	12.1	9.6-14.6	162	12.3	9.9-14.7	587	75.6	72.3-78.9
College Graduate	871	75,271	108	7.1	5.3- 8.9	139	10.2	8.0-12.4	624	82.7	80.0-85.4
Less than \$15,000	166	19,952	52	25.2	16.4-34.0	38	14.4	7.5-21.3	76	60.4	50.0-70.8
\$15,000- 24,999	330	33,281	86	16.7	12.2-21.2	59	11.4	7.5-15.3	185	71.9	65.8-78.0
\$25,000- 34,999	238	24,391	49	14.0	8.5-19.5	58	16.4	10.7-22.1	131	69.6	62.0-77.2
\$35,000- 49,999	362	33,660	75	15.6	10.9-20.3	76	14.4	10.3-18.5	211	70.0	63.9-76.1
\$50,000- 74,999	369	40,936	39	8.4	5.1-11.7	74	11.7	8.4-15.0	256	79.9	75.4-84.4
\$75,000+	730	81,991	74	8.1	5.4-10.8	97	9.8	7.4-12.2	559	82.1	78.8-85.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 4: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4798	573,325	442	6.9	6.1- 7.7	1002	14.3	13.1-15.5	3354	78.9	77.5-80.3
Male	2185	295,895	155	5.3	4.3- 6.3	374	12.7	11.1-14.3	1656	82.0	80.2-83.8
Female	2613	277,430	287	8.5	7.1- 9.9	628	16.0	14.4-17.6	1698	75.5	73.5-77.5
Native	160	22,128	33	17.0	9.4-24.6	22	8.1	4.2-12.0	105	74.8	66.4-83.2
Non-Native	4588	543,999	406	6.5	5.7- 7.3	971	14.6	13.4-15.8	3211	78.9	77.5-80.3
18-24	267	91,333	3	1.7	0.0- 3.7	6	2.7	0.5- 4.9	258	95.6	92.7-98.5
25-34	501	105,828	7	1.3	0.3- 2.3	19	3.7	1.7- 5.7	475	95.0	92.8-97.2
35-44	506	86,330	27	4.6	2.6- 6.6	28	6.1	3.6- 8.6	451	89.3	86.2-92.4
45-54	689	85,685	43	6.6	4.1- 9.1	108	16.2	12.9-19.5	538	77.1	73.2-81.0
55-64	1116	93,894	121	11.6	9.2-14.0	264	23.1	20.2-26.0	731	65.3	62.0-68.6
65+	1676	105,731	237	14.5	12.5-16.5	573	32.5	29.8-35.2	866	53.0	50.1-55.9
Less Than H.S.	270	48,766	41	12.0	7.3-16.7	68	18.1	13.0-23.2	161	69.9	63.2-76.6
H.S. or G.E.D.	1389	153,717	161	8.0	6.4- 9.6	299	13.3	11.3-15.3	929	78.7	76.3-81.1
Some Post-H.S.	1560	226,499	146	6.5	5.1- 7.9	332	15.6	13.6-17.6	1082	77.9	75.5-80.3
College Graduate	1566	142,895	93	4.4	3.2- 5.6	301	12.1	10.3-13.9	1172	83.5	81.5-85.5
Less than \$15,000	245	32,604	61	19.1	13.0-25.2	53	14.4	9.1-19.7	131	66.5	58.9-74.1
\$15,000- 24,999	523	63,191	84	11.1	8.2-14.0	114	13.5	10.2-16.8	325	75.4	70.9-79.9
\$25,000- 34,999	402	47,410	53	9.1	6.0-12.2	93	14.5	10.6-18.4	256	76.4	71.5-81.3
\$35,000- 49,999	666	72,802	70	7.8	5.4-10.2	173	19.0	15.3-22.7	423	73.2	68.9-77.5
\$50,000- 74,999	757	89,340	50	5.1	3.3- 6.9	172	15.3	12.6-18.0	535	79.6	76.5-82.7
\$75,000+	1542	187,131	68	3.7	2.5- 4.9	252	12.3	10.5-14.1	1222	84.0	81.8-86.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 5: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2185	295,895	155	5.3	4.3- 6.3	374	12.7	11.1-14.3	1656	82.0	80.2-83.8
Native	74	11,084	12	11.0	3.7-18.3	10	8.2	2.5-13.9	52	80.8	71.4-90.2
Non-Native	2080	279,796	142	5.1	4.1- 6.1	359	12.8	11.2-14.4	1579	82.1	80.3-83.9
18-24	150	49,705	1	0.7	0.0- 2.1				149	99.3	97.9- 100
25-34	286	57,783	4	1.2	0.0- 2.4	13	4.9	2.0- 7.8	269	93.9	90.8-97.0
35-44	241	45,808	12	4.5	1.6- 7.4	14	6.3	2.6-10.0	215	89.1	84.6-93.6
45-54	333	43,820	17	5.8	2.7- 8.9	51	14.5	10.2-18.8	265	79.7	74.6-84.8
55-64	506	48,245	47	10.0	6.9-13.1	104	21.2	16.9-25.5	355	68.8	64.1-73.5
65+	654	48,615	72	10.3	7.8-12.8	191	31.1	26.8-35.4	391	58.6	54.1-63.1
Less Than H.S.	152	31,562	17	7.7	3.2-12.2	33	16.1	9.6-22.6	102	76.3	68.7-83.9
H.S. or G.E.D.	668	85,984	53	5.6	3.8- 7.4	108	9.7	7.5-11.9	507	84.7	82.0-87.4
Some Post-H.S.	664	109,695	47	4.9	3.3- 6.5	122	15.0	12.1-17.9	495	80.2	76.9-83.5
College Graduate	697	67,839	38	4.5	2.7- 6.3	111	11.4	9.0-13.8	548	84.1	81.2-87.0
Less than \$15,000	83	12,804	16	14.1	5.9-22.3	12	10.7	3.8-17.6	55	75.2	64.8-85.6
\$15,000- 24,999	197	30,380	24	9.4	5.1-13.7	33	12.6	7.1-18.1	140	77.9	71.0-84.8
\$25,000- 34,999	171	23,377	17	7.1	3.4-10.8	29	10.7	6.0-15.4	125	82.2	76.1-88.3
\$35,000- 49,999	306	39,248	21	4.7	2.5- 6.9	73	19.6	13.9-25.3	212	75.8	69.9-81.7
\$50,000- 74,999	388	48,509	28	5.8	3.1- 8.5	81	15.1	11.4-18.8	279	79.1	74.6-83.6
\$75,000+	813	105,313	35	3.3	1.9- 4.7	115	11.3	8.9-13.7	663	85.3	82.6-88.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 6: LIMITED WORK ACTIVITIES (_LMTWRK1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and limited work			Told have arthritis and have no limited work			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2613	277,430	287	8.5	7.1-9.9	628	16.0	14.4-17.6	1698	75.5	73.5-77.5
Native	86	11,044	21	23.1	10.2-36.0	12	8.1	2.6-13.6	53	68.8	55.5-82.1
Non-Native	2508	264,203	264	8.0	6.6-9.4	612	16.4	14.6-18.2	1632	75.6	73.6-77.6
18-24	117	41,628	2	2.9	0.0-6.8	6	5.9	1.2-10.6	109	91.2	85.1-97.3
25-34	215	48,045	3	1.4	0.0-3.0	6	2.3	0.1-4.5	206	96.3	93.6-99.0
35-44	265	40,522	15	4.7	1.8-7.6	14	5.8	2.5-9.1	236	89.5	85.2-93.8
45-54	356	41,865	26	7.5	3.6-11.4	57	18.1	13.2-23.0	273	74.4	68.7-80.1
55-64	610	45,649	74	13.2	9.7-16.7	160	25.2	21.3-29.1	376	61.6	57.1-66.1
65+	1022	57,116	165	18.1	15.2-21.0	382	33.6	30.1-37.1	475	48.3	44.6-52.0
Less Than H.S.	118	17,203	24	19.8	10.0-29.6	35	21.8	13.2-30.4	59	58.4	46.4-70.4
H.S. or G.E.D.	721	67,733	108	11.1	8.6-13.6	191	18.0	14.5-21.5	422	70.9	66.8-75.0
Some Post-H.S.	896	116,804	99	8.1	5.9-10.3	210	16.1	13.4-18.8	587	75.8	72.5-79.1
College Graduate	869	75,056	55	4.3	2.9-5.7	190	12.8	10.4-15.2	624	82.9	80.2-85.6
Less than \$15,000	162	19,800	45	22.4	14.0-30.8	41	16.7	9.3-24.1	76	60.9	50.5-71.3
\$15,000- 24,999	326	32,811	60	12.7	8.6-16.8	81	14.3	10.2-18.4	185	73.0	67.1-78.9
\$25,000- 34,999	231	24,033	36	11.1	6.0-16.2	64	18.2	12.1-24.3	131	70.6	63.0-78.2
\$35,000- 49,999	360	33,553	49	11.4	7.1-15.7	100	18.4	13.9-22.9	211	70.3	64.2-76.4
\$50,000- 74,999	369	40,832	22	4.3	1.9-6.7	91	15.6	11.7-19.5	256	80.1	75.6-84.6
\$75,000+	729	81,818	33	4.1	1.9-6.3	137	13.6	10.9-16.3	559	82.3	79.0-85.6

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 7: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4827	575,218	207	3.2	2.6-3.8	376	5.4	4.6-6.2	890	12.8	11.8-13.8	3354	78.6	77.2-80.0
Male	2197	297,060	68	2.4	1.6-3.2	110	3.7	2.7-4.7	363	12.1	10.7-13.5	1656	81.7	79.9-83.5
Female	2630	278,158	139	3.9	3.1-4.7	266	7.2	6.0-8.4	527	13.6	12.0-15.2	1698	75.3	73.3-77.3
Native	160	21,750	15	6.7	2.6-10.8	21	10.1	5.0-15.2	19	7.1	3.4-10.8	105	76.1	68.7-83.5
Non-Native	4617	546,270	192	3.0	2.4-3.6	351	5.2	4.4-6.0	863	13.1	11.9-14.3	3211	78.6	77.2-80.0
18-24	267	91,333				4	1.8	0.0-3.6	5	2.6	0.2-5.0	258	95.6	92.7-98.5
25-34	501	105,828	3	0.8	0.0-1.8	6	1.4	0.2-2.6	17	2.9	1.3-4.5	475	95.0	92.8-97.2
35-44	506	86,330	11	2.2	0.6-3.8	12	3.1	1.1-5.1	32	5.4	3.2-7.6	451	89.3	86.2-92.4
45-54	689	85,092	21	2.9	1.3-4.5	28	4.2	2.4-6.0	102	15.3	12.2-18.4	538	77.7	74.0-81.4
55-64	1118	94,261	65	6.3	4.5-8.1	81	6.5	4.9-8.1	241	22.2	19.3-25.1	731	65.0	61.7-68.3
65+	1703	107,850	106	6.5	5.1-7.9	243	14.4	12.4-16.4	488	27.1	24.6-29.6	866	52.0	49.1-54.9
Less Than H.S.	277	49,060	24	5.8	3.1-8.5	40	10.5	6.6-14.4	52	14.2	9.7-18.7	161	69.5	63.0-76.0
H.S. or G.E.D.	1405	154,510	69	3.4	2.4-4.4	132	5.6	4.4-6.8	275	12.8	10.8-14.8	929	78.3	75.9-80.7
Some Post-H.S.	1563	226,971	73	3.2	2.2-4.2	117	5.5	4.3-6.7	291	13.6	11.6-15.6	1082	77.7	75.3-80.1
College Graduate	1570	143,266	41	2.0	1.2-2.8	87	3.4	2.4-4.4	270	11.3	9.7-12.9	1172	83.3	81.3-85.3
Less than \$15,000	247	32,026	35	10.8	6.7-14.9	34	8.1	4.8-11.4	47	13.4	8.3-18.5	131	67.7	60.4-75.0
\$15,000- 24,999	527	63,696	45	5.7	3.7-7.7	66	8.7	6.0-11.4	91	10.9	8.0-13.8	325	74.8	70.3-79.3
\$25,000- 34,999	411	47,954	26	3.7	2.1-5.3	42	7.4	4.1-10.7	87	13.5	10.0-17.0	256	75.5	70.6-80.4
\$35,000- 49,999	669	73,078	34	4.7	2.5-6.9	65	6.6	4.4-8.8	147	15.8	12.5-19.1	423	72.9	68.6-77.2
\$50,000- 74,999	758	89,554	19	2.0	0.8-3.2	49	4.9	3.1-6.7	155	13.7	11.2-16.2	535	79.4	76.3-82.5
\$75,000+	1546	187,685	18	1.0	0.4-1.6	59	3.2	2.2-4.2	247	12.1	10.3-13.9	1222	83.8	81.6-86.0

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 8: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2197	297,060	68	2.4	1.6- 3.2	110	3.7	2.7- 4.7	363	12.1	10.7-13.5	1656	81.7	79.9-83.5
Native	74	11,084	8	5.9	1.2-10.6	7	7.3	1.2-13.4	7	5.9	1.0-10.8	52	80.8	71.4-90.2
Non-Native	2092	280,961	60	2.4	1.6- 3.2	101	3.5	2.5- 4.5	352	12.4	10.8-14.0	1579	81.7	79.9-83.5
18-24	150	49,705				1	0.7	0.0- 2.1				149	99.3	97.9- 100
25-34	286	57,783	2	1.0	0.0- 2.6	4	1.8	0.0- 3.8	11	3.3	1.3- 5.3	269	93.9	90.8-97.0
35-44	241	45,808	3	1.3	0.0- 2.9	7	4.3	1.0- 7.6	16	5.3	2.6- 8.0	215	89.1	84.6-93.6
45-54	333	43,820	9	3.1	0.6- 5.6	6	1.3	0.1- 2.5	53	15.9	11.4-20.4	265	79.7	74.6-84.8
55-64	506	48,384	22	4.7	2.5- 6.9	27	4.5	2.7- 6.3	102	22.2	17.7-26.7	355	68.6	63.9-73.3
65+	666	49,641	31	4.7	2.9- 6.5	63	9.7	7.0-12.4	181	28.2	23.9-32.5	391	57.4	52.9-61.9
Less Than H.S.	155	31,883	12	4.9	1.4- 8.4	15	7.1	2.6-11.6	26	12.5	7.0-18.0	102	75.5	67.9-83.1
H.S. or G.E.D.	672	86,214	21	2.2	1.0- 3.4	28	2.4	1.4- 3.4	116	10.9	8.7-13.1	507	84.5	81.8-87.2
Some Post-H.S.	668	110,202	22	2.2	1.0- 3.4	37	4.4	2.6- 6.2	114	13.6	10.9-16.3	495	79.8	76.5-83.1
College Graduate	698	67,946	13	1.9	0.5- 3.3	30	2.8	1.6- 4.0	107	11.4	8.9-13.9	548	84.0	81.1-86.9
Less than \$15,000	84	12,864	9	8.4	1.9-14.9	10	7.1	1.6-12.6	10	9.6	2.9-16.3	55	74.8	64.4-85.2
\$15,000- 24,999	198	30,458	12	4.5	1.6- 7.4	16	6.4	2.3-10.5	30	11.4	6.5-16.3	140	77.7	70.8-84.6
\$25,000- 34,999	174	23,587	9	3.2	1.0- 5.4	14	4.7	1.8- 7.6	26	10.6	5.7-15.5	125	81.5	75.4-87.6
\$35,000- 49,999	308	39,442	11	3.3	0.8- 5.8	18	5.1	2.0- 8.2	67	16.2	11.3-21.1	212	75.4	69.5-81.3
\$50,000- 74,999	388	48,569	9	1.9	0.3- 3.5	20	4.0	1.6- 6.4	80	15.0	11.3-18.7	279	79.0	74.5-83.5
\$75,000+	816	105,694	6	0.7	0.0- 1.5	20	2.1	0.9- 3.3	127	12.1	9.7-14.5	663	85.0	82.3-87.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 12: ARTHRITIS BURDEN**

TABLE 9: LIMITED SOCIAL ACTIVITIES (_LMTSCL1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Told have arthritis and social activities limited a lot			Told have arthritis and social activities limited a little			Told have arthritis and social activities not limited			Not told they have arthritis		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2630	278,158	139	3.9	3.1- 4.7	266	7.2	6.0- 8.4	527	13.6	12.0-15.2	1698	75.3	73.3-77.3
Native	86	10,666	7	7.6	0.7-14.5	14	13.0	5.0-21.0	12	8.2	2.7-13.7	53	71.3	59.9-82.7
Non-Native	2525	265,309	132	3.8	3.0- 4.6	250	7.0	5.8- 8.2	511	13.9	12.3-15.5	1632	75.3	73.3-77.3
18-24	117	41,628				3	3.1	0.0- 6.6	5	5.7	0.6-10.8	109	91.2	85.1-97.3
25-34	215	48,045	1	0.5	0.0- 1.5	2	1.0	0.0- 2.4	6	2.3	0.1- 4.5	206	96.3	93.6-99.0
35-44	265	40,522	8	3.2	0.5- 5.9	5	1.7	0.0- 3.5	16	5.6	2.5- 8.7	236	89.5	85.2-93.8
45-54	356	41,272	12	2.6	1.0- 4.2	22	7.2	3.9-10.5	49	14.7	10.4-19.0	273	75.5	70.2-80.8
55-64	612	45,876	43	7.9	5.0-10.8	54	8.6	6.1-11.1	139	22.2	18.5-25.9	376	61.3	56.8-65.8
65+	1037	58,209	75	7.9	5.7-10.1	180	18.5	15.6-21.4	307	26.2	23.1-29.3	475	47.4	43.7-51.1
Less Than H.S.	122	17,177	12	7.4	2.7-12.1	25	16.9	9.5-24.3	26	17.2	9.4-25.0	59	58.5	47.1-69.9
H.S. or G.E.D.	733	68,296	48	4.8	3.0- 6.6	104	9.7	7.3-12.1	159	15.1	12.0-18.2	422	70.4	66.3-74.5
Some Post-H.S.	895	116,769	51	4.1	2.7- 5.5	80	6.5	4.5- 8.5	177	13.6	11.1-16.1	587	75.8	72.5-79.1
College Graduate	872	75,320	28	2.1	1.1- 3.1	57	3.9	2.5- 5.3	163	11.3	9.1-13.5	624	82.6	79.9-85.3
Less than \$15,000	163	19,161	26	12.4	6.9-17.9	24	8.8	4.7-12.9	37	15.9	8.6-23.2	76	62.9	53.3-72.5
\$15,000- 24,999	329	33,238	33	6.8	4.1- 9.5	50	10.7	6.8-14.6	61	10.5	6.8-14.2	185	72.0	65.9-78.1
\$25,000- 34,999	237	24,367	17	4.2	1.7- 6.7	28	9.9	4.2-15.6	61	16.2	11.1-21.3	131	69.7	62.1-77.3
\$35,000- 49,999	361	33,637	23	6.4	2.7-10.1	47	8.3	5.4-11.2	80	15.3	11.0-19.6	211	70.1	64.0-76.2
\$50,000- 74,999	370	40,985	10	2.1	0.3- 3.9	29	6.0	3.3- 8.7	75	12.1	8.8-15.4	256	79.8	75.3-84.3
\$75,000+	730	81,991	12	1.3	0.3- 2.3	39	4.5	2.7- 6.3	120	12.1	9.2-15.0	559	82.1	78.8-85.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 13: SEATBELT USE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	173
2	MALES ONLY	174
3	FEMALES ONLY	175
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	176
5	MALES ONLY	177
6	FEMALES ONLY	178

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4583	532,756	4108	87.9	86.5-89.3	475	12.1	10.7-13.5
Male	2048	269,213	1718	82.3	80.1-84.5	330	17.7	15.5-19.9
Female	2535	263,542	2390	93.7	92.3-95.1	145	6.3	4.9- 7.7
Native	147	19,838	130	82.6	72.8-92.4	17	17.4	7.6-27.2
Non-Native	4387	505,800	3940	88.2	86.8-89.6	447	11.8	10.4-13.2
18-24	237	81,598	201	84.4	79.3-89.5	36	15.6	10.5-20.7
25-34	448	93,584	375	87.3	84.2-90.4	73	12.7	9.6-15.8
35-44	464	77,887	424	89.5	86.0-93.0	40	10.5	7.0-14.0
45-54	661	81,803	591	88.1	85.0-91.2	70	11.9	8.8-15.0
55-64	1074	89,960	966	87.5	85.0-90.0	108	12.5	10.0-15.0
65+	1662	103,943	1519	90.3	88.5-92.1	143	9.7	7.9-11.5
Less Than H.S.	261	43,919	205	76.3	69.2-83.4	56	23.7	16.6-30.8
H.S. or G.E.D.	1311	139,114	1133	85.4	82.9-87.9	178	14.6	12.1-17.1
Some Post-H.S.	1494	213,782	1341	88.3	86.1-90.5	153	11.7	9.5-13.9
College Graduate	1505	134,826	1418	93.6	92.0-95.2	87	6.4	4.8- 8.0
Less than \$15,000	238	30,817	208	88.4	82.9-93.9	30	11.6	6.1-17.1
\$15,000- 24,999	501	57,740	428	84.1	79.8-88.4	73	15.9	11.6-20.2
\$25,000- 34,999	399	46,784	366	90.3	85.8-94.8	33	9.7	5.2-14.2
\$35,000- 49,999	646	69,261	575	85.9	82.0-89.8	71	14.1	10.2-18.0
\$50,000- 74,999	733	85,501	658	89.1	86.4-91.8	75	10.9	8.2-13.6
\$75,000+	1483	177,062	1348	88.7	86.5-90.9	135	11.3	9.1-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2048	269,213	1718	82.3	80.1-84.5	330	17.7	15.5-19.9
Native	65	8,751	54	67.7	50.1-85.3	11	32.3	14.7-49.9
Non-Native	1953	255,767	1642	82.8	80.6-85.0	311	17.2	15.0-19.4
18-24	129	43,059	102	77.8	69.6-86.0	27	22.2	14.0-30.4
25-34	254	50,896	194	81.1	76.2-86.0	60	18.9	14.0-23.8
35-44	213	39,753	180	83.2	77.3-89.1	33	16.8	10.9-22.7
45-54	315	41,071	263	81.4	76.1-86.7	52	18.6	13.3-23.9
55-64	481	45,467	409	82.8	78.7-86.9	72	17.2	13.1-21.3
65+	643	47,253	560	87.2	84.3-90.1	83	12.8	9.9-15.7
Less Than H.S.	141	27,123	102	71.7	61.9-81.5	39	28.3	18.5-38.1
H.S. or G.E.D.	613	76,128	488	80.7	76.8-84.6	125	19.3	15.4-23.2
Some Post-H.S.	628	101,603	519	81.0	77.1-84.9	109	19.0	15.1-22.9
College Graduate	663	63,879	606	90.5	87.8-93.2	57	9.5	6.8-12.2
Less than \$15,000	78	11,843	64	79.3	67.0-91.6	14	20.7	8.4-33.0
\$15,000- 24,999	184	26,250	140	77.3	69.7-84.9	44	22.7	15.1-30.3
\$25,000- 34,999	164	22,331	142	84.7	76.1-93.3	22	15.3	6.7-23.9
\$35,000- 49,999	293	36,785	246	83.0	77.1-88.9	47	17.0	11.1-22.9
\$50,000- 74,999	371	45,997	310	83.0	78.5-87.5	61	17.0	12.5-21.5
\$75,000+	770	98,191	664	83.4	80.1-86.7	106	16.6	13.3-19.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2535	263,542	2390	93.7	92.3-95.1	145	6.3	4.9- 7.7
Native	82	11,087	76	94.3	89.0-99.6	6	5.7	0.4-11.0
Non-Native	2434	250,032	2298	93.6	92.2-95.0	136	6.4	5.0- 7.8
18-24	108	38,540	99	91.7	86.2-97.2	9	8.3	2.8-13.8
25-34	194	42,689	181	94.8	91.7-97.9	13	5.2	2.1- 8.3
35-44	251	38,135	244	96.1	92.4-99.8	7	3.9	0.2- 7.6
45-54	346	40,732	328	94.8	92.1-97.5	18	5.2	2.5- 7.9
55-64	593	44,493	557	92.2	89.3-95.1	36	7.8	4.9-10.7
65+	1019	56,689	959	92.9	90.7-95.1	60	7.1	4.9- 9.3
Less Than H.S.	120	16,796	103	83.7	73.7-93.7	17	16.3	6.3-26.3
H.S. or G.E.D.	698	62,986	645	91.0	87.9-94.1	53	9.0	5.9-12.1
Some Post-H.S.	866	112,179	822	94.9	92.9-96.9	44	5.1	3.1- 7.1
College Graduate	842	70,946	812	96.4	94.8-98.0	30	3.6	2.0- 5.2
Less than \$15,000	160	18,974	144	94.1	90.6-97.6	16	5.9	2.4- 9.4
\$15,000- 24,999	317	31,490	288	89.7	85.0-94.4	29	10.3	5.6-15.0
\$25,000- 34,999	235	24,453	224	95.4	92.1-98.7	11	4.6	1.3- 7.9
\$35,000- 49,999	353	32,476	329	89.2	83.9-94.5	24	10.8	5.5-16.1
\$50,000- 74,999	362	39,504	348	96.2	93.7-98.7	14	3.8	1.3- 6.3
\$75,000+	713	78,870	684	95.4	93.2-97.6	29	4.6	2.4- 6.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

**TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4583	532,756	3367	71.6	69.8-73.4	1216	28.4	26.6-30.2
Male	2048	269,213	1301	63.1	60.4-65.8	747	36.9	34.2-39.6
Female	2535	263,542	2066	80.3	78.1-82.5	469	19.7	17.5-21.9
Native	147	19,838	115	72.1	61.5-82.7	32	27.9	17.3-38.5
Non-Native	4387	505,800	3222	71.8	70.0-73.6	1165	28.2	26.4-30.0
18-24	237	81,598	154	66.1	59.4-72.8	83	33.9	27.2-40.6
25-34	448	93,584	288	69.3	64.6-74.0	160	30.7	26.0-35.4
35-44	464	77,887	347	72.5	67.6-77.4	117	27.5	22.6-32.4
45-54	661	81,803	483	72.5	68.6-76.4	178	27.5	23.6-31.4
55-64	1074	89,960	788	72.8	69.7-75.9	286	27.2	24.1-30.3
65+	1662	103,943	1279	75.6	73.1-78.1	383	24.4	21.9-26.9
Less Than H.S.	261	43,919	162	60.3	52.3-68.3	99	39.7	31.7-47.7
H.S. or G.E.D.	1311	139,114	889	65.3	61.8-68.8	422	34.7	31.2-38.2
Some Post-H.S.	1494	213,782	1102	72.4	69.5-75.3	392	27.6	24.7-30.5
College Graduate	1505	134,826	1203	80.2	77.7-82.7	302	19.8	17.3-22.3
Less than \$15,000	238	30,817	179	75.9	68.5-83.3	59	24.1	16.7-31.5
\$15,000- 24,999	501	57,740	355	68.1	62.2-74.0	146	31.9	26.0-37.8
\$25,000- 34,999	399	46,784	306	75.6	69.5-81.7	93	24.4	18.3-30.5
\$35,000- 49,999	646	69,261	442	66.1	61.0-71.2	204	33.9	28.8-39.0
\$50,000- 74,999	733	85,501	525	71.5	67.4-75.6	208	28.5	24.4-32.6
\$75,000+	1483	177,062	1106	71.6	68.7-74.5	377	28.4	25.5-31.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2048	269,213	1301	63.1	60.4-65.8	747	36.9	34.2-39.6
Native	65	8,751	48	58.2	41.3-75.1	17	41.8	24.9-58.7
Non-Native	1953	255,767	1235	63.4	60.7-66.1	718	36.6	33.9-39.3
18-24	129	43,059	77	58.0	48.2-67.8	52	42.0	32.2-51.8
25-34	254	50,896	143	62.2	55.7-68.7	111	37.8	31.3-44.3
35-44	213	39,753	136	62.6	55.2-70.0	77	37.4	30.0-44.8
45-54	315	41,071	197	62.3	56.0-68.6	118	37.7	31.4-44.0
55-64	481	45,467	309	65.6	60.7-70.5	172	34.4	29.5-39.3
65+	643	47,253	432	67.5	63.2-71.8	211	32.5	28.2-36.8
Less Than H.S.	141	27,123	75	54.7	43.9-65.5	66	45.3	34.5-56.1
H.S. or G.E.D.	613	76,128	356	58.1	53.0-63.2	257	41.9	36.8-47.0
Some Post-H.S.	628	101,603	386	62.4	57.7-67.1	242	37.6	32.9-42.3
College Graduate	663	63,879	481	73.2	69.1-77.3	182	26.8	22.7-30.9
Less than \$15,000	78	11,843	51	64.3	50.2-78.4	27	35.7	21.6-49.8
\$15,000- 24,999	184	26,250	107	60.3	51.1-69.5	77	39.7	30.5-48.9
\$25,000- 34,999	164	22,331	107	62.0	51.8-72.2	57	38.0	27.8-48.2
\$35,000- 49,999	293	36,785	174	60.9	53.5-68.3	119	39.1	31.7-46.5
\$50,000- 74,999	371	45,997	229	62.8	56.7-68.9	142	37.2	31.1-43.3
\$75,000+	770	98,191	510	63.6	59.3-67.9	260	36.4	32.1-40.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 13: SEATBELT USE**

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2535	263,542	2066	80.3	78.1-82.5	469	19.7	17.5-21.9
Native	82	11,087	67	83.0	72.8-93.2	15	17.0	6.8-27.2
Non-Native	2434	250,032	1987	80.4	78.2-82.6	447	19.6	17.4-21.8
18-24	108	38,540	77	75.1	66.7-83.5	31	24.9	16.5-33.3
25-34	194	42,689	145	77.7	71.0-84.4	49	22.3	15.6-29.0
35-44	251	38,135	211	82.8	76.7-88.9	40	17.2	11.1-23.3
45-54	346	40,732	286	82.8	78.3-87.3	60	17.2	12.7-21.7
55-64	593	44,493	479	80.1	76.2-84.0	114	19.9	16.0-23.8
65+	1019	56,689	847	82.3	79.4-85.2	172	17.7	14.8-20.6
Less Than H.S.	120	16,796	87	69.3	57.5-81.1	33	30.7	18.9-42.5
H.S. or G.E.D.	698	62,986	533	74.0	69.3-78.7	165	26.0	21.3-30.7
Some Post-H.S.	866	112,179	716	81.5	78.0-85.0	150	18.5	15.0-22.0
College Graduate	842	70,946	722	86.5	83.6-89.4	120	13.5	10.6-16.4
Less than \$15,000	160	18,974	128	83.2	75.6-90.8	32	16.8	9.2-24.4
\$15,000- 24,999	317	31,490	248	74.5	67.1-81.9	69	25.5	18.1-32.9
\$25,000- 34,999	235	24,453	199	88.0	83.1-92.9	36	12.0	7.1-16.9
\$35,000- 49,999	353	32,476	268	71.9	64.8-79.0	85	28.1	21.0-35.2
\$50,000- 74,999	362	39,504	296	81.8	76.5-87.1	66	18.2	12.9-23.5
\$75,000+	713	78,870	596	81.6	77.9-85.3	117	18.4	14.7-22.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 14: IMMUNIZATION CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)	
1	MALES AND FEMALES	180
2	MALES ONLY	181
3	FEMALES ONLY	182
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)	
4	MALES AND FEMALES	183
5	MALES ONLY	184
6	FEMALES ONLY	185

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1664	104,312	1006	58.8	55.9-61.7	658	41.2	38.3-44.1
Male	644	47,601	383	56.7	52.0-61.4	261	43.3	38.6-48.0
Female	1020	56,711	623	60.6	56.9-64.3	397	39.4	35.7-43.1
Non-Native	1623	101,285	986	59.1	56.2-62.0	637	40.9	38.0-43.8
65+	1664	104,312	1006	58.8	55.9-61.7	658	41.2	38.3-44.1
Less Than H.S.	167	17,286	93	56.4	47.4-65.4	74	43.6	34.6-52.6
H.S. or G.E.D.	552	30,365	329	57.7	52.8-62.6	223	42.3	37.4-47.2
Some Post-H.S.	491	35,815	287	56.7	51.4-62.0	204	43.3	38.0-48.6
College Graduate	448	20,640	293	66.4	61.3-71.5	155	33.6	28.5-38.7
Less than \$15,000	115	7,590	69	58.1	46.9-69.3	46	41.9	30.7-53.1
\$15,000- 24,999	283	18,921	158	55.0	47.4-62.6	125	45.0	37.4-52.6
\$25,000- 34,999	191	11,509	117	58.3	49.7-66.9	74	41.7	33.1-50.3
\$35,000- 49,999	284	15,995	183	65.0	58.3-71.7	101	35.0	28.3-41.7
\$50,000- 74,999	230	14,539	136	59.8	52.2-67.4	94	40.2	32.6-47.8
\$75,000+	279	17,723	171	58.4	51.3-65.5	108	41.6	34.5-48.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	644	47,601	383	56.7	52.0-61.4	261	43.3	38.6-48.0
Non-Native	623	45,637	371	57.0	52.3-61.7	252	43.0	38.3-47.7
65+	644	47,601	383	56.7	52.0-61.4	261	43.3	38.6-48.0
Less Than H.S.	76	8,755	39	49.8	36.3-63.3	37	50.2	36.7-63.7
H.S. or G.E.D.	200	12,894	116	55.5	47.7-63.3	84	44.5	36.7-52.3
Some Post-H.S.	157	14,541	86	52.8	43.8-61.8	71	47.2	38.2-56.2
College Graduate	211	11,412	142	68.4	61.1-75.7	69	31.6	24.3-38.9
\$15,000- 24,999	85	7,716	42	47.2	33.9-60.5	43	52.8	39.5-66.1
\$25,000- 34,999	64	4,253	36	50.8	36.5-65.1	28	49.2	34.9-63.5
\$35,000- 49,999	123	8,369	84	70.0	60.8-79.2	39	30.0	20.8-39.2
\$50,000- 74,999	124	9,188	78	61.1	50.9-71.3	46	38.9	28.7-49.1
\$75,000+	158	10,815	94	56.0	46.8-65.2	64	44.0	34.8-53.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT6)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1020	56,711	623	60.6	56.9-64.3	397	39.4	35.7-43.1
Non-Native	1000	55,649	615	60.7	57.0-64.4	385	39.3	35.6-43.0
65+	1020	56,711	623	60.6	56.9-64.3	397	39.4	35.7-43.1
Less Than H.S.	91	8,532	54	63.1	51.7-74.5	37	36.9	25.5-48.3
H.S. or G.E.D.	352	17,472	213	59.3	53.2-65.4	139	40.7	34.6-46.8
Some Post-H.S.	334	21,274	201	59.3	53.0-65.6	133	40.7	34.4-47.0
College Graduate	237	9,229	151	64.0	56.7-71.3	86	36.0	28.7-43.3
Less than \$15,000	86	5,042	55	64.8	52.6-77.0	31	35.2	23.0-47.4
\$15,000- 24,999	198	11,205	116	60.5	52.1-68.9	82	39.5	31.1-47.9
\$25,000- 34,999	127	7,257	81	62.6	52.2-73.0	46	37.4	27.0-47.8
\$35,000- 49,999	161	7,626	99	59.6	50.4-68.8	62	40.4	31.2-49.6
\$50,000- 74,999	106	5,352	58	57.7	46.9-68.5	48	42.3	31.5-53.1
\$75,000+	121	6,908	77	62.1	51.5-72.7	44	37.9	27.3-48.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1628	102,252	1217	73.3	70.6-76.0	411	26.7	24.0-29.4
Male	623	46,250	454	71.6	67.3-75.9	169	28.4	24.1-32.7
Female	1005	56,001	763	74.6	71.3-77.9	242	25.4	22.1-28.7
Non-Native	1588	99,264	1190	73.3	70.6-76.0	398	26.7	24.0-29.4
65+	1628	102,252	1217	73.3	70.6-76.0	411	26.7	24.0-29.4
Less Than H.S.	163	17,024	116	69.1	60.3-77.9	47	30.9	22.1-39.7
H.S. or G.E.D.	540	29,567	404	72.6	68.1-77.1	136	27.4	22.9-31.9
Some Post-H.S.	482	35,255	364	74.2	69.5-78.9	118	25.8	21.1-30.5
College Graduate	438	20,217	331	76.6	72.1-81.1	107	23.4	18.9-27.9
Less than \$15,000	112	7,436	88	78.5	69.5-87.5	24	21.5	12.5-30.5
\$15,000- 24,999	278	18,517	204	71.1	63.8-78.4	74	28.9	21.6-36.2
\$25,000- 34,999	190	11,508	144	71.2	62.6-79.8	46	28.8	20.2-37.4
\$35,000- 49,999	278	15,781	214	79.0	73.7-84.3	64	21.0	15.7-26.3
\$50,000- 74,999	226	14,261	174	75.3	68.4-82.2	52	24.7	17.8-31.6
\$75,000+	273	17,227	187	66.5	59.6-73.4	86	33.5	26.6-40.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	623	46,250	454	71.6	67.3-75.9	169	28.4	24.1-32.7
Non-Native	602	44,286	437	71.3	66.8-75.8	165	28.7	24.2-33.2
65+	623	46,250	454	71.6	67.3-75.9	169	28.4	24.1-32.7
Less Than H.S.	76	8,755	50	64.8	51.7-77.9	26	35.2	22.1-48.3
H.S. or G.E.D.	192	12,309	141	72.7	65.6-79.8	51	27.3	20.2-34.4
Some Post-H.S.	151	14,032	105	69.9	61.5-78.3	46	30.1	21.7-38.5
College Graduate	204	11,154	158	78.0	71.5-84.5	46	22.0	15.5-28.5
\$15,000- 24,999	82	7,446	50	58.8	45.1-72.5	32	41.2	27.5-54.9
\$25,000- 34,999	65	4,304	50	72.1	58.8-85.4	15	27.9	14.6-41.2
\$35,000- 49,999	117	8,121	95	83.1	75.8-90.4	22	16.9	9.6-24.2
\$50,000- 74,999	122	8,998	90	73.6	64.4-82.8	32	26.4	17.2-35.6
\$75,000+	152	10,319	104	65.6	56.6-74.6	48	34.4	25.4-43.4

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1005	56,001	763	74.6	71.3-77.9	242	25.4	22.1-28.7
Non-Native	986	54,978	753	74.9	71.6-78.2	233	25.1	21.8-28.4
65+	1005	56,001	763	74.6	71.3-77.9	242	25.4	22.1-28.7
Less Than H.S.	87	8,269	66	73.8	62.2-85.4	21	26.2	14.6-37.8
H.S. or G.E.D.	348	17,258	263	72.5	66.6-78.4	85	27.5	21.6-33.4
Some Post-H.S.	331	21,224	259	77.0	71.5-82.5	72	23.0	17.5-28.5
College Graduate	234	9,063	173	74.9	68.4-81.4	61	25.1	18.6-31.6
Less than \$15,000	83	4,888	66	79.7	69.5-89.9	17	20.3	10.1-30.5
\$15,000- 24,999	196	11,071	154	79.4	72.7-86.1	42	20.6	13.9-27.3
\$25,000- 34,999	125	7,204	94	70.6	59.2-82.0	31	29.4	18.0-40.8
\$35,000- 49,999	161	7,660	119	74.7	67.1-82.3	42	25.3	17.7-32.9
\$50,000- 74,999	104	5,263	84	78.1	68.3-87.9	20	21.9	12.1-31.7
\$75,000+	121	6,908	83	67.9	57.7-78.1	38	32.1	21.9-42.3

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015

SECTION 15: HIV/AIDS CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)	
1	MALES AND FEMALES	187
2	MALES ONLY	188
3	FEMALES ONLY	189

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 1: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4496	521,914	863	25.9	24.1-27.7	3633	74.1	72.3-75.9
Male	2008	264,440	404	24.6	22.1-27.1	1604	75.4	72.9-77.9
Female	2488	257,474	459	27.3	24.8-29.8	2029	72.7	70.2-75.2
Native	142	18,214	64	48.2	37.4-59.0	78	51.8	41.0-62.6
Non-Native	4308	496,947	793	25.2	23.2-27.2	3515	74.8	72.8-76.8
18-24	230	78,691	63	26.8	20.5-33.1	167	73.2	66.9-79.5
25-34	439	91,668	185	46.1	40.8-51.4	254	53.9	48.6-59.2
35-44	455	76,239	196	43.5	38.2-48.8	259	56.5	51.2-61.8
45-54	654	81,045	168	24.5	20.6-28.4	486	75.5	71.6-79.4
55-64	1059	88,938	142	12.7	10.3-15.1	917	87.3	84.9-89.7
65+	1624	101,631	101	6.7	5.1- 8.3	1523	93.3	91.7-94.9
Less Than H.S.	253	43,196	45	27.2	19.2-35.2	208	72.8	64.8-80.8
H.S. or G.E.D.	1283	135,590	209	24.5	21.0-28.0	1074	75.5	72.0-79.0
Some Post-H.S.	1470	209,373	282	25.8	22.7-28.9	1188	74.2	71.1-77.3
College Graduate	1481	132,829	326	27.2	24.3-30.1	1155	72.8	69.9-75.7
Less than \$15,000	234	29,872	51	26.6	18.6-34.6	183	73.4	65.4-81.4
\$15,000- 24,999	486	55,701	90	26.9	20.8-33.0	396	73.1	67.0-79.2
\$25,000- 34,999	390	45,916	80	30.3	23.4-37.2	310	69.7	62.8-76.6
\$35,000- 49,999	638	68,333	122	27.0	21.9-32.1	516	73.0	67.9-78.1
\$50,000- 74,999	723	84,675	128	29.5	24.6-34.4	595	70.5	65.6-75.4
\$75,000+	1456	173,509	329	26.0	23.1-28.9	1127	74.0	71.1-76.9

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 2: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2008	264,440	404	24.6	22.1-27.1	1604	75.4	72.9-77.9
Native	64	8,388	26	43.9	28.2-59.6	38	56.1	40.4-71.8
Non-Native	1915	251,398	374	24.1	21.6-26.6	1541	75.9	73.4-78.4
18-24	127	42,354	31	25.2	16.6-33.8	96	74.8	66.2-83.4
25-34	250	50,072	82	36.1	29.2-43.0	168	63.9	57.0-70.8
35-44	209	38,965	70	35.6	28.0-43.2	139	64.4	56.8-72.0
45-54	313	40,769	88	28.0	22.1-33.9	225	72.0	66.1-77.9
55-64	476	45,056	72	14.5	11.0-18.0	404	85.5	82.0-89.0
65+	622	45,788	57	8.7	6.2-11.2	565	91.3	88.8-93.8
Less Than H.S.	138	26,897	26	28.5	18.1-38.9	112	71.5	61.1-81.9
H.S. or G.E.D.	599	73,936	116	23.9	19.4-28.4	483	76.1	71.6-80.6
Some Post-H.S.	614	99,929	127	24.6	20.1-29.1	487	75.4	70.9-79.9
College Graduate	655	63,331	134	23.8	19.7-27.9	521	76.2	72.1-80.3
Less than \$15,000	77	11,718	18	22.1	10.9-33.3	59	77.9	66.7-89.1
\$15,000- 24,999	177	24,852	44	33.0	23.2-42.8	133	67.0	57.2-76.8
\$25,000- 34,999	158	21,748	42	35.7	25.1-46.3	116	64.3	53.7-74.9
\$35,000- 49,999	289	36,465	54	23.1	16.4-29.8	235	76.9	70.2-83.6
\$50,000- 74,999	367	45,523	56	23.9	17.6-30.2	311	76.1	69.8-82.4
\$75,000+	756	96,675	162	23.7	19.8-27.6	594	76.3	72.4-80.2

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015
SECTION 15: HIV/AIDS**

TABLE 3: ADULTS WHO HAVE EVER BEEN TESTED FOR HIV (_AIDTST3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2488	257,474	459	27.3	24.8-29.8	2029	72.7	70.2-75.2
Native	78	9,825	38	51.8	37.1-66.5	40	48.2	33.5-62.9
Non-Native	2393	245,549	419	26.4	23.7-29.1	1974	73.6	70.9-76.3
18-24	103	36,337	32	28.7	19.5-37.9	71	71.3	62.1-80.5
25-34	189	41,597	103	58.0	50.2-65.8	86	42.0	34.2-49.8
35-44	246	37,275	126	51.9	44.5-59.3	120	48.1	40.7-55.5
45-54	341	40,276	80	20.9	16.0-25.8	261	79.1	74.2-84.0
55-64	583	43,883	70	10.8	7.9-13.7	513	89.2	86.3-92.1
65+	1002	55,843	44	5.0	3.2- 6.8	958	95.0	93.2-96.8
Less Than H.S.	115	16,299	19	25.2	12.9-37.5	96	74.8	62.5-87.1
H.S. or G.E.D.	684	61,654	93	25.2	20.1-30.3	591	74.8	69.7-79.9
Some Post-H.S.	856	109,445	155	27.0	22.7-31.3	701	73.0	68.7-77.3
College Graduate	826	69,498	192	30.3	26.0-34.6	634	69.7	65.4-74.0
Less than \$15,000	157	18,153	33	29.5	18.7-40.3	124	70.5	59.7-81.3
\$15,000- 24,999	309	30,849	46	22.1	14.5-29.7	263	77.9	70.3-85.5
\$25,000- 34,999	232	24,168	38	25.4	16.8-34.0	194	74.6	66.0-83.2
\$35,000- 49,999	349	31,868	68	31.5	23.7-39.3	281	68.5	60.7-76.3
\$50,000- 74,999	356	39,152	72	36.1	28.8-43.4	284	63.9	56.6-71.2
\$75,000+	700	76,834	167	28.8	24.3-33.3	533	71.2	66.7-75.7

NOTE:

% = Percentage, C.I. (95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a RSE > 0.30 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
NORTH DAKOTA CALCULATED VARIABLE DATA REPORT, 2015**

End of Calculated Variable Data Report